

PUSH COMMANDS

```
$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d
$ mkdir push-commands

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d
$ cd push-commands/

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands
$ git init
Initialized empty Git repository in D:/push-commands/.git/

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git config user.name "S75Deeksha"

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git config user.email "SriDeeksha75Acharya@gmail.com"

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$
```

TERMINALK AFTER GIT INIT

```
$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ vi push_steps.py

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ ls
push_steps.py
```

Shows push steps

```
$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  push_steps.py

nothing added to commit but untracked files present (use "git add" to track)
```

push_steps.py under Untracked files in red

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git add push_steps.py
warning: in the working copy of 'push_steps.py', LF will be replaced by CRLF
the next time Git touches it

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   push_steps.py

```

push_steps.py green under Changes to be committed

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git commit -m "commit 1 : added push_steps.py file"
[master (root-commit) 7ac8918] commit 1 : added push_steps.py file
 1 file changed, 16 insertions(+)
 create mode 100644 push_steps.py

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git log --oneline
7ac8918 (HEAD -> master) commit 1 : added push_steps.py file

```

Shows first commit

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ vi push_steps.py

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git status
On branch master

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   push_steps.py

no changes added to commit (use "git add" and/or "git commit -a")

```

push_steps.py shows modified:

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git add push_steps.py
warning: in the working copy of 'push_steps.py', LF will be replaced by CRLF
the next time Git touches it

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git commit -m "commit 2 : added final push confirmation line"
[master 47d3b48] commit 2 : added final push confirmation line
1 file changed, 1 insertion(+)

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git log --oneline
47d3b48 (HEAD -> master) commit 2 : added final push confirmation line
7ac8918 commit 1 : added push_steps.py file

```

Git log showing 2 commits

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ vi README.md

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the
next time Git touches it

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git commit -m "commit 3 : added README FILE"
[master 37daa37] commit 3 : added README FILE
1 file changed, 33 insertions(+)
create mode 100644 README.md

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git status
On branch master
nothing to commit, working tree clean

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$

```

working tree clean

```

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git remote add origin "https://github.com/S75Deeksha/push-commands.git"

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git push -u origin master
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 12 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (9/9), 1.69 KiB | 432.00 KiB/s, done.
Total 9 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/S75Deeksha/push-commands.git
* [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

```

Push successful showing master -> master

```
$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git remote -v
origin https://github.com/S75Deeksha/push-commands.git (fetch)
origin https://github.com/S75Deeksha/push-commands.git (push)

$ DEEKSHA@LAPTOP-1FDIVFOE MINGW64 /d/push-commands (master)
$ git log --oneline
37daa37 (HEAD -> master, origin/master) commit 3 : added README FILE
47d3b48 commit 2 : added final push confirmation line
7ac8918 commit 1 : added push_steps.py file
```

Shows remote URL + 3 commits