

Операционные системы

Редактор Vi

Малютина Софья Александровна

2026-09-01

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором `vi`, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы



```
samalutina@samalutina:~  
  
samalutina@samalutina:~$ cd  
samalutina@samalutina:~$ touch hello.sh  
samalutina@samalutina:~$
```

Рисунок 1: Создание каталога



The screenshot shows a terminal window with a dark background. The title bar at the top reads "samalutina@samalutina:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script starts with a shebang "#!/bin/bash", followed by a variable assignment "HELL=Hello", a function definition "function hello" with a block containing "LOCAL HELLO=World", "echo \$HELLO", and "echo \$HELLO". The word "hello" is on the current line, with a white cursor at the end. Below the script, there are four lines of blue tilde "~" characters, representing empty lines in the editor.

```
#!/bin/bash
HELL=Hello
function hello
{
LOCAL HELLO=World
echo $HELLO
}
echo $HELLO
hello
~
~
~
~
```

Рисунок 2: Работа в редакторе Vi


```
samalutina@samalutina:~$ cd
samalutina@samalutina:~$ touch hello.sh
samalutina@samalutina:~$ vi hello.sh
samalutina@samalutina:~$ chmod +x hello.sh
samalutina@samalutina:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

samalutina@samalutina:~$
```

Рисунок 3: Запуск файла



The screenshot shows a terminal window with a dark background. The title bar at the top reads "samalutina@samalutina:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script starts with a shebang line, followed by a variable assignment, a function definition, and a call to the function. The cursor is positioned at the end of the "hello" command line.

```
#!/bin/bash
HELLO=Hello
function hello
{
    local HELLO=World
    echo $HELLO
}
echo $HELLO
hello
```

Рисунок 4: Работа в редакторе Vi

```
samalutina@samalutina:~$ cd
samalutina@samalutina:~$ touch hello.sh
samalutina@samalutina:~$ vi hello.sh
samalutina@samalutina:~$ chmod +x hello.sh
samalutina@samalutina:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

samalutina@samalutina:~$ vi hello.sh
samalutina@samalutina:~$ ./hello.sh
Hello
World
samalutina@samalutina:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды