

Relation to a CPF entity



Schema: EAC-CPF 2.0

Context: Describe the relationship between the entity described and a person, family or corporate body.

Description: Use the wrapper element `<relation>` to include all information about the related entity and the character of the relation. Use the required child element `<targetEntity>` to provide a name of the related entity. Use the optional child element `<relationType>` to specify the type of relation. Use the optional child element `<targetRole>` to specify the role of the related entity. Use `<date>`, `<dateRange>`, or `<dateSet>` for specifying the time period of the relationship and `<place>` for relevant location information. `<descriptiveNote>` may be included for more detailed specifications or explanations of the relationship.

If needed, use `<objectXMLWrap>` to embed XML documenting the related entity from any (or no) namespace.

Example:

```
<relation>
  <targetEntity targetType="person" valueURI="https://d-
nb.info/gnd/120636123" vocabularySource="GND"
  vocabularySourceURI="https://d-nb.info/gnd/">
    <part>Sophie</part>
    <part>Baden, Großherzogin</part>
  </targetEntity>
  <dateRange localTypeDeclarationReference="date1"
  localType="dateOfBirthAndDeath">
    <fromDate>1801</fromDate>
    <toDate>1865</toDate>
  </dateRange>
  <relationType
  valueURI="https://www.ica.org/standards/RiC/ontology#hasFamilyAssociationW
ith" vocabularySource="RiC-0"
  vocabularySourceURI="https://www.ica.org/standards/RiC/ontology">has
  family association with</relationType>
    <targetRole>daughter</targetRole>
  </relation>
```