Practical 2

Name: Sachin Ganesh Jadhav

Roll No.: **522**

PRN: 202201040080

Batch: E1

Statement:

Prepare/Take <u>datasets</u> for any real-life application. For Ex. Sales of the company. Read the data from <u>Sales.csv</u>/.xls/.txt. Store Product details in the List data structure. Store Supplier Details in Dictionary Data Structure. Store Customer Details in Tuple Data Structure. Now perform the following operations:

- 1. Find the most popular product for sale.
- 2. Find the best supplier for sales.
- 3. Find the customer who buys most of the products.
- 4. Find the number of customers who are 'Female'

CSV File:

Product ID		Supplier Details	1 to 10 of 20 entries Filter	
	Product details		Customer Details	Gender
P00001	Lenovo Laptop	Raka Ele.	Kaustubh Mahajan	Male
P00002	Samsung M31	Vijay Sales	Siddhi Kiwale	Female
P00003	Realmi 10pro	Gada Ele.	Sanket Kandalkar	Male
P00004	Oppo F21	Surya Ele.	Yash Mali	Male
P00005	Lenovo Laptop	Raka Ele.	Yash Bagul	Male
P00006	Samsung M31	Gada Ele.	Siddhi Kiwale	Female
P00007	LG TV 32"	Vijay Sales	Sanket Kandalkar	Male
P00008	Oppo F21	Surya Ele.	Kaustubh Mahajan	Male
P00009	Lenovo Laptop	Raka Ele.	Yash Mali	Male
P00010	Samsung M31	Gada Ele.	Siddhi Kiwale	Female

Code:

```
product_details=[]
supplier_details=dict()
customer_details=[]
gender={}
```

```
fp1=open("/content/sales.csv", "r")
data=fp1.readline()
while(True):
  data=fp1.readline()
  if not data:
   break;
  #print(data)
  #data=data.replace("\n","")
  temp=data.split(",")
  product details.append(temp[1])
  customer details.append(temp[3])
  supplier details.update({temp[0]:temp[2]})
  gender.update({temp[3]:temp[4]})
fp1.close()
customer details=tuple(customer details)
print(type(customer details))
print("\nProduct Details\n", product details, end="")
print("\nCustomer Details\n", customer details, end="")
print("\nSupplier Details\n", supplier details, end="")
print("\nGender Details\n", gender, end="")
frequency={}
#iterating over the list
for item in product details:
  #checking the element in dictionary
  if item in frequency:
    #increment the counter
   frequency[item] += 1
  else:
    frequency[item]=1
print(frequency)
marklist=sorted(frequency.items(), key=lambda x:x[1], reverse=True)
sortdict=dict(marklist)
print(sortdict)
print("The most popular product for
sales", list(sortdict.keys())[0], "sold", list(sortdict.values())[0], "time
s")
```

Output:

print (frequency)

print(sortdict)

sortdict=dict(marklist)

print("The most popular supplier for

```
<class 'tuple'>
Product Details
['Lenovo Laptop', 'Samsung M31', 'Realmi 10pro', 'Oppo F21', 'Lenovo
Laptop', 'Samsung M31', '"LG TV 32"""', 'Oppo F21', 'Lenovo Laptop',
'Samsung M31', '"LG TV 32"""', 'Lenovo Laptop', 'Samsung M31', 'Realmi
10pro', 'Lenovo Laptop', 'Oppo F21', '"LG TV 32"""', 'Lenovo Laptop',
'Samsung M31', '"LG TV 32"""']
Customer Details
 ('Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali',
'Yash Bagul', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Kaustubh Mahajan',
'Yash Mali', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Kaustubh Mahajan', 'Yash Mali', 'Siddhi Kiwale', 'Tanuja Mali', 'Kaustubh Mahajan',
'Sanket Kandalkar', 'Siddhi Kiwale', 'Kaustubh Mahajan', 'Yash Mali')
Supplier Details
 {'P00001': 'Raka Ele.', 'P00002': 'Vijay Sales', 'P00003': 'Gada
Ele.', 'P00004': 'Surya Ele.', 'P00005': 'Raka Ele.', 'P00006': 'Gada
Ele.', 'P00007': 'Vijay Sales', 'P00008': 'Surya Ele.', 'P00009': 'Raka
Ele.', 'P00010': 'Gada Ele.', 'P00011': 'Surya Ele.', 'P00012': 'Raka Ele.', 'P00013': 'Surya Ele.', 'P00014': 'Raka Ele.', 'P00015': 'Gada
Ele.', 'P00016': 'Vijay Sales', 'P00017': 'Deshmukh sales', 'P00018':
'Raka Ele.', 'P00019': 'Deshmukh sales', 'P00020': 'Gada Ele.'}
Gender Details
 {'Kaustubh Mahajan': 'Male\n', 'Siddhi Kiwale': 'Female\n', 'Sanket
Kandalkar': 'Male\n', 'Yash Mali': 'Male\n', 'Yash Bagul': 'Male\n',
'Tanuja Mali': 'Female\n'}{'Lenovo Laptop': 6, 'Samsung M31': 5,
'Realmi 10pro': 2, 'Oppo F21': 3, '"LG TV 32""": 4}
{'Lenovo Laptop': 6, 'Samsung M31': 5, '"LG TV 32"""': 4, 'Oppo F21':
3, 'Realmi 10pro': 2}
The most popular product for sales Lenovo Laptop sold 6 times
Code :
frequency={}
for item in supplier details.values():
  if item in frequency:
    frequency[item] += 1
  else:
    frequency[item] = 1
```

marklist=sorted(frequency.items(), key=lambda x:x[1], reverse=True)

sales", list(sortdict.keys())[0], "sold", list(sortdict.values())[0], "time

Output:

```
{'Raka Ele.': 6, 'Vijay Sales': 3, 'Gada Ele.': 5, 'Surya Ele.': 4,
'Deshmukh sales': 2}
{'Raka Ele.': 6, 'Gada Ele.': 5, 'Surya Ele.': 4, 'Vijay Sales': 3,
'Deshmukh sales': 2}
```

The most popular supplier for sales Raka Ele. sold 6 times

Code:

```
frequency={}

for item in product_details:
    if item in frequency:
        frequency[item] += 1
    else:
        frequency[item] = 1

print (frequency)

marklist=sorted(frequency.items(), key=lambda x:x[1], reverse=True)

sortdict=dict(marklist)

print(sortdict)

print("The most popular product for

sales", list(sortdict.keys())[0], "sold", list(sortdict.values())[0], "time s")
```

Output:

```
{'Lenovo Laptop': 6, 'Samsung M31': 5, 'Realmi 10pro': 2, 'Oppo F21': 3, '"LG TV 32""": 4}
{'Lenovo Laptop': 6, 'Samsung M31': 5, '"LG TV 32""": 4, 'Oppo F21': 3, 'Realmi 10pro': 2}
```

The most popular product for sales Lenovo Laptop sold 6 times

Code:

```
from collections import Counter
counter = dict(Counter(customer_details))
names=list(counter.keys())
print(names)
male=0
female=0

for name in names:
   if gender[name] == "Male":
```

```
print("Total no. of Males", male)
print("Total no. of Females", female)
```

Output:

```
['Kaustubh Mahajan', 'Siddhi Kiwale', 'Sanket Kandalkar', 'Yash Mali',
'Yash Bagul', 'Tanuja Mali']
Total no. of Males 0
Total no. of Females 0

if gender[name] == "Female":
    male = male + 1
    female + = 1
```