

Input

- Users table — user_id, join_date, favorite_brand
- Orders table — order_id, order_date, buyer_id, seller_id
- (Items table exists but is unused)

Output

- For every user → buyer_id, join_date, orders_in_2019
- Users with 0 orders in 2019 → still appear with 0

Key Insights

- ALL users must appear → LEFT JOIN, not INNER JOIN
- Filter 2019 condition in ON clause, not WHERE (else it removes 0-order users)
- COUNT(o.order_id) returns 0 for unmatched rows — COUNT(*) would not

Observations

- buyer_id in Orders links to user_id in Users
- Filtering in WHERE after LEFT JOIN silently turns it into INNER JOIN behavior
- YEAR(order_date) extracts year from a date column

Approach

- LEFT JOIN Users with Orders on user_id = buyer_id
- Add year filter in ON clause
- GROUP BY user_id
- COUNT(order_id) per group

Algorithm

Step 1: LEFT JOIN Users, Orders
ON user_id = buyer_id AND YEAR(order_date) = 2019

Step 2: GROUP BY user_id

Step 3: COUNT(order_id) per group
→ 0 if no match, N if N matches

Section

	Complexity
TC	O(N + M) — N = Users, M = Orders
SC	O(N) — result per user

Points to Remember

- LEFT JOIN → ALL rows from left + matching from right
- Right table filter → always in ON, never WHERE
- COUNT(column) → 0 for no match ✔️ (use this, not COUNT(*))
- Ignore unused tables (like Items here)

Pattern

LEFT JOIN + Conditional Count Pattern

Whenever you see:

- "For each X, count related Y"
- "Show 0 if no related records"

Think →

LEFT JOIN with condition in ON clause

COUNT(right_table_column)

GROUP BY left_table_id

Database

Accepted

Code

Description

Editorial

Solutions

Submissions

1158. Market Analysis I

Solved

MediumTopicsCompanies

SQL Schema

Pandas Schema

Table: Users

Column Name	Type
user_id	int
join_date	date
favorite_brand	varchar

user_id is the primary key (column with unique values) of this table.
This table has the info of the users of an online shopping website where users can sell and buy items.

Table: Orders

Column Name	Type
order_id	int
order_date	date
item_id	int
buyer_id	int
seller_id	int

order_id is the primary key (column with unique values) of this table.
item_id is a foreign key (reference column) to the Items table.
buyer_id and seller_id are foreign keys to the Users table.

7618213 Online

Accepted

All Submissions

Accepted 16 / 16 testcases passed

Sahil Khan submitted at Jun 13, 2026 17:00

Runtime

1215 ms Beats 79.20%

Code | MySQL

```
1 # Write your MySQL query statement below
2 SELECT u.user_id AS buyer_id, u.join_date, COUNT(o.order_id) AS orders_in_2019
3 FROM Users u
4 LEFT JOIN Orders o
5 ON u.user_id=o.buyer_id AND YEAR(o.order_date) = 2019
6 GROUP BY u.user_id
7
8
```

Write your notes here

Select related tags 0/5

MySQL

Auto

```
1 # Write your MySQL query statement below
2 SELECT u.user_id AS buyer_id, u.join_date, COUNT(o.order_id) AS orders_in_2019
3 FROM Users u
4 LEFT JOIN Orders o
5 ON u.user_id=o.buyer_id AND YEAR(o.order_date) = 2019
6 GROUP BY u.user_id
7
8
```

Saved Upgrade to Cloud Saving Ln 1, Col 1

Testcase Test Result

You must run your code first