#### 1

# Assignment 1

## Muttareddy Sahil Chandra - CS20BTECH11033

Download all python codes from

https://github.com/SAHIL150602/AI1103/blob/main/Assignment1/codes/Assignment.py

and latex-tikz codes from

https://github.com/SAHIL150602/AI1103/blob/main/Assignment1/Assignment1.tex

## 1 Problem

How many times a man must toss a coin such that the probability of getting atleast one head is greater than 90%

## 2 Solution

The probability of getting heads when an unbiased coin is tossed 1 time is  $\frac{1}{2}$ .

Similar for tails

By Binomial distribution the probability of getting *k* heads is

$$P(X = k) = {}^{n}C_{k} \left(\frac{1}{2}\right)^{k} \left(\frac{1}{2}\right)^{n-k}$$

$$= \frac{{}^{n}C_{k}}{2^{n}}$$
(1)

So the probability of getting at least one head is P(X > 0).

By binomial distribution we also know that

$$\sum_{i=0}^{n} P(X = i) = 1$$
So
$$Prob + P(X = 0) = 1$$

$$Ans = 1 - P(X = 0)$$

$$= 1 - \frac{{}^{n}C_{0}}{2^{n}}$$

$$Prob = 1 - \frac{1}{2^{n}}$$

the condition given was probability of getting at least one head must be greater than 90%

$$\implies Prob > 0.9$$

$$\implies 1 - \frac{1}{2^n} > 0.9$$

$$\implies \frac{1}{2^n} < 0.1$$

$$\implies 2^n > 10$$

Hence n = 4

⇒ The minimum number of times the coin has to be tossed so that the probability of getting atleast one head is greater than 0.9 is 4 times.