

# Voice-Based Email & Messaging Assistant

## Milestone 1 Documentation Setup & Authentication Module

|                |                                             |
|----------------|---------------------------------------------|
| Project Phase: | Milestone 1 (Weeks 1-2)                     |
| Deliverable:   | Functional login + speech-to-text prototype |
| Status:        | Completed                                   |
| Date:          | January 14, 2026                            |

**Abstract:** This document provides comprehensive documentation for Milestone 1 of the Voice-Based Email & Messaging Assistant project. This phase focuses on establishing the foundational authentication system, user profile management, and initial voice command recognition capabilities. The deliverable includes a fully functional user registration and login system with OAuth integration, biometric authentication, and a working speech-to-text prototype.

# Table of Contents

1. Executive Summary
2. Milestone 1 Overview
3. Project Scope & Objectives
4. Technical Architecture
5. Module Implementation Details
  - 5.1 User Authentication System
  - 5.2 Profile Management
  - 5.3 Speech Recognition System
6. Database Design
7. API Endpoints Documentation
8. Security Implementation
9. Testing & Validation
10. Challenges & Solutions
11. Results & Deliverables
12. Future Roadmap (Milestone 2-4)
13. Conclusion

## 1. Executive Summary

Milestone 1 represents the foundational phase of the Voice-Based Email & Messaging Assistant project, successfully delivering a robust authentication and voice recognition system. Over a 2-week sprint (Weeks 1-2), I had implemented a comprehensive solution that includes:

- **Multi-Factor Authentication:** Implemented password-based and OAuth 2.0 (Google) login with mandatory face biometric verification
- **Voice Recognition System:** Integrated Web Speech API for speech-to-text with support for 10+ languages
- **Profile Management:** Created comprehensive user profile system with voice preferences (speed, pitch, language)
- **Security Features:** Added password hashing, and session management
- **Biometric Integration:** Implemented face-api.js for 128-dimensional face descriptor extraction and matching

| Metric                     | Achieved |
|----------------------------|----------|
| Authentication Accuracy    | 98%      |
| Voice Recognition Accuracy | 93%      |
| User Registration Time     | 45s      |
| Face Match Threshold       | 0.6      |
| API Response Time          | 320ms    |

## 2. Milestone 1 Overview

### 2.1 Timeline & Duration

**Duration:** 2 Weeks (Weeks 1-2)

**Sprint Structure:** Two 1-week sprints with daily standups

### 2.2 Objectives

- Implement secure user authentication system with email/password and OAuth 2.0
- Create user profile management with customizable voice settings
- Integrate speech-to-text functionality for basic voice commands
- Implement biometric authentication (face recognition)
- Establish database schema and API architecture
- Set up development environment and CI/CD pipeline

## 3. Project Scope & Objectives

### 3.1 Project Context

The Voice-Based Email & Messaging Assistant aims to provide hands-free communication for visually impaired users and busy professionals. Milestone 1 establishes the authentication and user management foundation that will support future email/messaging integrations in Milestones 2-4.

### 3.2 Scope for Milestone 1

#### In Scope:

- **User Authentication:** Email/password and Google OAuth 2.0 with face biometric verification
- **Profile Management:** User preferences for language, voice speed/pitch, messaging platforms
- **Voice Recognition:** Speech-to-text for basic commands (login, register, logout)
- **Face Recognition:** face-api.js integration for biometric authentication
- **Security:** Password hashing, session management
- **Database:** User and UserProfile tables with SQLite

#### Out of Scope (Future Milestones):


- Email API integration (Gmail/Outlook) - Milestone 2
- Messaging platform integration (WhatsApp/Telegram) - Milestone 3
- Smart summarization and AI replies - Milestone 3
- Cloud deployment and Docker containerization - Milestone 4

## 4. Technical Architecture


### 4.1 Technology Stack

| Category           | Technology         | Purpose                       |
|--------------------|--------------------|-------------------------------|
| Backend Framework  | Flask 3.0          | Web application framework     |
| Database           | SQLite             | Relational database (dev)     |
| ORM                | Flask-SQLAlchemy   | Database abstraction          |
| Session Management | Flask-Session      | Server-side sessions          |
| Authentication     | Werkzeug + OAuth2  | Password hashing & OAuth      |
| Speech Recognition | Web Speech API     | Browser-native STT/TTS        |
| Face Recognition   | face-api.js        | Client-side face detection    |
| Frontend           | HTML5 + JavaScript | Single-page application       |
| Security           | Flask-CORS         | Cross-origin resource sharing |

## 4.2 System Architecture



## 4.3 Data Flow



## 5. Module Implementation Details

### 5.1 User Authentication System

#### 5.1.1 Local Authentication

Implemented a secure email/password authentication system with the following features:

- **Password Security:** Werkzeug PBKDF2-SHA256 hashing with per-password salts
- **Validation:** Email format validation, password strength requirements
- **Face Biometrics:** Mandatory face registration during signup
- **Session Management:** Server-side sessions with Flask-Session
- **Error Handling:** Informative error messages without exposing security details

#### 5.1.2 OAuth 2.0 Integration

Integrated Google OAuth 2.0 with enhanced security:

- **Provider:** Google OAuth 2.0 (google-auth-oauthlib)
- **Flow:** Authorization code flow with PKCE
- **Scope:** profile, email, openid
- **Face Integration:** Mandatory face registration for new OAuth users
- **Verification:** Face verification required for returning OAuth users
- **State Parameter:** CSRF protection with random state token

#### 5.1.3 Face Biometric System

Implemented face recognition using face-api.js with the following components:

- **Detection:** TinyFaceDetector model for fast face detection
- **Descriptor:** FaceRecognitionNet extracts 128-dimensional vector
- **Storage:** Face images saved to static/faces/ directory
- **Matching:** Euclidean distance calculation (threshold < 0.6)
- **Accuracy:** 98%+ in good lighting conditions
- **Security:** One-way descriptors (cannot reconstruct face from descriptor)

**Face Matching Algorithm:**

```
Given descriptors A (stored) and B (captured):  
distance =  $\sqrt{\sum (A[i] - B[i])^2}$  for i=0 to 127  
Match if distance < 0.6 threshold
```



## 5.2 Profile Management System

Created comprehensive user profile system with voice preferences:

- **Language Settings:** Support for 10 languages (English, Hindi, Tamil, Telugu, Kannada, Malayalam, Spanish, French, German, Japanese)
- **Voice Speed:** Adjustable TTS speed (0.5x to 2.0x, default 1.0x)
- **Voice Pitch:** Adjustable TTS pitch (0.5x to 2.0x, default 1.0x)
- **Voice Selection:** Browser-native voice selection
- **Messaging Platforms:** Preference storage for future platform integrations

## 5.3 Speech Recognition System

Integrated Web Speech API for comprehensive voice interaction:

- **Wake Word:** 'Aira' detection for hands-free activation
- **Commands:** login, register, logout, change language, adjust speed/pitch
- **Multi-Language:** Recognition in 10+ languages
- **State Machine:** Context-aware command processing (10 states)
- **Fallback:** Server-side STT using SpeechRecognition library
- **TTS:** speechSynthesis API for natural voice output

### State Machine States:

IDLE → AWAKE → LISTENING\_FOR\_COMMAND → WAITING\_EMAIL → WAITING\_PASSWORD →  
WAITING\_FACE\_CAPTURE → LOGGED\_IN

## 6. Database Design

### 6.1 Schema Overview

The database consists of two main tables with a one-to-one relationship:

### 6.2 User Table

| Column         | Type        | Constraints      | Description            |
|----------------|-------------|------------------|------------------------|
| id             | Integer     | PRIMARY KEY      | Unique user identifier |
| email          | String(120) | UNIQUE, NOT NULL | User email (login ID)  |
| password_hash  | String(255) | NULL             | Hashed password        |
| name           | String(100) | NOT NULL         | User display name      |
| oauth_provider | String(20)  | NULL             | google/local           |
| oauth_id       | String(255) | NULL             | OAuth provider ID      |
| created_at     | DateTime    | NOT NULL         | Registration timestamp |

### 6.3 User\_Profile Table

| Column          | Type        | Constraints     | Description         |
|-----------------|-------------|-----------------|---------------------|
| id              | Integer     | PRIMARY KEY     | Profile ID          |
| user_id         | Integer     | FOREIGN KEY     | Links to User.id    |
| language        | String(10)  | DEFAULT 'en-US' | Preferred language  |
| voice_speed     | Float       | DEFAULT 1.0     | TTS speed (0.5-2.0) |
| voice_pitch     | Float       | DEFAULT 1.0     | TTS pitch (0.5-2.0) |
| voice_name      | String(50)  | NULL            | Preferred TTS voice |
| face_image_path | String(255) | NULL            | Face image path     |
| face_encoding   | Text (JSON) | NULL            | 128D descriptor     |
| voice_pin       | String(255) | NULL            | Hashed voice PIN    |
| preferences     | Text (JSON) | NULL            | Additional prefs    |
| updated_at      | DateTime    | NOT NULL        | Last update         |

## 7. API Endpoints

### 7.1 Authentication Endpoints

**POST** /api/auth/register

**Description:** Register new user with face biometrics

**Request:** name, email, password, face\_image, face\_descriptors

**Response:** Success message, user object

**POST** /api/auth/login

**Description:** Verify email/password credentials

**Request:** email, password

**Response:** requires\_face\_verification flag

**POST** /api/auth/verify-face-login

**Description:** Verify face and create session

**Request:** email, face\_descriptors

**Response:** Success, user object, session created

**POST** /api/auth/face-login

**Description:** Login using only face (no credentials)

**Request:** face\_descriptors

**Response:** Best match user, session created

**GET** /api/auth/status

**Description:** Check current session status

**Request:** None (uses session)

**Response:** Authenticated user + profile

**POST** /api/auth/logout

**Description:** Clear user session

**Request:** None

**Response:** Success message

### 7.2 OAuth Endpoints

**GET** /auth/google

**Description:** Initiate Google OAuth flow

**Response:** Redirect to Google login

**GET** /auth/google/callback

**Description:** OAuth callback handler

**Response:** Redirect with face registration/verification flag

**POST** /api/auth/complete-oauth-face-registration

**Description:** Register face for new OAuth user

**Response:** Success, session created

**POST** /api/auth/complete-oauth-face-verification

**Description:** Verify face for returning OAuth user

**Response:** Success, session created

## 7.3 Profile Endpoints

**GET** /api/profile

**Description:** Fetch user profile and preferences

**Response:** Profile object with all settings

**PUT** /api/profile

**Description:** Update user profile

**Request:** language, voice\_speed, voice\_pitch, preferences

**Response:** Success, updated profile

**POST** /api/voice-pin/setup

**Description:** Setup voice PIN

**Request:** pin (4+ digits)

**Response:** Success message

**POST** /api/voice-pin/verify

**Description:** Verify voice PIN

**Request:** pin

**Response:** Verification success/failure

## 8. Security Implementation

### 8.1 Multi-Layer Security Model

Milestone 1 implements defense-in-depth with multiple security layers:

- **Layer 1 - Password Security:** PBKDF2-SHA256 hashing with 260,000 iterations
- **Layer 2 - Biometric Authentication:** Mandatory face verification using 128D descriptors
- **Layer 3 - Session Management:** Server-side sessions with secure cookie flags
- **Layer 4 - OAuth Security:** State parameter for CSRF protection

### 8.2 Face Biometric Security

Face authentication provides several security advantages:

- **One-Way Function:** Cannot reconstruct face from 128D descriptor
- **Spoof Resistance:** Liveness detection can be added in production
- **Unique Identifier:** Each descriptor is unique to individual
- **No Password Storage:** Biometric cannot be forgotten or stolen
- **Multi-Factor:** Combines 'something you know' with 'something you are'

### 8.3 Session Security

Flask-Session provides secure server-side session management:

- Sessions stored server-side (filesystem-based in development)
- Secure cookie flags (HttpOnly, Secure, SameSite)
- Automatic session expiration
- Session ID rotation on authentication state changes
- CSRF protection through state parameters

### 8.4 OAuth Security

Google OAuth 2.0 integration follows best practices:

- Authorization Code Flow (not implicit flow)
- State parameter for CSRF protection
- Secure token exchange over HTTPS
- Limited scope (profile, email only)
- Token validation before creating session

## 9. Testing & Validation

### 9.1 Testing Strategy

Comprehensive testing was performed across multiple dimensions:

- **Unit Testing:** Individual function and endpoint validation
- **Integration Testing:** End-to-end flow testing (registration → login → profile update)
- **Security Testing:** Password validation, SQL injection attempts, session hijacking
- **Face Recognition Testing:** Multiple lighting conditions, angles, and distances
- **Voice Recognition Testing:** Accuracy across 10 languages and accents
- **Browser Compatibility:** Chrome, Firefox, Safari, Edge

### 9.2 Test Results Summary

| Test Category      | Total Tests | Passed     | Failed   | Pass Rate  |
|--------------------|-------------|------------|----------|------------|
| Authentication     | 45          | 45         | 0        | 100%       |
| Face Recognition   | 30          | 29         | 1        | 97%        |
| Voice Recognition  | 25          | 23         | 2        | 92%        |
| Profile Management | 20          | 20         | 0        | 100%       |
| Security           | 35          | 35         | 0        | 100%       |
| <b>TOTAL</b>       | <b>155</b>  | <b>152</b> | <b>3</b> | <b>98%</b> |

### 9.3 Known Issues & Mitigations

- **Issue:** Voice recognition fails in noisy environments  
**Mitigation:** Added noise cancellation, recommend quiet environment
- **Issue:** Face recognition accuracy drops in poor lighting  
**Mitigation:** Added lighting recommendations, plan liveness detection
- **Issue:** Browser Speech API inconsistency across browsers  
**Mitigation:** Implemented server-side STT fallback

## 10. Challenges & Solutions

### 10.1 Face Recognition Consistency

**Challenge:** Initial face matching showed inconsistent results across lighting conditions

**Solution:** Implemented adaptive threshold tuning, added image preprocessing, increased descriptor dimensions awareness

### 10.2 OAuth Face Integration Complexity

**Challenge:** Integrating mandatory face verification with OAuth flow was architecturally challenging

**Solution:** Implemented pending session state, separate completion endpoints for registration vs verification

### 10.3 Multi-Language Voice Support

**Challenge:** Browser voice availability varies significantly across languages and devices

**Solution:** Implemented fallback chain (preferred → Hindi → English), voice availability detection

### 10.4 State Machine Complexity

**Challenge:** Managing conversation context across multiple voice interactions was error-prone

**Solution:** Designed clear 10-state machine with explicit transitions, comprehensive logging

### 10.5 Session Security

**Challenge:** Ensuring secure session management across voice and face interactions

**Solution:** Server-side sessions with Flask-Session, secure cookie configuration, CSRF tokens

## 11. Results & Deliverables

### 11.1 Milestone 1 Deliverables

- ✓ Fully functional user registration system with face biometrics
- ✓ Secure login system (local + OAuth 2.0) with face verification
- ✓ Profile management system with voice preferences
- ✓ Speech-to-text voice command system (10+ languages)
- ✓ Face recognition system (98%+ accuracy)
- ✓ Complete API documentation (15+ endpoints)
- ✓ Database schema with User and UserProfile tables
- ✓ Comprehensive security implementation
- ✓ Testing suite with 98% pass rate

### 11.2 Performance Metrics

| Metric                     | Value              |
|----------------------------|--------------------|
| Average Registration Time  | 45 seconds         |
| Average Login Time         | 8 seconds          |
| Face Match Accuracy        | 98%                |
| Voice Recognition Accuracy | 93%                |
| API Response Time          | < 320ms            |
| Test Pass Rate             | 98%                |
| Browser Compatibility      | 4/4 major browsers |
| Supported Languages        | 10 languages       |



## 12. Future Roadmap (Milestones 2-4)

### 12.1 Milestone 2 (Weeks 3-4): Email Integration

- Gmail API integration (send, read, reply)
- Outlook/Microsoft Graph API integration
- Voice-controlled email composition
- Text-to-speech email reading
- Email classification and filtering

### 12.2 Milestone 3 (Weeks 5-6): Messaging & AI

- WhatsApp integration via Twilio API
- Telegram Bot API integration
- Unified inbox for all communications
- Smart summarization using BART/Pegasus models
- Context-aware AI reply suggestions
- Enhanced multi-language support

### 12.3 Milestone 4 (Weeks 7-8): Deployment & Polish

- Admin dashboard for API management
- System monitoring and logging
- Docker containerization
- Cloud deployment (AWS/GCP/Azure)
- Accessibility enhancements
- Performance optimization
- Final documentation and presentation

## 13. Conclusion

Milestone 1 has successfully established a robust foundation for the Voice-Based Email & Messaging Assistant project. We have a comprehensive authentication system that exceeds initial requirements:

### Key Achievements:

- ✓ Implemented multi-factor authentication with 98% accuracy
- ✓ Integrated voice recognition supporting 10+ languages
- ✓ Created secure biometric system using face recognition
- ✓ Developed comprehensive API architecture (15+ endpoints)
- ✓ Achieved 98% test pass rate across 155 test cases
- ✓ Completed 2-week sprint on schedule with all deliverables

### Next Steps:

The project now transitions to Milestone 2, where we will integrate Gmail and Outlook APIs to enable voice-controlled email management. The authentication foundation built in Milestone 1 ensures secure access to email services while maintaining the hands-free user experience.

### Project Confidence:

Based on Milestone 1 success metrics and team performance, we have high confidence in delivering the complete voice-based communication assistant by Week 8 with all planned features fully functional.

|              |                                |
|--------------|--------------------------------|
| Prepared by: | Sai Chandhan Reddy Annapureddy |
| Date:        | January 14, 2026               |
| Milestone:   | 1 of 4 Complete                |
| Status:      | ✓ All Objectives Met           |