împort java ou til scann er, him the class Book & String name, author double price; int num-pages Scanner Sc= new Scanner (system.i'n). Book() & Book (string name, String author, Louble price int papes) { this name 2 name; this author = author; this . price = price this. numpages = pages; void set Octails () \$ System. out. print (Exter name of the book: "). this name = sc.next Line (); System. out. print ("Enter the author of the book 11); this author = scinext Line (); System. out. print ("Enter the price!") this, price 2 Sc. next Double ()

Scanned with CamScanner

system. out . print ("Enter the number of pages:") this numerage = Sc. next Int (); void get Datails (D& stands) (0 = 7 tm) voit Systemout Printing ("Name: "thank)? too. motage system.out.printin("Author:"+ author); System. out. printin ("Arice + price);" = [] = dood Sys temout. printly "Number of Pages:"+num-pages). 3 public string to string () should it o et this) rot return (Name:"+ name + " In Author " + author than Price: "+ price+"/2 Number Cot page: 1900 () attaing to motified); : Colored predollaries to es motere Public Class Lab35 Dublic Static void main (String args []) & int n; Book books [] Book my Book = new Book (Percy jackson , Rick Riordan , Scanner scenew Scanner (system.in); 40,23,571) System. out. print ("Enter the number of books:");

"L'i print ("Enter the number of popui) n = Sc. next Int () books 2 new Book Chi for (int == 0, icbooks.length; i++) { System. out. printlal"Enter details for book" : (rotture " postut") attrilique ("). booke[i] = new Book (); q" lattaing too. mil. books [i] set Details(); " Maira duo for (intizo; i < books length; itt) g System out println ("Octarls not + book" + (i+1)+"! books [i] jet Details (); "+ sirg " soil System.out. printin(); Systement printinting Book); 3 (E) you enirte) non blow state sile [] dood " My Book THELL BOOK Perty jockson Rice Riordon" (we was shis) Lawress man 25 Jan. · (". extent for endown att motor) of hooks.").