

React Exercise 11 – Solution

Create src/CurrencyConvertor.js

```
import React, { Component } from "react";

class CurrencyConvertor extends Component {

  constructor() {
    super();

    this.state = {
      rupees: "",
      euro: ""
    };
  }

  handleChange = (event) => {
    this.setState({
      rupees: event.target.value
    });
  }

  handleSubmit = () => {

    const euro = (this.state.rupees / 90).toFixed(2);

    this.setState({
      euro: euro
    });

  }

  render() {

    return (

      <div style={{ marginTop: "30px" }}>

        <h2>Currency Convertor</h2>
```

```

        <input
          type="number"
          placeholder="Enter Rupees"
          value={this.state.rupees}
          onChange={this.handleChange}
        />

        <br /><br />

        <button onClick={this.handleSubmit}>
          Convert
        </button>

        <h3>Euro : € {this.state.euro}</h3>

      </div>

    );

  }

}

export default CurrencyConvertor;

Replace src/App.js

import React, { Component } from "react";
import CurrencyConvertor from "../CurrencyConvertor";

class App extends Component {

  constructor() {
    super();

    this.state = {
      count: 0
    };
  }

  increment = () => {
    this.setState({

```

```
        count: this.state.count + 1
    });
}

decrement = () => {
    this.setState({
        count: this.state.count - 1
    });
}

sayHello = () => {
    alert("Hello! Welcome to React Events.");
}

handleIncrement = () => {
    this.increment();
    this.sayHello();
}

sayWelcome = (message) => {
    alert(message);
}

handleClick = () => {
    alert("I was clicked");
}

render() {

    return (

        <div style={{ textAlign: "center", marginTop: "30px" }}>

            <h1>React Event Examples</h1>

            <h2>Counter : {this.state.count}</h2>

            <button onClick={this.handleIncrement}>
                Increment
            </button>

        </div>
    );
}
```

```

    &nbsp;

    <button onClick={this.decrement}>
      Decrement
    </button>

    <br /><br />

    <button onClick={() => this.sayWelcome("Welcome")}>
      Say Welcome
    </button>

    <br /><br />

    <button onClick={this.handleClick}>
      OnPress
    </button>

    <CurrencyConvertor />

  </div>

  );

}

}

export default App;

src/index.js

import React from "react";
import ReactDOM from "react-dom/client";
import "./index.css";
import App from "./App";

const root = ReactDOM.createRoot(document.getElementById("root"));

root.render(
  <React.StrictMode>
    <App />

```

```
</React.StrictMode>  
);
```



