

React Exercise 12 – Solution

Create src/Guest.js

```
import React from "react";
```

```
function Guest() {
```

```
  return (
```

```
    <div>
```

```
      <h2>Welcome Guest</h2>
```

```
      <h3>Available Flights</h3>
```

```
      <table border="1" cellPadding="10">
```

```
        <thead>
```

```
          <tr>
```

```
            <th>Flight</th>
```

```
            <th>From</th>
```

```
            <th>To</th>
```

```
            <th>Time</th>
```

```
          </tr>
```

```
        </thead>
```

```
        <tbody>
```

```
          <tr>
```

```
            <td>AI101</td>
```

```
            <td>Chennai</td>
```

```
            <td>Delhi</td>
```

```
            <td>10:00 AM</td>
```

```
          </tr>
```

```
          <tr>
```

```
            <td>6E202</td>
```

```
            <td>Bangalore</td>
```

```
            <td>Mumbai</td>
```

```
            <td>2:30 PM</td>
```

```
          </tr>
```

```
          <tr>
```

```
            <td>SG303</td>
```

```
            <td>Hyderabad</td>
```

```
        <td>Kolkata</td>
        <td>6:00 PM</td>
    </tr>
</tbody>
</table>
```

```
<br />
```

```
    <h3>Please Login to Book Tickets</h3>
  </div>
```

```
);
}
```

```
export default Guest;
```

Create src/User.js

```
import React from "react";
```

```
function User() {
```

```
  return (
```

```
    <div>
```

```
      <h2>Welcome User</h2>
```

```
      <h3>Book Your Flight Ticket</h3>
```

```
      <table border="1" cellPadding="10">
```

```
        <thead>
```

```
          <tr>
```

```
            <th>Flight</th>
```

```
            <th>From</th>
```

```
            <th>To</th>
```

```
            <th>Time</th>
```

```
            <th>Action</th>
```

```
          </tr>
```

```
        </thead>
```

```
        <tbody>
```

```
          <tr>
```

```
            <td>AI101</td>
```

```
            <td>Chennai</td>
```

```
            <td>Delhi</td>
```

```

        <td>10:00 AM</td>
        <td><button>Book</button></td>
    </tr>

    <tr>
        <td>6E202</td>
        <td>Bangalore</td>
        <td>Mumbai</td>
        <td>2:30 PM</td>
        <td><button>Book</button></td>
    </tr>

    <tr>
        <td>SG303</td>
        <td>Hyderabad</td>
        <td>Kolkata</td>
        <td>6:00 PM</td>
        <td><button>Book</button></td>
    </tr>
</tbody>
</table>
</div>
);
}

```

export default User;

Replace src/App.js

```

import React, { Component } from "react";
import Guest from "../Guest";
import User from "../User";

class App extends Component {

    constructor() {
        super();

        this.state = {
            isLoggedIn: false
        };
    }
}

```

```
login = () => {
  this.setState({
    isLoggedIn: true
  });
};

logout = () => {
  this.setState({
    isLoggedIn: false
  });
};

render() {

  return (

    <div style={{ textAlign: "center", marginTop: "20px" }}>

      <h1>Ticket Booking Application</h1>

      {
        this.state.isLoggedIn ?

          <div>
            <button onClick={this.logout}>Logout</button>
            <hr />
            <User />
          </div>

          :

          <div>
            <button onClick={this.login}>Login</button>
            <hr />
            <Guest />
          </div>

        }

      </div>
```

```
);  
}
```

```
}
```

```
export default App;
```

src/index.js

```
import React from "react";  
import ReactDOM from "react-dom/client";  
import "./index.css";  
import App from "./App";
```

```
const root = ReactDOM.createRoot(document.getElementById("root"));
```

```
root.render(  
  <React.StrictMode>  
    <App />  
  </React.StrictMode>  
);
```



