Displaying Data from Multiple Tables

Topics:
▶ Obtaining Data from Multiple Tables
▶ Generating a Cartesian Product
▶ Retrieving Records with Equijoins
▶ Joining a Table to Itself Creating
▶ Joins with the ON Clause

EMPLOYEES

EMPLOYEE_ID	LAST_NAME	DEPARTMENT_ID
100	King	90
101	Kochhar	90
...		
202	Fay	20
205	Higgins	110
206	Gietz	110

DEPARTMENTS

DEPARTMENT_ID	DEPARTMENT_NAME	LOCATION_ID
10	Administration	1700
20	Marketing	1800
50	Shipping	1500
60	IT	1400
80	Sales	2500
90	Executive	1700
110	Accounting	1700
190	Contracting	1700

EMPLOYEE_ID	DEPARTMENT_ID	DEPARTMENT_NAME
200	10	Administration
201	20	Marketing
202	20	Marketing
...		
102	90	Executive
205	110	Accounting
206	110	Accounting

Generating a Cartesian Product

```
SELECT last_name, department_name dept_name
FROM employees, departments;
```

Retrieving Records with Equijoins

```
SELECT e.employee_id, e.last_name, e.department_id,
d.department_id, d.location_id FROM
employees e , departments d WHERE
e.department_id = d.department_id;
```

Joining a Table to Itself

```
SELECT CONCAT(worker.last_name, ' works for ',
manager.last_name) "WORKER.LAST_NAME||'WORKS
FOR'||MANAGER.LAST_NAME"

FROM employees worker, employees manager WHERE
worker.manager_id = manager.employee_id;
```

WORKER.LAST_NAME||'WORKSFOR'||MANAGER.LAST_NAME
Kochhar works for King
De Haan works for King
Mourgos works for King
Zlotkey works for King
Hartstein works for King
Whalen works for Kochhar
Higgins works for Kochhar
Hunold works for De Haan
Ernst works for Hunold

Creating Joins with the ON Clause

```
SELECT e.employee_id, e.last_name, e.department_id,
d.department_id, d.location_id
FROM employees e JOIN departments d
ON (e.department_id = d.department_id);
```

EMPLOYEE_ID	LAST_NAME	DEPARTMENT_ID	DEPARTMENT_ID	LOCATION_ID
200	Whalen	10	10	1700
201	Hartstein	20	20	1800
202	Fay	20	20	1800
124	Mourgos	50	50	1500
141	Rajs	50	50	1500
142	Davies	50	50	1500
143	Matos	50	50	1500

Activity 01:

Write a query to display the last name, department number, and department name for all employees.

Activity 02:

Write a query to display the employee last name, department name, location ID, and city of all employees who earn a commission.

After completing this lesson, you should be able to do:
- ▶ Creating Three-Way Joins with the ON Clause
- ▶ LEFT OUTER JOIN
- ▶ RIGHT OUTER JOIN
- ▶ OUTER JOIN
- ▶ Additional Conditions

Creating Three-Way Joins with the ON Clause

```
SELECT employee_id, city, department_name
FROM employees e
JOIN departments d
ON d.department_id = e.department_id JOIN
locations l
ON d.location_id = l.location_id;
```

EMPLOYEE_ID	CITY	DEPARTMENT_NAME
103	Southlake	IT
104	Southlake	IT
107	Southlake	IT
124	South San Francisco	Shipping
141	South San Francisco	Shipping
142	South San Francisco	Shipping

LEFT OUTER JOIN

```
SELECT e.last_name, e.department_id, d.department_name
FROM employees e
LEFT OUTER JOIN departments d
ON (e.department_id = d.department_id) ;
```

LAST_NAME	DEPARTMENT_ID	DEPARTMENT_NAME
Whalen	10	Administration
Fay	20	Marketing
Hartstein	20	Marketing

....

De Haan	90	Executive
Kochhar	90	Executive
King	90	Executive
Gietz	110	Accounting
Higgins	110	Accounting
Grant		

RIGHT OUTER JOIN

```
SELECT e.last_name, e.department_id, d.department_name
FROM employees e
RIGHT OUTER JOIN departments d
ON (e.department_id = d.department_id) ;
```

LAST_NAME	DEPARTMENT_ID	DEPARTMENT_NAME
King	90	Executive
Kochhar	90	Executive

....

Whalen	10	Administration
Hartstein	20	Marketing
Fay	20	Marketing
Higgins	110	Accounting
Gietz	110	Accounting
		Contracting

OUTER JOIN

```
SELECT e.last_name, e.department_id, d.department_name
FROM employees e
LEFT JOIN departments d
ON (e.department_id = d.department_id)
UNION
SELECT e.last_name, e.department_id, d.department_name
FROM employees e
RIGHT JOIN departments d
ON (e.department_id = d.department_id);
```

LAST_NAME	DEPARTMENT_ID	DEPARTMENT_NAME
Whalen	10	Administration
Fay	20	Marketing

....

De Haan		90	Executive
Kochhar		90	Executive
King		90	Executive
Gietz		110	Accounting
Higgins		110	Accounting
Grant			
			Contracting

Additional Conditions

```
SELECT e.employee_id, e.last_name, e.department_id,
d.department_id, d.location_id FROM
employees e JOIN departments d
ON (e.department_id = d.department_id)
AND e.manager_id = 149 ;
```

EMPLOYEE_ID	LAST_NAME	DEPARTMENT_ID	DEPARTMENT_ID	LOCATION_ID
174	Abel	80	80	2500
176	Taylor	80	80	2500

Activity 01:

Write a query to display the last name, job, department number, and department name for all employees who work in Toronto.

LAST_NAME	JOB_ID	DEPARTMENT_ID	DEPARTMENT_NAME
Hartstein	MK_MAN	20	Marketing
Fay	MK_REP	20	Marketing

Activity 02:

Display the last name, salary, and commission for all employees who earn commissions. Sort data in descending order of salary and commissions.Title.

Activity 03:

Display the employee last name and employee number along with their manager's last name and manager number. Label the columns Employee, Emp#, Manager, and Mgr#, respectively.

Employee	EMP#	Manager	Mgr#
Kochhar	101	King	100
De Haan	102	King	100
Mourgos	124	King	100
Zlotkey	149	King	100
Hartstein	201	King	100
Whalen	200	Kochhar	101
Higgins	205	Kochhar	101