Blue Valet – Bot Automation Project (Corrected Version)

This document describes the full specification of an automation bot for the Blue Valet platform. It is intended for a new developer to fully understand the project, the expected behavior, the constraints, and the mistakes to avoid.

1. Project Objective

The bot must automatically monitor available shifts on the Blue Valet website and instantly book eligible shifts based on predefined time rules, without manual intervention.

2. Core Rules

- The bot runs 24/7 on a server
- Ultra-fast but controlled refresh (rate-limited)
- Never behaves like an attack (no request flooding)
- Fully autonomous once activated

3. Time Selection Logic

- Accepted start time ranges:
• Morning: from 03:40 to 13:00
• Afternoon/Evening: from 14:00 to 21:00

- Minimum duration required: 4 hours
- If a shift does not meet both conditions, it must be ignored

4. Critical UI Interaction Rules

The bot must clearly distinguish between two UI elements:

■ Cross (X) = Release / Unavailable → MUST NEVER CLICK
■ Cart icon = Book shift → MUST CLICK IMMEDIATELY when eligible

5. Visual Reference – DO NOT CLICK (Cross)

This image shows shifts marked with a cross (X). These represent unavailable or release actions.
The bot must never click on these elements under any condition.



6. Visual Reference – MUST CLICK (Cart)

This image shows an available shift with a cart icon. This is the ONLY element the bot is allowed to click to book a shift. Once detected and validated by rules, the bot must click instantly.

7. Mandatory Features

- ON / OFF button
- Pause bot when manual user interaction is detected
- Once a morning shift is booked, ignore morning range and move to next range
- Logs of every action (check, ignore, click)
- HTTPS secured access

8. Known Issues to Avoid

- Bot checking shifts but not clicking
- Infinite refresh causing hosting abuse / DDoS flags
- Bot clicking wrong elements
- Bot releasing manually booked shifts

9. Hosting Requirements

- VPS or Cloud server (Hetzner, AWS, GCP acceptable)
- Proper rate limiting
- Memory-safe execution
- Stability over speed