



Scan QR code to check
report authenticity



MC-2202

sterling
ACCURIS
Pathology lab that cares

Passport No :

LABORATORY TEST REPORT

Patient Information	Sample Information	Client/Location Information
Name : Lyubochka Svetka	Lab Id : 02232160XXXX	Client Name : Sterling Accuris Buddy
Sex/Age : Male / 41 Y 01-Feb-1982	Registration on : 20-Feb-2023 09:10	Location :
Ref. Id :	Collected at : non SAWPL	Approved on : 20-Feb-2023 11:29 Status : Final
Ref. By :	Collected on : 20-Feb-2023 08:53	Printed On : 28-Feb-2023 10:26
	Sample Type : Serum	Process At : 1. NRL SAWPL Gujarat Ahmedabad Paldi

Iron Studies

Test	Result	Unit	Biological Ref. Interval
Iron <i>Pyridyl azo Dye</i>	103.00	micro g/dL	49 - 181
Total Iron Binding Capacity (TIBC)	352.00		261 - 462
Transferrin Saturation <i>Calculated</i>	29.26	%	Children : >16 Adult : 20 - 50

Dr. Purvish Darji
MD(Path)

Dr. Sanjeev Shah
MD Path

Dr. Yash Shah
MD Path

This is an Electronically Authenticated Report.

Referred Test

Page 9 of 19

Sterling Accuris Pathology Laboratory

National Reference Laboratory: 101 to 109, First Floor, Sankalp Square II, Nr. Old Sharda Mandir Cross Road,
B/s. Jalaram Mandir Railway Crossing, Ellisbridge, Ahmedabad, Gujarat- 380006, **Ph.: 812 813 0000**
Email: customer.care@sterlingaccuris.com | **Website:** www.sterlingaccuris.com