

Global Quest Technologies



PROJECTREPORT ON

“AS Academic Projects”

Using Front-End Technologies

Submitted by

Agraharam Sainadh

(GQT-S0169)

Under the esteemed guidance of

Keshav

(Front-End Trainer at GQT)

Signature of Trainer

Keshav

Date:

Signature of CEO(GQT)

NARENDRA REDDY

Date:

INTRODUCTION

AS Academic Projects (Clone)

Scope of the document:-

Welcome to "**AS Academic Projects**" - Your Premier Academic Project Hub. Are you a passionate undergraduate or postgraduate graduate, driven by the pursuit of academic excellence? Your academic journey finds its compass right here at "**AS Academic Projects**."

Our platform proudly hosts an extensive selection of thoughtfully curated projects encompassing various academic fields. These projects serve as wellsprings of inspiration and reference materials to fuel your academic endeavours. But that's not all; if you're searching for a customized project that aligns precisely with your academic goals, our custom project development services are at your disposal. Collaborate with our seasoned team to bring your project vision to fruition.

At "**AS Academic Projects**," your triumph is our primary objective. Our dedicated support team is only a message away, poised to assist you in project selection, address your inquiries, and offer guidance throughout your academic project journey. We firmly believe in affordability without compromising on quality, which is why our competitive pricing makes top-notch projects accessible to all students.

Join the thriving community of students who trust "**AS Academic Projects**" to illuminate their academic path. Embark on this journey with us and discover, create, and excel in your studies like never before. Welcome to "**AS Academic Projects**," where the seeds of academic success are sown.

HISTORY OF HTML:

HTML stands for **Hyper Text Markup Language**.

- It is used to share the information over the internet.
- HTML is developed by Tim Berners-Lee in 1991. But officially in 1993.
- The First version of HTML consists of “18 tags”
- HTML follows certain rules and regulations setup by “**ISO**”.
- International Organization for standardization is set of rules and regulation are present in ‘**SGML**’ document.

Versions of HTML

- **HTML-1** version in the year 1993.
- **Html-2** version in the year 1995.
- **HTML-3.02** version in the year 1997.
- **HTML-4.1** version in the year 1999.
- **HTML-5** version in the year 2014.

Features of HTML

- It is easy to Learn.
- It is a tag based language.
- HTML is supported by multiple browsers.
- First web browser is Netscape navigation which was developed by the “Mosaic”.
- It is a portable language.
- **WORA** stands for ‘write once run anywhere’

Limitation of HTML

- HTML has less designing capabilities.
- It is dependent on other technology such as CSS in order to develop well designed Webpages.
- HTML has no programming capabilities.
- Using HTML and CSS we can develop only static Web page.
- In order to write the HTML code required an editor such as VS Code, Notepad, Eclipse.
- In order to execute the HTML code we required Web browsers. Like Chrome, Firefox, edge, Opera Safari .

CSS

- CSS stands for Cascading Style Sheets.
- It was developed by W3C to add stylings to the HTML elements.
- W3C stands for World Wide Web.com

Versions of CSS:

- CSS-1 (level-1) in the year 1996.
- CSS-2 (level-2) in the year 1998.
- CSS-3 (level-3) in the year 1999.

Why do we required CSS ?

- Since HTML has less designing capabilities we cannot create well designed or most appealing Websites.
- Using HTML we cannot add style, animation and transitions to the Webpage.
- Therefore we require CSS to create well designed Webpages.

Advantages of CSS

- It allows to add styles, animation and various effects to the Webpage.
- It allows us to develop the Webpage rapidly. It is also known as RAD (rapid application Developer).
- It allows us to separate from formatting develop page to the presentation of Webpage.
- It allows to create well designed Websites.

Limitations of CSS

- Using CSS we can perform static styles for the Webpages.
- In order to create dynamic styling for the Websites. We must make use of scripting language such as JavaScript and Libraries of JavaScript.

Types of CSS:

1. Inline CSS
2. Internal CSS
3. External CSS
4. Default Browser CSS

Inline CSS:

Defining all the CSS properties within the style attribute inside the opening of the tag is referred to as Inline CSS.

Internal CSS:

Defining all the CSS properties within <style> inside the HTML document is referred to as Internal CSS.

External CSS:

Defining all the CSS properties within as external Script or File with an extension CSS is referred to as External CSS.

- In order to link external CSS file within the HTML document we must use of <link>.
- The value for the 'ref' attribute should be 'stylesheet'.

Our Project

Source Code:-

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<link rel="icon" href="https://img.freepik.com/premium-vector/as-luxury-logo_786241-31.jpg">
<title>AS Projects</title>
<link rel="stylesheet" href="own.css">
</head>
<body >

<div id="div1">
<a href="html1.html"></a>
<nav id="nav1">
<b>
<a href="html1.html" >Ug Projects</a>
<a href="pgprojects.html">Pg Projects</a>
<div id ="div12">
<a href="login.html">Login</a>

</div>
</nav>
</div>
<div id="div2">
<div id="div21">
<h1>Final Year projects</h1>
```

<p>Our expertise lies in understanding your requirements and developing project designs according to your specifications.. For further information to reach us</p>

<div id="div23">

Enquire Us

</div>

</div>

<div id="div22">

</div>

</div>

</div>

<h2 id="h2why">Why Choose Us ?</h2>

<hr>

<center><h1>Recommended for you</h1></center>

<div id="div8">

<div id="div81">

<h2>Computer Science and Engineering</h2>

Learn More

</div>

<div id="div83">

<h2>Electronical and Communicatioin Engineering</h2>

Learn More

</div>

<div id="div82">

<h2>Electrical and Electronics Engineering</h2>

Learn More

</div>

</div>

<div id="div1012">

<div id="div10">

<h2 id="h101">Quick Access</h2>

Ug Projects

Pg Projects

</div>

<div id="div11">

<h2 id="h102">Select Projects </h2>

 Computer science and engineering

Electronical and Communicatioin Engineering

Electrical and Electronics Engineering

Machine Learning

Embedded Application

Artificial Intelligence

</div>

<div id="div123">

<h2 id="h103">About </h2>

Brand

Career

Partner

support

</div>


```
<div id="div122">
<h1>contach us</h1>
<a href=""> <h2>9063004636</h2></a>
</div>
</div>
</div>
</body>
</html>
```

Home.css

Code:-

```
#div1 {
margin-top: -10px;
background-color: white;
min-height: 70px;
border: 2px solid ;
width: 100%;
margin-left: -10px;
box-shadow: -0px 2px 4px black;
position: fixed;

}

#nav1 {

float: left;
line-height: 70px;

}

#nav1 a {

padding-left: 10px;
```

```
padding-right: 10px;
text-decoration: none;
color:#242323;
font-weight: 100px;
font-size: 17px;
font-family:system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,
Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
```

```
}
```

```
#div12{
```

```
float: right;
```

```
padding: 10px;
```

```
height: 20px;
```

```
margin-left: 760px;
```

```
border-radius: 10px;
```

```
}
```

```
#div12>a{
```

```
background-color: rgb(15, 15, 15);
```

```
color: rgb(248, 244, 244);
```

```
padding-left: 20px;
```

```
padding-right: 20px;
```

```
padding-top: 10px;
```

```
padding-bottom: 10px;
```

```
}
```

```
#div2{
```

```
padding-top: 70px;
```

```
height: 400px;
```

```
margin-right: 10px;
```

```
margin-left: -10px;
```

```
background-color: #f48120;
```

```
background-clip:content-box;
```

```
}
```

```
#div21 {
```

```
height: 340px;
```

```
width: 47%;
```

```
float: left;
```

```
margin-left: 65px;
```

```
margin-top: 20px;
```

```
margin-top: 40px;
```

```
}
```

```
#div21 h1 {
```

```
font-family: "Poppins", Sans-serif;
```

```
font-size: 38px;
```

```
font-weight: 600px;
```

```
padding: 15px;
```

```
color: #131212;
```

```
}
```

```
#div21 p{
```

```
margin-top: -40px;
```

```
font-size: 20px;
```

```
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
```

```
padding: 15px;
```

```
width: 100%;
```

```
color: #ffff;
```

```
}
```

```
#div22{
```

```
float:right;
```

```
margin-left: 20px;
```

```
margin-top: -390px;
```

```
}
```

```
#div23{
margin-top: 60px;
margin-left: 20px;
width: 200px;
min-height:50px;
background-color: rgb(42, 43, 43);
border-radius: 15px;
text-align: center;
padding-top: -10px;

}

#div23 a{
color: white;
line-height:50px ;
font-weight: 600px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

}

#div23:hover{
background-color:rgb(245, 159, 79);

}


#h2why{
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
font-size: 40px;
text-align: center ;
text-decoration:dotted;
}
```

```
#div8{

box-shadow: 2px 2px 6px black;

height: 480px;
display:flex;
}
#div8>h1 {
font-weight: bold;
justify-content: center;
color: #696b6f;
}
#div81 {
margin-left: 150px;
margin-right: 50px;
margin-top: 100px;
height:350px;
width:30%;
box-shadow: 2px 2px 10px rgb(8, 8, 8);
border-radius: 10px;
border: 2px solid rgb(4, 233, 225);
}
#div81>h4{
margin-left: 20px;
}
#div81>h2 {
margin-left: 20px;
font-size: 20px;
}
#div81>h5 {
margin-left: 20px;
margin-top: -10px;
```

```
font-size: 12px;
}
#div81>a{
margin-left: 20px;
text-decoration: none;
color: rgb(21, 174, 235);
}
#div81>#a1{
margin-left: 20px;
text-decoration: none;
background-color: black;
border-radius: 10px;
padding-left: 40px;
padding-right: 40px;
padding-top: 10px;
padding-bottom: 10px;
color: white
}
#div82{
margin-top: 100px;
margin-right: 200px;
box-shadow: 2px 2px 6px black;
height:350px;
width:30%;
border: 2px solid rgb(0, 247, 255);
border-radius: 10px;

}
#div82>h4{
margin-left: 20px;
}
#div82>h2{
```

```
margin-left: 20px;
font-size: 20px;
}
#div82>h5{
margin-left: 20px;
margin-top: -10px;
font-size: 12px;
}
#div82>a{
margin-left: 20px;
text-decoration: none;

color:rgb(4, 178, 247);
}
#div82>#a1 {
margin-left: 20px;
text-decoration: none;
background-color: black;
border-radius: 10px;
padding-left: 40px;
padding-right: 40px;
padding-top: 10px;
padding-bottom: 10px;
color: white
}
#div83{
margin-top: 100px;
margin-right: 50px;
height:350px;
width:30%;
border: 2px solid rgb(14, 248, 236);
box-shadow: 2px 2px 6px black;
```

```
border-radius: 10px;
}
#div83>h4{
margin-left: 20px;
color: red;
font-size: 20px;
}
#div83>h2{
margin-left: 20px;
font-size: 18px;
}
#div83>h5{
margin-left: 20px;
margin-top: -10px;
font-size: 12px;
}
#div83>a{
margin-left: 20px;
text-decoration: none;
color: rgb(8, 172, 236);
border-radius: 10px;
}
#div83>#a1{
margin-left: 20px;
text-decoration: none;
background-color: black;
border-radius: 10px;
padding-left: 40px;
padding-right: 40px;
padding-top: 10px;
padding-bottom: 10px;
color: white;
```



```
float: left;
}
#div1012{
background-color: #0196C0;
height: 400px;
}
#div10{
float: left;
padding-left: 40px;
line-height: 25px;
}
#div10>a{
margin-left: -10px;
padding-left: 40px;
text-decoration: none;
color: rgb(245, 241, 241);
}
#h101{
text-decoration: none;
color: black;
}
#div11{
float: left;
margin-top: 30px;
margin-left: 150px;
line-height: 25px;
}
#div11>a{
margin-left: -40px;
margin-top: -100px;
padding-left: 40px;
text-decoration: none;
```

```
color: rgb(240, 237, 237);
```

```
}
```

```
#h102{
```

```
text-decoration: none;
```

```
color: black;
```

```
}
```

```
#div123{
```

```
float: left;
```

```
margin-left: 150px;
```

```
line-height: 25px;
```

```
}
```

```
#div123>a{
```

```
margin-left: 40px;
```

```
padding-left: 40px;
```

```
text-decoration: none;
```

```
color: rgb(248, 246, 246);
```

```
}
```

```
#h103{
```

```
text-decoration: none;
```

```
color: black;
```

```
}
```

```
#div122{
```

```
margin-top: 40px;
```

```
float :right;
```

```
width: 25%;
```

```
height: 20px;
```

```
margin-right: 60px;
```

```
}
```

```
#div122 h1 {
```


```
margin-top: 20px;
```




```
text-align: center ;
```

```
font-size: 20px;
```

```
padding-right: 30px;
}
#div122 h2{
margin-top: 10px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color:#ffae39;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
#div122 h2:hover{
background-color: #f48120;
}
a{
text-decoration: none;
}
```

Output:





Login.html

Code:-

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

<link rel="stylesheet" href="login.css">

</head>

<body style="background-image: url(269935-P5IR3G-333-800x800.jpg);">

<div id="div1">



<nav id="nav1">

<b>

<a href="home.html" >Ug Projects</a>

<a href="pgprojects.html">Pg Projects</a>

<div id="div12">

</div>

</nav>

</div>

<div style="background-image: linear-gradient(90deg,rgba(0,0,0,0.7),rgba(0,0,0,0.7));color:

white; float: right; margin-top: 124px;margin-right: 482px; border: 2px solid; width: 30%;

height: 450px;border-radius:10px;">

<form action="html1.html">

<h1>Login to your account</h1>
```

Don't have an account ? [Sign Up](signup.html)

```
<input type="Email address" placeholder="Email address" required style=" width: 60%;height: 30px;">
```



```
<input type="password" placeholder="Password" required style=" width: 60%;height: 30px;"> <br><br><br>
```

☐[illegible]

```
<input type="submit" name="Login" value="Login" style="color: white; background-color:rgb(5, 5, 5);width: 65%;height: 40px;">
```

</body>

Login.css

```
#div1 {  
    display: flex ;  
    margin-top: -10px;  
    background-color: white;  
    min-height: 70px;  
    border: 2px solid ;  
    width: 100%;  
    margin-left: -10px;  
    box-shadow: -0px 2px 4px black;  
    position: fixed;  
  
}  
  
#nav1 {  
    float: left;  
    line-height: 70px;  
}  
  
#nav1 a {  
    padding-left: 5px;  
    padding-right: 5px;  
    text-decoration: none;  
    color: #242323;  
    font-weight: 100px;  
    font-size: 17px;  
  
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,  
    Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;  
  
}  
  
#div12 {  
    float: right;
```

```
height: 20px;
margin-right: 30px;
margin-top: -70px;
border-radius: 10px;
}
#div12>a{
background-color: rgb(15, 15, 15);
color: rgb(248, 244, 244);
padding-left: 20px;
padding-right: 20px;
padding-top: 10px;
padding-bottom: 10px;

}

fp{
color: black;
float: right;
}
re{
float: left;
}
lg{
text-align: right;
}
input{
border-radius: 10px;
}
form{
```



```
text-align: center;
```

```
}
```

```
a{
```

```
text-decoration: none;
```


```
}
```

```
#asig{
```

```
color: burlywood;
```

```
}
```

Output:



Signup.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Document</title>
```

```
  <link rel="stylesheet" href="signup.css">
```

```
</head>
```

```
<body style="background-image: url(269935-P5IR3G-333-800x800.jpg);">
```

```
  <div id="div1">
```

```
    
```

```
    <nav id="nav1">
```

```
      <b>
```

```
        <a href="html1.html" >Ug Projects</a>
```

```
        <a href="pgprojects.html">Pg Projects</a>
```

```
      <div id ="div12">
```

```
    </div>
```

```
  </nav>
```

```
</div>
```

```
  <div style="background-image: linear-  
gradient(90deg,rgba(0,0,0,0.7),rgba(0,0,0,0.7));color: white; float: right; margin-top:  
124px;margin-right: 482px; border: 2px solid; width: 30%; height: 450px;border-  
radius:10px;">
```

```
    <form action="login.html">
```

```
<div >
```

```
    <div style="width:300px;padding:30px;text-align:center;font-weight: 600;">
```

```
        <h2 style="color:rgb(250, 250, 249);">SignUp <a href="login.html"
id="asig">/Login </a> </h2>
```

```
        <input type="text" style="width:230px;height:30px;border-radius:6px;"
placeholder="Username" required><br><br>
```

```
        <input type="email" style="width:230px;height:30px;border-radius:6px;"
placeholder="email" required><br><br>
```

```
        <input type="password" style="width:230px;height:30px;border-radius:6px;"
placeholder="password" required><br><br>
```

```
        <label for="dob" style="font-size:14px">Date Of Birth</label> &nbsp; <input
type="date" name="dob"> <br><br>
```

```
        <input type="radio" name="gender"> <label for="gender" style="font-
size:14px">Male</label> &nbsp;
```

```
        <input type="radio" name="gender"><label for="gender" style="font-
size:14px">Female</label>&nbsp;
```

```
        <input type="radio" name="gender"> <label for="gender" style="font-
size:14px">Others</label>
```

```
        <br><br>
```

```
        <button class="submit-btn">Register</button><br><br>
```

```
    </div>
```

```
</div>
```

```
</div> </center>
```

```
</div>
```

```
</body>
```

```
</html>
```

Signup.css

```
#div1 {  
    margin-top: -10px;  
    background-color: white;  
    min-height: 70px;  
    border: 2px solid ;  
    width: 100%;  
    margin-left: -10px;  
    box-shadow: -0px 2px 4px black;  
    position: fixed;  
  
}  
  
#nav1 {  
  
    float: left;  
    line-height: 70px;  
  
  
  
  
  
  
}  
  
#nav1 a {  
  
    padding-left: 10px;  
    padding-right: 10px;  
    text-decoration: none;  
    color: #242323;  
    font-weight: 100px;  
    font-size: 17px;
```

```
font-family:system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,
Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
```

```
}
```

```
#asig{
```

```
color: burlywood;
```

```
}
```

```
#div12{
```

```
float: right;
```

```
padding: 10px;
```

```
height: 20px;
```

```
margin-left: 760px;
```

```
border-radius: 10px;
```

```
}
```

```
#div12>a{
```

```
background-color: rgb(15, 15, 15);
```

```
color: rgb(248, 244, 244);
```

```
padding-left: 20px;
```

```
padding-right: 20px;
```

```
padding-top: 10px;
```

```
padding-bottom: 10px;
```

```
}
```

```
.submit-btn{
```

```
width:130px;
```

```
height:40px;
```

```
background-color: orange;
```

```
color:white;
```

```
border:3px solid orange;
```

```
margin-right:20px;
```

```
font-weight:bold;
```

```
font-size:16px;
```

```
box-shadow:2px 2px 6px black;
```

```
font-family: serif;
```

```
margin-bottom:10px;
```

```
}
```

```
.submit-btn:hover{
```

```
background-color: orange;
```

```
color:white;
```

```
cursor: pointer;
```

```
box-shadow:2px 2px 6px black;
```

```
}
```

```
.sign-in-div-container{
```

```
display: flex;
```

```
justify-content: center;
```

```
margin-top:60px;
```

```
width: 53%;
```

```
margin-left:20%;
```

```
}
```

```
.sign-in-left{
```

```
width:300px;
```

```
padding:30px;
```

```
text-align:center;
```

```
background-color: orange;
```

```


        color:white;

    }

    .sign-in-img{
        height:200px;
        width:100%;
        object-fit: cover;
    }

```

Output:



Ugprojects.html

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="ugprojects.css">

</head>

<body>

  <div id="div1">

    <a href="html1.html"></a>

    <nav id="nav1">

      <b>

        <a href="html1.html" >Ug Projects</a>

        <a href="pgprojects.html">Pg Projects</a>

      </b>

    </nav>

    <div id ="div12">

      <a href="login.html">Login</a>

    </div>

  </div>

  <div id="divmain" style="height: 250px; width: 97%; background-color:
#f48120;padding:20px; padding-top: 100px; margin-left: 0px;">

    <h1><center>Final Year Projects</center></h1>

    <p >
```


Our core mission revolves around the careful assessment of your unique project requirements. We take great care in crafting designs that not only meet but exceed your expectations. With a commitment to precision and a keen eye for detail, we ensure that every aspect of your project is tailored to your satisfaction. If you have any inquiries or wish to send us your requirements, please don't hesitate to get in touch. We're here to assist you every step of the way in bringing your project to life.

</p>

</div>

<div style="width: 100%;height: 1600px;float: right; ;">

<div>

<div style="box-shadow: 2px 2px 10px black; border-top-left-radius: 10px; border-top-right-radius: 10px ; width: 80%; margin-left: 100px; margin-top: 40px; height: 350px ;; padding: 30px;">

</div>

<div style="width: 65%;height: 400px;float: right ;margin-top: -400px;">

<h1><center>Computer Science And Engineering</center></h1>

<h2> Projects Available</h2>

<p style="text-align: left;">

Certificateless Elliptic Curve Aggregate Signcryption Scheme

Data Security and Privacy Protection for Cloud Storage: A Survey

Comparative Analysis of ML Algorithms for Drought for Prediction

</p>

<div id="cseenq">

 <h2>Enquire</h2>

</div>

```

</div>

<div style="box-shadow: 2px 2px 10px black; width: 80%; height: 350px ; margin-left:
100px;margin-top: 10px; padding: 30px;">

<div style="width: 65%;height: 400px  ;">

<h1><center>Electrical and Electronics Engineering.</center></h1>

<h2> &nbsp; Projects Available </h2>

<p style="text-align: left; margin-left: 10px; ">

1 TVPGFE331 FPGA-Supported HDL Approach
to Implement Reversible Logic Gate-Based <br> <br>

2 TVPGFE329 VLSI Design of Pipelined FFT
Architecture for DSP Application <br> <br>

3 TVPGFE286 Carry select adder using BEC and
RCA <br> <br>

</p><br><br>

<div id="cseenqe">

<a href="">

<a href=""> <h2>Enquire</h2></a>

</div>

</div>

<div>



</div>

</div>

<div style="box-shadow: 2px 2px 10px black; border-bottom-left-radius: 10px; border-
bottom-right-radius: 10px ; width: 80%; margin-left: 100px; margin-top: 10px; height: 350px
;; padding: 30px;">

<div>



</div>

<div style="width: 65%;height: 400px;float: right;margin-top: -50px; ">

<h1><center>Electrical and Communicatioin Engineering.</center></h1>

```

Projects Available

1

TVPGFE331 FPGA-Supported HDL Approach
to Implement Reversible Logic Gate-Based

2 TVPGFE329 VLSI Design of Pipelined FFT
Architecture for DSP Application

3 TVPGFE286 Carry select adder using BEC and
RCA

[Enquire](#)

[a1](#)

Quick Access

[Ug Projects](#)

[Pg Projects](#)

[Diploma Projects](#)

[Our Services](#)

[AboutUs](#)

Select Projects

```

        <a href="a2"> Computer science and engineering</a><br>
        <a href="a2">Electronical and Communicatioin Engineering</a><br>
        <a href="a2">Electrical and Electronics Engineering <br>

</div>
<div id="div123">
    <a href="a221">
        <h2 id="h103">About </h2>
        Brand <br>
        Career <br>
        Partner <br>
        support</a>
</div>

<div id="div122">
    <h1>Talk to Course Manager</h1>
    <h2>080 - 41280009</h2>
</div>

</div>
</body>
</html>

```

Ugprojects.css

```

#div1 {
    margin-top: -10px;
    background-color: white;
    min-height: 70px;
    position: fixed;
    width: 100%;
    margin-left: -10px;
}

```

```
    box-shadow: -0px 2px 4px black;
    box-sizing: border-box;
}
```

```
#nav1 {
    float: left;
    line-height: 70px;
```

```
}
```

```
#nav1 a {
    padding-left: 10px;
    padding-right: 10px;
    text-decoration: none;
    color: #242323;
    font-weight: 100px;
    font-size: 17px;
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,
    Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
```

```
}
```

```
#div12 {
    float: right;
    padding: 10px;
    height: 20px;
    margin-left: 760px;
```

```
    border-radius: 10px;
```

```
}
```

```
#div12>a {
    background-color: rgb(15, 15, 15);
    color: rgb(248, 244, 244);
```

```
padding-left: 20px;
padding-right: 20px;
padding-top: 10px;
padding-bottom: 10px;

}
#divmain>h1 {
    margin-top: -5px;
    color: black;
    font-size: 40px;
}
#divmain>p {
    color: white;
    font-size: 20px;
}
#div12>a {
    background-color: rgb(15, 15, 15);
    color: rgb(248, 244, 244);
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 10px;
    padding-bottom: 10px;

}
#div1012 {
    background-color: #0196C0;
    height: 400px;
    margin-top: 10px;

}
#div10 {
```

```
float: left;
padding-left: 40px;
line-height: 25px;
}

#div10>a{
margin-left: 0px;
padding-left: 40px;
text-decoration: none;
color: rgb(245, 241, 241);

}

#h101{
text-decoration: none;
color: black;

}

#div11{
float: left;


margin-left: 150px;


line-height: 25px;

}

#div11>a{
margin-left: 0px;
margin-top: -100px;
padding-left: 0px;
text-decoration: none;
color: rgb(240, 237, 237);
```

```
}  
#h102{  
    text-decoration: none;  
    color: black;  
  
}  
#div123{  
    float: left;  
    margin-left: 150px;  
  
    line-height: 25px;  
  
}  
#div123>a{  
    margin-left: 40px;  
    padding-left: 40px;  
    text-decoration: none;  
    color: rgb(248, 246, 246);  
  
}  
#h103{  
    text-decoration: none;  
    color: black;  
  
}  
#div122{  
    margin-top: -10px;  
    float :right;  
    width: 25%;  
    height: 220px;
```



```
margin-right: 30px;

}

#divl22 h1 {
margin-top: 10px;
text-align: center ;
font-size: 20px;

padding-right: 30px;

}

#divl22 h2 {
margin-top: 10px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color:#ffae39;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}

#divl22 h2:hover{

background-color: #f48120;

}

#cseenqe{
margin-top: -10px;
float :right;
```

```
width: 25%;  
height: 220px;  
margin-right: 500px;  
  
}
```

```
#cseenqe h2{  
margin-top: 10px;  
text-align: center;  
min-height: 50px;  
line-height: 50px;  
font-size: 18px;  
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
background-color: #0196C0;  
border-radius: 10px;  
width: 90%;  
box-shadow: 1px 1px 3px rgb(73, 63, 63);  
}
```

```
#cseenq{  
margin-top: -10px;  
float :right;  
width: 25%;  
height: 220px;  
margin-right: 500px;  
  
}
```

```
#cseenq h2{  
margin-top: 10px;  
text-align: center;  
min-height: 50px;
```

```
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color: #0196C0;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
#h2:hover{

background-color: #f48120;

}

#cseenqec{
margin-top: -10px;
float :right;
width: 25%;
height: 220px;
margin-right: 500px;

}



#cseenqec h2{
margin-top: -40px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color: #0196C0;
```

```

border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
a{
color: black;
text-decoration: none;
}

```

Output:



Document
AS Projects
+
File | C:/Users/saina/OneDrive/Desktop/GQT%20FRONT%20END/own1/ugprojects.html


Academic PROJECTS
Ug Projects Pg Projects
Login

Electrical and Electronics Engineering.

Projects Available


- 1 TVPGFE331 FPGA-Supported HDL Approach to Implement Reversible Logic Gate-Based
- 2 TVPGFE329 VLSI Design of Pipelined FFT Architecture for DSP Application
- 3 TVPGFE286 Carry select adder using BEC and RCA

Enquire



Document
AS Projects
+
File | C:/Users/saina/OneDrive/Desktop/GQT%20FRONT%20END/own1/ugprojects.html

Academic PROJECTS
Ug Projects Pg Projects
Login



Electrical and Communicatioin Engineering.

Projects Available

- 1 TVPGFE331 FPGA-Supported HDL Approach to Implement Reversible Logic Gate-Based
- 2 TVPGFE329 VLSI Design of Pipelined FFT Architecture for DSP Application
- 3 TVPGFE286 Carry select adder using BEC and RCA

Enquire

Quick Access

- Ug Projects
- Pg Projects
- Diploma Projects
- Our Services
- AboutUs

Select Projects

- Computer science and engineering
- Electronical and Communicatioin Engineering
- Electrical and Electronics Engineering

About

- Brand
- Career
- Partner
- support

Pgprojects.html

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

<link rel="icon" href="https://img.freepik.com/premium-vector/as-luxury-logo_786241-31.jpg">

<title>AS Projects</title>

<link rel="stylesheet" href="pgprojects.css">

</head>

<body >

<div id="div1">



<nav id="nav1">

<b>

<a href="html1.html" >Ug Projects</a>

<a href="pghtml2.html">Pg Projects</a>

<div id ="div12">

<a href="login.html">Login</a>

</div>

</nav>

</div>

<div id="div2">

<div id="div21">

<h1>PG Projects</h1>
```

<p>Our expertise lies in understanding your requirements and developing project designs according to your specifications.. For further information to reach us</p>

<div id="div23">

Enquire Us

</div>

</div>

<div id="div22">

</div>

</div>

</div>

<hr>

<center><h1>Projects Available for you</h1></center>

<div id="div8">

<div id="div81">

<h2>Artificial Intelligence</h2>

Learn More

</div>

<div id="div83">

<h2>Machine Learning</h2>

Learn More

</div>

<div id="div82">

<h2>Embedded Application</h2>

Learn More

</div>

</div>

<div id="div1012">

<div id="div10">

<h2 id="h101">Quick Access</h2>

Ug Projects

Pg Projects

Diploma Projects

Our Services

AboutUs

</div>

<div id="div11">

<h2 id="h102">Select Projects </h2>

 Computer science and engineering

Electrical and Communicatioin Engineering

Electrical and Electronics Engineering

Machine Learning

Embedded Application

Artificial Intelligence


```
</div>
<div id="div123">
<a href="a221">
<h2 id="h103">About </h2>
Brand <br>
Career <br>
Partner <br>
support</a>
</div>

<div id="div122">
<h1>Talk to Course Manager</h1>
<h2>080 - 41280009</h2>
</div>
</div>
</div>

</body>
</html>
```

Pgproject.css

```
#div1 {
    margin-top: -10px;
    background-color: white;
    min-height: 70px;
    border: 2px solid ;
    width: 100%;
    margin-left: -10px;
    box-shadow: -0px 2px 4px black;
    position: fixed;

}
```

```
#nav1 {  
  
    float: left;  
    line-height: 70px;  
  
}  
#nav1 a {  
  
    padding-left: 10px;  
    padding-right: 10px;  
    text-decoration: none;  
    color: #242323;  
    font-weight: 100px;  
    font-size: 17px;  
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,  
    Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;  
  
}  
#div12 {  
    float: right;  
    padding: 10px;  
    height: 20px;  
    margin-left: 760px;  
  
    border-radius: 10px;  
}  
#div12>a {  
    background-color: rgb(15, 15, 15);
```

```
    color: rgb(248, 244, 244);
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 10px;
    padding-bottom: 10px;

}
#div2{
    padding-top: 70px;
    height: 400px;
    margin-right: 10px;
    margin-left: -10px;
    background-color: #f48120;
    background-clip:content-box;

}
#div21 {
    height: 340px;
    width: 47%;
    float: left;
    margin-left: 65px;
    margin-top: 20px;
    margin-top: 40px;

}
#div21 h1 {
    font-family: "Poppins", Sans-serif;
```

```
font-size: 38px;
font-weight: 600px;
padding: 15px;
color: #131212;
}
#div21 p{
margin-top: -40px;
font-size: 20px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
padding: 15px;
width: 100%;
color: #ffff;

}

#div22{
float:right;
margin-left: 20px;
margin-top: -390px;

}
#div23{
margin-top: 60px;
margin-left: 20px;
width: 200px;
min-height:50px;
background-color: rgb(42, 43, 43);
border-radius: 15px;
text-align: center;
padding-top: -10px;
```

```
}  
#div23 a{  
    color: white;  
    line-height:50px ;  
    font-weight: 600px;  
    font-size: 18px;  
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
  
}  
#div23:hover{  
    background-color:rgb(245, 159, 79);  
  
}  
  
#h2why{  
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;  
    font-size: 40px;  
    text-align: center ;  
    text-decoration:dotted;  
}  
#div8{  
  
    box-shadow: 2px 2px 6px black;  
  
    height: 480px;  
    display:flex;  
  
}  
#div8>h1 {
```

```
    font-weight: bold;
    justify-content: center;
    color: #696b6f;
}
#div81{
    margin-left: 150px;
    margin-right: 50px;
    margin-top: 100px;
    height:350px;
    width:30%;
    box-shadow: 2px 2px 10px rgb(8, 8, 8);
    border-radius: 10px;
    border: 2px solid rgb(4, 233, 225);
}
#div81>h4{
    margin-left: 20px;
}
#div81>h2{
    margin-left: 20px;
    font-size: 20px;
}
#div81>h5{
    margin-left: 20px;
    margin-top: -10px;
    font-size: 12px;
}
#div81>a{
    margin-left: 20px;
    text-decoration: none;
    color: rgb(21, 174, 235);
}
#div81>#a1{
```

```
margin-left: 20px;
text-decoration: none;
background-color: black;
border-radius: 10px;
padding-left: 40px;
padding-right: 40px;
padding-top: 10px;
padding-bottom: 10px;
color: white
}
```

```
#div82{
margin-top: 100px;
margin-right: 200px;
box-shadow: 2px 2px 6px black;
height:350px;
width:30%;
border: 2px solid rgb(0, 247, 255);
border-radius: 10px;
}
```

```
#div82>h4{
margin-left: 20px;
}
```

```
#div82>h2{
margin-left: 20px;
font-size: 20px;
}
```

```
#div82>h5{
```

```
margin-left: 20px;  
margin-top: -10px;  
font-size: 12px;  
}
```

```
#div82>a {  
margin-left: 20px;  
text-decoration: none;  
  
color:rgb(4, 178, 247);  
}
```

```
#div82>#a1 {  
margin-left: 20px;  
text-decoration: none;  
background-color: black;  
border-radius: 10px;  
padding-left: 40px;  
padding-right: 40px;  
padding-top: 10px;  
padding-bottom: 10px;  
color: white  
}
```

```
#div83 {  
  
margin-top: 100px;  
margin-right: 50px;  
  
height:350px;  
width:30%;  
border: 2px solid rgb(14, 248, 236);
```



```
    box-shadow: 2px 2px 6px black;
    border-radius: 10px;

}
#div83>h4{
    margin-left: 20px;
    color: red;
    font-size: 20px;

}
#div83>h2{
    margin-left: 20px;
    font-size: 18px;
}
#div83>h5{
    margin-left: 20px;
    margin-top: -10px;
    font-size: 12px;
}
#div83>a{
    margin-left: 20px;
    text-decoration: none;
    color: rgb(8, 172, 236);
    border-radius: 10px;
}
#div83>#a1 {
    margin-left: 20px;
    text-decoration: none;
    background-color: black;
    border-radius: 10px;
    padding-left: 40px;
```

```
padding-right: 40px;
padding-top: 10px;
padding-bottom: 10px;
color: white;
float: left;

}

#div1012{
    background-color: #0196C0;
    height: 400px;

}

#div10{
    float: left;
    padding-left: 40px;
    line-height: 25px;
}

#div10>a{
    margin-left: -10px;
    padding-left: 40px;
    text-decoration: none;
    color: rgb(245, 241, 241);

}

#h101{
    text-decoration: none;
    color: black;

}
```

```
#div11{  
    float: left;  
    margin-top: 30px;  
    margin-left: 150px;  
  
    line-height: 25px;  
  
}  
#div11>a{  
    margin-left: -40px;  
    margin-top: -100px;  
    padding-left: 40px;  
    text-decoration: none;  
    color: rgb(240, 237, 237);  
  
}  
#h102{  
    text-decoration: none;  
    color: black;  
  
}  
#div123{  
    float: left;  
    margin-left: 150px;  
  
    line-height: 25px;  
  
}  
#div123>a{  
    margin-left: 40px;
```

```
padding-left: 40px;
text-decoration: none;
color: rgb(248, 246, 246);

}
#h103{
text-decoration: none;
color: black;

}
#divl22{
margin-top: 40px;
float :right;
width: 25%;
height: 20px;
margin-right: 60px;

}
#divl22 h1 {
margin-top: 20px;
text-align: center ;
font-size: 20px;

padding-right: 30px;

}
#divl22 h2{
margin-top: 10px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
```

```

font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

background-color:#ffae39;

border-radius: 10px;

width: 90%;

box-shadow: 1px 1px 3px rgb(73, 63, 63);

}

#div122 h2:hover{

background-color: #f48120;

}


a{


text-decoration: none;

}

```

Output:





Pghtml2.html

code:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Document</title>

  <link rel="stylesheet" href="pghtml2.css">

</head>

<body>

  <div id="div1">

    <a href="home.html"></a>

    <nav id="nav1">

      <b>

        <a href="home.html" >Ug Projects</a>

        <a href="pgprojects.html">Pg Projects</a>

      </b>

    </nav>

    <div id ="div12">

      <a href="login.html">Login</a>

    </div>

  </div>

</body>

</div>
```

```
<div id="divmain" style="height: 250px; width: 97%; background-color:
#f48120;padding:20px; padding-top: 100px; margin-left: 0px;">
```

```
<h1><center>PG Projects</center></h1>
```

```
<p >
```

Our core mission revolves around the careful assessment of your unique project requirements. We take great care in crafting designs that not only meet but exceed your expectations. With a commitment to precision and a keen eye for detail, we ensure that every aspect of your project is tailored to your satisfaction. If you have any inquiries or wish to send us your requirements, please don't hesitate to get in touch. We're here to assist you every step of the way in bringing your project to life.

```
</p>
```

```
</div>
```

```
<div style="width: 100%;height: 1600px;float: right; ;">
```

```
<div>
```

```
<div style="box-shadow: 2px 2px 10px black; border-top-left-radius: 10px; border-
top-right-radius: 10px ; width: 80%; margin-left: 100px; margin-top: 40px; height: 350px ;;
padding: 30px;">
```

```

```

```
</div>
```

```
<a name="cse"></a>
```

```
<div style="width: 65%;height: 400px;float: right ;margin-top: -400px;">
```

```
<h1><center>Aritificial Intelligence</center></h1>
```

```
<h2> Projects Available</h2>
```

```
<p style="text-align: left;">
```

1 TMPGAI86 Brain Disease Classification & Brain Age Estimation Using
CNN

2 TMPGAI99 Video Image Deblurring Algorithm Based on Denoising Engine

3 TMPGAI85 Weed Identification Using Deep Learning and Image
Processing in Vegeta...

</p>

<div id="cseeng">

 <h2>Enquire</h2>

</div>

<div style="box-shadow: 2px 2px 10px black; width: 80%; height: 350px ; margin-left:
100px;margin-top: 10px; padding: 30px;">

<div style="width: 65%;height: 400px ;">

<h1><center>Machine Learning</center></h1>

<h2> Projects Available </h2>

<p style="text-align: left; margin-left: 10px; ">

1 TVPGFE331 FPGA-Supported HDL Approach to Implement Reversible Logic
Gate-Based

2 TVPGFE329 VLSI Design of Pipelined FFT Architecture for DSP Application

3 TVPGFE286 Carry select adder using BEC and RCA

</p>

<div id="cseenqe">

 <h2>Enquire</h2>

</div>

</div>

<div>

</div>

</div>

```
<div style="box-shadow: 2px 2px 10px black; border-bottom-left-radius: 10px; border-bottom-right-radius: 10px ; width: 80%; margin-left: 100px; margin-top: 10px; height: 350px ; padding: 30px;">
```

```
<div>
```

```

```

```
</div>
```

```
<div style="width: 65%;height: 400px;float: right;margin-top: -50px; ">
```

```
<h1><center>Embedded Application.</center></h1>
```

```
<h2> &nbsp; Projects Available </h2>
```

```
<p style="text-align: left; margin-left: 10px; ">
```

```
1 TVPGFE331 FPGA-Supported HDL Approach to Implement Reversible  
Logic Gate-Based <br> <br>
```

```
2 TVPGFE329 VLSI Design of Pipelined FFT Architecture for DSP  
Application <br> <br>
```

```
3 TVPGFE286 Carry select adder using BEC and RCA <br> <br>
```

```
</p><br><br>
```

```
<div id="cseenqec">
```

```
<a href="https://forms.gle/2hnaXALVMLsq5bZk9"> <h2>Enquire</h2></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div id="div1012">
```

```
<div id="div10">
```

```
<a href="a1">
```

```
<h2 id="h101">Quick Access</h2>
```

```
<a href="" >Ug Projects</a><br>
```

```
<a href="">Pg Projects</a><br>
```

```
<a href="">Diploma Projects</a><br>
```

[Our Services](#)

[AboutUs](#)

</div>

<div id="div11">

<h2 id="h102">Select Projects </h2>

[Computer science and engineering](#)

[Electronical and Communicatioin Engineering](#)

[Electrical and Electronics Engineering](#)

</div>

<div id="div123">

[a221](#)>

<h2 id="h103">About </h2>

Brand

Career

Partner

support

</div>

<div id="div122">

<h1>Contact Us</h1>

[9063004636](#)</h2>

</div>

</div>

</body>

</html>

Pghtml.css

```
#div1 {  
    margin-top: -10px;  
    background-color: white;  
    min-height: 70px;  
    position: fixed;  
    width: 100%;  
    margin-left: -10px;  
    box-shadow: -0px 2px 4px black;  
    box-sizing: border-box;  
}
```

```
#nav1 {  
    float: left;  
    line-height: 70px;  
  
}
```

```
#nav1 a {  
    padding-left: 10px;  
    padding-right: 10px;  
    text-decoration: none;  
    color: #242323;  
    font-weight: 100px;  
    font-size: 17px;  
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen,  
    Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
```

```
}  
#div12{  
    float: right;  
    padding: 10px;  
    height: 20px;  
    margin-left: 760px;  
  
    border-radius: 10px;  
}  
#div12>a{  
    background-color: rgb(15, 15, 15);  
    color: rgb(248, 244, 244);  
    padding-left: 20px;  
    padding-right: 20px;  
    padding-top: 10px;  
    padding-bottom: 10px;  
  
}  
#divmain>h1{  
    margin-top: -5px;  
    color: black;  
    font-size: 40px;  
}  
#divmain>p{  
    color: white;  
    font-size: 20px;  
}  
#div12>a{  
    background-color: rgb(15, 15, 15);
```

```
    color: rgb(248, 244, 244);
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 10px;
    padding-bottom: 10px;

}

#div1012{
    background-color: #0196C0;
    height: 400px;
    margin-top: 10px;

}

#div10{
    float: left;
    padding-left: 40px;
    line-height: 25px;
}

#div10>a{
    margin-left: 0px;
    padding-left: 40px;
    text-decoration: none;
    color: rgb(245, 241, 241);

}

#h101{
    text-decoration: none;
    color: black;
```

```
}
```

```
#div11{
```

```
float: left;
```

```
margin-left: 150px;
```

```
line-height: 25px;
```

```
}
```

```
#div11>a{
```

```
margin-left: 0px;
```

```
margin-top: -100px;
```

```
padding-left: 0px;
```

```
text-decoration: none;
```

```
color: rgb(240, 237, 237);
```

```
}
```

```
#h102{
```

```
text-decoration: none;
```

```
color: black;
```

```
}
```

```
#div123{
```

```
float: left;
```

```
margin-left: 150px;
```

```
line-height: 25px;
```

```
}  
#div123>a{  
    margin-left: 40px;  
    padding-left: 40px;  
    text-decoration: none;  
    color: rgb(248, 246, 246);
```

```
}  
#h103{  
    text-decoration: none;  
    color: black;
```

```
}  
#div122{  
    margin-top: -10px;  
    float :right;  
    width: 25%;  
    height: 220px;  
    margin-right: 30px;
```

```
}  
#div122 h1 {  
    margin-top: 10px;  
    text-align: center ;  
    font-size: 20px;  
  
    padding-right: 30px;
```

```
}  
#div122 h2{
```



```

margin-top: 10px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color:#ffae39;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
#div122 h2:hover{

background-color: #f48120;

}

#cseenqe{
margin-top: -10px;
float :right;
width: 25%;
height: 220px;
margin-right: 500px;

}

#cseenqe h2{
margin-top: 10px;
text-align: center;
min-height: 50px;

```

```
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color: #0196C0;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
```

```
#cseenq{
margin-top: -10px;
float :right;
width: 25%;
height: 220px;
margin-right: 500px;
}
```

```
#cseenq h2{
margin-top: 10px;
text-align: center;
min-height: 50px;
line-height: 50px;
font-size: 18px;
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
background-color: #0196C0;
border-radius: 10px;
width: 90%;
box-shadow: 1px 1px 3px rgb(73, 63, 63);
}
```

```
#h2:hover{
```

```
background-color: #f48120;
```

```
}
```

```
#cseenqec{
```

```
margin-top: -10px;
```

```
float :right;
```

```
width: 25%;
```

```
height: 220px;
```

```
margin-right: 500px;
```

```
}
```

```
#cseenqec h2{
```

```
margin-top: -40px;
```

```
text-align: center;
```

```
min-height: 50px;
```

```
line-height: 50px;
```

```
font-size: 18px;
```

```
font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
```

```
background-color: #0196C0;
```

```
border-radius: 10px;
```

```
width: 90%;
```

```
box-shadow: 1px 1px 3px rgb(73, 63, 63);
```


```
}
```

```
a{
```


```
color: black;
```

```
text-decoration: none; }
```



Output:



The screenshot shows a web browser with three tabs: 'Document', 'AS Projects', and 'Document'. The address bar displays the file path: 'C:/Users/saina/OneDrive/Desktop/GQT%20FRONT%20END/own1/pghtml2.html'. The website header includes the 'Academic PROJECTS' logo, navigation links for 'Ug Projects' and 'Pg Projects', and a 'Login' button. The main content area has an orange background with the heading 'PG Projects'. Below this, a paragraph states: 'Our core mission revolves around the careful assessment of your unique project requirements. We take great care in crafting designs that not only meet but exceed your expectations. With a commitment to precision and a keen eye for detail, we ensure that every aspect of your project is tailored to your satisfaction. If you have any inquiries or wish to send us your requirements, please don't hesitate to get in touch. We're here to assist you every step of the way in bringing your project to life.' A white box on the right side of the orange area is titled 'Artificial Intelligence' and lists three projects under the heading 'Projects Available': 1. TMPGAI86 Brain Disease Classification & Brain Age Estimation Using CNN, 2. TMPGAI99 Video Image Deblurring Algorithm Based on Denoising Engine, and 3. TMPGAI85 Weed Identification Using Deep Learning and Image Processing in Vegeta...



The screenshot shows the same web browser and website header as the previous image. The main content area now displays the 'Machine Learning' section. It features a white box with the heading 'Machine Learning' and a sub-heading 'Projects Available'. Below this, three projects are listed: 1. TVPGFE331 FPGA-Supported HDL Approach to Implement Reversible Logic Gate-Based, 2. TVPGFE329 VLSI Design of Pipelined FFT Architecture for DSP Application, and 3. TVPGFE286 Carry select adder using BEC and RCA. A blue 'Enquire' button is located at the bottom left of the white box. To the right of the white box is a circular logo with the letters 'EEE' in the center, surrounded by the text 'ENGINEERING' and 'ELECTRICAL AND ELECTRONIC'.



Conclusion

In conclusion, the development of the AS Academic Projects website using only HTML and CSS highlights the enduring significance and versatility of these fundamental web technologies. This project emphasizes the power of simplicity and the skillful utilization of HTML for structuring content and CSS for styling to recreate the website's visual elements and layout.

This approach underscores the importance of attention to detail in design and the mastery of these essential web technologies. In summary, the successful creation of the AS Academic Projects website using HTML and CSS showcases the foundational importance of these technologies in web development and their capability to replicate a website's design and layout with precision.