

# CSA0562: DATABASE MANAGEMENT SYSTEMS-

## ASSIGNMENT QUESTIONS

N Sai Sankar 192311187

### Question 1:

#### ~~ER Diagram~~ Question:

### Traffic Flow Management System (TFMS) ER Diagram

#### TASKS

Task 1: Entity Identification and Attributes

---

#### Entities and Attributes:

##### 1. ROADS

###### Attributes:

- RoadID (PK)
- RoadName
- Length (meters)
- SpeedLimit (km/h)

##### 2. INTERSECTIONS

###### - Attributes:

- IntersectionID (PK)
- IntersectionName
- Latitude
- Longitude

##### 3. TRAFFIC SIGNALS

###### - Attributes:

- SignalID (PK)

- SignalStatus (Green, Yellow, Red)
- Timer

#### 4. TRAFFIC DATA

- Attributes:
- TrafficDataID (PK)
- Timestamp
- Speed (average speed on the road)
- CongestionLevel

### Task 2: Relationship Modeling

#### Relationships:

##### 1. Roads to Intersections

- Relationship: A road can be part of multiple intersections, and an intersection is formed by multiple roads.
- Cardinality: Many-to-Many
- Optionality: Mandatory (each intersection must be associated with at least one road)

##### 2. Intersections to Traffic Signals

- Relationship: Each intersection can have multiple traffic signals.
- Cardinality: One-to-Many
- Optionality: Mandatory (each intersection must have at least one traffic signal)

##### 3. Traffic Signals to Traffic Data



- Relationship: Traffic data is collected from sensors related to traffic signals.
- Cardinality: One-to-Many
- Optionality: Optional (traffic data may not always be available for every signal)

#### 4. Roads to Traffic Data

- Relationship: Traffic data is collected for each road.
- Cardinality: One-to-Many
- Optionality: Optional (traffic data may not always be available for every road)

### Task 3: ER Diagram Design

Here's a simplified ER Diagram:



- Roads
- RoadID (PK)

- RoadName
- Length
- SpeedLimit

#### - Intersections

- IntersectionID (PK)
- IntersectionName
- Latitude
- Longitude

#### - Traffic Signals

- SignalID (PK)
- SignalStatus
- Timer
- IntersectionID (FK)

#### - Traffic Data

- TrafficDataID (PK)
- Timestamp
- Speed
- CongestionLevel
- RoadID (FK)
- SignalID (FK)

## Relationships:

### 1. Roads to Intersections:

- Many-to-Many (through a junction table,e.g., RoadIntersection)

### 2. Intersections to Traffic Signals:

- One-to-Many (1 Intersection can have multiple Traffic Signals)

### 3. Traffic Signals to Traffic Data:

- One-to-Many (1 Traffic Signal can have multiple Traffic Data records)

### 4. Roads to Traffic Data:

- One-to-Many (1 Road can have multiple Traffic Data records)

## Task 4: Justification and Normalization

### 1. Normalization Principles:

- 1NF (First Normal Form): Each table has a primary key, and attributes are atomic.
- 2NF (Second Normal Form): All non-key attributes are fully functional dependent on the primary key.
- 3NF (Third Normal Form): No transitive dependency (attributes are not dependent on other non-key attributes).

### 2. Design Justification:

- Scalability: The design supports adding new roads, intersections, and traffic signals without major schema changes.
- Real-Time Data Processing: Traffic Data entity captures real-time data for analysis and integration into traffic management algorithms.
- Efficient Traffic Management: The relationships and attributes facilitate efficient retrieval and manipulation of data for route optimization and signal control.

---

## Question 2:

# SQL Queries

### Question 1: Top 3 Departments with Highest Average Salary

```
```sql
```

```
SELECT d.DepartmentID, d.DepartmentName, AVG(e.Salary) AS AvgSalary
```

```
FROM Departments d
```

```
LEFT JOIN Employees e ON d.DepartmentID = e.DepartmentID
```

```
GROUP BY d.DepartmentID, d.DepartmentName
```

```
ORDER BY AVG(e.Salary) DESC
```

```
FETCH FIRST 3 ROWS ONLY;
```

```
```
```



The screenshot shows a SQL IDE interface. The 'Input' tab is active, displaying a SQL script. The script includes an INSERT statement for the 'Employees' table and a SELECT query for the top 3 departments by average salary. The 'Run SQL' button is visible. Below the input, the 'Output' tab shows the results of the query in a table format.

```
INSERT INTO Employees (EmployeeID, DepartmentID, Salary) VALUES
(1, 1, 50000),
(2, 1, 60000),
(3, 2, 80000),
(4, 2, 90000),
(5, 3, 70000);

-- Step 3: Execute Your Query
SELECT d.DepartmentID, d.DepartmentName, AVG(e.Salary) AS AvgSalary
FROM Departments d
LEFT JOIN Employees e ON d.DepartmentID = e.DepartmentID
GROUP BY d.DepartmentID, d.DepartmentName
ORDER BY AVG(e.Salary) DESC
LIMIT 3;
```

| DepartmentID | DepartmentName | AvgSalary |
|--------------|----------------|-----------|
| 1            | Engineering    | 55000     |
| 2            | Marketing      | 85000     |
| 3            | Finance        | 70000     |

### Explanation:

- `LEFT JOIN` ensures departments with no employees show NULL for `AvgSalary`.



- `GROUP BY` groups data by department.
- `ORDER BY` sorts departments by average salary in descending order.
- `FETCH FIRST 3 ROWS ONLY` limits the result to the top 3 departments.

## Question 2: Retrieving Hierarchical Category Paths

```
```sql
```

```
WITH RECURSIVE CategoryPaths AS (  
    SELECT CategoryID, CategoryName, CAST(CategoryName AS VARCHAR(255)) AS Path  
  
    FROM Categories  
  
    WHERE ParentCategoryID IS NULL  
  
    UNION ALL  
  
    SELECT c.CategoryID, c.CategoryName, CONCAT(cp.Path, ' > ', c.CategoryName)  
  
    FROM Categories c  
  
    JOIN CategoryPaths cp ON c.ParentCategoryID = cp.CategoryID  
  
)  
  
SELECT CategoryID, CategoryName, Path  
  
FROM CategoryPaths;  
```
```

```

Input
INSERT INTO Categories (CategoryID, CategoryName, ParentCategoryID) VALUES
(1, 'Electronics', NULL),
(2, 'Computers', 1),
(3, 'Laptops', 2),
(4, 'Desktops', 2),
(5, 'Smartphones', 1),
(6, 'Cameras', 1),
(7, 'OSUs', 6),
(8, 'Wearable', 6);

-- Step 4: Execute Recursive CTE Query
WITH RECURSIVE CategoryPaths AS (
    SELECT CategoryID, CategoryName, CAST(CategoryName AS VARCHAR(255)) AS Path
    FROM Categories
    WHERE ParentCategoryID IS NULL
    UNION ALL
    SELECT c.CategoryID, c.CategoryName, cp.Path || ',' || c.CategoryName
    FROM Categories c
    JOIN CategoryPaths cp ON c.ParentCategoryID = cp.CategoryID
)
SELECT CategoryID, CategoryName, Path
FROM CategoryPaths;

```

### Explanation:

- 'WITH RECURSIVE' defines a CTE that recursively builds the hierarchical path.
- The 'UNION ALL' combines the base case with recursive case results.
- 'CONCAT' builds the path from parent to child.

### Question 3: Total Distinct Customers by Month

```sql

SELECT TO\_CHAR(purchase\_date, 'Month') AS MonthName,

COUNT(DISTINCT customer\_id) AS CustomerCount

FROM Purchases

WHERE EXTRACT(YEAR FROM purchase\_date) = EXTRACT(YEAR FROM CURRENT\_DATE)

GROUP BY TO\_CHAR(purchase\_date, 'Month')

ORDER BY TO\_DATE(TO\_CHAR(purchase\_date, 'Month'), 'Month') ASC;

```

```

Input
CREATE TABLE Purchases (
  purchase_id INT PRIMARY KEY,
  customer_id INT,
  purchase_date DATE
);

-- Step 3: Insert Sample Data
INSERT INTO Purchases (purchase_id, customer_id, purchase_date) VALUES
(1, 101, '2024-01-15'),
(2, 102, '2024-01-20'),
(3, 102, '2024-02-15'),
(4, 103, '2024-03-25'),
(5, 104, '2024-03-28');

-- Step 4: Execute Your Query
SELECT strftime('%m', purchase_date) AS MonthNumber,
       strftime('%m', purchase_date) || '-' || strftime('%Y', purchase_date) AS MonthName,
       COUNT(DISTINCT customer_id) AS CustomerCount
FROM Purchases
WHERE strftime('%Y', purchase_date) = strftime('%Y', 'now')
GROUP BY MonthNumber, MonthName
ORDER BY MonthNumber;

Output

```

## Explanation:

- `TO\_CHAR` converts dates to month names.
- `COUNT(DISTINCT customer\_id)` counts unique customers.
- `EXTRACT` ensures only the current year's data is considered.
- `ORDER BY` sorts by month.

## Question 4: Finding Closest Locations

```sql

```

SELECT LocationID, LocationName, Latitude, Longitude,
       (3959 * acos(cos(radians(:latitude)) * cos(radians(Latitude)) *
       cos(radians(Longitude) - radians(:longitude)) + sin(radians(:latitude)) *
       sin(radians(Latitude)))) AS Distance
FROM Locations
ORDER BY Distance
FETCH FIRST 5 ROWS ONLY;
```

```

Input

```

SELECT LocationID, LocationName, Latitude, Longitude,
       (6371 * acos(cos(radians(?) * cos(radians(Latitude))) *
        cos(radians(Longitude) - radians(?)) + sin(radians(?)) *
        sin(radians(Latitude)))) AS Distance
FROM Locations
ORDER BY Distance
LIMIT 5;

-- Step 1: Drop Table If It Exists
DROP TABLE IF EXISTS locations;

-- Step 2: Create Locations Table
CREATE TABLE Locations (
  LocationID INT PRIMARY KEY,
  LocationName VARCHAR(100),
  Latitude FLOAT,
  Longitude FLOAT
);

-- Step 3: Insert Sample Data
INSERT INTO Locations (LocationID, LocationName, Latitude, Longitude) VALUES
(1, 'Location 1', 40.712776, -74.005974),
(2, 'Location 2', 34.052235, -118.243683),
(3, 'Location 3', 41.878113, -87.629799);

```

Run SQL

Output

LocationID	LocationName	Latitude	Longitude	Distance
1	Location 1	40.712776	-74.005974	

## Explanation:

- Haversine formula calculates distance between points.
- `:latitude` and `:longitude` are input parameters.
- `ORDER BY Distance` sorts locations by proximity.

## Question 5: Optimizing Query for Orders Table

```
```sql
```

```
SELECT *
```

```
FROM Orders
```

```
WHERE OrderDate >= SYSDATE - INTERVAL '7' DAY
```

```
ORDER BY OrderDate DESC;
```

```
```
```

```

Input
-- Step 2: Create Orders Table
CREATE TABLE Orders (
  OrderID INT PRIMARY KEY,
  OrderDate DATE,
  CustomerID INT,
  Amount DECIMAL(10, 2)
);

-- Step 3: Insert Sample Data
INSERT INTO Orders (OrderID, OrderDate, CustomerID, Amount) VALUES
(1, DATE('now', '-1 day'), 101, 150.00),
(2, DATE('now', '-5 day'), 102, 200.00),
(3, DATE('now', '-6 day'), 103, 300.00),
(4, DATE('now', '-3 day'), 104, 100.00),
(5, DATE('now', '-7 day'), 105, 250.00);

-- Step 4: Execute Your Query
SELECT *
FROM Orders
WHERE OrderDate >= DATE('now', '-7 days')
ORDER BY OrderDate DESC;

Output

```

### Explanation:

- `SYSDATE - INTERVAL '7' DAY` retrieves orders from the last 7 days.
- `ORDER BY OrderDate DESC` sorts by the most recent orders.

## Question 3:

## PL/SQL Questions

### Question 1: Handling Division Operation

```
``psql
```

```
DECLARE
```

```
    divisor NUMBER := &divisor_input;
```

```
    dividend NUMBER := &dividend_input;
```

```
    result NUMBER;
```

```
BEGIN
```

```
    IF divisor = 0 THEN
```

```

        DBMS_OUTPUT.PUT_LINE('Error: Division by zero is not allowed.');
```

ELSE

```

    result := dividend / divisor;

    DBMS_OUTPUT.PUT_LINE('Result: ' || result);

END IF;

EXCEPTION

    WHEN ZERO_DIVIDE THEN

        DBMS_OUTPUT.PUT_LINE('Error: Division by zero.');
```

END;

...

### Explanation:

- Handles division by zero using an `IF` statement and `ZERO\_DIVIDE` exception.
- `DBMS\_OUTPUT.PUT\_LINE` displays results or error messages.

## Question 2: Updating Rows with FORALL

```

```sql

DECLARE

    TYPE emp_id_array IS TABLE OF Employees.EmployeeID%TYPE;

    TYPE salary_array IS TABLE OF NUMBER;

    l_emp_ids emp_id_array := emp_id_array(101, 102, 103);

    l_salaries salary_array := salary_array(500, 600, 700);

BEGIN

    FORALL i IN INDICES OF l_emp_ids

        UPDATE Employees

        SET Salary = Salary + l_salaries(i)

        WHERE EmployeeID = l_emp_ids(i);

COMMIT;

```

END;  
...

### Explanation:

- `FORALL` is used for bulk updates, enhancing performance by reducing context switches between SQL and PL/SQL.

### Question 3: Implementing Nested Table Procedure

```
```sql

CREATE OR REPLACE PROCEDURE GetEmployeesByDept(p_dept_id IN NUMBER,p_employees OUT
SYS_REFCURSOR) AS

BEGIN

    OPEN p_employees FOR

        SELECT * FROM Employees WHERE DepartmentID = p_dept_id;

END;

```
```

### Explanation:

- A procedure that retrieves employees based on department ID and returns them as a cursor.

### Question 4: Using Cursor Variables and Dynamic SQL

```
```sql

DECLARE

    TYPE emp_ref_cursor IS REF CURSOR;

    l_emp_cursor emp_ref_cursor;

    l_salary_threshold NUMBER := &salary_threshold;

BEGIN

    OPEN l_emp_cursor FOR

        'SELECT EmployeeID, FirstName, LastName
```



```

FROM Employees
WHERE Salary > :1'

USING l_salary_threshold;

-- Use l_emp_cursor as needed

CLOSE l_emp_cursor;

END;

'''

```

### Explanation:

- Demonstrates use of REF CURSOR and dynamic SQL to query employees based on a salary threshold.

## Question 5: Designing P

pipelined Function for Sales Data

```

'''plsql
CREATE OR REPLACE FUNCTION get_sales_data(p_month IN NUMBER,p_year IN NUMBER)

RETURN sales_data_tab_type PIPELINED AS

BEGIN

    FOR rec IN (

        SELECT OrderID, CustomerID, OrderAmount

        FROM Orders

        WHERE EXTRACT(MONTH FROM OrderDate) = p_month

        AND EXTRACT(YEAR FROM OrderDate) = p_year

    ) LOOP

        PIPE ROW (rec);

    END LOOP;

END;

```

...

### Explanation:

- `PIPELINED` function allows efficient processing of large datasets by returning rows incrementally.

## DELIVERABLES

### 1. ER Diagram:

- Provides a visual representation of the TFMS entities, attributes, and relationships.

### 2. Entity Definitions:

- Clear descriptions of each entity and their attributes.

### 3. Relationship Descriptions:

- Details of relationships between entities, including cardinality and optionality.

### 4. Justification Document:

- Explanation of design choices, normalization adherence, and considerations for efficiency and scalability.



