## **Greatest Of Three 3**

```
import java.io.*;
import java.util.*;
public class Solution {
  public static void main(String[] args) {
    /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be
named Solution. */
    Scanner ob= new Scanner(System.in);
    int a=ob.nextInt();
    int b=ob.nextInt();
    int c=ob.nextInt();
    int largest2=(a>b)?a:b;
    int largest3=(largest2>c)?largest2:c;
    System.out.print(largest3);
  }
}
Leap Year
import java.io.*;
import java.util.*;
public class Solution
  public static void main(String[] args) {
    Scanner ob=new Scanner(System.in);
    int year=ob.nextInt();
```

## Ascii Value 10

}

```
import java.io.*;
import java.util.*;
public class Solution {
  public static void main(String[] args) {
    Scanner scanner = new Scanner(System.in);
    char ch = scanner.next().charAt(0);
    System.out.println((int) ch);
    scanner.close();
  }
}
```

String ans=(year%4==0 && year%100!=0)? "Yes":

(year%400==0)?"Yes":"No";

System.out.print(ans);

## Ascii value of all characters in string

## Count of digits 5

```
import java.io.*;
import java.util.*;
public class Solution {
  public static void main(String[] args) {
    /* Enter your code here. Read input from STDIN. Print output to STDOUT. Your class should be
named Solution. */
    Scanner in = new Scanner(System.in);
    int num=in.nextInt();
    int count=0;
    if(num==0){
      count=1;}
      while(num>0){
        count++;
        num=num/10;}
    System.out.println(count);
  }
}
```