5/28/23, 11:54 PM about:blank

Developing Cloud Applications with React



Module 2 : Glossary - React Components

Term	Definition
Actions	JSON objects that contain information about changes that need to be made to the state. For example, a GET action obtains information, a POST action sends information, and a DELETE action removes information.
Callback	A normal method called once a condition is met.
Chai	An object that can be used as the assertion library.
Component Lifecycle	A series of four phases make up the lifecycle of a component. These phases are: Initialization, Mounting, Updating, and Unmounting.
Component testing	When you render component trees in a simple test environment and assert their output.
Cross-origin requests	Requests that come from multiple sources.
Document Object Model (DOM)	It defines the logical structure of documents and the way a document is accessed and manipulated.
End-to-end testing	A multi-step test that combines multiple units and integrates all tests into one big test. It requires the running of a complete application in a realistic browser environment.
Enzyme	A library that can be added to your testing tools in order to render

about:blank 1/3

your React components

5/28/23, 11:54 PM about:blank

Initialization phase

The first component lifecycle phase. During this phase, the component is constructed with the

given Props and default state.

A JavaScript test runner and assertion library used to test React components. It can be combined with Enzyme or the React Testing Library.

One of the two types of React states. Local state lives in a single component and is not used in

other components. An example of local state is hiding and showing information. (See **Shared

state**.)

Middleware Library that connects applications

and services.

Object that can be used as the test

runner.

Mounting Phase The second component lifecycle phase. During this phase, the JSX

is rendered.

Short for 'properties.' Read-only objects that store attribute values of tags. Used to pass data from

parent to child components.

When a user or software automation moves data from one location to

another.

A set of helpers that let you test React components without depending

on their implementation details. This library is a replacement for

Enzyme.

One of the two types of React states. Shared state is shared by

multiple components and is

complicated. An example of shared state is the list of all orders in an order application. (See **Local

state**.)

An object that can be used to test JavaScript logic with objects such as spies, stubs, and mocks.

Jest

Local state

Mocha

Props

Push

React Testing Library

Shared state

Sinon

5/28/23, 11:54 PM about:blank

Snapshot testing Testing that helps check and verify

the component rendering result.

State A plain JavaScript object used by

React to represent information about the component's current situation. States help track

changes in a component.

Testing A line-by-line review of how code

executes. Testing replicates end user actions to ensure features

work as intended.

Updating phase The third component lifecycle

phase. During this phase, the state of a component is updated, and the

application is repainted.

Unmounting phase The final component lifecycle

phase. During this phase, the

component is removed from the page.

Changelog

Date Version Changed by Change Description

28-10-2022 1.0 Samaah Sarang Initial md version created

24-03-2023 1.1 Sneha R Baddi Updated the terms

© IBM Corporation 2022. All rights reserved.

about:blank 3/3