المدرسة الوطنية للعلوم التطبيقية - بني ملال

ⵜⴰⵙⴷⴰⵡⵉⵜ ⵏ ⵜⵎⴰⵙⵙⴰⵏⵉⵏ ⵜⵓⵏⵉⵏⵉⵏ - ⴱⵏⵉ ⵎⵍⴰⵍ

Ecole Nationale des Sciences Appliquées - Béni Mellal

TP1 : Application Monolithique avec Spring Boot

Réalisé par : Assamri Salma

Encadre par : Pr : B.ELBAGHAZAOUI

1. Mettre en place une application monolithique simple avec Spring Boot.

2. Développer une API REST complète permettant les opérations CRUD (Create, Read, Update, Delete).

3. Appliquer l'architecture en couches : entité, repository, service et contrôleur.

4. Découvrir l'utilisation de RestRepository pour générer automatiquement des endpoints REST et simplifier le code.

5. Analyser les avantages et les limites d'une architecture monolithique.

Création du projet Spring Boot :



Création de la database dans mysql

```
Invite de commandes - mysql  -u  root -p
Microsoft Windows [version 10.0.19045.7058]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\Admin>cd "C:\Program Files\MySQL\MySQL Server 8.0\bin"

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u  root -p
Enter password: ******************
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.45 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE ecommerce;
```

Configuration application.properties



Test avec Postman

POST :



GET :


COLLECTIONS
My Collection
POST
http://localhost:8080/api/products
Send
Docs
Params
Authorization
Headers
Body
Scripts
Settings
Cookies
raw
JSON
Schema
Beautify
{"name": "Clavier", "description": "RGB", "price": 45.0, "stock": 10}
Body
201 Created
558 ms
254 B
JSON
Preview
Visualize
[
"id": 1,
"name": "Clavier",
"description": "RGB",
"price": 45.0,
"stock": 10,
"category": null
]
ENVIRONMENTS
SPECS
FLOWS
Connect Git
Console
Terminal
Auto
Globals
Vault
Tools

PUT :



DELETE :



Exercice :


.idea
.mvn
src
main
java
com.ecommerce.monolith
category.model
Category
product
MonolithApplication
resources
test
target
.gitattributes
.gitignore
HELP.md
mvnw
mvnw.cmd
pom.xml
External Libraries
Scratches and Consoles
@Data
@NoArgsConstructor
@AllArgsConstructor
public class Category {
@Id
@GeneratedValue(strategy = GenerationType.IDENTITY)
private Long id;
private String name;
@OneToMany(mappedBy = "category")
private List<Product> products;
}
tp1 > monolith > src > main > java > com > ecommerce > monolith > category > model > Category
19:1 CRLF UTF-8 4 spaces