LEAVE MANAGEMENT SYSTEM

INDEX.PHP

```html
<!--Index Page-->
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Display Scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="css/index.css" rel="stylesheet"> <!--Linking Css Style Sheet-->
</head>
<body>

<!--Header Navbar-->
  <div class="header">
    <div class="inner-header">
      <div class="logo"><a href="index.php">IIIT MANIPUR</a></div>
      <div class="header-link"><a href="login.php">LOGIN</a></div>
    </div>
  </div>

<!--Container-->
  <div class="content">
    <!--Banner Image-->
    <div class="banner_image">
      <!--Inner Banner Text-->
      <div class="inner-banner-image">
        <center>
          <div class="banner_content">
            <h1>LEAVE MANAGEMENT SYSTEM</h1>
            <p>PORTAL FOR EASE</p>
            <br />
            <a href="extra/Leave-Rules.pdf" class="button">USER MANUAL</a>
            <a href="login.php" class="button">LOGIN</a>
            <a href="extra/Leave-Rules.pdf" class="button">LEAVE RULES</a>
          </div>
        </center>
      </div>
    </div>
  </div>

<!--Footer section-->
  <footer>
    <div class="container">
      <center>
        <p>D&D By: SAMARJEET BARMAN</p>
      </center>
    </div>
  </footer>

</body>
</html>
```

LOGIN.PHP

```php
<!--Login Page-->
<?php
session_start(); #Session Start
include "include/db.php"; #Include the Database Connection
if(isset($_SESSION['uid'])) #Checking For the User
{
 $u=$_SESSION['uid'];
 $f=substr($u,0,1);
 $s=substr($u,3,1);

 #Query For Selecting Details From the Table
 $query8="Select * from `sectionHead` where sectionHeadID='$u'";

  $result8=mysqli_query($conn,$query8); #Connecting Query with the Connection

  $count8=mysqli_num_rows($result8);


 if($count8==1){ #Checking the First character of String and redicted to perticular user
   header('Location:adminstaff/Admin_dashboard.php');
  }else{

  if($f=='F'){
   header('Location:teaching/teaching_dashboard.php');
  }else if($f=='S'){
   header('Location:non-teaching/nonteaching_dashboard.php');
  }else if($f=='1' && $s=='1'){
   header('Location:student/Student_dashboard.php');
  }else if($f=='1' && $s=='3'){
   header('Location:phd/phd_dashboard.php');
  }else{
   echo "INVALID!!";
  }
  }

}
 ?>

<!DOCTYPE html>
<html>

<head>
 <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Display Scaling-->
 <title>LEAVE_MANAGEMENT_SYSTEM</title>
 <link href="css/register.css" rel="stylesheet"><!--Linking With Css Style Sheet-->
</head>

<body>
 <?php include "include/header.php"; ?><!--Include the header navbar-->

<div class="box" >
<div class="panel_header">
```

IIIT MANIPUR   18010101

```html
<h2>LOGIN</h2>
</div>

<!--login Dashboard-->
<div class="panel_body">
<p class="text-warning"><i>Login to Dashboard</i><p>
 <!--Form For Taking Input From The User-->
<form action="login.php" method="post" name="log">
<div>
<label>--ENROLLMENT ID--</label><br>
<input  name="enrollment" placeholder="F/S/18010101"  required>
</div><br>
<div>
<label>--PASSWORD--</label><br>
<input type="password" name="password" placeholder="Password" onchange="enroll();"
required>
</div>

<input type="hidden" id="f" name="f" />
<input type="hidden" id="s" name="s" />


<button type="submit" name="login" value="Login">Login</button><br><br>
</form><br/>
</div>


<div class="panel_footer"><p>Don't have an account?<a style="color:red" href="#"> Contact With
Admin!!!</a></p></div>
</div>


<?php include "include/footer_student.php"; ?>

<!--Script For Slicing the 1st and 3rd letter of the String-->
<script>
 function enroll(){
   var du = document.log.enrollment.value;
   var res = du.slice(0,1);
   var res2 = du.slice(3,4);

   document.log.f.value = res;
   document.log.s.value = res2;
 }
</script>
</body>

</html>

<?php
include "include/db.php";


if(isset($_POST['login']))
```

```php
{
 $enrollment=$_POST['enrollment'];
 $password=$_POST['password'];
 $f=$_POST['f'];
 $s=$_POST['s'];


#Checking the Id and Password Form the table
$query="Select * from `account` where userid='$enrollment' AND password='$password'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$count=mysqli_num_rows($result);

#Exist then Redirection to the perticular User Dashboard
if($count==1)
{
 $data=mysqli_fetch_assoc($result);
 $id=$data['userid'];
 session_start(); #Starting the Session

 $_SESSION['uid']=$id;

 $query1="Select * from `sectionHead` where sectionHeadID='$enrollment'";
 $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection
 $count1=mysqli_num_rows($result1);

if($count1==1){
 header('Location:adminstaff/Admin_dashboard.php');
}else{
if($f=='F'){
 header('Location:teaching/teaching_dashboard.php');
}else if($f=='S'){
 header('Location:non-teaching/nonteaching_dashboard.php');
}else if($f=='1' && $s=='1'){
 header('Location:student/Student_dashboard.php');
}else if($f=='1' && $s=='3'){
 header('Location:phd/phd_dashboard.php');
}else{
 echo "INVALID!!";
}
}
}
else{
 ?>
 <script>
  alert('Email or Password not match !!');
  window.open('login.php','_self');
 </script>
<?php

}
}
 ?>
```

ADMIN

Admin_dashboard.php

```php
<!--Admin Dashboard Page-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection


?>

<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  <!--Interior Css For the Tree Representation-->
  <style>
ul, #emp {
  list-style-type: none;
}

#emp{
  margin:50;
  padding:50;
}

.select {
  cursor: pointer;
  user-select: none;
}

.select::before {
  content: "\25B6";
  color: black;
  display: inline-block;
```

```css
    margin-right: 6px
}

.select-down::before {
  transform: rotate(90deg);
}

.nested {
  display: none;
}

.active {
  display: block;
}

  </style>
</head>
```

```php
<body>
  <?php include "../include/header1.php"; ?> <!--Including the navbar-->




<div class="box1" >
  <?php
  $uid=$_SESSION['uid']; #Get the session variable into the variable uid
  $query5="Select * from `sectionHead` where sectionHeadID='$uid'"; #Query for the Selecting all
details from table sectionHead

  $result5=mysqli_query($conn,$query5); #Connecting Query with the Connection

  $row5=mysqli_fetch_assoc($result5); #Fetching all the rows and arrays into the variable array

  $sec=$row5['sectionID'];
  ?>

<div class="panel_header">
<h2>USERS RECORDS</h2>
</div>
<?php

$query3="SELECT * from `leave_applied`  WHERE `section`='$sec' AND NOT
`Designation`='Student'"; #Query for the Selecting all details from table leave_applied

$result3=mysqli_query($conn,$query3); #Connecting Query with the Connection

$count3=mysqli_num_rows($result3); #Fetching all the rows and arrays into the variable array


$query4="SELECT * from `leave_applied`  WHERE `status`='Approved' AND `section`='$sec'
AND NOT `Designation`='Student'"; #Query for the Selecting all details from table leave_applied
```

```php
$result4=mysqli_query($conn,$query4); #Connecting Query with the Connection

$count4=mysqli_num_rows($result4); #Fetching all the rows and arrays into the variable array


$query6="SELECT * from `leave_applied` WHERE `status`='Decline' AND `section`='$sec' AND
NOT `Designation`='Student'"; #Query for the Selecting all details from table leave_applied

$result6=mysqli_query($conn,$query6); #Connecting Query with the Connection

$count6=mysqli_num_rows($result6); #Fetching all the rows and arrays into the variable array


?>
```

```html
<div class="panel_body">
  <!--Showing the Detail of the number of Forms-->
<center>
<div >
<label>--NO. OF FORMS:--</label><br>
<p style="color:blue;"><?php echo $count3; ?></p>
</div>

<div >
<label>--APPROVED:--</label><br>
<p style="color:green;"><?php echo $count4; ?></p>
</div>

<div >
<label>--DECLINE:--</label><br>
<p style="color:red;"><?php echo $count6; ?></p>
</div>
</center>
</div><br>

<div class="panel_header">
<h2>EMPLOYEE INFORMATION</h2>
</div>

<div class="panel_body">
  <!--Tree Structure Representation of the Under Employees-->
<p class="text-warning"><i>Click to Expand</i><p>
<ul id="emp">
  <li style="color:blue;"><span class="select">Employees</span>
<?php
$query2="SELECT * from `User_detail`  WHERE `section`='$sec' AND NOT
`Designation`='Student'";

$result2=mysqli_query($conn,$query2); #Connecting Query with the Connection

  while($row2=mysqli_fetch_array($result2))
  { ?>
  <ul>
```

```php
      <li style="color:red;"><span class="select"><?php echo $row2['userid']; ?></span>
       <?php $em = $row2['userid']; ?>
       <?php
       $query7="SELECT * from `User_detail`  WHERE `userid`='$em'";

       $result7=mysqli_query($conn,$query7); #Connecting Query with the Connection
       while($row7=mysqli_fetch_array($result7))
       { ?>
       <ul class="nested">
         <li style="color:green;">  <label style="color:black;">First Name :</label><?php echo $row7['fname']; ?></li>
           <li style="color:green;">  <label style="color:black;">Last Name :</label><?php echo $row7['lname']; ?></li>
           <li style="color:green;">  <label style="color:black;">Date of Joining :</label><?php echo $row7['doj']; ?></li>
           <li style="color:green;">  <label style="color:black;">Date of Birth:</label><?php echo $row7['dob']; ?></li>
           <li style="color:green;">  <label style="color:black;">Gender :</label><?php echo $row7['gender']; ?></li>
           <li style="color:green;">  <label style="color:black;">Designation :</label><?php echo $row7['designation']; ?></li>
        </ul>
      <?php } ?>
       </li>
     </ul>
<?php } ?>
 </li>
</ul>

<!--This section is only Show When the User is Head of the Student-->
<?php
if($sec=='CSE' || $sec=='ECE'){
 ?>
<ul  id="emp">
  <li style="color:blue;"><span class="select">Students</span>
<?php
$query2="SELECT * from `User_detail`  WHERE `section`='$sec' AND `Designation`='Student'";
$result2=mysqli_query($conn,$query2); #Connecting Query with the Connection

   while($row2=mysqli_fetch_array($result2))
   { ?>
   <ul>
    <li style="color:red;"><span class="select"><?php echo $row2['userid']; ?></span>
      <?php $em = $row2['userid']; ?>
      <?php
      $query7="SELECT * from `User_detail`  WHERE `userid`='$em'";

      $result7=mysqli_query($conn,$query7); #Connecting Query with the Connection
      while($row7=mysqli_fetch_array($result7))
      { ?>
      <ul class="nested">
        <li style="color:green;">  <label style="color:black;">First Name :</label><?php echo $row7['fname']; ?></li>
```

```php
        <li style="color:green;">  <label style="color:black;">Last Name :</label><?php echo
$row7['lname']; ?></li>
        <li style="color:green;">  <label style="color:black;">Date of Joining :</label><?php echo
$row7['doj']; ?></li>
        <li style="color:green;">  <label style="color:black;">Date of Birth:</label><?php echo
$row7['dob']; ?></li>
        <li style="color:green;">  <label style="color:black;">Gender :</label><?php echo
$row7['gender']; ?></li>
        <li style="color:green;">  <label style="color:black;">Designation :</label><?php echo
$row7['designation']; ?></li>
      </ul>
    <?php } ?>
    </li>
  </ul>
<?php } ?>
 </li>
</ul>
<?php } ?>

<script>
 var select = document.getElementsByClassName("select");
 var i;
 for(i = 0; i < select.length; i++){
   select[i].addEventListener("click", function(){
     this.parentElement.querySelector(".nested").classList.toggle("active");
     this.classlist.toggle("select-down");
   })
 }
</script>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="Select * from  `User_detail` where userid='$uid'"; #Query for Selecting Details From the
table User_detail
$result1=mysqli_query($conn,$query1); #Make Connection With Query and Database
$row1=mysqli_fetch_assoc($result1); #Fetching all the Rows into the variable array
?>

<div class="box2" >
<div class="panel_header1">
 <!--Creating panel for the detail of the User -->
 <center>
<img src="../img/admin1.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
<?php include "admin_label.php"; ?> <!--Including for redirection the pages -->
</div>
</body>
</html>
```

Applications.php

```php
<!--Application Page for Admin-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}



include "../include/db.php"; #Including the Database Connection



?>

<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  <!--Interior Css for the Table to be responsive-->
  <style>
  table {
    border-collapse:collapse;
    border-spacing: 0;
    width:100%;
    border: 1px solid #ddd;
  }

  th, td {
    text-align: left;
    padding: 8px;
  }
  </style>
</head>

<body>
  <?php include "../include/header1.php"; ?> <!--Including the navbar-->



<div class="box1" >
```

```php
<?php
$uid=$_SESSION['uid']; #Get the session variable into the variable uid
#Query for the Selecting all details from tables
$query2="Select * from  `User_detail` where userid='$uid'";
$query3="SELECT * from `leave_applied` WHERE `Supervisor`= '$uid' order by AppliedOn
Desc";
$query4="SELECT * from  `User_detail` WHERE `HOSTELWARDEN`='YES' AND
`userid`='$uid'";
$query5="SELECT * from `leave_applied` WHERE `Designation`='Student' AND `Supervisor`=
'No Supervisor' order by AppliedOn Desc";
#Connecting Query with the Connection
$result2=mysqli_query($conn,$query2);
$result3=mysqli_query($conn,$query3);
$result4=mysqli_query($conn,$query4);
$result5=mysqli_query($conn,$query5);
#Counting the number of rows
$count3=mysqli_num_rows($result3);
$count4=mysqli_num_rows($result4);
#Fetching all the rows and arrays into the variable array
$row2=mysqli_fetch_assoc($result2);
?>

<!--This section Display only if the User is a Supervisor-->
<?php if($count3!=0){?>
  <Br><div class="panel_header">
  <h2>SUPERVISOR SECTION</h2>
  </div>

  <div class="panel_body">
  <form role="form" action="" method="POST">
  <div style="overflow-x:auto;">
   <table>
    <thead>
     <tr>
       <th>Sr No. </th>
       <th>Enrollment ID </th>
       <th>Nature  </th>
       <th>Departure Date </th>
       <th>Arrival Date  </th>
       <th>Applied On </th>
       <th>Status </th>
       <th>Action</th>
       <th>Aplication View</th>
     </tr>
    </thead>

   <?php
   $j=1;


   while($row3=mysqli_fetch_array($result3))
   {
   ?>
```

```php
    <tbody>
     <tr>
      <td  style="color:blue;"><?php echo $j; ?></td>
      <td><?php echo $row3['userid']; ?></td>
      <td  style="color:blue;"><?php echo $row3['Nature']; ?></td>
      <td  style="color:red;"><?php echo $row3['Departuredate']; ?></td>
      <td  style="color:red;"><?php echo $row3['Arrivaldate']; ?></td>
      <td><?php echo $row3['AppliedOn']; ?></td>
      <td  style="color:green;"><?php echo $row3['status']; ?></td>
      <td ><a style="color:green;" href="Action_staff.php?lid=<?php echo $row3['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action_staff.php?lid=<?php echo $row3['lid']; ?
>">Decline</a></td>
      <td ><a style="color:red;" href="Staff_apply_view.php?lid=<?php echo $row3['lid']; ?
>">View Form</a><td>
     </tr>
   <?php $j++;
    }
    ?>
     </tbody>
    </table>
  </div>
  </form><br/>
  </div>
<?php }else{
  echo "";
}
?>
<!--This section Display only if the User is a Hostel Warden-->
<?php if($count4!=0){?>
  <Br><div class="panel_header">
  <h2>HOSTEL WARDEN SECTION</h2>
  </div>

  <div class="panel_body">
  <form role="form" action="" method="POST">

<div style="overflow-x:auto;">
   <table>
    <thead>
     <tr>
      <th>Sr No. </th>
      <th>Enrollment ID </th>
      <th>Nature  </th>
      <th>Departure Date </th>
      <th>Arrival Date  </th>
      <th>Applied On </th>
      <th>Status </th>
      <th>Action</th>
      <th>Aplication View</th>
     </tr>
    </thead>

   <?php
   $j=1;
```

```php
    while($row5=mysqli_fetch_array($result5))
    {
    ?>

    <tbody>
      <tr>
        <td  style="color:blue;"><?php echo $j; ?></td>
        <td><?php echo $row5['userid']; ?></td>
        <td  style="color:blue;"><?php echo $row5['Nature']; ?></td>
        <td  style="color:red;"><?php echo $row5['Departuredate']; ?></td>
        <td  style="color:red;"><?php echo $row5['Arrivaldate']; ?></td>
        <td><?php echo $row5['AppliedOn']; ?></td>
        <td  style="color:green;"><?php echo $row5['status']; ?></td>
        <td ><a style="color:green;" href="Action_staff.php?lid=<?php echo $row5['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action_staff.php?lid=<?php echo $row5['lid']; ?
>">Decline</a></td>
        <td ><a style="color:red;" href="Staff_apply_view.php?lid=<?php echo $row5['lid']; ?
>">View Form</a><td>
      </tr>
    <?php $j++;
    }
    ?>
    </tbody>
    </table>
  </div>
  </form><br/>
  </div>
<?php }else{
  echo "";
}
?>
<!--Display the record of the User Under the Admin User-->
<br><div class="panel_header">
<h2>SECTION USERS RECORDS</h2>
</div>

<div class="panel_body">
<p class="text-warning"><i>STAFF</i><p>

<div style="overflow-x:auto;">
<table >
  <?php
  $query5="Select * from  `sectionHead` where sectionHeadID='$uid'";
  $result5=mysqli_query($conn,$query5); #Connecting Query with the Connection
  $row5=mysqli_fetch_assoc($result5);
  $sec=$row5['sectionID'];
  ?>
  <thead>
    <tr>
      <th>Sr No. </th>
      <th>Enrollment ID </th>
      <th>Nature  </th>
```

```php
      <th>Departure Date </th>
      <th>Arrival Date  </th>
      <th>Applied On </th>
      <th>Status </th>
      <th>Action</th>
      <th>Aplication View</th>
    </tr>
  </thead>
  <tbody>
   <?php
   $i=1;
   $query1="SELECT * from `leave_applied`  WHERE `section`='$sec' AND NOT
`Designation`='Student' order by AppliedOn Desc";
   $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

   while($row1=mysqli_fetch_array($result1))
   {
    ?>
   <tr>
    <td ><?php echo $i; ?></td>
    <td><?php echo $row1['userid']; ?></td>
    <td  style="color:blue;"><?php echo $row1['Nature']; ?></td>
    <td  style="color:red;"><?php echo $row1['Departuredate']; ?></td>
    <td  style="color:red;"><?php echo $row1['Arrivaldate']; ?></td>
    <td><?php echo $row1['AppliedOn']; ?></td>
    <td  style="color:green;"><?php echo $row1['status']; ?></td>
    <td ><a style="color:green;" href="Action_staff.php?lid=<?php echo $row1['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action_staff.php?lid=<?php echo $row1['lid']; ?
>">Decline</a></td>
    <td ><a style="color:red;" href="Staff_apply_view.php?lid=<?php echo $row1['lid']; ?>">View
Form</a><td>
   </tr>
   <?php $i++; }
   ?>
  </tbody>
</table>
</div>
</div>
</div>

<div class="box2" >
  <!--Creating panel for the detail of the User -->
<div class="panel_header1">
 <center>
<img src="../img/admin1.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row2['fname']; ?></h3>
<h3><?php echo $row2['lname']; ?></h3>
<h3><?php echo $row2['designation']; ?></h3>
</div>
<?php include "admin_label.php"; ?> <!--Including for redirection the pages -->
</div>
</body>
</html>
```

about.php

```php
<!--About.php For the Admin-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>

<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>
<body>
  <?php include "../include/header1.php"; ?> <!--Including the navbar-->

  <?php
  $uid=$_SESSION['uid']; #Get the session variable into the variable uid
  $query1="Select * from `User_detail` where userid='$uid'"; #Query for selecting all details from
the table User_detail
  $result1=mysqli_query($conn,$query1); #Connecting the Query With the Connection

  $row1=mysqli_fetch_assoc($result1); #Fetching all the rows and arrays from the query and get
into the variable array row1
  ?>
    <div class="box1" >

    <div class="panel_header">
    <h2>ABOUT</h2>
    </div>


    <div class="panel_body">
    <p class="text-warning"><i>ADMIN</i><p>
      <!--Creating a form to show About the User -->
    <form role="form" action="" method="POST">
     <div >
     <label>--FIRST NAME--</label>
      <h3><?php echo $row1['fname']; ?></h3>
     </div>
```

```
    <div >
     <label>--LAST NAME--</label><br>
     <h3><?php echo $row1['lname']; ?></h3>
     </div>

     <div >
      <label>--ENROLLMENT ID--</label><br>
      <h3><?php echo $row1['userid']; ?></h3>
      </div>
      <div >
       <label>--DOB--</label><br>
       <h3><?php echo $row1['dob']; ?></h3>
       </div>

     <div >
     <label>--DOJ--</label><br>
     <h3><?php echo $row1['doj']; ?></h3>
     </div>

     <div >
     <label>--GENDER--</label><br>
     <h3><?php echo $row1['gender']; ?></h3>
     </div>

     <div >
     <label>--SECTION--</label><br>
     <h3><?php echo $row1['section']; ?></h3>
     </div>

     <div >
     <label>--DESIGNATION--</label><br>
     <h3><?php echo $row1['designation']; ?></h3>
     </div>

   </form><br/>
   </div>
   </div>
<div class="box2" >
<div class="panel_header1">
 <!--Creating panel for the detail of the User -->
 <center>
<img src="../img/admin1.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
<?php include "admin_label.php"; ?> <!--Including for redirection the pages -->
</div>
</body>
</html>
```

Action_staff.php

<!--Action Page For the Admin-->

```php
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection

?>
```

```html
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/register.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>

  <?php include "../include/header1.php"; ?> <!--Including the navbar-->




<div class="box" >

<div class="panel_header">
<h2>ADMIN ACTION</h2>
</div><br>



 <?php

$id=$_GET['lid']; #Get the lid of the perticular User
```

```php
$query="SELECT * from `leave_applied` WHERE `lid`='$id'"; #Query for the Selecting all details
from table leave_applied

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result); #Fetching all the rows and arrays into the variable array row

 ?>
```

```html
<div class="panel_body">

<p class="text-warning"><i>Giving Remarks Always A Good Choice</i><p>

 <!--Creating the Form for action taking from the user Admin-->

<form  action="Approve_submit_staff.php" method="post">
 <div >
 <label>--Action--</label><br><br>
 <input  type="radio" value="Approved" name="Action">Approved
 <input  type="radio" value="Decline" name="Action">Decline
</div><br>

 <div >
 <label>--Remark By Admin--</label><br><br>
 <textarea name="Remark" placeholder="Remark By Admin"></textarea>
 </div>

<input type="hidden" name="id" value="<?php echo $row['lid']; ?>">
<button type="reset" name="cancel" >CANCEL</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>

</div>

</div>
</body>

</html>
```

admin_label.php

```
<!--Admin Label-->
<div class="panel_body_1">
 <!--This the Redicting section-->
<p class="text-warning"><i>DASHBOARD</i><p>
 <div class="TAB"><a href="Admin_dashboard.php">DASHBOARD</a></div>
 <div class="TAB"><a href="Applications.php">USERS LEAVES APPLICATIONS</a></div>
 <div class="TAB"><a href="about.php">ABOUT</a></div>
 <div class="TAB"><a href="logout.php">LOGOUT</a></div>
</div>
```

Approve_submit_staff.php

```php
<!--Update Page For the Action-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}




include "../include/db.php"; #Including the Database Connection

#Getting all the Data From the User and Stored into the variable
  $id=$_POST['id'];
  $Action=$_POST['Action'];
  $Remark=$_POST['Remark'];


$query1="Select * from `leave_applied` where `lid`='$id'";
$result1=mysqli_query($conn,$query1);
$row1=mysqli_fetch_assoc($result1);

$NOD=$row1['NOD'];
$ids=$row1['userid'];
$Nature=$row1['Nature'];

$query2="Select * from `leave_balance` where userid='$ids'";
$result2=mysqli_query($conn,$query2);
$row2=mysqli_fetch_assoc($result2);

$balance=$row2['balance'];
$count=$row2['count'];




$bal=$balance-$NOD;
$co=$count+$NOD;

if($Action=='Approved'){
  if($Nature=='Casual Leave (CL)'){
    if($bal>=0 && $co<=8 ){
      $query3="UPDATE `leave_balance` SET  count='$co' WHERE lvtype='$Nature' AND
userid='$ids'";
      $result3=mysqli_query($conn,$query3);
    if($bal<=8 && $co>=0){
```

```php
    $query2="UPDATE `leave_balance` SET  balance='$bal' WHERE lvtype='$Nature' AND
userid='$ids'";
    $result2=mysqli_query($conn,$query2);
    if($result2==true){
     $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";    }else{
     echo $co;
    }
   }else{
    ?>
    <script>
     alert('User is Lower than Allocated Limit !!');
     window.open('Admin_dashboard.php','_self');
    </script>
    <?php
   }
   }else{
    ?>
    <script>
     alert('User is Above Allocated Limit !!');
     window.open('Admin_dashboard.php','_self');
    </script>


    <?php
   }
  }else if($Nature=='Earned Leave (EL)'){
   if($bal>=0 && $co<=30 ){
    $query3="UPDATE `leave_balance` SET  count='$co' WHERE lvtype='$Nature' AND
userid='$ids'";
    $result3=mysqli_query($conn,$query3);
   if($bal<=30 && $co>=0){
    $query2="UPDATE `leave_balance` SET  balance='$bal' WHERE lvtype='$Nature' AND
userid='$ids'";
    $result2=mysqli_query($conn,$query2);
    if($result2==true){
     $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";    }else{
     echo $co;
    }
   }else{
    ?>
    <script>
     alert('User is Lower than Allocated Limit !!');
     window.open('Admin_dashboard.php','_self');
    </script>
    <?php
   }
   }else{
    ?>
    <script>
     alert('User is Above Allocated Limit !!');
     window.open('Admin_dashboard.php','_self');
```

```php
      </script>



      <?php
    }
   }else if($Nature=='Special Casual Leave (SCL)'){
    if($bal>=0 && $co<=15 ){
     $query3="UPDATE `leave_balance` SET  count='$co' WHERE lvtype='$Nature' AND
userid='$ids'";
     $result3=mysqli_query($conn,$query3);
    if($bal<=15 && $co>=0){
     $query2="UPDATE `leave_balance` SET  balance='$bal' WHERE lvtype='$Nature' AND
userid='$ids'";
     $result2=mysqli_query($conn,$query2);
     if($result2==true){
      $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";     }else{
      echo $co;
     }
    }else{
     ?>
     <script>
      alert('User is Lower than Allocated Limit !!');
      window.open('Admin_dashboard.php','_self');
     </script>
     <?php
    }
    }else{
     ?>
     <script>
      alert('User is Above Allocated Limit !!');
      window.open('Admin_dashboard.php','_self');
     </script>



     <?php
    }
   }else if($Nature=='Half Pay Leave (HPL)'){
    if($bal>=0 && $co<=10 ){
     $query3="UPDATE `leave_balance` SET  count='$co' WHERE lvtype='$Nature' AND
userid='$ids'";
     $result3=mysqli_query($conn,$query3);
    if($bal<=10 && $co>=0){
     $query2="UPDATE `leave_balance` SET  balance='$bal' WHERE lvtype='$Nature' AND
userid='$ids'";
     $result2=mysqli_query($conn,$query2);
     if($result2==true){
      $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";     }else{
      echo $co;
     }
    }else{
```

```php
    ?>
    <script>
     alert('User is Lower than Allocated Limit !!');
     window.open('Admin_dashboard.php','_self');
    </script>
    <?php
   }
  }else{
   ?>
   <script>
    alert('User is Above Allocated Limit !!');
    window.open('Admin_dashboard.php','_self');
   </script>



   <?php
  }
 }else if($Nature=='Study Leave'){
  if($bal>=0 && $co<=732 ){
   $query3="UPDATE `leave_balance` SET  count='$co' WHERE lvtype='$Nature' AND
userid='$ids'";
   $result3=mysqli_query($conn,$query3);
  if($bal<=732 && $co>=0){
   $query2="UPDATE `leave_balance` SET  balance='$bal' WHERE lvtype='$Nature' AND
userid='$ids'";
   $result2=mysqli_query($conn,$query2);
   if($result2==true){
    $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";     }else{
    echo $co;
   }
  }else{
   ?>
   <script>
    alert('User is Lower than Allocated Limit !!');
    window.open('Admin_dashboard.php','_self');
   </script>
   <?php
  }
  }else{
   ?>
   <script>
    alert('User is Above Allocated Limit !!');
    window.open('Admin_dashboard.php','_self');
   </script>



   <?php
  }
 }else{
  $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE
`lid`='$id' ";
```

```php
  }

}else{
    $query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE `lid`='$id' ";
}

#Connection the Query with the database
$result=mysqli_query($conn,$query);


if($result==true){ #Checking the Action is Done
?>
<script>
  alert('Action Done Successfully !!');
  window.open('Admin_dashboard.php','_self');
</script>



<?php
}else {
  echo "Something Wrong";
}


 ?>
```

logout.php

```php
<!--Logout Page-->
<?php
session_start(); #Session Start
session_destroy(); #Session Destroy
?>
<script>
  alert('Logout Successfully !!');
  window.open('../login.php','_self');
</script>



<?php
 ?>
```

Staff_apply_view.php

```php
<!--User Application View Page For Admin-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header1.php"; ?> <!--Including the navbar-->



  <?php
  $id=$_GET['lid'];
  $query1="SELECT * from `leave_applied` WHERE lid='$id'";

  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

  $row1=mysqli_fetch_assoc($result1);
  ?>




<div class="box1" >
<!--Detail of the Perticular User-->
<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row1['userid']; ?></i><p>
```

```php
<!--Showing the Detail of the perticular User-->
<form action="" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row1['Nature']; ?></p>
 </div>

 <div >
 <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row1['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row1['Arrivaldate']; ?></p>
 </div>

 <div >
 <label>--Reasons for leave--</label><br><br>
 <?php echo $row1['ROL']; ?>
</div><br>

 <div >
 <label>--Whether Station Leave permission required or not--</label><br><br>
 <?php echo $row1['AnswerSLP']; ?>
 FROM:<?php echo $row1['fromSLP']; ?>
 TO:<?php echo $row1['toSLP']; ?>

</div><br>

 <div >
 <label>--STATUS:--</label><br>
 <p style="color:green;">
<?php echo $row1['status']; ?>
 </p>
 </div>
```

IIIT MANIPUR   18010101

```php
<div >
<label>--Remark from Admin:--</label><br>
<p style="color:green;"><?php echo $row1['remark']; ?></p>
</div>




</form><br/>
</div>
</div>




<?php
$uid=$_SESSION['uid'];
$query="Select * from  `User_detail` where userid='$uid'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);
?>




<div class="box2" >




<div class="panel_header1">
   <!--Creating panel for the detail of the User -->
 <center>
<img src="../img/admin1.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
</div>
<!--This the Redicting section-->
<div class="panel_body_1">
<p class="text-warning"><i>DASHBOARD</i><p>
 <div class="TAB"><a href="Admin_dashboard.php">DASHBOARD</a></div>
 <div class="TAB"><a href="Applications.php">USERS LEAVES APPLICATIONS</a></div>
 <div class="TAB"><a href="about.php">ABOUT</a></div>
 <div class="TAB"><a href="logout.php">LOGOUT</a></div>
</div>
</div>


</body>

</html>
```

NON-TEACHING

about.php

```php
<!--About Page For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection
?>

<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  </head>
  <body>

<?php include "../include/header2.php"; ?> <!--Including the navbar-->

<?php
$id=$_SESSION['uid'];
$query="SELECT * from `User_detail` WHERE `userid`='$id'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);
?>

  <div class="box1" >
  <div class="panel_header">
  <h2>ABOUT</h2>
  </div>

  <div class="panel_body">
  <form role="form" action="" method="POST">


    <div >
```

```php
    <label>--FIRST NAME--</label>
    <h3><?php echo $row['fname']; ?></h3>
    </div>

    <div >
    <label>--LAST NAME--</label><br>
    <h3><?php echo $row['lname']; ?></h3>
    </div>

    <div >
     <label>--ENROLLMENT ID--</label><br>
     <h3><?php echo $row['userid']; ?></h3>
     </div>
     <div >
      <label>--DOB--</label><br>
      <h3><?php echo $row['dob']; ?></h3>
      </div>

    <div >
    <label>--DOJ--</label><br>
    <h3><?php echo $row['doj']; ?></h3>
    </div>

    <div >
    <label>--GENDER--</label><br>
    <h3><?php echo $row['gender']; ?></h3>
    </div>

    <div >
    <label>--SECTION--</label><br>
    <h3><?php echo $row['section']; ?></h3>
    </div>

    <div >
    <label>--DESIGNATION--</label><br>
    <h3><?php echo $row['designation']; ?></h3>
    </div>
  </form><br/>
  </div>
  </div>

  <div class="box2" >

  <div class="panel_header1">
   <center>
  <img src="../img/staff.png" alt="" class="thumbnail">
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
  </div>
   <?php include "student_label.php"; ?>
  </div>
  </body>
  </html>
```

Action.php

```php
<!--Action Page For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection

?>
```

```html
<!DOCTYPE html>

<html>

<head>

  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the browser for control page dimention and scaling-->

  <title>LEAVE_MANAGEMENT_SYSTEM</title>

  <link href="../css/register.css" rel="stylesheet">

</head>

<body>

  <?php include "../include/header2.php"; ?> <!--Including the navbar-->



<div class="box" >


<div class="panel_header">

<h2>ADMIN ACTION</h2>

</div><br>
```

IIIT MANIPUR   18010101

```php
 <?php

$id=$_GET['lid'];

$query="SELECT * from `leave_applied` WHERE `lid`='$id'";

$result=mysqli_query($conn,$query);

$row=mysqli_fetch_assoc($result);

 ?>
```

```html
<div class="panel_body">
<p class="text-warning"><i>Giving Remarks Always A Good Choice</i><p>

<form  action="Approve_submit.php" method="post">
 <div >

 <label>--Action--</label><br><br>
 <input  type="radio" value="Approved" name="Action">Approved
 <input  type="radio" value="Decline" name="Action">Decline
 </div><br>


 <div >
 <label>--Remark By Admin--</label><br><br>
 <textarea name="Remark" placeholder="Remark By Admin"></textarea>
 </div>




<input type="hidden" name="id" value="<?php echo $row['lid']; ?>">

<button type="reset" name="cancel" >CANCEL</button>

<button type="submit" name="submit" >SUBMIT</button><br><br>

</form><br/>

</div>

</div>



</body>

</html>
```

apply_view.php

```php
<!--Form Page For The Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header2.php"; ?> <!--Including the navbar-->

  <?php
  $id=$_GET['lid'];
  $query1="SELECT * from `leave_applied` WHERE lid='$id'";
  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection
  $row1=mysqli_fetch_assoc($result1);
  ?>

<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>

<div class="panel_body">
<p class="text-warning"><i><?php echo $row1['userid']; ?></i><p>
<form action="" method="POST">

  <div >
  <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row1['Nature']; ?></p>
  </div>

  <div >
  <label>--Departure Date--</label><br>
```

```php
<p style="color:red;"><?php echo $row1['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row1['Arrivaldate']; ?></p>
 </div>

 <div >
 <label>--Reasons for leave--</label><br><br>
 <?php echo $row1['ROL']; ?>
 </div>

 <div >
 <label>--STATUS:--</label><br>
 <p style="color:green;">
<?php echo $row1['status']; ?>
 </p>
 </div>

 <div >
 <label>--Remark from Admin:--</label><br>
 <p style="color:green;"><?php echo $row1['remark']; ?></p>
 </div>
</form><br/>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query="Select * from  `User_detail` where userid='$uid'";
$result=mysqli_query($conn,$query); #Connecting Query with the Connection
$row=mysqli_fetch_assoc($result);
?>

<div class="box2" >
<div class="panel_header1">
 <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
</div>

<div class="panel_body_1">
<p class="text-warning"><i>DASHBOARD</i><p>
 <div class="TAB"><a href="nonteaching_dashboard.php">DASHBOARD</a></div>
 <div class="TAB"><a href="nonteaching_apply.php">APPLY</a></div>
 <div class="TAB"><a href="about.php">ABOUT</a></div>
 <div class="TAB"><a href="logout.php">LOGOUT</a></div>
</div>
</div>
</body>
</html>
```

Approve_submit.php

```php
<!--Action Update Page For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection

  $id=$_POST['id'];
  $Action=$_POST['Action'];
  $Remark=$_POST['Remark'];

$query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE `lid`='$id'
";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection
if($result==true){
?>
<script>
  alert('Action Done Successfully !!');
  window.open('nonteaching_dashboard.php','_self');
</script>

<?php
}else {
  echo "Something Wrong";
}

 ?>
```

logout.php

```php
<!--Logout Page-->
<?php
session_start(); #Session Start
session_destroy(); #Session Destroy
?>
?>
<script>
  alert('Logout Successfully !!');
  window.open('../login.php','_self');
</script>
<?php
 ?>
```

nonteaching_applied.php

```php
<!--Apply Update Page For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}



include "../include/db.php"; #Including the Database Connection



  $id=$_SESSION['uid'];
  $Nature=$_POST['Nature'];
  $Departuredate=$_POST['Departuredate'];
  $Departuretime=$_POST['Departuretime'];
  $Arrivaldate=$_POST['Arrivaldate'];
  $Arrivaltime=$_POST['Arrivaltime'];
  $ROL=$_POST['ROL'];
  $AnswerSLP=$_POST['AnswerSLP'];
  $fromSLP=$_POST['fromSLP'];
  $toSLP=$_POST['toSLP'];
  $NOD=$_POST['NOD'];
  $staff=$_POST['staff'];
  $designation=$_POST['designation'];

  if($Departuretime=='Forenoon' && $Arrivaltime=='Forenoon'){
    $co=$NOD+0.5;
  }else if($Departuretime=='Forenoon' && $Arrivaltime=='Afternoon'){
    $co=$NOD+1;
  }else if($Departuretime=='Afternoon' && $Arrivaltime=='Forenoon'){
    $co=$NOD+0;
  }else if($Departuretime=='Afternoon' && $Arrivaltime=='Afternoon'){
    $co=$count+$NOD+0.5;
  }else{
    echo "Invalid";
  }



  $query="INSERT INTO `leave_applied`(`userid`,
`Nature`,`Departuredate`,`Departuretime`,`Arrivaldate`,`Arrivaltime`,`NOD`,`ROL`,`AnswerSLP`,`
fromSLP`,`toSLP`,`section`,`Designation`) VALUES
('$id','$Nature','$Departuredate','$Departuretime','$Arrivaldate','$Arrivaltime','$co','$ROL','$Answer
SLP','$fromSLP','$toSLP','$staff','$designation')";
```

```php
$result=mysqli_query($conn,$query); #Connecting Query with the Connection


if($result==true){
?>
<script>
  alert('Leave Application Submitted !!');
  window.open('nonteaching_apply.php','_self');
</script>



<?php
}else {
  ?>
  <script>
    alert('Something Wrong in Leave Application !!');
    window.open('nonteaching_apply.php','_self');
  </script>



  <?php
}

?>
```

nonteaching_apply_view.php

```php
<!--Applied Form Page View For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
```

```php
</head>

<body>
  <?php include "../include/header2.php"; ?> <!--Including the navbar-->



  <?php
  $lid=$_GET['lid'];
  $query="SELECT * from `leave_applied` WHERE `lid`=$lid";

  $result=mysqli_query($conn,$query); #Connecting Query with the Connection

  $row=mysqli_fetch_assoc($result);
  ?>




<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
 </div>

 <div >
 <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

 </div>


 <div >
 <label>--Reasons for leave--</label><br><br>
 <?php echo $row['ROL']; ?>
</div><br>
```

IIIT MANIPUR   18010101

```html
  <div >
  <label>--Whether Station Leave permission required or not--</label><br><br>
  <?php echo $row['AnswerSLP']; ?>
  FROM:<?php echo $row['fromSLP']; ?>
  TO:<?php echo $row['toSLP']; ?>

</div><br>


  <div >
  <label>--STATUS:--</label><br>
  <p style="color:green;"><?php echo $row['status']; ?></p>
  </div>

  <div >
  <label>--Remark from Admin:--</label><br>
  <p style="color:green;"><?php echo $row['remark']; ?></p>
  </div>

</form><br/>
</div>

<div class="panel_footer">
  <h5>Note:<br></h5><h6>1. All kinds of leave, except Casual Leave should be applied in this
form and forwarded to Admn./ Faculty Affairs after recommendation of the
concerned HODs/HOSs/HOCs. Casual Leave should be applied in the CL Card maintained in the
respective Dept./Section/Centre.<br>
2. In case the leave is requested for Project related work, please mention the Project No. at the top
of the application and forward to Dean,
R&D through the concerned HOD/HOC/HOS.<br>
*3. If the proposed leave is during the semester period, please furnish the details of alternate
arrangement for the missed classes.</h6>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";

$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

$row1=mysqli_fetch_assoc($result1);
?>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
```

```php
<?php include "student_label.php"; ?>

</div>




</body>

</html>
```

nonteaching_apply.php

```php
<!--Apply Page For Non-Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: ../login.php');
}

include "../include/db.php"; #Including the Database Connection
?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header2.php"; ?> <!--Including the navbar-->



  <?php
  $uid=$_SESSION['uid'];
  $query1="Select * from `User_detail` where `userid`='$uid'";

  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

  $row1=mysqli_fetch_assoc($result1);
  ?>
```

```
<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i>NEW APPLY</i><p>
<form role="form" name="apply" action="nonteaching_applied.php" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<select name="Nature" onchange="da();">
 <option  value="Not Selected" Selected>Not Selected</option>
 <option  value="Casual Leave (CL)">Casual Leave (CL)</option>
 <option  value="Special Casual Leave (SCL)">Special Casual Leave (SCL)</option>
 <option  value="Earned Leave (EL)">Earned Leave (EL)</option>
 <option  value="Half Pay Leave (HPL)">Half Pay Leave (HPL)</option>
 <option  value="Study Leave">Study Leave</option>
 <option  value="Special Leave">Special Leave</option>
 <option  value="Vacation (only for academic staff)">Vacation (only for academic staff)</option>
 <option  value="Commuted leave">Commuted leave</option>
 <option  value="Leave Not Due (LND)">Leave Not Due (LND)</option>
 <option  value="Extra-Ordinary Leave (EOL)">Extra-Ordinary Leave (EOL)</option>
 <option  value="Maternity Leave">Maternity Leave</option>
 <option  value="Adoption Leave">Adoption Leave</option>
 <option  value="Paternity Leave">Paternity Leave</option>
 <option  value="Hospital Leave">Hospital Leave</option>
 <option  value="Sabbatical Leave">Sabbatical Leave</option>
</select>


 </div>

 <div >
   <fieldset>
<legend>
 Date and Time of Journey
</legend>

 <br><label>--Date and Time of Departure--</label><br>
 Date:<input type="date" name="Departuredate" id="Departuredate" disabled required>
 Time:<select name="Departuretime" id="Departuretime" disabled>
   <option value="Forenoon" name="Forenoon" >Forenoon</option>
   <option value="Afternoon" name="Afternoon" >Afternoon</option>
 </select><br><br>



 <label>--Date and Time of Arrival--</label><br>
```

```
   Date:<input type="date" name="Arrivaldate" onchange="diff();" id="Arrivaldate" disabled
required>
  Time:<select name="Arrivaltime" id="Arrivaltime" disabled>
   <option value="Forenoon" name="Forenoon" >Forenoon</option>
   <option value="Afternoon" name="Afternoon" >Afternoon</option>
  </select><br><br>

  <label>--No. Of Days Taken--</label><br>
  <input type="text" name="NOD" placeholder="No. Of Days Taken" readonly>
  </fieldset>
  </div>



  <div >
  <textarea name="ROL" placeholder="Reasons for leave"></textarea>
  </div>



  <div >
  <label>--Whether Station Leave permission required or not--</label><br><br>
  <input  type="radio" value="Required" name="AnswerSLP" onchange="dao();">Required
  FROM:<input type="date" name="fromSLP"  id="fromSLP" disabled>
  TO:<input type="date" name="toSLP" id="toSLP" disabled>
  <input  type="radio" value="Not-Required" name="AnswerSLP" onchange="dao1();">Not-
Required
  </div>


<input type="hidden" name="staff" value="<?php echo $row1['section'];   ?>" />
<input type="hidden" name="designation" value="<?php echo $row1['designation'];   ?>" />

   <button type="reset" name="clear" >CLEAR</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>
<script type="text/javascript">
 function da(){
   document.getElementById("Departuredate").disabled=false;
   document.getElementById("Arrivaldate").disabled=false;
   document.getElementById("Departuretime").disabled=false;
   document.getElementById("Arrivaltime").disabled=false;
 }

 function dao(){
   document.getElementById("fromSLP").disabled=false;
   document.getElementById("toSLP").disabled=false;
 }

 function dao1(){
   document.getElementById("fromSLP").disabled=true;
   document.getElementById("toSLP").disabled=true;
 }
```

```
  function diff(){

    var date1 = new Date(document.apply.Departuredate.value);
    var date2 = new Date(document.apply.Arrivaldate.value);


var count = 0;
while(date1<=date2){
  var dayofweek = date1.getDay();
  if(!((dayofweek == 6) || (dayofweek == 0))){
    count++;
    date1.setDate(date1.getDate() + 1);
  }else{
    count++;
    date1.setDate(date1.getDate() + 1);
    count--;
  }
}


    var nature = document.apply.Nature.value;
if(nature=='Casual Leave (CL)'){
    if(count<=5){
      alert(count);
document.apply.NOD.value = count;
    }else{
      alert("LIMIT CROSS!!");
    }
}else if(nature=='Earned Leave (EL)'){
  if(count<=30){
    alert(count);
document.apply.NOD.value = count;
  }else{
    alert("LIMIT CROSS!!");
  }
}else if(nature=='Special Casual Leave (SCL)'){
  if(count<=15){
    alert(count);
document.apply.NOD.value = count;
  }else{
    alert("LIMIT CROSS!!");
  }
}else if(nature=='Half Pay Leave (HPL)'){
  if(count<=10){
    alert(count);
document.apply.NOD.value = count;
  }else{
    alert("LIMIT CROSS!!");
  }
}else if(nature=='Study Leave'){
  if(count<=732){
    alert(count);
document.apply.NOD.value = count;
```

```
  }else{
   alert("LIMIT CROSS!!");
  }
 }else{
  alert("WRONG!!");
 }
}

</script>
</div>

<div class="panel_footer">
  <h5>Note:<br></h5><h6>1. All kinds of leave, except Casual Leave should be applied in this
form and forwarded to Admn./ Faculty Affairs after recommendation of the
concerned HODs/HOSs/HOCs. Casual Leave should be applied in the CL Card maintained in the
respective Dept./Section/Centre.<br>
2. In case the leave is requested for Project related work, please mention the Project No. at the top
of the application and forward to Dean,
R&D through the concerned HOD/HOC/HOS.<br>
*3. If the proposed leave is during the semester period, please furnish the details of alternate
arrangement for the missed classes.</h6>
</div>
</div>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>

  <?php include "student_label.php"; ?>

</div>




</body>

</html>
```

nonteaching_dashboard.php

```php
<!--Dashboard Page For Non_Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
    <style>
    table {
      border-collapse:collapse;
      border-spacing: 0;
      width:100%;
      border: 1px solid #ddd;
    }

    th, td {
      text-align: left;
      padding: 8px;
    }
    </style>
  </head>

  <body>

<?php include "../include/header2.php"; ?> <!--Including the navbar-->




  <div class="box1" >

  <div class="panel_header">
  <h2>DASHBOARD</h2>
  </div>
```

```php
<?php
$id=$_SESSION['uid'];
$query="SELECT * from `leave_applied` WHERE `userid`='$id'";
$query1="SELECT * from `User_detail` WHERE `userid`='$id'";
$query4="SELECT * from  `User_detail` WHERE `HOSTELWARDEN`='YES' AND
`userid`='$id'";
$query5="SELECT * from `leave_applied` WHERE `Designation`='Student' order by AppliedOn
Desc";


$result=mysqli_query($conn,$query); #Connecting Query with the Connection
$result1=mysqli_query($conn,$query1);
$result4=mysqli_query($conn,$query4);
$result5=mysqli_query($conn,$query5);

$count4=mysqli_num_rows($result4);
$row1=mysqli_fetch_array($result1);
?>

<div class="panel_body">
  <div style="overflow-x:auto;">
  <table>
    <thead>
     <tr>
       <th>Sr No. </th>
       <th>Leave Type</th>
       <th>Days Used</th>
       <th>Balance</th>
       <th>Max Days</th>
     </tr>
    </thead>

  <?php
  $j=1;
  $query2="SELECT * from `leave_balance` WHERE `userid`='$id'";
  $result2=mysqli_query($conn,$query2);


  while($row2=mysqli_fetch_array($result2))
  {
  ?>

   <tbody>
  <tr>
  <td ><?php echo $j; ?></td>
  <td  style="color:red;"><?php echo $row2['lvType']; ?></td>
  <td  style="color:blue;"><?php echo $row2['count']; ?></td>
  <td><?php echo $row2['balance']; ?></td>
  <td  style="color:green;"><?php echo $row2['max']; ?></td>
  </tr>
  <?php $j++;
  }
  ?>
```

```php
      </tbody>
    </table>
  </div>
   </form><br/>
  </div>

  <?php if($count4!=0){?>
   <Br><div class="panel_header">
   <h2>HOSTEL WARDEN SECTION</h2>
   </div>

   <div class="panel_body">
   <form role="form" action="" method="POST">
    <div style="overflow-x:auto;">
    <table>
     <thead>
      <tr>
        <th>Sr No. </th>
        <th>Enrollment ID </th>
        <th>Nature  </th>
        <th>Departure Date </th>
        <th>Arrival Date  </th>
        <th>Applied On </th>
        <th>Status </th>
        <th>Action</th>
        <th>Aplication View</th>
      </tr>
     </thead>

    <?php
    $j=1;


    while($row5=mysqli_fetch_array($result5))
    {
    ?>

     <tbody>
      <tr>
        <td  style="color:blue;"><?php echo $j; ?></td>
        <td><?php echo $row5['userid']; ?></td>
        <td  style="color:blue;"><?php echo $row5['Nature']; ?></td>
        <td  style="color:red;"><?php echo $row5['Departuredate']; ?></td>
        <td  style="color:red;"><?php echo $row5['Arrivaldate']; ?></td>
        <td><?php echo $row5['AppliedOn']; ?></td>
        <td  style="color:green;"><?php echo $row5['status']; ?></td>
        <td ><a style="color:green;" href="Action.php?lid=<?php echo $row5['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action.php?lid=<?php echo $row5['lid']; ?
>">Decline</a></td>
        <td ><a style="color:red;" href="apply_view.php?lid=<?php echo $row5['lid']; ?>">View
Form</a><td>
       </tr>
    <?php $j++;
     }
```

```php
    ?>
      </tbody>
    </table>
   </div>
   </form><br/>
   </div>
 <?php }else{
  echo "";
 }
 ?>


 <br><div class="panel_header">
 <h2>RECORDS</h2>
 </div>
 <div class="panel_body">

 <form role="form" action="" method="POST">
  <div style="overflow-x:auto;">
  <table>
   <thead>
    <tr>
     <th>Sr No. </th>
     <th>Nature</th>
     <th>Departure Date</th>
     <th>Arrival Date</th>
     <th>AppliedOn</th>
     <th>Status</th>
     <th>Application View</th>
    </tr>
   </thead>

  <?php
  $j=1;


  while($row=mysqli_fetch_array($result))
  {
  ?>


   <tbody>
  <tr>
  <td ><?php echo $j; ?></td>
  <td style="color:blue;"><?php echo $row['Nature']; ?></td>
  <td  style="color:red;"><?php echo $row['Departuredate']; ?></td>
  <td  style="color:red;"><?php echo $row['Arrivaldate']; ?></td>
  <td><?php echo $row['AppliedOn']; ?></td>
  <td  style="color:green;"><?php echo $row['status']; ?></td>
  <td ><button><a href="nonteaching_apply_view.php?lid=<?php echo $row['lid']; ?>">View
Form</a></button><td>
  </tr>
  <?php $j++;
  }
  ?>
   </tbody>
```

```html
    </table>
   </div>
  </form><br/>
  </div>


  </div>

  <div class="box2" >

  <div class="panel_header1">
   <center>
  <img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
  </div>

   <?php include "student_label.php"; ?>

  </div>



  </body>

  </html>
```

student_label.php

```html
<!--Navbar Header For Non-Teaching-->
  <p class="text-warning"><i>DASHBOARD</i><p>
   <div class="TAB"><a href="nonteaching_dashboard.php">DASHBOARD</a></div>
   <div class="TAB"><a href="nonteaching_apply.php">APPLY</a></div>
   <div class="TAB"><a href="about.php">ABOUT</a></div>
   <div class="TAB"><a href="logout.php">LOGOUT</a></div>
```

PHD

about.php

```php
<!--About Page For PHD-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection


?>


<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  </head>

  <body>

<?php include "../include/header5.php"; ?> <!--Including the navbar-->


<?php
$id=$_SESSION['uid'];
$query="SELECT * from `User_detail` WHERE `userid`='$id'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);
?>



  <div class="box1" >

  <div class="panel_header">
```

IIIT MANIPUR   18010101

```html
    <h2>ABOUT</h2>
    </div>


    <div class="panel_body">
    <form role="form" action="" method="POST">


      <div >
      <label>--FIRST NAME--</label>
       <h3><?php echo $row['fname']; ?></h3>
       </div>

      <div >
        <label>--LAST NAME--</label><br>
        <h3><?php echo $row['lname']; ?></h3>
        </div>

        <div >
          <label>--ENROLLMENT ID--</label><br>
          <h3><?php echo $row['userid']; ?></h3>
          </div>
          <div >
            <label>--DOB--</label><br>
            <h3><?php echo $row['dob']; ?></h3>
            </div>


      <div >
      <label>--DOJ--</label><br>
      <h3><?php echo $row['doj']; ?></h3>
      </div>

      <div >
      <label>--GENDER--</label><br>
      <h3><?php echo $row['gender']; ?></h3>
      </div>

      <div >
      <label>--SECTION--</label><br>
      <h3><?php echo $row['section']; ?></h3>
      </div>

      <div >
      <label>--DESIGNATION--</label><br>
      <h3><?php echo $row['designation']; ?></h3>
      </div>

      <div >
      <label>--SUPERVISOR--</label><br>
      <h3><?php echo $row['Supervisor']; ?></h3>
      </div>

    </form><br/>
```

```
          </div>


        </div>

    <div class="box2" >

    <div class="panel_header1">
        <center>
    <img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
    </div>

        <?php include "student_label.php"; ?>

    </div>



    </body>

    </html>
```

logout.php

```
<!--Logout Page For PHD-->
<?php
session_start(); #Session Start
session_destroy(); #Session Destroy
?>
?>
<script>
    alert('Logout Successfully !!');
    window.open('../login.php','_self');
</script>


<?php
?>
```

phd_applied.php

```php
|<!--Apply Update Page For PHD-->
<?php
session_start(); #Session Start
if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}
include "../include/db.php"; #Including the Database Connection

  $id=$_SESSION['uid'];
  $Nature=$_POST['Nature'];
  $Departuredate=$_POST['Departuredate'];
  $Departuretime=$_POST['Departuretime'];
  $Arrivaldate=$_POST['Arrivaldate'];
  $Arrivaltime=$_POST['Arrivaltime'];
  $ROL=$_POST['ROL'];
  $AnswerSLP=$_POST['AnswerSLP'];
  $fromSLP=$_POST['fromSLP'];
  $toSLP=$_POST['toSLP'];
  $NOD=$_POST['NOD'];
  $staff=$_POST['staff'];
  $designation=$_POST['designation'];
  $Supervisor=$_POST['Supervisor'];

  $query="INSERT INTO `leave_applied`(`userid`,
`Nature`,`Departuredate`,`Departuretime`,`Arrivaldate`,`Arrivaltime`,`ROL`,`AnswerSLP`,`fromSL
P`,`toSLP`,`section`,`Designation`,`Supervisor`) VALUES
('$id','$Nature','$Departuredate','$Departuretime','$Arrivaldate','$Arrivaltime','$ROL','$AnswerSLP'
,'$fromSLP','$toSLP','$staff','$designation','$Supervisor')";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection
if($result==true){
?>
<script>
  alert('Leave Application Submitted !!');
  window.open('phd_apply.php','_self');
</script>
<?php
}else {
  ?>
  <script>
    alert('Something Wrong in Leave Application !!');
    window.open('phd_apply.php','_self');
  </script>
  <?php
}

 ?>
```

phd_apply_view.php

```php
<!--Form View Page For PHD-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header5.php"; ?> <!--Including the navbar-->



  <?php
  $lid=$_GET['lid'];
  $query="SELECT * from `leave_applied` WHERE `lid`=$lid";

  $result=mysqli_query($conn,$query); #Connecting Query with the Connection

  $row=mysqli_fetch_assoc($result);
  ?>



<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>

<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">
```

```html
  <div >
  <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
  </div>


  <div >
  <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
  </div>


  <div >
  <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

  </div>
  <div >
  <label>--Reasons for leave--</label><br><br>
  <?php echo $row['ROL']; ?>
  </div><br>


  <div >
  <label>--STATUS:--</label><br>
  <p style="color:green;"><?php echo $row['status']; ?></p>
  </div>


  <div >
  <label>--Remark from Admin:--</label><br>
  <p style="color:green;"><?php echo $row['remark']; ?></p>
  </div>
</form><br/>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";
$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection
$row1=mysqli_fetch_assoc($result1);
?>
<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h1><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
  <?php include "student_label.php"; ?>
</div>
</body>
</html>
```

phd_apply.php

```php
<!--Apply Page For PHD-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: ../login.php');
}

include "../include/db.php"; #Including the Database Connection
?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header5.php"; ?> <!--Including the navbar-->



  <?php
  $uid=$_SESSION['uid'];
  $query1="Select * from `User_detail` where `userid`='$uid'";

  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

  $row1=mysqli_fetch_assoc($result1);
  ?>



<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i>NEW APPLY</i><p>
<form role="form" name="apply" action="phd_applied.php" method="POST">
```

```html
<div >
<label>--Nature of Leave--</label><br>
<select name="Nature" onchange="da();">
<option  value="Not Selected" Selected>Not Selected</option>
<option  value="Academic">Academic</option>
<option  value="Vacation">Vacation</option>
<option  value="Other">Other</option>
</select>


</div>

<div >
  <fieldset>
<legend>
 Date and Time of Journey
</legend>

<br><label>--Date and Time of Departure--</label><br>
Date:<input type="date" name="Departuredate" id="Departuredate" disabled required>
Time:<select name="Departuretime" id="Departuretime" disabled>
  <option value="Forenoon" name="Forenoon" >Forenoon</option>
  <option value="Afternoon" name="Afternoon" >Afternoon</option>
</select><br><br>



<label>--Date and Time of Arrival--</label><br>
Date:<input type="date" name="Arrivaldate" onchange="diff();" id="Arrivaldate" disabled
required>
Time:<select name="Arrivaltime" id="Arrivaltime" disabled>
  <option value="Forenoon" name="Forenoon" >Forenoon</option>
  <option value="Afternoon" name="Afternoon" >Afternoon</option>
</select><br><br>

<label>--No. Of Days Taken--</label><br>
<input type="text" name="NOD" placeholder="No. Of Days Taken" readonly>
</fieldset>
</div>


<div >
<textarea name="ROL" placeholder="Reasons for leave"></textarea>
</div>


<div >

<input  type="hidden" value="NULL" name="AnswerSLP" onchange="dao();">
<input type="hidden" name="fromSLP"  id="fromSLP" disabled>
<input type="hidden" name="toSLP" id="toSLP" disabled>
<input  type="hidden" value="NULL" name="AnswerSLP" onchange="dao1();">
</div>
```

```html
<input type="hidden" name="staff" value="<?php echo $row1['section'];   ?>" />
<input type="hidden" name="designation" value="<?php echo $row1['designation'];   ?>" />
<input type="hidden" name="Supervisor" value="<?php echo $row1['Supervisor'];   ?>" />
  <button type="reset" name="clear" >CLEAR</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>
<script type="text/javascript">
 function da(){
   document.getElementById("Departuredate").disabled=false;
   document.getElementById("Arrivaldate").disabled=false;
   document.getElementById("Departuretime").disabled=false;
   document.getElementById("Arrivaltime").disabled=false;
 }

 function dao(){
   document.getElementById("fromSLP").disabled=false;
   document.getElementById("toSLP").disabled=false;
 }

 function dao1(){
   document.getElementById("fromSLP").disabled=true;
   document.getElementById("toSLP").disabled=true;
 }

 function diff(){

   var date1 = new Date(document.apply.Departuredate.value);
   var date2 = new Date(document.apply.Arrivaldate.value);

   var timediff = date2.getTime() - date1.getTime();
   var daydiff = timediff / (1000 * 3600 * 24);

   alert(daydiff);
   document.apply.NOD.value = daydiff;
}
</script>
</div>
</div>

<div class="box2" >

<div class="panel_header1">
 <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
 <?php include "student_label.php"; ?>
</div>
</body>
</html>
```

phd_dashboard.php

```php
<!--Dashboard Page for PHD-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}
include "../include/db.php"; #Including the Database Connection
?>
<!DOCTYPE html>
  <html>
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
    <style>
    table {
      border-collapse:collapse;
      border-spacing: 0;
      width:100%;
      border: 1px solid #ddd;
    }

    th, td {
      text-align: left;
      padding: 8px;
    }
    </style>
  </head>
  <body>
<?php include "../include/header5.php"; ?> <!--Including the navbar-->
  <div class="box1" >
  <div class="panel_header">
  <h2>DASHBOARD</h2>
  </div>

  <?php
  $id=$_SESSION['uid'];
  $query="SELECT * from `leave_applied` WHERE `userid`='$id' order by AppliedOn Desc";
  $query1="SELECT * from `User_detail` WHERE `userid`='$id'";
  $result=mysqli_query($conn,$query); #Connecting Query with the Connection
  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection
  $row1=mysqli_fetch_array($result1);
  ?>

  <div class="panel_body">
```

```php
  <p class="text-warning"><i>Records</i><p>
  <form role="form" action="" method="POST">
   <div style="overflow-x:auto;">
   <table>
    <thead>
     <tr>
       <th>Sr No. </th>
       <th>Nature</th>
       <th>Departure Date</th>
       <th>Arrival Date</th>
       <th>AppliedOn</th>
       <th>Status From Supervisor</th>
       <th>Application View</th>
     </tr>
    </thead>
   <?php
   $j=1;
   while($row=mysqli_fetch_array($result))
   {
   ?>
    <tbody>
   <tr>
   <td ><?php echo $j; ?></td>
   <td style="color:blue;"><?php echo $row['Nature']; ?></td>
   <td  style="color:red;"><?php echo $row['Departuredate']; ?></td>
   <td  style="color:red;"><?php echo $row['Arrivaldate']; ?></td>
   <td><?php echo $row['AppliedOn']; ?></td>
   <td  style="color:green;"><?php echo $row['status']; ?></td>
   <td ><button><a href="phd_apply_view.php?lid=<?php echo $row['lid']; ?>">View Form</a></button><td>
   </tr>
   <?php $j++;
   }
   ?>
    </tbody>
   </table>
  </div>
  </form><br/>
  </div>
  </div>

  <div class="box2" >
  <div class="panel_header1">
   <center>
  <img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
  </div>
   <?php include "student_label.php"; ?>
  </div>
  </body>

  </html>
```

student_label.php

```
<!--Navbar Header Page For PHD-->
 <div class="panel_body_1">
 <p class="text-warning"><i>DASHBOARD</i><p>
  <div class="TAB"><a href="phd_dashboard.php">DASHBOARD</a></div>
  <div class="TAB"><a href="phd_apply.php">APPLY</a></div>
  <div class="TAB"><a href="about.php">ABOUT</a></div>
  <div class="TAB"><a href="logout.php">LOGOUT</a></div>
 </div>
```

STUDENT

about.php

```php
<!--About.php For the Student-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection
?>


<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  </head>
  <body>

<?php include "../include/header3.php"; ?> <!--Including the navbar-->


<?php
$id=$_SESSION['uid']; #Get the session variable into the variable id
$query="SELECT * from `User_detail` WHERE `userid`='$id'"; #Query for selecting all details
from the table
$result=mysqli_query($conn,$query); #Connecting the Query With the Connection

$row=mysqli_fetch_assoc($result); #Fetching all the rows and arrays from the query and get into
the variable array
?>
  <div class="box1" >
  <div class="panel_header">
  <h2>ABOUT</h2>
  </div>
  <div class="panel_body">
    <!--Display the Detail about the User-->
  <form role="form" action="" method="POST">
    <div >
```

IIIT MANIPUR   18010101

```html
    <label>--FIRST NAME--</label>
     <h3><?php echo $row['fname']; ?></h3>
     </div>

    <div >
     <label>--LAST NAME--</label><br>
     <h3><?php echo $row['lname']; ?></h3>
     </div>

     <div >
      <label>--ENROLLMENT ID--</label><br>
      <h3><?php echo $row['userid']; ?></h3>
      </div>
      <div class="tab">
       <label>--DOB--</label><br>
       <h3><?php echo $row['dob']; ?></h3>
        </div>

     <div >
     <label>--DOJ--</label><br>
     <h3><?php echo $row['doj']; ?></h3>
     </div>

     <div >
     <label>--GENDER--</label><br>
     <h3><?php echo $row['gender']; ?></h3>
     </div>

     <div >
     <label>--SECTION--</label><br>
     <h3><?php echo $row['section']; ?></h3>
     </div>

     <div >
     <label>--DESIGNATION--</label><br>
     <h3><?php echo $row['designation']; ?></h3>
     </div>
   </form><br/>
   </div>
   </div>
   <div class="box2" >
<!--Creating panel for the detail of the User -->
   <div class="panel_header1">
    <center>
   <img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
   </div>
    <?php include "student_label.php"; ?> <!--Including for redirection the pages -->
   </div>
   </body>

   </html>
```

logout.php

```php
<!--Logout Page-->
<?php
session_start(); #Session Start
session_destroy(); #Session Destroy
?>
<script>
  alert('Logout Successfully !!');
  window.open('../login.php','_self');
</script>




<?php
 ?>
```

Student_applied.php

```php
<!--Student Applied Page-->
<?php
session_start(); #Starting the Session

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}
include "../include/db.php"; #Including the Database Connection

#Getting all the Data From the User and Stored into the variable
  $id=$_SESSION['uid'];
  $Nature=$_POST['Nature'];
  $Departuredate=$_POST['Departuredate'];
  $Departuretime=$_POST['Departuretime'];
  $Arrivaldate=$_POST['Arrivaldate'];
  $Arrivaltime=$_POST['Arrivaltime'];
  $ROL=$_POST['ROL'];
  $AnswerSLP=$_POST['AnswerSLP'];
  $fromSLP=$_POST['fromSLP'];
  $toSLP=$_POST['toSLP'];
  $NOD=$_POST['NOD'];
  $staff=$_POST['staff'];
  $designation=$_POST['designation'];

  $query="INSERT INTO `leave_applied`(`userid`,
`Nature`,`Departuredate`,`Departuretime`,`Arrivaldate`,`Arrivaltime`,`ROL`,`AnswerSLP`,`fromSL
P`,`toSLP`,`section`,`Designation`) VALUES
('$id','$Nature','$Departuredate','$Departuretime','$Arrivaldate','$Arrivaltime','$ROL','$AnswerSLP'
,'$fromSLP','$toSLP','$staff','$designation')";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection
if($result==true){
```

```php
?>
<script>
 alert('Leave Application Submitted !!');
 window.open('Student_apply.php','_self');
</script>
<?php
}else {
 ?>
 <script>
  alert('Something Wrong in Leave Application !!');
  window.open('Student_apply.php','_self');
 </script>
 <?php
}
?>
```

Student_apply_view_1.php

```php
<!--Mess Copy View Page For The Student-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
 echo "";
}
else
{
 header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
 <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
 <title>LEAVE_MANAGEMENT_SYSTEM</title>
 <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
 <style>.button{
  color: #fff;
  background-color: #c9302c;
  border-color: #ac2925;
  padding: 10px 16px;
  font-size: 18px;
  line-height: 1.3;
  border-radius: 6px;
  margin:20px;
 }</style>
 <script>
  function print(){
```

```
        var box = document.getElementById("box").innerHTML;
        var a = window.open(",", 'height=500, width=500');
        a.document.write(box);
        a.document.close();
        a.print();
        a.window.close();
      }
   </script>
</head>

<body>
  <?php include "../include/header3.php"; ?> <!--Including the navbar-->



  <?php
  $lid=$_GET['lid'];
  $query="SELECT * from `leave_applied` WHERE `lid`=$lid";

  $result=mysqli_query($conn,$query); #Connecting Query with the Connection

  $row=mysqli_fetch_assoc($result);
  ?>



<div id="box" class="box1" >

<div class="panel_header">
<h2>MESS COPY</h2>
</div>



<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
 </div>

 <div >
 <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

 </div>
```

IIIT MANIPUR   18010101

```php
<div >
<label>--Reasons for leave--</label><br><br>
<?php echo $row['ROL']; ?>
</div><br>

<div >
<label>--STATUS:--</label><br>
<p style="color:green;"><?php echo $row['status']; ?></p>
</div>

<div >
<label>--Remark from Admin:--</label><br>
<p style="color:green;"><?php echo $row['remark']; ?></p>
</div>




</form><br/>
</div>
<center>
  <input class="button" type="button" value="Print" onclick="print()">
</center>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";

$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

$row1=mysqli_fetch_assoc($result1);
?>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h1><?php echo $row1['fname']; ?></h1>
<h1><?php echo $row1['lname']; ?></h1>
</div>

  <?php include "student_label.php"; ?>

</div>




</body>

</html>
```

Student_apply_view_2.php

<!--Hostel Gate Pass Page For The Student-->
```php
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
```
```html
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  <style>.button{
    color: #fff;
    background-color: #c9302c;
    border-color: #ac2925;
    padding: 10px 16px;
    font-size: 18px;
    line-height: 1.3;
    border-radius: 6px;
    margin:20px;
  }</style>
  <script>
    function print(){
      var box = document.getElementById("box").innerHTML;
      var a = window.open('','', 'height=500, width=500');
      a.document.write(box);
      a.document.close();
      a.print();
      a.window.close();
    }
  </script>
</head>

<body>
  <?php include "../include/header3.php"; ?> <!--Including the navbar-->


  <?php
```

```php
$lid=$_GET['lid'];
$query="SELECT * from `leave_applied` WHERE `lid`=$lid";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);
?>
```

```html
<div id="box" class="box1" >

<div class="panel_header">
<h2>HOSTEL GATE PASS</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
 </div>

 <div >
 <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

 </div>


 <div >
 <label>--Reasons for leave--</label><br><br>
 <?php echo $row['ROL']; ?>
 </div><br>

 <div >
 <label>--STATUS:--</label><br>
 <p style="color:green;"><?php echo $row['status']; ?></p>
 </div>

 <div >
 <label>--Remark from Admin:--</label><br>
 <p style="color:green;"><?php echo $row['remark']; ?></p>
 </div>
```

IIIT MANIPUR   18010101

```
</form><br/>
</div>
<center>
  <input class="button" type="button" value="Print" onclick="print()">
</center>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";

$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

$row1=mysqli_fetch_assoc($result1);
?>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h1><?php echo $row1['fname']; ?></h1>
<h1><?php echo $row1['lname']; ?></h1>
</div>

  <?php include "student_label.php"; ?>

</div>




</body>

</html>
```

Student_apply_view.php

```php
<!--Form view of Student-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header3.php"; ?> <!--Including the navbar-->



  <?php
  $lid=$_GET['lid'];
  $query="SELECT * from `leave_applied` WHERE `lid`=$lid";

  $result=mysqli_query($conn,$query); #Connecting Query with the Connection

  $row=mysqli_fetch_assoc($result);
  ?>
<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">

  <div >
```

```php
    <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
    </div>

    <div >
    <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
    </div>

    <div >
    <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

    </div>


    <div >
    <label>--Reasons for leave--</label><br><br>
    <?php echo $row['ROL']; ?>
</div><br>

    <div >
    <label>--STATUS:--</label><br>
    <p style="color:green;"><?php echo $row['status']; ?></p>
    </div>

    <div >
    <label>--Remark from Admin:--</label><br>
    <p style="color:green;"><?php echo $row['remark']; ?></p>
    </div>

</form><br/>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";

$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

$row1=mysqli_fetch_assoc($result1);
?>
<div class="box2" >
<div class="panel_header1">
    <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h1><?php echo $row1['fname']; ?></h1>
<h1><?php echo $row1['lname']; ?></h1>
</div>
    <?php include "student_label.php"; ?>
</div>
</body>
</html>
```

Student_apply.php

```php
<!--Apply Page For The Student-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: ../login.php');
}

include "../include/db.php"; #Including the Database Connection
?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header3.php"; ?> <!--Including the navbar-->



  <?php
  $uid=$_SESSION['uid'];
  $query1="Select * from `User_detail` where `userid`='$uid'";

  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

  $row1=mysqli_fetch_assoc($result1);
  ?>



<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i>NEW APPLY</i><p>
<form role="form" name="apply" action="Student_applied.php" method="POST">
```

```html
<div >
<label>--Nature of Leave--</label><br>
<select name="Nature" onchange="da();">
 <option  value="Not Selected" Selected>Not Selected</option>
 <option  value="Academic">Academic</option>
 <option  value="Vacation">Vacation</option>
 <option  value="Other">Other</option>
</select>


 </div>

 <div >
   <fieldset>
<legend>
 Date and Time of Journey
</legend>

 <br><label>--Date and Time of Departure--</label><br>
 Date:<input type="date" name="Departuredate" id="Departuredate" disabled required>
 Time:<select name="Departuretime" id="Departuretime" disabled>
  <option value="Forenoon" name="Forenoon" >Forenoon</option>
  <option value="Afternoon" name="Afternoon" >Afternoon</option>
 </select><br><br>



 <label>--Date and Time of Arrival--</label><br>
 Date:<input type="date" name="Arrivaldate" onchange="diff();" id="Arrivaldate" disabled
required>
 Time:<select name="Arrivaltime" id="Arrivaltime" disabled>
  <option value="Forenoon" name="Forenoon" >Forenoon</option>
  <option value="Afternoon" name="Afternoon" >Afternoon</option>
 </select><br><br>

 <label>--No. Of Days Taken--</label><br>
 <input type="text" name="NOD" placeholder="No. Of Days Taken" readonly>
 </fieldset>
 </div>


 <div >
 <textarea name="ROL" placeholder="Reasons for leave"></textarea>
 </div>


<div >

 <input  type="hidden" value="NULL" name="AnswerSLP" onchange="dao();">
 <input type="hidden" name="fromSLP"  id="fromSLP" disabled>
 <input type="hidden" name="toSLP" id="toSLP" disabled>
 <input  type="hidden" value="NULL" name="AnswerSLP" onchange="dao1();">
 </div>
```

IIIT MANIPUR   18010101

```html
<input type="hidden" name="staff" value="<?php echo $row1['section'];   ?>" />
<input type="hidden" name="designation" value="<?php echo $row1['designation'];   ?>" />
  <button type="reset" name="clear" >CLEAR</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>
<script type="text/javascript">
 function da(){
  document.getElementById("Departuredate").disabled=false;
  document.getElementById("Arrivaldate").disabled=false;
  document.getElementById("Departuretime").disabled=false;
  document.getElementById("Arrivaltime").disabled=false;
 }

 function dao(){
  document.getElementById("fromSLP").disabled=false;
  document.getElementById("toSLP").disabled=false;
 }

 function dao1(){
  document.getElementById("fromSLP").disabled=true;
  document.getElementById("toSLP").disabled=true;
 }



 function diff(){

  var date1 = new Date(document.apply.Departuredate.value);
  var date2 = new Date(document.apply.Arrivaldate.value);

  var timediff = date2.getTime() - date1.getTime();
  var daydiff = timediff / (1000 * 3600 * 24);
  alert(daydiff);
  document.apply.NOD.value = daydiff;
}

</script>
</div>
</div>
<div class="box2" >
<div class="panel_header1">
 <center>
<img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
 <?php include "student_label.php"; ?>
</div>
</body>
</html>
```

Student_dashboard.php

```php
<!--Dashboard for the Student-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid']))
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
    <style>
    table {
      border-collapse:collapse;
      border-spacing: 0;
      width:100%;
      border: 1px solid #ddd;
    }

    th, td {
      text-align: left;
      padding: 8px;
    }
    </style>
  </head>

  <body>

<?php include "../include/header3.php"; ?> <!--Including the navbar-->




  <div class="box1" >

  <div class="panel_header">
  <h2>DASHBOARD</h2>
  </div>
```

```php
<?php
$id=$_SESSION['uid'];
$query="SELECT * from `leave_applied` WHERE `userid`='$id'";
$query1="SELECT * from `User_detail` WHERE `userid`='$id'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection
$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection
$row1=mysqli_fetch_array($result1);
?>

<div class="panel_body">
<p class="text-warning"><i>Records</i><p>
<form role="form" action="" method="POST">
  <div style="overflow-x:auto;">
  <table>
   <thead>
     <tr>
       <th>Sr No. </th>
       <th>Nature</th>
       <th>Departure Date</th>
       <th>Arrival Date</th>
       <th>AppliedOn</th>
       <th>Status</th>
       <th>Application View</th>
       <th>Mess Copy</th>
       <th>Gate<br>Pass</th>
     </tr>
   </thead>

  <?php
  $j=1;


  while($row=mysqli_fetch_array($result))
  {
  ?>

   <tbody>
  <tr>
  <td ><?php echo $j; ?></td>
  <td style="color:blue;"><?php echo $row['Nature']; ?></td>
  <td  style="color:red;"><?php echo $row['Departuredate']; ?></td>
  <td  style="color:red;"><?php echo $row['Arrivaldate']; ?></td>
  <td><?php echo $row['AppliedOn']; ?></td>
  <td  style="color:green;"><?php echo $row['status']; ?></td>
  <td ><button><a href="Student_apply_view.php?lid=<?php echo $row['lid']; ?>">View
Form</a></button><td>
  <button><a href="Student_apply_view_1.php?lid=<?php echo $row['lid']; ?>">View
Form</a></button>
  <td ><button><a href="Student_apply_view_2.php?lid=<?php echo $row['lid']; ?>">View
Form</a></button><td>
  </tr>
  <?php $j++;
```

```php
      }
   ?>
     </tbody>
    </table>
  </div>
  </form><br/>
  </div>


  </div>

  <div class="box2" >

  <div class="panel_header1">
    <center>
  <img src="../img/student.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
  </div>

    <?php include "student_label.php"; ?>

  </div>


  </body>

  </html>
```

student_label.php

```php
<!--Navbar header for the Student-->
  <div class="panel_body_1">
  <p class="text-warning"><i>DASHBOARD</i><p>
   <div class="TAB"><a href="Student_dashboard.php">DASHBOARD</a></div>
   <div class="TAB"><a href="Student_apply.php">APPLY</a></div>
   <div class="TAB"><a href="about.php">ABOUT</a></div>
   <div class="TAB"><a href="logout.php">LOGOUT</a></div>
  </div>
```

TEACHING

about.php

```php
<!--About Page for the Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>


<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
  </head>
  <body>
<?php include "../include/header4.php"; ?> <!--Including the navbar-->


<?php
$id=$_SESSION['uid'];
$query="SELECT * from `User_detail` WHERE `userid`='$id'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);
?>
  <div class="box1" >

  <div class="panel_header">
  <h2>ABOUT</h2>
  </div>
  <div class="panel_body">
    <!--Display about the User-->
  <form role="form" action="" method="POST">
```

```html
    <div >
    <label>--FIRST NAME--</label>
     <h3><?php echo $row['fname']; ?></h3>
    </div>

    <div >
      <label>--LAST NAME--</label><br>
      <h3><?php echo $row['lname']; ?></h3>
      </div>

      <div >
        <label>--ENROLLMENT ID--</label><br>
        <h3><?php echo $row['userid']; ?></h3>
        </div>
        <div >
          <label>--DOB--</label><br>
          <h3><?php echo $row['dob']; ?></h3>
          </div>

      <div >
      <label>--DOJ--</label><br>
      <h3><?php echo $row['doj']; ?></h3>
      </div>

      <div >
      <label>--GENDER--</label><br>
      <h3><?php echo $row['gender']; ?></h3>
      </div>

      <div >
      <label>--SECTION--</label><br>
      <h3><?php echo $row['section']; ?></h3>
      </div>

      <div >
      <label>--DESIGNATION--</label><br>
      <h3><?php echo $row['designation']; ?></h3>
      </div>

  </form><br/>
  </div>
  </div>
  <div class="box2" >
  <div class="panel_header1">
   <center>
  <img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
  </div>
   <?php include "student_label.php"; ?>
  </div>
  </body>
  </html>
```

Action.php

```php
<!--Action Page for the Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection

?>


<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/register.css" rel="stylesheet">
</head>

<body>
  <?php include "../include/header4.php"; ?> <!--Including the navbar-->




<div class="box" >

<div class="panel_header">
<h2>ADMIN ACTION</h2>
</div><br>


 <?php
$id=$_GET['lid'];
$query="SELECT * from `leave_applied` WHERE `lid`='$id'";

$result=mysqli_query($conn,$query); #Connecting Query with the Connection

$row=mysqli_fetch_assoc($result);

 ?>
```

```html
<div class="panel_body">
 <!--Action Box-->
<p class="text-warning"><i>Giving Remarks Always A Good Choice</i><p>

<form  action="Approve_submit.php" method="post">
 <div class="tab">
 <label>--Action--</label><br><br>
 <input  type="radio" value="Approved" name="Action">Approved
 <input  type="radio" value="Decline" name="Action">Decline
</div><br>

 <div class="tab">
 <label>--Remark By Admin--</label><br><br>
 <textarea name="Remark" placeholder="Remark By Admin"></textarea>
 </div>




<input type="hidden" name="id" value="<?php echo $row['lid']; ?>">
<button type="reset" name="cancel" >CANCEL</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>
</div>
</div>




</body>

</html>
```

apply_view.php

```php
<!--Apply View Page for Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
    <?php include "../include/header4.php"; ?> <!--Including the navbar-->



    <?php
    $id=$_GET['lid'];
    $query1="SELECT * from `leave_applied` WHERE lid='$id'";

    $result1=mysqli_query($conn,$query1);

    $row1=mysqli_fetch_assoc($result1);
    ?>




<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row1['userid']; ?></i><p>
<form action="" method="POST">

    <div >
    <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row1['Nature']; ?></p>
    </div>

    <div >
    <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row1['Departuredate']; ?></p>
    </div>

    <div >
    <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row1['Arrivaldate']; ?></p>
    </div>


    <div >
    <label>--Reasons for leave--</label><br><br>
    <?php echo $row1['ROL']; ?>
    </div>
```

```php
  <div >
  <label>--STATUS:--</label><br>
  <p style="color:green;">
<?php echo $row1['status']; ?>
  </p>
  </div>


  <div >
  <label>--Remark from Admin:--</label><br>
  <p style="color:green;"><?php echo $row1['remark']; ?></p>
  </div>

</form><br/>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query="Select * from  `User_detail` where userid='$uid'";

$result=mysqli_query($conn,$query);

$row=mysqli_fetch_assoc($result);
?>


<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row['fname']; ?></h3>
<h3><?php echo $row['lname']; ?></h3>
<h3><?php echo $row['designation']; ?></h3>
</div>


<div class="panel_body_1">
<p class="text-warning"><i>DASHBOARD</i><p>
  <div class="TAB"><a href="teaching_dashboard.php">DASHBOARD</a></div>
  <div class="TAB"><a href="teaching_apply.php">APPLY</a></div>
  <div class="TAB"><a href="about.php">ABOUT</a></div>
  <div class="TAB"><a href="logout.php">LOGOUT</a></div>
</div>
</div>
</body>
</html>
```

Approve_submit.php

```php
<!--Action Update Page For The Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}




include "../include/db.php"; #Including the Database Connection


  $id=$_POST['id'];
  $Action=$_POST['Action'];
  $Remark=$_POST['Remark'];


$query="UPDATE `leave_applied` SET `status`='$Action',`remark`='$Remark' WHERE `lid`='$id'
";


$result=mysqli_query($conn,$query); #Connecting Query with the Connection


if($result==true){
?>
<script>
  alert('Action Done Successfully !!');
  window.open('teaching_dashboard.php','_self');
</script>


<?php
}else {
  echo "Something Wrong";
}




 ?>
```

logout.php

```php
<!--Logout Page For The Teaching-->
<?php
session_start(); #Session Start
session_destroy(); #Session Destroy
?>
?>
<script>
  alert('Logout Successfully !!');
  window.open('../login.php','_self');
</script>




<?php
 ?>
```

student_label.php

```php
<!--Navbar Page For The Header For The Teaching-->

 <p class="text-warning"><i>DASHBOARD</i><p>
   <div class="TAB"><a href="teaching_dashboard.php">DASHBOARD</a></div>
   <div class="TAB"><a href="teaching_apply.php">APPLY</a></div>
   <div class="TAB"><a href="about.php">ABOUT</a></div>
   <div class="TAB"><a href="logout.php">LOGOUT</a></div>
```

teaching_applied.php

```php
<!--Apply Update Page For The Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}


include "../include/db.php"; #Including the Database Connection



  $id=$_SESSION['uid'];
  $Nature=$_POST['Nature'];
  $Departuredate=$_POST['Departuredate'];
  $Departuretime=$_POST['Departuretime'];
  $Arrivaldate=$_POST['Arrivaldate'];
  $Arrivaltime=$_POST['Arrivaltime'];
  $ROL=$_POST['ROL'];
  $AnswerSLP=$_POST['AnswerSLP'];
  $fromSLP=$_POST['fromSLP'];
  $toSLP=$_POST['toSLP'];
  $NOD=$_POST['NOD'];
  $staff=$_POST['staff'];
  $designation=$_POST['designation'];


if($Departuretime=='Forenoon' && $Arrivaltime=='Forenoon'){
  $co=$NOD+0.5;
}else if($Departuretime=='Forenoon' && $Arrivaltime=='Afternoon'){
  $co=$NOD+1;
}else if($Departuretime=='Afternoon' && $Arrivaltime=='Forenoon'){
  $co=$NOD+0;
}else if($Departuretime=='Afternoon' && $Arrivaltime=='Afternoon'){
  $co=$count+$NOD+0.5;
}else{
  echo "Invalid";
}

$query="INSERT INTO `leave_applied`(`userid`,
`Nature`,`Departuredate`,`Departuretime`,`Arrivaldate`,`Arrivaltime`,`NOD`,`ROL`,`AnswerSLP`,`
fromSLP`,`toSLP`,`section`,`Designation`) VALUES
('$id','$Nature','$Departuredate','$Departuretime','$Arrivaldate','$Arrivaltime','$co','$ROL','$Answer
SLP','$fromSLP','$toSLP','$staff','$designation')";

$result=mysqli_query($conn,$query);
```

```php
if($result==true){
?>
<script>
  alert('Leave Application Submitted !!');
  window.open('teaching_apply.php','_self');
</script>



<?php
}else {
 ?>
 <script>
   alert('Something Wrong in Leave Application !!');
   window.open('teaching_apply.php','_self');
 </script>



 <?php
}

?>
```

teaching_apply_view.php

```php
<!--Applied Form Page View For Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
```

```php
<?php include "../include/header4.php"; ?> <!--Including the navbar-->



<?php
$lid=$_GET['lid'];
$query="SELECT * from `leave_applied` WHERE `lid`=$lid";

$result=mysqli_query($conn,$query);

$row=mysqli_fetch_assoc($result);
?>
```

```html
<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION FORM</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i><?php echo $row['fname']; ?></i><p>
<p class="text-warning"><i><?php echo $row['userid']; ?></i><p>
<form action="" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<p style="color:blue;"><?php echo $row['Nature']; ?></p>
 </div>

 <div >
 <label>--Departure Date--</label><br>
<p style="color:red;"><?php echo $row['Departuredate']; ?></p>
 </div>

 <div >
 <label>--Arrival Date--</label><br>
<p style="color:red;"><?php echo $row['Arrivaldate']; ?></p>

 </div>


 <div >
 <label>--Reasons for leave--</label><br><br>
 <?php echo $row['ROL']; ?>
 </div>


 <div >
 <label>--Whether Station Leave permission required or not--</label><br><br>
 <?php echo $row['AnswerSLP']; ?>
```

IIIT MANIPUR   18010101

```php
  FROM:<?php echo $row['fromSLP']; ?>
  TO:<?php echo $row['toSLP']; ?>

  </div>


  <div >
  <label>--STATUS:--</label><br>
  <p style="color:green;"><?php echo $row['status']; ?></p>
  </div>

  <div >
  <label>--Remark from Admin:--</label><br>
  <p style="color:green;"><?php echo $row['remark']; ?></p>
  </div>




</form><br/>
</div>

<div class="panel_footer">
  <h5>Note:<br></h5><h6>1. All kinds of leave, except Casual Leave should be applied in this
form and forwarded to Admn./ Faculty Affairs after recommendation of the
concerned HODs/HOSs/HOCs. Casual Leave should be applied in the CL Card maintained in the
respective Dept./Section/Centre.<br>
2. In case the leave is requested for Project related work, please mention the Project No. at the top
of the application and forward to Dean,
R&D through the concerned HOD/HOC/HOS.<br>
*3. If the proposed leave is during the semester period, please furnish the details of alternate
arrangement for the missed classes.</h6>
</div>
</div>

<?php
$uid=$_SESSION['uid'];
$query1="SELECT* from `User_detail` WHERE `userid`='$uid'";

$result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

$row1=mysqli_fetch_assoc($result1);
?>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>
```

```php
<?php include "student_label.php"; ?>

</div>




</body>

</html>
```

teaching_apply.php

```php
<!--Apply Page For The Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: ../login.php');
}

include "../include/db.php"; #Including the Database Connection
?>
<!DOCTYPE html>
<html>

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
  <title>LEAVE_MANAGEMENT_SYSTEM</title>
  <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
</head>

<body>
  <?php include "../include/header4.php"; ?> <!--Including the navbar-->



  <?php
  $uid=$_SESSION['uid'];
  $query1="Select * from `User_detail` where `userid`='$uid'";

  $result1=mysqli_query($conn,$query1); #Connecting Query with the Connection

  $row1=mysqli_fetch_assoc($result1);
  ?>
```

```html
<div class="box1" >

<div class="panel_header">
<h2>LEAVE APPLICATION</h2>
</div>


<div class="panel_body">
<p class="text-warning"><i>NEW APPLY</i><p>
<form role="form" name="apply" action="teaching_applied.php" method="POST">

 <div >
 <label>--Nature of Leave--</label><br>
<select name="Nature" onchange="da();">
 <option  value="Not Selected" Selected>Not Selected</option>
 <option  value="Casual Leave (CL)">Casual Leave (CL)</option>
 <option  value="Special Casual Leave (SCL)">Special Casual Leave (SCL)</option>
 <option  value="Earned Leave (EL)">Earned Leave (EL)</option>
 <option  value="Half Pay Leave (HPL)">Half Pay Leave (HPL)</option>
 <option  value="Study Leave">Study Leave</option>
 <option  value="Special Leave">Special Leave</option>
 <option  value="Vacation (only for academic staff)">Vacation (only for academic staff)</option>
 <option  value="Commuted leave">Commuted leave</option>
 <option  value="Leave Not Due (LND)">Leave Not Due (LND)</option>
 <option  value="Extra-Ordinary Leave (EOL)">Extra-Ordinary Leave (EOL)</option>
 <option  value="Maternity Leave">Maternity Leave</option>
 <option  value="Adoption Leave">Adoption Leave</option>
 <option  value="Paternity Leave">Paternity Leave</option>
 <option  value="Hospital Leave">Hospital Leave</option>
 <option  value="Sabbatical Leave">Sabbatical Leave</option>
</select>


 </div>

 <div >
   <fieldset>
<legend>
 Date and Time of Journey
</legend>

 <br><label>--Date and Time of Departure--</label><br>
 Date:<input type="date" name="Departuredate" id="Departuredate" disabled required>
 Time:<select name="Departuretime" id="Departuretime" disabled>
  <option value="Forenoon" name="Forenoon" >Forenoon</option>
  <option value="Afternoon" name="Afternoon" >Afternoon</option>
 </select><br><br>



 <label>--Date and Time of Arrival--</label><br>
```

```
  Date:<input type="date" name="Arrivaldate" onchange="diff();" id="Arrivaldate" disabled
required>
  Time:<select name="Arrivaltime" id="Arrivaltime" disabled>
    <option value="Forenoon" name="Forenoon" >Forenoon</option>
    <option value="Afternoon" name="Afternoon" >Afternoon</option>
  </select><br><br>

  <label>--No. Of Days Taken--</label><br>
  <input type="text" name="NOD" placeholder="No. Of Days Taken" readonly>
  </fieldset>
  </div>


  <div >
  <textarea name="ROL" placeholder="Reasons for leave"></textarea>
  </div>



  <div >
  <label>--Whether Station Leave permission required or not--</label><br><br>
  <input  type="radio" value="Required" name="AnswerSLP" onchange="dao();">Required
  FROM:<input type="date" name="fromSLP"  id="fromSLP" disabled>
  TO:<input type="date" name="toSLP" id="toSLP" disabled>
  <input  type="radio" value="Not-Required" name="AnswerSLP" onchange="dao1();">Not-
Required
  </div>


<input type="hidden" name="staff" value="<?php echo $row1['section'];   ?>" />
<input type="hidden" name="designation" value="<?php echo $row1['designation'];   ?>" />

   <button type="reset" name="clear" >CLEAR</button>
<button type="submit" name="submit" >SUBMIT</button><br><br>
</form><br/>
<script type="text/javascript">
  function da(){
   document.getElementById("Departuredate").disabled=false;
   document.getElementById("Arrivaldate").disabled=false;
   document.getElementById("Departuretime").disabled=false;
   document.getElementById("Arrivaltime").disabled=false;
  }

  function dao(){
   document.getElementById("fromSLP").disabled=false;
   document.getElementById("toSLP").disabled=false;
  }

  function dao1(){
   document.getElementById("fromSLP").disabled=true;
   document.getElementById("toSLP").disabled=true;
  }
```

```javascript
function diff(){
  var date1 = new Date(document.apply.Departuredate.value);
  var date2 = new Date(document.apply.Arrivaldate.value);

var count = 0;
while(date1<=date2){
 var dayofweek = date1.getDay();
 if(!((dayofweek == 6) || (dayofweek == 0))){
   count++;
   date1.setDate(date1.getDate() + 1);
 }else{
   count++;
   date1.setDate(date1.getDate() + 1);
   count--;
 }
}


  var nature = document.apply.Nature.value;
if(nature=='Casual Leave (CL)'){
  if(count<=5){
    alert(count);
document.apply.NOD.value = count;
  }else{
    alert("LIMIT CROSS!!");
  }
}else if(nature=='Earned Leave (EL)'){
 if(count<=30){
   alert(count);
document.apply.NOD.value = count;
 }else{
   alert("LIMIT CROSS!!");
 }
}else if(nature=='Special Casual Leave (SCL)'){
 if(count<=15){
   alert(count);
document.apply.NOD.value = count;
 }else{
   alert("LIMIT CROSS!!");
 }
}else if(nature=='Half Pay Leave (HPL)'){
 if(count<=10){
   alert(count);
document.apply.NOD.value = count;
 }else{
   alert("LIMIT CROSS!!");
 }
}else if(nature=='Study Leave'){
 if(count<=732){
   alert(count);
document.apply.NOD.value = count;
 }else{
   alert("LIMIT CROSS!!");
```

```
  }
}else{
 alert("WRONG!!");
}
}

</script>
</div>

<div class="panel_footer">
  <h5>Note:<br></h5><h6>1. All kinds of leave, except Casual Leave should be applied in this
form and forwarded to Admn./ Faculty Affairs after recommendation of the
concerned HODs/HOSs/HOCs. Casual Leave should be applied in the CL Card maintained in the
respective Dept./Section/Centre.<br>
2. In case the leave is requested for Project related work, please mention the Project No. at the top
of the application and forward to Dean,
R&D through the concerned HOD/HOC/HOS.<br>
*3. If the proposed leave is during the semester period, please furnish the details of alternate
arrangement for the missed classes.</h6>
</div>
</div>

<div class="box2" >

<div class="panel_header1">
  <center>
<img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
</center><h3><?php echo $row1['fname']; ?></h3>
<h3><?php echo $row1['lname']; ?></h3>
<h3><?php echo $row1['designation']; ?></h3>
</div>

  <?php include "student_label.php"; ?>

</div>




</body>

</html>
```

teaching_dashboard.php

```php
<!--Dashboard For The Teaching-->
<?php
session_start(); #Session Start

if(isset($_SESSION['uid'])) #Checking the Session Uid
{
  echo "";
}
else
{
  header('Location: login.php');
}

include "../include/db.php"; #Including the Database Connection

?>
<!DOCTYPE html>
  <html>

  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1"> <!--Used to tell the
browser for control page dimention and scaling-->
    <title>LEAVE_MANAGEMENT_SYSTEM</title>
    <link href="../css/student_dashboard.css" rel="stylesheet"> <!--Linking the Css Style Sheet-->
    <style>
    table {
      border-collapse:collapse;
      border-spacing: 0;
      width:100%;
      border: 1px solid #ddd;
    }

    th, td {
      text-align: left;
      padding: 8px;
    }
    </style>
  </head>

  <body>

<?php include "../include/header4.php"; ?> <!--Including the navbar-->




  <div class="box1" >

  <div class="panel_header">
  <h2>DASHBOARD</h2>
  </div>
```

```php
<?php
$id=$_SESSION['uid'];
$query="SELECT * from `leave_applied` WHERE `userid`='$id' order by AppliedOn Desc";
$query1="SELECT * from `User_detail` WHERE `userid`='$id'";
$query3="SELECT * from `leave_applied` WHERE `Supervisor`='$id' order by AppliedOn Desc";
$query4="SELECT * from  `User_detail` WHERE `HOSTELWARDEN`='YES' AND `userid`='$id'";
$query5="SELECT * from `leave_applied` WHERE `Designation`='Student' order by AppliedOn Desc";

$result=mysqli_query($conn,$query);
$result1=mysqli_query($conn,$query1);
$result3=mysqli_query($conn,$query3);
$result4=mysqli_query($conn,$query4);
$result5=mysqli_query($conn,$query5);
$count3=mysqli_num_rows($result3);
$count4=mysqli_num_rows($result4);
$row1=mysqli_fetch_array($result1);
?>

<div class="panel_body">
<div style="overflow-x:auto;">
  <table>
    <thead>
     <tr>
      <th>Sr No. </th>
      <th>Leave Type</th>
      <th>Days Used</th>
      <th>Balance</th>
      <th>Max Days</th>
     </tr>
    </thead>

  <?php
$j=1;
$query2="SELECT * from `leave_balance` WHERE `userid`='$id'";
$result2=mysqli_query($conn,$query2);


  while($row2=mysqli_fetch_array($result2))
  {
  ?>

    <tbody>
  <tr>
  <td  ><?php echo $j; ?></td>
  <td   style="color:red;"><?php echo $row2['lvType']; ?></td>
  <td   style="color:blue;"><?php echo $row2['count']; ?></td>
  <td><?php echo $row2['balance']; ?></td>
  <td   style="color:green;"><?php echo $row2['max']; ?></td>
  </tr>
  <?php $j++;
```

```php
  }
  ?>
   </tbody>
  </table>
 </div>
  </form><br/>
 </div>

 <?php if($count4!=0){?>
  <Br><div class="panel_header">
  <h2>HOSTEL WARDEN SECTION</h2>
  </div>

  <div class="panel_body">
  <form role="form" action="" method="POST">
  <div style="overflow-x:auto;">
   <table>
    <thead>
     <tr>
      <th>Sr No. </th>
      <th>Enrollment ID </th>
      <th>Nature  </th>
      <th>Departure Date </th>
      <th>Arrival Date  </th>
      <th>Applied On </th>
      <th>Status </th>
      <th>Action</th>
      <th>Aplication View</th>
     </tr>
    </thead>

   <?php
   $j=1;


   while($row5=mysqli_fetch_array($result5))
   {
   ?>

    <tbody>
     <tr>
      <td   style="color:blue;"><?php echo $j; ?></td>
      <td><?php echo $row5['userid']; ?></td>
      <td   style="color:blue;"><?php echo $row5['Nature']; ?></td>
      <td   style="color:red;"><?php echo $row5['Departuredate']; ?></td>
      <td   style="color:red;"><?php echo $row5['Arrivaldate']; ?></td>
      <td><?php echo $row5['AppliedOn']; ?></td>
      <td   style="color:green;"><?php echo $row5['status']; ?></td>
      <td ><a style="color:green;" href="Action.php?lid=<?php echo $row5['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action.php?lid=<?php echo $row5['lid']; ?
>">Decline</a></td>
      <td ><a style="color:red;" href="apply_view.php?lid=<?php echo $row5['lid']; ?>">View
Form</a><td>
     </tr>
```

```php
    <?php $j++;
     }
    ?>
      </tbody>
    </table>
   </div>
   </form><br/>
   </div>
 <?php }else{
  echo "";
 }
 ?>



<?php if($count3!=0){?>
 <Br><div class="panel_header">
 <h2>SUPERVISOR SECTION</h2>
 </div>

 <div class="panel_body">
 <form role="form" action="" method="POST">
 <div style="overflow-x:auto;">
  <table>
   <thead>
    <tr>
      <th>Sr No. </th>
      <th>Enrollment ID </th>
      <th>Nature  </th>
      <th>Departure Date </th>
      <th>Arrival Date  </th>
      <th>Applied On </th>
      <th>Status </th>
      <th>Action</th>
      <th>Aplication View</th>
     </tr>
    </thead>

   <?php
   $j=1;


   while($row3=mysqli_fetch_array($result3))
   {
   ?>

    <tbody>
     <tr>
       <td  style="color:blue;"><?php echo $j; ?></td>
       <td><?php echo $row3['userid']; ?></td>
       <td  style="color:blue;"><?php echo $row3['Nature']; ?></td>
       <td  style="color:red;"><?php echo $row3['Departuredate']; ?></td>
       <td  style="color:red;"><?php echo $row3['Arrivaldate']; ?></td>
       <td><?php echo $row3['AppliedOn']; ?></td>
       <td  style="color:green;"><?php echo $row3['status']; ?></td>
```

```php
          <td ><a style="color:green;" href="Action.php?lid=<?php echo $row3['lid']; ?
>">Approved</a> | <a style="color:green;" href="Action.php?lid=<?php echo $row3['lid']; ?
>">Decline</a></td>
          <td ><a style="color:red;" href="apply_view.php?lid=<?php echo $row3['lid']; ?>">View
Form</a><td>
      </tr>
  <?php $j++;
  }
  ?>
    </tbody>
   </table>
  </div>
  </form><br/>
  </div>
<?php }else{
  echo "";
}
?>
  <Br><div class="panel_header">
  <h2>RECORDS</h2>
  </div>

  <div class="panel_body">
  <form role="form" action="" method="POST">
  <div style="overflow-x:auto;">
   <table>
    <thead>
     <tr>
       <th>Sr No. </th>
       <th>Nature</th>
       <th>Departure Date</th>
       <th>Arrival Date</th>
       <th>AppliedOn</th>
       <th>Status</th>
       <th>Application View</th>
     </tr>
    </thead>

   <?php
   $j=1;


   while($row=mysqli_fetch_array($result))
   {
   ?>

    <tbody>
   <tr>
   <td ><?php echo $j; ?></td>
   <td style="color:blue;"><?php echo $row['Nature']; ?></td>
   <td  style="color:red;"><?php echo $row['Departuredate']; ?></td>
   <td  style="color:red;"><?php echo $row['Arrivaldate']; ?></td>
   <td><?php echo $row['AppliedOn']; ?></td>
   <td  style="color:green;"><?php echo $row['status']; ?></td>
```

```php
        <td ><button><a href="teaching_apply_view.php?lid=<?php echo $row['lid']; ?>">View Form</a></button><td>
        </tr>
        <?php $j++;
        }
        ?>
          </tbody>
        </table>
      </div>
      </form><br/>
      </div>


      </div>

      <div class="box2" >

      <div class="panel_header1">
        <center>
      <img src="../img/staff.png" alt="" class="thumbnail"> <!--Showing the Image of the User-->
  </center><h3><?php echo $row1['fname']; ?></h3>
  <h3><?php echo $row1['lname']; ?></h3>
  <h3><?php echo $row1['designation']; ?></h3>
      </div>

        <?php include "student_label.php"; ?>

      </div>



      </body>

      </html>
```

CSS
index.css

```css
body{
    width: 100%;
    height: 100%;
    margin: 0;
}

.header{
    background-color:#000;
    color:#fff;
    border-color: #080808;
    min-height: 50px;
    border: 1px solid transparent;
}

.inner-header{
    width:80%;
    margin:auto;
}

a{
    text-decoration: none;
    background-color: transparent;
    color:#ededed;
}

.inner-header a:hover
{
  background-color: white;
  color: black;
}

.logo{
```

```css
        float: left;
        padding: 15px;
        font-size: 20px;
        font-weight: bold;
}

.header-link{
        float:right;
        padding: 15px 15px;
        font-size:16px;
        font-weight: bold;
}

.content{
        min-height: 600px;
}

.banner_image {
        padding-bottom: 50px;
        text-align: center;
        color: #f8f8f8;
        background: url(../img/iiitm.png) no-repeat center;
        background-size: cover;
}

.inner-banner-image{
        padding-top: 12%;
        width:80%;
        margin:auto;
}

.banner_content {
        position: relative;
        padding-top: 6%;
        padding-bottom: 6%;
        overflow:hidden;
```

```css
        margin-bottom: 12%;
        background-color: black;
        background-color: rgba(0, 0, 0, 0.7);
        max-width: 660px;
}

.container{
    width:90%;
    margin:auto;
    overflow:hidden;
}




footer{
    background-color: #000;
    color:#fff;
    font-size:14px;
}

.button{
    color: #fff;
    background-color: #c9302c;
    border-color: #ac2925;
    padding: 10px 16px;
    font-size: 18px;
    line-height: 1.3;
    border-radius: 6px;

}


@media screen and (max-width: 800px)
{
    .banner_image{
```

```css
        padding-bottom: 540px;
        }


}

@media screen and (max-width: 450px)
{
    .banner_content {
    max-width: 450px;
    }
    .button{

    padding: 10px 60px;
    line-height: 3;
    border-radius: 3px;
    }

    .banner_image{
    padding-bottom: 220px;
    }


}
```

register.css

```css
body{
    width: 100%;
    height: 100%;
    margin: 0;
}

.header{
    background-color:#000;
    color:#fff;
    border-color: #080808;
    min-height: 50px;
    border: 1px solid transparent;
}

.inner-header{
    width:80%;
    margin:auto;
    display: flex;
    justify-content: flex-end;
    margin-bottom: 2.5px;
}

a{
  text-decoration: none;
  background-color: transparent;
  color:#ededed;
}

.inner-header a:hover
{
  background-color: white;
  color: black;
}
```

```css
.logo{
  float: left;
  padding: 15px;
  font-size: 20px;
  font-weight: bold;
}

.header-link{
    float:right;
    padding: 15px 15px;
    font-size:16px;
    font-weight: bold;
    background-color: #202020;
    margin: 2px;
}

.box{
    width:80%;
    margin: 100px;
    text-align: center;
}

.panel_header{
border: 1px solid #1e90ff;
text-align: center;
background-color: #6495ed;
}

.panel_body{
margin-top: 20px;
padding-left: 14px;
border-left: 1px solid #6495ed;
border-right: 1px solid #6495ed;
border-bottom: 1px solid #6495ed;
}
```

```css
  button{
margin: 20px;
background-color: #6495ed;
  }

.text-warning{
color: #a52a2a;
}

@media screen and (max-width: 800px)
{
  .inner-header{
   flex-direction: column;
    text-align: center;
  }
   .box{
     width: 73%;
     height: 100%;
   }
}

@media screen and (max-width: 450px)
{
  .inner-header{
   flex-direction: column;
    text-align: center;
  }
   .box{
     width: 70%;
     height: 100%;
     margin: 50px;
   }
}
```

student_dashboard.css

```css
body{
    width: 100%;
    height: 100%;
    margin: 0;
}

.header{
    background-color:#000;
    color:#fff;
    border-color: #080808;
    min-height: 50px;
    border: 1px solid transparent;
}

.inner-header{
    width:80%;
    margin:auto;
    display: flex;
    justify-content: flex-end;
    margin-bottom: 2.5px;
}

a{
  text-decoration: none;
  background-color: transparent;
  color:#ededed;
}

.inner-header a:hover
{
  background-color: white;
  color: black;
}
```

```css
.logo{
  float: left;
  padding: 15px;
  font-size: 20px;
  font-weight: bold;
}

.header-link{
    float:right;
    padding: 15px 15px;
    font-size:16px;
    font-weight: bold;
    background-color: #202020;
    margin: 2px;
}

.box1{
    float:right;
    width:70%;
    margin: 20px;
}
.box2{
    width:20%;
    margin:40px;
}

.panel_header1{
border: 1px solid #000;
text-align: center;
}
.thumbnail{
    display: block;
    max-width: 100%;
    height: 200px;
}
```

```css
.panel_header{
border: 1px solid #1e90ff;
text-align: center;
background-color: #6495ed;
}

.panel_footer{
margin-top: 40px;
padding-left: 20px;
border: 1px solid #6495ed;
background-color: #d3d3d3;
border-top: 1px solid #d3d3d3;
  }
.TAB{
border: 1px solid #1e90ff;
text-align: center;
background-color: #6495ed;
padding: 20px 20px 20px 20px;
margin-bottom: 15px;
}
.panel_body{
margin-top: 20px;
padding-left: 14px;
border-left: 1px solid #6495ed;
border-right: 1px solid #6495ed;
border-bottom: 1px solid #6495ed;
}
.panel_body_1{
margin-top: 20px;
padding-left: 14px;
padding-right: 14px;
padding-bottom: 210px;
border-left: 1px solid #6495ed;
border-right: 1px solid #6495ed;
border-bottom: 1px solid #6495ed;
}
```

```css
  button{
margin: 20px;
background-color: #6495ed;
  }
.text-warning{
color: #a52a2a;
}
@media screen and (max-width: 800px)
{
  .inner-header{
   flex-direction: column;
    text-align: center;
  }
   .box2{
      visibility: hidden;
   }
   .box1{
      width: 95%;
      height: 100%;
   }
}
@media screen and (max-width: 450px)
{
  .inner-header{
   flex-direction: column;
    text-align: center;
  }
   .box2{
      visibility: hidden;
   }
   .box1{
      width: 90%;
      height: 100%;
   }
}
```

INCLUDE

db.php

```
<!--Database Connection Page-->
<?php

$host="localhost";
$username="root";
$pass="";
$db="LMS";

$conn=mysqli_connect($host,$username,$pass,$db);
?>
```

header.php

```
<!--Header Page Index-->
 <div class="header">
 <div class="logo"><a href="index.php">IIIT MANIPUR</a></div>
  <div class="inner-header">
   <div class="header-link"><a href="index.php">BACK</a></div>
  </div>
 </div>
```

header1.php

```
<!--Header Page For Admin-->
 <div class="header">
  <div class="logo"><a href="../index.php">IIIT MANIPUR</a></div>
   <div class="inner-header">
   <div class="header-link"><a
href="../adminstaff/Admin_dashboard.php">DASHBOARD</a></div>
    <div class="header-link"><a
href="../adminstaff/Applications.php">APPLICATIONS</a></div>
    <div class="header-link"><a href="../adminstaff/about.php">ABOUT</a></div>
    <div class="header-link"><a href="../adminstaff/logout.php">LOGOUT</a></div>
   </div>
 </div>
```

header2.php

```
<!--Header Page for the Non Teachings-->
 <div class="header">
  <div class="logo"><a href="../index.php">IIIT MANIPUR</a></div>
  <div class="inner-header">
   <div class="header-link"><a
href="../non-teaching/nonteaching_dashboard.php">DASHBOARD</a></div>
    <div class="header-link"><a href="../non-teaching/nonteaching_apply.php">APPLY</a></div>
    <div class="header-link"><a href="../non-teaching/about.php">ABOUT</a></div>
    <div class="header-link"><a href="../non-teaching/logout.php">LOGOUT</a></div>
   </div>
 </div>
```

header3.php

```
<!--Header Page For Student-->
  <div class="header">
    <div class="logo"><a href="../index.php">IIIT MANIPUR</a></div>
    <div class="inner-header">
      <div class="header-link"><a
href="../student/Student_dashboard.php">DASHBOARD</a></div>
      <div class="header-link"><a href="../student/Student_apply.php">APPLY</a></div>
      <div class="header-link"><a href="../student/about.php">ABOUT</a></div>
      <div class="header-link"><a href="../student/logout.php">LOGOUT</a></div>
    </div>
  </div>
```

header4.php

```
<!--Header Page For the Teaching-->
  <div class="header">
    <div class="logo"><a href="../index.php">IIIT MANIPUR</a></div>
    <div class="inner-header">
      <div class="header-link"><a href="../teaching/teaching_dashboard.php">DASHBOARD</a></
div>
      <div class="header-link"><a href="../teaching/teaching_apply.php">APPLY</a></div>
      <div class="header-link"><a href="../teaching/about.php">ABOUT</a></div>
      <div class="header-link"><a href="../teaching/logout.php">LOGOUT</a></div>
    </div>
  </div>
```

header5.php

```
<!--Header Page For Phd-->
  <div class="header">
    <div class="logo"><a href="../index.php">IIIT MANIPUR</a></div>
    <div class="inner-header">
      <div class="header-link"><a href="../phd/phd_dashboard.php">DASHBOARD</a></div>
      <div class="header-link"><a href="../phd/phd_apply.php">APPLY</a></div>
      <div class="header-link"><a href="../phd/about.php">ABOUT</a></div>
      <div class="header-link"><a href="../phd/logout.php">LOGOUT</a></div>
    </div>
  </div>
```

IMAGES

IIIT MANIPUR

18010101