

The FREQ Procedure

Project				
readprj	Frequency	Percent	Cumulative Frequency	Cumulative Percent
43	3435	100.00	3435	100.00

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	1716	49.96	1716	49.96
2: Left	1719	50.04	3435	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment				
V12XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
0	1	0.03	3435	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V12XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
0	1	0.03	3435	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V12XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
0	1	0.03	3435	100.00

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment				
V12XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
1	1	0.03	3435	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V12XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
1	1	0.03	3435	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment				
V12XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	3404	99.10	3404	99.10
P	30	0.87	3434	99.97
1	1	0.03	3435	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V12XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	32	0.93	32	0.93
T	5	0.15	37	1.08
0	1488	43.32	1525	44.40
1	769	22.39	2294	66.78
2	703	20.47	2997	87.25
3	336	9.78	3333	97.03
4	102	2.97	3435	100.00

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V12XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	32	0.93	32	0.93
T	5	0.15	37	1.08
0	2435	70.89	2472	71.97
1	585	17.03	3057	89.00
1.2	18	0.52	3075	89.52
1.4	33	0.96	3108	90.48
1.6	2	0.06	3110	90.54
2	168	4.89	3278	95.43
2.2	10	0.29	3288	95.72
2.4	38	1.11	3326	96.83
2.6	14	0.41	3340	97.23
2.8	21	0.61	3361	97.85
3	74	2.15	3435	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V12XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	32	0.93	32	0.93
T	5	0.15	37	1.08
0	3103	90.33	3140	91.41
1	160	4.66	3300	96.07
1.2	2	0.06	3302	96.13
1.4	11	0.32	3313	96.45
1.6	1	0.03	3314	96.48
2	73	2.13	3387	98.60
2.2	3	0.09	3390	98.69
2.4	4	0.12	3394	98.81
2.6	3	0.09	3397	98.89
2.8	9	0.26	3406	99.16
3	29	0.84	3435	100.00

The UNIVARIATE Procedure

Variable: V12XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	1	Sum Weights	1
Mean	0	Sum Observations	0
Std Deviation	Variance		
Skewness	Kurtosis		
Uncorrected SS	0	Corrected SS	0
Coeff Variation	Std Error Mean		

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	
Median	0	Variance	
Mode	0	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t		Pr > t
Sign	M		Pr >= M
Signed Rank	S		Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V12XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	22	0	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure

Variable: V12XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	1	Sum Weights	1
Mean	0	Sum Observations	0
Std Deviation	Variance		
Skewness	Kurtosis		
Uncorrected SS	0	Corrected SS	0
Coeff Variation	Std Error Mean		

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	
Median	0	Variance	
Mode	0	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t		Pr > t
Sign	M		Pr >= M
Signed Rank	S		Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V12XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	22	0	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure

Variable: V12XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	1	Sum Weights	1
Mean	0	Sum Observations	0
Std Deviation	Variance		
Skewness	Kurtosis		
Uncorrected SS	0	Corrected SS	0
Coeff Variation	Std Error Mean		

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	
Median	0	Variance	
Mode	0	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t		Pr > t
Sign	M		Pr >= M
Signed Rank	S		Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V12XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	22	0	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure

Variable: V12XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	1	Sum Weights	1
Mean	1	Sum Observations	1
Std Deviation		Variance	
Skewness		Kurtosis	
Uncorrected SS	1	Corrected SS	0
Coeff Variation		Std Error Mean	

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	
Median	1.000000	Variance	
Mode	1.000000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t		Pr > t	
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

The UNIVARIATE Procedure

Variable: V12XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	22	1	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure

Variable: V12XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	1	Sum Weights	1
Mean	1	Sum Observations	1
Std Deviation		Variance	
Skewness		Kurtosis	
Uncorrected SS	1	Corrected SS	0
Coeff Variation		Std Error Mean	

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	
Median	1.000000	Variance	
Mode	1.000000	Range	0
		Interquartile Range	0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t		Pr > t	
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

The UNIVARIATE Procedure

Variable: V12XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	22	1	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure

Variable: V12XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Moments			
N	1	Sum Weights	1
Mean	1	Sum Observations	1
Std Deviation	Variance		
Skewness	Kurtosis		
Uncorrected SS	1	Corrected SS	0
Coeff Variation	Std Error Mean		

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	
Median	1.000000	Variance	
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	Pr > t	
Sign	M	0.5 Pr >= M	1.0000
Signed Rank	S	0.5 Pr >= S	1.0000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure**Variable: V12XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	22	1	22

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3404	99.10	99.13
P	30	0.87	0.87
Total	3434	99.97	100.00

The UNIVARIATE Procedure**Variable: V12XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	3398	Sum Weights	3398
Mean	1.05679812	Sum Observations	3591
Std Deviation	1.14351893	Variance	1.30763555
Skewness	0.76813345	Kurtosis	-0.4403468
Uncorrected SS	8237	Corrected SS	4442.03796
Coeff Variation	108.205996	Std Error Mean	0.01961696

Basic Statistical Measures			
Location		Variability	
Mean	1.056798	Std Deviation	1.14352
Median	1.000000	Variance	1.30764
Mode	0.000000	Range	4.00000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	53.87166	Pr > t	<.0001
Sign	M	955	Pr >= M	<.0001
Signed Rank	S	912502.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V12XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3432	4	3345
0	3427	4	3368
0	3421	4	3422
0	3420	4	3429
0	3418	4	3431

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	32	0.93	86.49
T	5	0.15	13.51
Total	37	1.08	100.00

The UNIVARIATE Procedure

Variable: V12XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	3398	Sum Weights	3398
Mean	0.41859918	Sum Observations	1422.4
Std Deviation	0.75762526	Variance	0.57399604
Skewness	1.82730002	Kurtosis	2.54513612
Uncorrected SS	2545.28	Corrected SS	1949.86453
Coeff Variation	180.990624	Std Error Mean	0.01299699

Basic Statistical Measures			
Location		Variability	
Mean	0.418599	Std Deviation	0.75763
Median	0.000000	Variance	0.57400
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	32.2074	Pr > t	<.0001
Sign	M	481.5	Pr >= M	<.0001
Signed Rank	S	232083	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	2.0
90%	1.4
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

The UNIVARIATE Procedure

Variable: V12XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3432	3	3345
0	3427	3	3368
0	3425	3	3422
0	3424	3	3429
0	3423	3	3431

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	32	0.93	86.49
T	5	0.15	13.51
Total	37	1.08	100.00

The UNIVARIATE Procedure

Variable: V12XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	3398	Sum Weights	3398
Mean	0.13584461	Sum Observations	461.6
Std Deviation	0.48700938	Variance	0.23717814
Skewness	3.99185905	Kurtosis	16.3008511
Uncorrected SS	868.4	Corrected SS	805.694126
Coeff Variation	358.504738	Std Error Mean	0.0083546

Basic Statistical Measures			
Location		Variability	
Mean	0.135845	Std Deviation	0.48701
Median	0.000000	Variance	0.23718
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.25986	Pr > t	<.0001
Sign	M	147.5	Pr >= M	<.0001
Signed Rank	S	21830	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	2.8
95%	1.0
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

The UNIVARIATE Procedure

Variable: V12XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3435	3	2615
0	3434	3	2639
0	3433	3	2727
0	3432	3	3233
0	3431	3	3236

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	32	0.93	86.49
T	5	0.15	13.51
Total	37	1.08	100.00