

The FREQ Procedure

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	8307	49.84	8307	49.84
2: Left	8359	50.16	16666	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	8982	53.89	8982	53.89
37	3831	22.99	12813	76.88
43	3853	23.12	16666	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V00XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7667	46.00	7667	46.00
.P: Prosthetic	58	0.35	7725	46.35
.T: Technical Problems	2	0.01	7727	46.36
0: 0	5821	34.93	13548	81.29
1: 1	1641	9.85	15189	91.14
2: 2	650	3.90	15839	95.04
3: 3	827	4.96	16666	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V00XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	3740	22.44	14900	89.40
1: 1	1000	6.00	15900	95.40
2: 2	680	4.08	16580	99.48
3: 3	86	0.52	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment				
V00XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5458	32.75	16618	99.71
1: 1	48	0.29	16666	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V00XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	68	0.41	68	0.41
T	4	0.02	72	0.43
0	12085	72.51	12157	72.94
1	3112	18.67	15269	91.62
2	1185	7.11	16454	98.73
3	212	1.27	16666	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V00XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7668	46.01	7668	46.01
.P: Prosthetic	58	0.35	7726	46.36
.T: Technical Problems	2	0.01	7728	46.37
0: 0	8529	51.18	16257	97.55
1: 1	409	2.45	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V00XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7667	46.00	7667	46.00
.P: Prosthetic	58	0.35	7725	46.35
.T: Technical Problems	2	0.01	7727	46.36
0: 0	4413	26.48	12140	72.84
1: 1	3616	21.70	15756	94.54
2: 2	586	3.52	16342	98.06
3: 3	324	1.94	16666	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V00XRSTCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	3659	21.95	14819	88.92
1: 1	1052	6.31	15871	95.23
2: 2	686	4.12	16557	99.35
3: 3	109	0.65	16666	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V00XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5262	31.57	16422	98.54
1: 1	244	1.46	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment				
V00XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5461	32.77	16621	99.73
1: 1	37	0.22	16658	99.95
2: 2	7	0.04	16665	99.99
3: 3	1	0.01	16666	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V00XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.P: Prosthetic	68	0.41	68	0.41
.T: Technical Problems	6	0.04	74	0.44
0: 0	8085	48.51	8159	48.96
1: 1	3575	21.45	11734	70.41
2: 2	3152	18.91	14886	89.32
3: 3	1466	8.80	16352	98.12
4: 4	314	1.88	16666	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V00XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7667	46.00	7667	46.00
.P: Prosthetic	58	0.35	7725	46.35
.T: Technical Problems	2	0.01	7727	46.36
0: 0	6228	37.37	13955	83.73
1: 1	1687	10.12	15642	93.86
2: 2	550	3.30	16192	97.16
3: 3	474	2.84	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V00XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5044	30.27	16204	97.23
1: 1	233	1.40	16437	98.63
2: 2	192	1.15	16629	99.78
3: 3	37	0.22	16666	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V00XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5495	32.97	16655	99.93
1: 1	11	0.07	16666	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V00XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	68	0.41	68	0.41
T	6	0.04	74	0.44
0	15626	93.76	15700	94.20
1	552	3.31	16252	97.52
2	310	1.86	16562	99.38
3	104	0.62	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment				
V00XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7668	46.01	7668	46.01
.P: Prosthetic	58	0.35	7726	46.36
.T: Technical Problems	2	0.01	7728	46.37
0: 0	8508	51.05	16236	97.42
1: 1	430	2.58	16666	100.00
BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment				
V00XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7667	46.00	7667	46.00
.P: Prosthetic	58	0.35	7725	46.35
.T: Technical Problems	2	0.01	7727	46.36
0: 0	6306	37.84	14033	84.20
1: 1	1912	11.47	15945	95.67
2: 2	379	2.27	16324	97.95
3: 3	342	2.05	16666	100.00
BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment				
V00XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5072	30.43	16232	97.40
1: 1	218	1.31	16450	98.70
2: 2	186	1.12	16636	99.82
3: 3	30	0.18	16666	100.00

The FREQ Procedure

BL/FU kXR reading (BU): cysts (Grades 0 - 1) tibia lateral compartment				
V00XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5466	32.80	16626	99.76
1: 1	40	0.24	16666	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0 - 3) tibia lateral compartment				
V00XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	11100	66.60	11100	66.60
.P: Prosthetic	58	0.35	11158	66.95
.T: Technical Problems	2	0.01	11160	66.96
0: 0	5480	32.88	16640	99.84
1: 1	21	0.13	16661	99.97
2: 2	5	0.03	16666	100.00

The UNIVARIATE Procedure

Variable: V00XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	8939	Sum Weights	8939
Mean	0.60655554	Sum Observations	5422
Std Deviation	0.96916293	Variance	0.93927678
Skewness	1.46272709	Kurtosis	0.8589509
Uncorrected SS	11684	Corrected SS	8395.25585
Coeff Variation	159.781398	Std Error Mean	0.01025067

Basic Statistical Measures			
Location		Variability	
Mean	0.606556	Std Deviation	0.96916
Median	0.000000	Variance	0.93928
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	59.17227	Pr > t	<.0001
Sign	M	1559	Pr >= M	<.0001
Signed Rank	S	2431261	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16663	3	16610
0	16662	3	16624
0	16661	3	16625
0	16660	3	16635
0	16655	3	16636

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7667	46.00	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7727	46.36	100.00

The UNIVARIATE Procedure

Variable: V00XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.47548129	Sum Observations	2618
Std Deviation	0.76826118	Variance	0.59022525
Skewness	1.41678392	Kurtosis	0.87854722
Uncorrected SS	4494	Corrected SS	3249.18997
Coeff Variation	161.57548	Std Error Mean	0.01035359

Basic Statistical Measures			
Location		Variability	
Mean	0.475481	Std Deviation	0.76826
Median	0.000000	Variance	0.59023
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	45.92431	Pr > t	<.0001
Sign	M	883	Pr >= M	<.0001
Signed Rank	S	780130.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16655	3	16233
0	16649	3	16288
0	16640	3	16370
0	16637	3	16557
0	16636	3	16624

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.00871776	Sum Observations	48
Std Deviation	0.09296953	Variance	0.00864333
Skewness	10.5725128	Kurtosis	109.817918
Uncorrected SS	48	Corrected SS	47.5815474
Coeff Variation	1066.43794	Std Error Mean	0.00125292

Basic Statistical Measures			
Location		Variability	
Mean	0.008718	Std Deviation	0.09297
Median	0.000000	Variance	0.00864
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.957969	Pr > t	<.0001
Sign	M	24	Pr >= M	<.0001
Signed Rank	S	588	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	1	14489
0	16662	1	14921
0	16655	1	15614
0	16654	1	16380
0	16652	1	16624

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	16594	Sum Weights	16594
Mean	0.36868748	Sum Observations	6118
Std Deviation	0.67250368	Variance	0.4522612
Skewness	1.82003148	Kurtosis	2.68009371
Uncorrected SS	9760	Corrected SS	7504.37001
Coeff Variation	182.404806	Std Error Mean	0.00522058

Basic Statistical Measures			
Location		Variability	
Mean	0.368687	Std Deviation	0.67250
Median	0.000000	Variance	0.45226
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	70.62188	Pr > t	<.0001
Sign	M	2254.5	Pr >= M	<.0001
Signed Rank	S	5083898	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16661	3	16534
0	16660	3	16562
0	16659	3	16610
0	16658	3	16624
0	16657	3	16625

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	68	0.41	94.44
T	4	0.02	5.56
Total	72	0.43	100.00

The UNIVARIATE Procedure

Variable: V00XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	8938	Sum Weights	8938
Mean	0.04575968	Sum Observations	409
Std Deviation	0.20897516	Variance	0.04367062
Skewness	4.34828711	Kurtosis	16.9113849
Uncorrected SS	409	Corrected SS	390.284292
Coeff Variation	456.679692	Std Error Mean	0.00221042

Basic Statistical Measures			
Location		Variability	
Mean	0.045760	Std Deviation	0.20898
Median	0.000000	Variance	0.04367
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.70182	Pr > t	<.0001
Sign	M	204.5	Pr >= M	<.0001
Signed Rank	S	41922.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	1	16369
0	16665	1	16451
0	16664	1	16452
0	16663	1	16508
0	16662	1	16509

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7668	46.01	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7728	46.37	100.00

The UNIVARIATE Procedure

Variable: V00XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	8939	Sum Weights	8939
Mean	0.64436738	Sum Observations	5760
Std Deviation	0.76013653	Variance	0.57780755
Skewness	1.191651	Kurtosis	1.28267346
Uncorrected SS	8876	Corrected SS	5164.4439
Coeff Variation	117.966328	Std Error Mean	0.00803984

Basic Statistical Measures			
Location		Variability	
Mean	0.644367	Std Deviation	0.76014
Median	1.000000	Variance	0.57781
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	80.14684	Pr > t	<.0001
Sign	M	2263	Pr >= M	<.0001
Signed Rank	S	5122301	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	3	16557
0	16665	3	16609
0	16664	3	16610
0	16661	3	16624
0	16660	3	16625

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7667	46.00	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7727	46.36	100.00

The UNIVARIATE Procedure

Variable: V00XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.49963676	Sum Observations	2751
Std Deviation	0.78617704	Variance	0.61807435
Skewness	1.38227915	Kurtosis	0.82112221
Uncorrected SS	4777	Corrected SS	3402.49927
Coeff Variation	157.34972	Std Error Mean	0.01059503

Basic Statistical Measures			
Location		Variability	
Mean	0.499637	Std Deviation	0.78618
Median	0.000000	Variance	0.61807
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	47.15765	Pr > t	<.0001
Sign	M	923.5	Pr >= M	<.0001
Signed Rank	S	853314	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	3	16233
0	16655	3	16310
0	16649	3	16370
0	16640	3	16557
0	16637	3	16624

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.04431529	Sum Observations	244
Std Deviation	0.20581336	Variance	0.04235914
Skewness	4.42974434	Kurtosis	17.6290384
Uncorrected SS	244	Corrected SS	233.187069
Coeff Variation	464.429663	Std Error Mean	0.00277367

Basic Statistical Measures			
Location		Variability	
Mean	0.044315	Std Deviation	0.20581
Median	0.000000	Variance	0.04236
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.97711	Pr > t	<.0001
Sign	M	122	Pr >= M	<.0001
Signed Rank	S	14945	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	1	16530
0	16662	1	16532
0	16655	1	16536
0	16654	1	16562
0	16652	1	16580

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.00980748	Sum Observations	54
Std Deviation	0.11552541	Variance	0.01334612
Skewness	13.8878583	Kurtosis	227.054854
Uncorrected SS	74	Corrected SS	73.4703959
Coeff Variation	1177.93134	Std Error Mean	0.0015569

Basic Statistical Measures			
Location		Variability	
Mean	0.009807	Std Deviation	0.11553
Median	0.000000	Variance	0.01335
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.299385	Pr > t	<.0001
Sign	M	22.5	Pr >= M	<.0001
Signed Rank	S	517.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	2	4237
0	16662	2	6627
0	16655	2	10226
0	16654	2	11639
0	16652	3	8354

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))

Moments			
N	16592	Sum Weights	16592
Mean	0.93617406	Sum Observations	15533
Std Deviation	1.09407444	Variance	1.19699887
Skewness	0.87824648	Kurtosis	-0.2857238
Uncorrected SS	34401	Corrected SS	19859.4083
Coeff Variation	116.866562	Std Error Mean	0.00849371

Basic Statistical Measures			
Location		Variability	
Mean	0.936174	Std Deviation	1.09407
Median	1.000000	Variance	1.19700
Mode	0.000000	Range	4.00000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	110.2197	Pr > t	<.0001
Sign	M	4253.5	Pr >= M	<.0001
Signed Rank	S	18094389	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16658	4	16534
0	16657	4	16562
0	16656	4	16610
0	16648	4	16624
0	16647	4	16625

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	68	0.41	91.89
T	6	0.04	8.11
Total	74	0.44	100.00

The UNIVARIATE Procedure

Variable: V00XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	8939	Sum Weights	8939
Mean	0.47085804	Sum Observations	4209
Std Deviation	0.83092758	Variance	0.69044065
Skewness	1.80130024	Kurtosis	2.36299298
Uncorrected SS	8153	Corrected SS	6171.15852
Coeff Variation	176.470935	Std Error Mean	0.00878858

Basic Statistical Measures			
Location		Variability	
Mean	0.470858	Std Deviation	0.83093
Median	0.000000	Variance	0.69044
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	53.57612	Pr > t	<.0001
Sign	M	1355.5	Pr >= M	<.0001
Signed Rank	S	1838058	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	3	16452
0	16665	3	16491
0	16664	3	16609
0	16663	3	16610
0	16662	3	16635

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7667	46.00	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7727	46.36	100.00

The UNIVARIATE Procedure

Variable: V00XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.1322194	Sum Observations	728
Std Deviation	0.47417298	Variance	0.22484001
Skewness	3.85945753	Kurtosis	14.8872138
Uncorrected SS	1334	Corrected SS	1237.74428
Coeff Variation	358.625882	Std Error Mean	0.00639026

Basic Statistical Measures			
Location		Variability	
Mean	0.132219	Std Deviation	0.47417
Median	0.000000	Variance	0.22484
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.69076	Pr > t	<.0001
Sign	M	231	Pr >= M	<.0001
Signed Rank	S	53476.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	3	13205
0	16662	3	13429
0	16655	3	14257
0	16654	3	14363
0	16652	3	15830

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.00199782	Sum Observations	11
Std Deviation	0.04465637	Variance	0.00199419
Skewness	22.3118507	Kurtosis	495.998848
Uncorrected SS	11	Corrected SS	10.978024
Coeff Variation	2235.25434	Std Error Mean	0.00060182

Basic Statistical Measures			
Location		Variability	
Mean	0.001998	Std Deviation	0.04466
Median	0.000000	Variance	0.00199
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3.319641	Pr > t	0.0009
Sign	M	5.5	Pr >= M	0.0010
Signed Rank	S	33	Pr >= S	0.0010

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	1	12188
0	16662	1	12234
0	16655	1	13205
0	16654	1	13620
0	16652	1	14558

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	16592	Sum Weights	16592
Mean	0.08944069	Sum Observations	1484
Std Deviation	0.39550774	Variance	0.15642638
Skewness	5.00012859	Kurtosis	26.5060421
Uncorrected SS	2728	Corrected SS	2595.27001
Coeff Variation	442.201112	Std Error Mean	0.00307048

Basic Statistical Measures			
Location		Variability	
Mean	0.089441	Std Deviation	0.39551
Median	0.000000	Variance	0.15643
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.12927	Pr > t	<.0001
Sign	M	483	Pr >= M	<.0001
Signed Rank	S	233530.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	3	15755
0	16665	3	15756
0	16664	3	15830
0	16663	3	15851
0	16662	3	15852

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	68	0.41	91.89
T	6	0.04	8.11
Total	74	0.44	100.00

The UNIVARIATE Procedure

Variable: V00XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Moments			
N	8938	Sum Weights	8938
Mean	0.0481092	Sum Observations	430
Std Deviation	0.21400894	Variance	0.04579983
Skewness	4.22404732	Kurtosis	15.8461215
Uncorrected SS	430	Corrected SS	409.313045
Coeff Variation	444.839976	Std Error Mean	0.00226366

Basic Statistical Measures			
Location		Variability	
Mean	0.048109	Std Deviation	0.21401
Median	0.000000	Variance	0.04580
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.25281	Pr > t	<.0001
Sign	M	215	Pr >= M	<.0001
Signed Rank	S	46332.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	1	16452
0	16665	1	16508
0	16664	1	16509
0	16663	1	16510
0	16662	1	16511

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7668	46.01	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7728	46.37	100.00

The UNIVARIATE Procedure

Variable: V00XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	8939	Sum Weights	8939
Mean	0.41346907	Sum Observations	3696
Std Deviation	0.74627578	Variance	0.55692754
Skewness	1.98482341	Kurtosis	3.53916503
Uncorrected SS	6506	Corrected SS	4977.81832
Coeff Variation	180.49132	Std Error Mean	0.00789323

Basic Statistical Measures			
Location		Variability	
Mean	0.413469	Std Deviation	0.74628
Median	0.000000	Variance	0.55693
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	52.38273	Pr > t	<.0001
Sign	M	1316.5	Pr >= M	<.0001
Signed Rank	S	1733831	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16666	3	16463
0	16665	3	16472
0	16664	3	16491
0	16663	3	16534
0	16662	3	16635

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7667	46.00	99.22
P	58	0.35	0.75
T	2	0.01	0.03
Total	7727	46.36	100.00

The UNIVARIATE Procedure

Variable: V00XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.12350163	Sum Observations	680
Std Deviation	0.45666303	Variance	0.20854112
Skewness	3.96949276	Kurtosis	15.7732557
Uncorrected SS	1232	Corrected SS	1148.01889
Coeff Variation	369.762743	Std Error Mean	0.00615429

Basic Statistical Measures			
Location		Variability	
Mean	0.123502	Std Deviation	0.45666
Median	0.000000	Variance	0.20854
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.06758	Pr > t	<.0001
Sign	M	217	Pr >= M	<.0001
Signed Rank	S	47197.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	3	12766
0	16662	3	13179
0	16655	3	13429
0	16654	3	14257
0	16652	3	14363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.0072648	Sum Observations	40
Std Deviation	0.08493135	Variance	0.00721333
Skewness	11.6073564	Kurtosis	132.778953
Uncorrected SS	40	Corrected SS	39.7094079
Coeff Variation	1169.08008	Std Error Mean	0.00114459

Basic Statistical Measures			
Location		Variability	
Mean	0.007265	Std Deviation	0.08493
Median	0.000000	Variance	0.00721
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.347078	Pr > t	<.0001
Sign	M	20	Pr >= M	<.0001
Signed Rank	S	410	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V00XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	1	15526
0	16662	1	15592
0	16655	1	15692
0	16654	1	16498
0	16652	1	16635

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00

The UNIVARIATE Procedure

Variable: V00XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	5506	Sum Weights	5506
Mean	0.00563022	Sum Observations	31
Std Deviation	0.0861166	Variance	0.00741607
Skewness	17.1603095	Kurtosis	326.438135
Uncorrected SS	41	Corrected SS	40.8254631
Coeff Variation	1529.54202	Std Error Mean	0.00116056

Basic Statistical Measures			
Location		Variability	
Mean	0.005630	Std Deviation	0.08612
Median	0.000000	Variance	0.00742
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.851284	Pr > t	<.0001
Sign	M	13	Pr >= M	<.0001
Signed Rank	S	175.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V00XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	16664	2	5641
0	16662	2	7377
0	16655	2	11371
0	16654	2	13429
0	16652	2	16610

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	11100	66.60	99.46
P	58	0.35	0.52
T	2	0.01	0.02
Total	11160	66.96	100.00