

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	5147	Sum Weights	5147
Mean	0.92345055	Sum Observations	4753
Std Deviation	1.12265989	Variance	1.26036524
Skewness	0.84409126	Kurtosis	-0.7652531
Uncorrected SS	10875	Corrected SS	6485.83952
Coeff Variation	121.57228	Std Error Mean	0.01564844

Basic Statistical Measures			
Location		Variability	
Mean	0.923451	Std Deviation	1.12266
Median	0.000000	Variance	1.26037
Mode	0.000000	Range	3.00000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	59.0123	Pr > t	<.0001
Sign	M	1266.5	Pr >= M	<.0001
Signed Rank	S	1604656	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	2
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8482	3	8462
0	8479	3	8465
0	8476	3	8470
0	8473	3	8471
0	8472	3	8477

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3264	38.48	97.84
P	69	0.81	2.07
T	3	0.04	0.09
Total	3336	39.33	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.5361528	Sum Observations	2751
Std Deviation	0.83374769	Variance	0.69513522
Skewness	1.32581976	Kurtosis	0.56526667
Uncorrected SS	5041	Corrected SS	3566.04366
Coeff Variation	155.505613	Std Error Mean	0.01163948

Basic Statistical Measures			
Location		Variability	
Mean	0.536153	Std Deviation	0.83375
Median	0.000000	Variance	0.69514
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	46.06329	Pr > t	<.0001
Sign	M	873.5	Pr >= M	<.0001
Signed Rank	S	763439	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01

The UNIVARIATE Procedure

Variable: V01XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8479	3	8287
0	8476	3	8311
0	8473	3	8321
0	8472	3	8429
0	8471	3	8465

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	5131	Sum Weights	5131
Mean	0.01656597	Sum Observations	85
Std Deviation	0.12765076	Variance	0.01629472
Skewness	7.57727644	Kurtosis	55.4367267
Uncorrected SS	85	Corrected SS	83.5918924
Coeff Variation	770.560043	Std Error Mean	0.00178206

Basic Statistical Measures			
Location		Variability	
Mean	0.016566	Std Deviation	0.12765
Median	0.000000	Variance	0.01629
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.295966	Pr > t	<.0001
Sign	M	42.5	Pr >= M	<.0001
Signed Rank	S	1827.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	7927
0	8482	1	8079
0	8479	1	8325
0	8478	1	8411
0	8477	1	8465

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	8407	Sum Weights	8407
Mean	0.54164387	Sum Observations	4553.6
Std Deviation	0.82799363	Variance	0.68557346
Skewness	1.38078481	Kurtosis	0.86715339
Uncorrected SS	8229.36	Corrected SS	5762.93048
Coeff Variation	152.866797	Std Error Mean	0.00903039

Basic Statistical Measures			
Location		Variability	
Mean	0.541644	Std Deviation	0.82799
Median	0.000000	Variance	0.68557
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	59.98012	Pr > t	<.0001
Sign	M	1503.5	Pr >= M	<.0001
Signed Rank	S	2261264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	2.2
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8481	3	8415
0	8480	3	8429
0	8476	3	8432
0	8475	3	8459
0	8474	3	8465

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	69	0.81	90.79
T	7	0.08	9.21
Total	76	0.90	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	5146	Sum Weights	5146
Mean	0.05654878	Sum Observations	291
Std Deviation	0.23100083	Variance	0.05336138
Skewness	3.84088359	Kurtosis	12.7573448
Uncorrected SS	291	Corrected SS	274.544306
Coeff Variation	408.498366	Std Error Mean	0.00322017

Basic Statistical Measures			
Location		Variability	
Mean	0.056549	Std Deviation	0.23100
Median	0.000000	Variance	0.05336
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.56081	Pr > t	<.0001
Sign	M	145.5	Pr >= M	<.0001
Signed Rank	S	21243	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	8313
0	8482	1	8320
0	8479	1	8366
0	8478	1	8367
0	8477	1	8398

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3265	38.49	97.84	
P	69	0.81	2.07	
T	3	0.04	0.09	
Total	3337	39.34	100.00	

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	5147	Sum Weights	5147
Mean	0.91334758	Sum Observations	4701
Std Deviation	0.86824994	Variance	0.75385795
Skewness	0.86304345	Kurtosis	0.22655725
Uncorrected SS	8173	Corrected SS	3879.35302
Coeff Variation	95.0623787	Std Error Mean	0.01210229

Basic Statistical Measures			
Location		Variability	
Mean	0.913348	Std Deviation	0.86825
Median	1.000000	Variance	0.75386
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	75.46897	Pr > t	<.0001
Sign	M	1677.5	Pr >= M	<.0001
Signed Rank	S	2814845	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	8429
0	8473	3	8458
0	8472	3	8459
0	8469	3	8465
0	8467	3	8477

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3264	38.48	97.84
P	69	0.81	2.07
T	3	0.04	0.09
Total	3336	39.33	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.57162347	Sum Observations	2933
Std Deviation	0.84839355	Variance	0.71977161
Skewness	1.23158403	Kurtosis	0.31927814
Uncorrected SS	5369	Corrected SS	3692.42838
Coeff Variation	148.418251	Std Error Mean	0.01184394

Basic Statistical Measures			
Location		Variability	
Mean	0.571623	Std Deviation	0.84839
Median	0.000000	Variance	0.71977
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	48.26293	Pr > t	<.0001
Sign	M	933	Pr >= M	<.0001
Signed Rank	S	870955.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	8287
0	8479	3	8311
0	8476	3	8321
0	8473	3	8429
0	8472	3	8465

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	5131	Sum Weights	5131
Mean	0.06996687	Sum Observations	359
Std Deviation	0.25663966	Variance	0.06586392
Skewness	3.44163153	Kurtosis	10.2004935
Uncorrected SS	363	Corrected SS	337.881894
Coeff Variation	366.801703	Std Error Mean	0.0035828

Basic Statistical Measures			
Location		Variability	
Mean	0.069967	Std Deviation	0.25664
Median	0.000000	Variance	0.06586
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.52853	Pr > t	<.0001
Sign	M	178.5	Pr >= M	<.0001
Signed Rank	S	31951.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	8432
0	8482	1	8438
0	8479	1	8445
0	8478	2	1204
0	8477	2	7925

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.0126681	Sum Observations	65
Std Deviation	0.12960923	Variance	0.01679855
Skewness	11.9762991	Kurtosis	168.60953
Uncorrected SS	87	Corrected SS	86.1765738
Coeff Variation	1023.11532	Std Error Mean	0.0018094

Basic Statistical Measures			
Location		Variability	
Mean	0.012668	Std Deviation	0.12961
Median	0.000000	Variance	0.01680
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.001263	Pr > t	<.0001
Sign	M	27.5	Pr >= M	<.0001
Signed Rank	S	770	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	2	3277
0	8482	2	3897
0	8479	2	5872
0	8478	2	8465
0	8477	3	4184

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	8407	Sum Weights	8407
Mean	1.30974188	Sum Observations	11011
Std Deviation	1.22845129	Variance	1.50909257
Skewness	0.4158316	Kurtosis	-0.9921841
Uncorrected SS	27107	Corrected SS	12685.4321
Coeff Variation	93.7933883	Std Error Mean	0.01339792

Basic Statistical Measures			
Location		Variability	
Mean	1.309742	Std Deviation	1.22845
Median	1.000000	Variance	1.50909
Mode	0.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	97.7571	Pr > t	<.0001
Sign	M	2630	Pr >= M	<.0001
Signed Rank	S	6918215	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8480	4	8415
0	8475	4	8429
0	8474	4	8432
0	8473	4	8459
0	8469	4	8465

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	69	0.81	90.79
T	7	0.08	9.21
Total	76	0.90	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	5147	Sum Weights	5147
Mean	0.68195065	Sum Observations	3510
Std Deviation	0.96482573	Variance	0.93088869
Skewness	1.27342446	Kurtosis	0.45656198
Uncorrected SS	7184	Corrected SS	4790.35322
Coeff Variation	141.480286	Std Error Mean	0.01344844

Basic Statistical Measures			
Location		Variability	
Mean	0.681951	Std Deviation	0.96483
Median	0.000000	Variance	0.93089
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	50.70855	Pr > t	<.0001
Sign	M	1068.5	Pr >= M	<.0001
Signed Rank	S	1142227	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	8429
0	8482	3	8438
0	8479	3	8458
0	8478	3	8459
0	8477	3	8470

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3264	38.48	97.84
P	69	0.81	2.07
T	3	0.04	0.09
Total	3336	39.33	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.14928864	Sum Observations	766
Std Deviation	0.51708527	Variance	0.26737717
Skewness	3.6681031	Kurtosis	13.112836
Uncorrected SS	1486	Corrected SS	1371.6449
Coeff Variation	346.366124	Std Error Mean	0.00721874

Basic Statistical Measures			
Location		Variability	
Mean	0.149289	Std Deviation	0.51709
Median	0.000000	Variance	0.26738
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.68072	Pr > t	<.0001
Sign	M	228.5	Pr >= M	<.0001
Signed Rank	S	52326.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	6796
0	8482	3	7521
0	8479	3	7889
0	8478	3	8018
0	8477	3	8390

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	5131	Sum Weights	5131
Mean	0.00467745	Sum Observations	24
Std Deviation	0.0682384	Variance	0.00465648
Skewness	14.523074	Kurtosis	209.001145
Uncorrected SS	24	Corrected SS	23.8877412
Coeff Variation	1458.88021	Std Error Mean	0.00095264

Basic Statistical Measures			
Location		Variability	
Mean	0.004677	Std Deviation	0.06824
Median	0.000000	Variance	0.00466
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.909999	Pr > t	<.0001
Sign	M	12	Pr >= M	<.0001
Signed Rank	S	150	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	7474
0	8482	1	7589
0	8479	1	7750
0	8478	1	7863
0	8477	1	8439

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	8407	Sum Weights	8407
Mean	0.15001784	Sum Observations	1261.2
Std Deviation	0.53611843	Variance	0.28742297
Skewness	3.82564105	Kurtosis	14.2709165
Uncorrected SS	2605.28	Corrected SS	2416.0775
Coeff Variation	357.369778	Std Error Mean	0.0058471

Basic Statistical Measures			
Location		Variability	
Mean	0.150018	Std Deviation	0.53612
Median	0.000000	Variance	0.28742
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	25.65681	Pr > t	<.0001
Sign	M	360.5	Pr >= M	<.0001
Signed Rank	S	130140.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	7962
0	8482	3	7970
0	8480	3	8018
0	8479	3	8033
0	8478	3	8390

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	69	0.81	90.79
T	7	0.08	9.21
Total	76	0.90	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	5146	Sum Weights	5146
Mean	0.05849203	Sum Observations	301
Std Deviation	0.23469431	Variance	0.05508142
Skewness	3.76387165	Kurtosis	12.1714601
Uncorrected SS	301	Corrected SS	283.393898
Coeff Variation	401.241499	Std Error Mean	0.00327166

Basic Statistical Measures			
Location		Variability	
Mean	0.058492	Std Deviation	0.23469
Median	0.000000	Variance	0.05508
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.87842	Pr > t	<.0001
Sign	M	150.5	Pr >= M	<.0001
Signed Rank	S	22725.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	8320
0	8482	1	8366
0	8479	1	8367
0	8478	1	8398
0	8477	1	8399

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3265	38.49	97.84
P	69	0.81	2.07
T	3	0.04	0.09
Total	3337	39.34	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	5147	Sum Weights	5147
Mean	0.60481834	Sum Observations	3113
Std Deviation	0.89653222	Variance	0.80377002
Skewness	1.47170183	Kurtosis	1.24380883
Uncorrected SS	6019	Corrected SS	4136.20051
Coeff Variation	148.231652	Std Error Mean	0.01249651

Basic Statistical Measures			
Location		Variability	
Mean	0.604818	Std Deviation	0.89653
Median	0.000000	Variance	0.80377
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	48.39897	Pr > t	<.0001
Sign	M	1019	Pr >= M	<.0001
Signed Rank	S	1038871	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	8380
0	8482	3	8390
0	8479	3	8395
0	8477	3	8415
0	8476	3	8470

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3264	38.48	97.84
P	69	0.81	2.07
T	3	0.04	0.09
Total	3336	39.33	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.14383161	Sum Observations	738
Std Deviation	0.50684443	Variance	0.25689128
Skewness	3.72643301	Kurtosis	13.5553339
Uncorrected SS	1424	Corrected SS	1317.85227
Coeff Variation	352.38737	Std Error Mean	0.00707577

Basic Statistical Measures			
Location		Variability	
Mean	0.143832	Std Deviation	0.50684
Median	0.000000	Variance	0.25689
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.32735	Pr > t	<.0001
Sign	M	220.5	Pr >= M	<.0001
Signed Rank	S	48730.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	3	6796
0	8482	3	7259
0	8479	3	7521
0	8478	3	7627
0	8477	3	8018

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	5131	Sum Weights	5131
Mean	0.01149873	Sum Observations	59
Std Deviation	0.10662424	Variance	0.01136873
Skewness	9.1666166	Kurtosis	82.0588453
Uncorrected SS	59	Corrected SS	58.3215747
Coeff Variation	927.269428	Std Error Mean	0.00148852

Basic Statistical Measures			
Location		Variability	
Mean	0.011499	Std Deviation	0.10662
Median	0.000000	Variance	0.01137
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.724939	Pr > t	<.0001
Sign	M	29.5	Pr >= M	<.0001
Signed Rank	S	885	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	1	7864
0	8482	1	7878
0	8479	1	8394
0	8478	1	8395
0	8477	1	8470

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	5131	Sum Weights	5131
Mean	0.00682128	Sum Observations	35
Std Deviation	0.09749419	Variance	0.00950512
Skewness	17.2556902	Kurtosis	357.194131
Uncorrected SS	49	Corrected SS	48.7612551
Coeff Variation	1429.26489	Std Error Mean	0.00136106

Basic Statistical Measures			
Location		Variability	
Mean	0.006821	Std Deviation	0.09749
Median	0.000000	Variance	0.00951
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.011737	Pr > t	<.0001
Sign	M	14.5	Pr >= M	<.0001
Signed Rank	S	217.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_sq_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	8483	2	2141
0	8482	2	2142
0	8479	2	5825
0	8478	2	6796
0	8477	3	5724

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3280	38.67	97.85
P	69	0.81	2.06
T	3	0.04	0.09
Total	3352	39.51	100.00