

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	4818	Sum Weights	4818
Mean	0.93648817	Sum Observations	4512
Std Deviation	1.12868917	Variance	1.27393925
Skewness	0.82682902	Kurtosis	-0.801312
Uncorrected SS	10362	Corrected SS	6136.56538
Coeff Variation	120.523591	Std Error Mean	0.01626076

Basic Statistical Measures			
Location		Variability	
Mean	0.936488	Std Deviation	1.12869
Median	0.000000	Variance	1.27394
Mode	0.000000	Range	3.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	57.59189	Pr > t	<.0001
Sign	M	1198.5	Pr >= M	<.0001
Signed Rank	S	1437002	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	2
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	7969
0	7983	3	7972
0	7980	3	7977
0	7979	3	7978
0	7976	3	7984

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3072	38.46	96.91	
P	96	1.20	3.03	
T	2	0.03	0.06	
Total	3170	39.68	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.54933389	Sum Observations	2639
Std Deviation	0.84325444	Variance	0.71107805
Skewness	1.29020244	Kurtosis	0.44910019
Uncorrected SS	4865	Corrected SS	3415.30787
Coeff Variation	153.504901	Std Error Mean	0.01216626

Basic Statistical Measures			
Location		Variability	
Mean	0.549334	Std Deviation	0.84325
Median	0.000000	Variance	0.71108
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	45.15224	Pr > t	<.0001
Sign	M	831.5	Pr >= M	<.0001
Signed Rank	S	691808	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	7836
0	7983	3	7846
0	7980	3	7920
0	7979	3	7938
0	7978	3	7972

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	4804	Sum Weights	4804
Mean	0.01998335	Sum Observations	96
Std Deviation	0.13995746	Variance	0.01958809
Skewness	6.86232199	Kurtosis	45.1102432
Uncorrected SS	96	Corrected SS	94.0815987
Coeff Variation	700.370454	Std Error Mean	0.00201927

Basic Statistical Measures			
Location		Variability	
Mean	0.019983	Std Deviation	0.13996
Median	0.000000	Variance	0.01959
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.896319	Pr > t	<.0001
Sign	M	48	Pr >= M	<.0001
Signed Rank	S	2328	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7570
0	7985	1	7632
0	7984	1	7850
0	7983	1	7920
0	7980	1	7972

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	7890	Sum Weights	7890
Mean	0.55964512	Sum Observations	4415.6
Std Deviation	0.85011247	Variance	0.72269122
Skewness	1.36832375	Kurtosis	0.79268286
Uncorrected SS	8172.48	Corrected SS	5701.31101
Coeff Variation	151.902061	Std Error Mean	0.00957057

Basic Statistical Measures			
Location		Variability	
Mean	0.559645	Std Deviation	0.85011
Median	0.000000	Variance	0.72269
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	58.47562	Pr > t	<.0001
Sign	M	1432	Pr >= M	<.0001
Signed Rank	S	2051340	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	2.4
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7988	3	7924
0	7987	3	7938
0	7983	3	7941
0	7982	3	7964
0	7981	3	7972

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	96	1.20	97.96
T	2	0.03	2.04
Total	98	1.23	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	4817	Sum Weights	4817
Mean	0.05522109	Sum Observations	266
Std Deviation	0.22843501	Variance	0.05218256
Skewness	3.89575701	Kurtosis	13.1823958
Uncorrected SS	266	Corrected SS	251.31119
Coeff Variation	413.673483	Std Error Mean	0.00329135

Basic Statistical Measures			
Location		Variability	
Mean	0.055221	Std Deviation	0.22844
Median	0.000000	Variance	0.05218
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.77763	Pr > t	<.0001
Sign	M	133	Pr >= M	<.0001
Signed Rank	S	17755.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7838
0	7985	1	7845
0	7984	1	7887
0	7983	1	7888
0	7980	1	7911

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3073	38.47	96.91	
P	96	1.20	3.03	
T	2	0.03	0.06	
Total	3171	39.70	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4818	Sum Weights	4818
Mean	0.93233707	Sum Observations	4492
Std Deviation	0.87901537	Variance	0.77266803
Skewness	0.85099743	Kurtosis	0.16599479
Uncorrected SS	7910	Corrected SS	3721.94188
Coeff Variation	94.2808564	Std Error Mean	0.01266377

Basic Statistical Measures			
Location		Variability	
Mean	0.932337	Std Deviation	0.87902
Median	1.000000	Variance	0.77267
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	73.62238	Pr > t	<.0001
Sign	M	1587.5	Pr >= M	<.0001
Signed Rank	S	2520950	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7980	3	7941
0	7979	3	7963
0	7976	3	7964
0	7974	3	7972
0	7973	3	7984

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3072	38.46	96.91
P	96	1.20	3.03
T	2	0.03	0.06
Total	3170	39.68	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.58139051	Sum Observations	2793
Std Deviation	0.85743934	Variance	0.73520223
Skewness	1.21260078	Kurtosis	0.25545578
Uncorrected SS	5155	Corrected SS	3531.17631
Coeff Variation	147.480795	Std Error Mean	0.01237092

Basic Statistical Measures			
Location		Variability	
Mean	0.581391	Std Deviation	0.85744
Median	0.000000	Variance	0.73520
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	46.99656	Pr > t	<.0001
Sign	M	880.5	Pr >= M	<.0001
Signed Rank	S	775720.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	7836
0	7983	3	7846
0	7980	3	7920
0	7979	3	7938
0	7978	3	7972

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3086	38.63	96.92	
P	96	1.20	3.02	
T	2	0.03	0.06	
Total	3184	39.86	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	4804	Sum Weights	4804
Mean	0.07119067	Sum Observations	342
Std Deviation	0.25716985	Variance	0.06613633
Skewness	3.33622258	Kurtosis	9.13418365
Uncorrected SS	342	Corrected SS	317.652789
Coeff Variation	361.240917	Std Error Mean	0.00371038

Basic Statistical Measures			
Location		Variability	
Mean	0.071191	Std Deviation	0.25717
Median	0.000000	Variance	0.06614
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.18689	Pr > t	<.0001
Sign	M	171	Pr >= M	<.0001
Signed Rank	S	29326.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7922
0	7985	1	7923
0	7984	1	7926
0	7983	1	7941
0	7980	1	7952

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.01269775	Sum Observations	61
Std Deviation	0.12431401	Variance	0.01545397
Skewness	11.5101199	Kurtosis	162.438387
Uncorrected SS	75	Corrected SS	74.2254371
Coeff Variation	979.023806	Std Error Mean	0.00179357

Basic Statistical Measures			
Location		Variability	
Mean	0.012698	Std Deviation	0.12431
Median	0.000000	Variance	0.01545
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.079592	Pr > t	<.0001
Sign	M	27.5	Pr >= M	<.0001
Signed Rank	S	770	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	2	617
0	7985	2	1538
0	7984	2	1816
0	7983	2	7972
0	7980	3	3960

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	7891	Sum Weights	7891
Mean	1.33062983	Sum Observations	10500
Std Deviation	1.23952579	Variance	1.53642418
Skewness	0.40871012	Kurtosis	-0.9965295
Uncorrected SS	26094	Corrected SS	12122.3868
Coeff Variation	93.1533142	Std Error Mean	0.01395371

Basic Statistical Measures			
Location		Variability	
Mean	1.330630	Std Deviation	1.23953
Median	1.000000	Variance	1.53642
Mode	0.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	95.36032	Pr > t	<.0001
Sign	M	2488	Pr >= M	<.0001
Signed Rank	S	6191388	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7987	4	7924
0	7982	4	7938
0	7981	4	7941
0	7980	4	7964
0	7976	4	7972

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	96	1.20	98.97
T	1	0.01	1.03
Total	97	1.21	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	4817	Sum Weights	4817
Mean	0.68839527	Sum Observations	3316
Std Deviation	0.96591423	Variance	0.9329903
Skewness	1.25742766	Kurtosis	0.41760692
Uncorrected SS	6776	Corrected SS	4493.2813
Coeff Variation	140.313898	Std Error Mean	0.01391715

Basic Statistical Measures			
Location		Variability	
Mean	0.688395	Std Deviation	0.96591
Median	0.000000	Variance	0.93299
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	49.46382	Pr > t	<.0001
Sign	M	1010.5	Pr >= M	<.0001
Signed Rank	S	1021616	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	7938
0	7985	3	7947
0	7984	3	7963
0	7983	3	7964
0	7980	3	7977

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3072	38.46	96.88	
P	97	1.21	3.06	
T	2	0.03	0.06	
Total	3171	39.70	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.15986678	Sum Observations	768
Std Deviation	0.5350941	Variance	0.2863257
Skewness	3.47325925	Kurtosis	11.4570491
Uncorrected SS	1498	Corrected SS	1375.22231
Coeff Variation	334.712507	Std Error Mean	0.0077202

Basic Statistical Measures			
Location		Variability	
Mean	0.159867	Std Deviation	0.53509
Median	0.000000	Variance	0.28633
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.70759	Pr > t	<.0001
Sign	M	224.5	Pr >= M	<.0001
Signed Rank	S	50512.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	6417
0	7985	3	6509
0	7984	3	6898
0	7983	3	7112
0	7980	3	7577

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	4804	Sum Weights	4804
Mean	0.00582848	Sum Observations	28
Std Deviation	0.07612957	Variance	0.00579571
Skewness	12.9877874	Kurtosis	166.752045
Uncorrected SS	28	Corrected SS	27.8368027
Coeff Variation	1306.16592	Std Error Mean	0.00109838

Basic Statistical Measures			
Location		Variability	
Mean	0.005828	Std Deviation	0.07613
Median	0.000000	Variance	0.00580
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.306439	Pr > t	<.0001
Sign	M	14	Pr >= M	<.0001
Signed Rank	S	203	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7067
0	7985	1	7176
0	7984	1	7327
0	7983	1	7440
0	7980	1	7948

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	7890	Sum Weights	7890
Mean	0.15505703	Sum Observations	1223.4
Std Deviation	0.54697722	Variance	0.29918408
Skewness	3.75976754	Kurtosis	13.6895481
Uncorrected SS	2549.96	Corrected SS	2360.26322
Coeff Variation	352.758729	Std Error Mean	0.00615787

Basic Statistical Measures			
Location		Variability	
Mean	0.155057	Std Deviation	0.54698
Median	0.000000	Variance	0.29918
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	25.18029	Pr > t	<.0001
Sign	M	346	Pr >= M	<.0001
Signed Rank	S	119889	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	1.4
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7987	3	7208
0	7986	3	7327
0	7985	3	7406
0	7984	3	7533
0	7983	3	7577

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	96	1.20	97.96
T	2	0.03	2.04
Total	98	1.23	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	4817	Sum Weights	4817
Mean	0.05646668	Sum Observations	272
Std Deviation	0.23084466	Variance	0.05328926
Skewness	3.84429554	Kurtosis	12.7839159
Uncorrected SS	272	Corrected SS	256.641063
Coeff Variation	408.815709	Std Error Mean	0.00332607

Basic Statistical Measures			
Location		Variability	
Mean	0.056467	Std Deviation	0.23084
Median	0.000000	Variance	0.05329
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.97699	Pr > t	<.0001
Sign	M	136	Pr >= M	<.0001
Signed Rank	S	18564	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7845
0	7985	1	7887
0	7984	1	7888
0	7983	1	7911
0	7980	1	7912

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3073	38.47	96.91
P	96	1.20	3.03
T	2	0.03	0.06
Total	3171	39.70	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4818	Sum Weights	4818
Mean	0.62806144	Sum Observations	3026
Std Deviation	0.9222962	Variance	0.85063029
Skewness	1.44008006	Kurtosis	1.07386182
Uncorrected SS	5998	Corrected SS	4097.48609
Coeff Variation	146.848087	Std Error Mean	0.01328731

Basic Statistical Measures			
Location		Variability	
Mean	0.628061	Std Deviation	0.92230
Median	0.000000	Variance	0.85063
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	47.26777	Pr > t	<.0001
Sign	M	971	Pr >= M	<.0001
Signed Rank	S	943326.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	7908
0	7984	3	7924
0	7983	3	7938
0	7980	3	7963
0	7979	3	7977

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3072	38.46	96.91	
P	96	1.20	3.03	
T	2	0.03	0.06	
Total	3170	39.68	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.15070774	Sum Observations	724
Std Deviation	0.51762353	Variance	0.26793412
Skewness	3.57698957	Kurtosis	12.2560219
Uncorrected SS	1396	Corrected SS	1286.88759
Coeff Variation	343.461804	Std Error Mean	0.00746814

Basic Statistical Measures			
Location		Variability	
Mean	0.150708	Std Deviation	0.51762
Median	0.000000	Variance	0.26793
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.18009	Pr > t	<.0001
Sign	M	214	Pr >= M	<.0001
Signed Rank	S	45903	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	3	6307
0	7985	3	6417
0	7984	3	6509
0	7983	3	6858
0	7980	3	7504

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	3086	38.63	96.92	
P	96	1.20	3.02	
T	2	0.03	0.06	
Total	3184	39.86	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	4804	Sum Weights	4804
Mean	0.01373855	Sum Observations	66
Std Deviation	0.11641574	Variance	0.01355262
Skewness	8.3573574	Kurtosis	67.8736797
Uncorrected SS	66	Corrected SS	65.0932556
Coeff Variation	847.365478	Std Error Mean	0.00167962

Basic Statistical Measures			
Location		Variability	
Mean	0.013739	Std Deviation	0.11642
Median	0.000000	Variance	0.01355
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.179575	Pr > t	<.0001
Sign	M	33	Pr >= M	<.0001
Signed Rank	S	1105.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	7457
0	7985	1	7504
0	7984	1	7907
0	7983	1	7908
0	7980	1	7977

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4804	Sum Weights	4804
Mean	0.005204	Sum Observations	25
Std Deviation	0.0801699	Variance	0.00642721
Skewness	17.1870294	Kurtosis	330.617624
Uncorrected SS	31	Corrected SS	30.8699001
Coeff Variation	1540.54472	Std Error Mean	0.00115667

Basic Statistical Measures			
Location		Variability	
Mean	0.005204	Std Deviation	0.08017
Median	0.000000	Variance	0.00643
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.499116	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_sq_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7986	1	6898
0	7985	1	7977
0	7984	2	5435
0	7983	2	5531
0	7980	2	6417

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3086	38.63	96.92
P	96	1.20	3.02
T	2	0.03	0.06
Total	3184	39.86	100.00