

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	4635	Sum Weights	4635
Mean	0.94649407	Sum Observations	4387
Std Deviation	1.13110479	Variance	1.27939804
Skewness	0.80773957	Kurtosis	-0.83454
Uncorrected SS	10081	Corrected SS	5928.73053
Coeff Variation	119.504689	Std Error Mean	0.01661414

Basic Statistical Measures			
Location		Variability	
Mean	0.946494	Std Deviation	1.13110
Median	1.000000	Variance	1.27940
Mode	0.000000	Range	3.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	56.96917	Pr > t	<.0001
Sign	M	1162.5	Pr >= M	<.0001
Signed Rank	S	1351988	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7842	3	7822
0	7839	3	7825
0	7836	3	7830
0	7833	3	7831
0	7832	3	7837

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3074	39.19	95.82
P	134	1.71	4.18
Total	3208	40.90	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.54811072	Sum Observations	2495
Std Deviation	0.83925129	Variance	0.70434273
Skewness	1.29512151	Kurtosis	0.4843003
Uncorrected SS	4573	Corrected SS	3205.46375
Coeff Variation	153.117109	Std Error Mean	0.01243916

Basic Statistical Measures			
Location		Variability	
Mean	0.548111	Std Deviation	0.83925
Median	0.000000	Variance	0.70434
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	44.06334	Pr > t	<.0001
Sign	M	792.5	Pr >= M	<.0001
Signed Rank	S	628452.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7839	3	7596
0	7836	3	7642
0	7833	3	7688
0	7832	3	7789
0	7831	3	7825

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	4552	Sum Weights	4552
Mean	0.02065026	Sum Observations	94
Std Deviation	0.14222614	Variance	0.02022827
Skewness	6.74363306	Kurtosis	43.4956972
Uncorrected SS	94	Corrected SS	92.0588752
Coeff Variation	688.737634	Std Error Mean	0.00210804

Basic Statistical Measures			
Location		Variability	
Mean	0.020650	Std Deviation	0.14223
Median	0.000000	Variance	0.02023
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.795967	Pr > t	<.0001
Sign	M	47	Pr >= M	<.0001
Signed Rank	S	2232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05

The UNIVARIATE Procedure

Variable: V05XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7482
0	7842	1	7620
0	7839	1	7702
0	7838	1	7771
0	7837	1	7825

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: v05XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	7708	Sum Weights	7708
Mean	0.56299948	Sum Observations	4339.6
Std Deviation	0.86242192	Variance	0.74377157
Skewness	1.37743019	Kurtosis	0.78198209
Uncorrected SS	8175.44	Corrected SS	5732.24745
Coeff Variation	153.18343	Std Error Mean	0.00982311

Basic Statistical Measures			
Location		Variability	
Mean	0.562999	Std Deviation	0.86242
Median	0.000000	Variance	0.74377
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	57.31378	Pr > t	<.0001
Sign	M	1384.5	Pr >= M	<.0001
Signed Rank	S	1917533	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	2.4
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: v05XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7841	3	7775
0	7840	3	7789
0	7836	3	7792
0	7835	3	7817
0	7834	3	7825

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	1.71	99.26
T	1	0.01	0.74
Total	135	1.72	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	4634	Sum Weights	4634
Mean	0.05934398	Sum Observations	275
Std Deviation	0.23629287	Variance	0.05583432
Skewness	3.73135497	Kurtosis	11.9281578
Uncorrected SS	275	Corrected SS	258.680406
Coeff Variation	398.174967	Std Error Mean	0.00347114

Basic Statistical Measures			
Location		Variability	
Mean	0.059344	Std Deviation	0.23629
Median	0.000000	Variance	0.05583
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.09638	Pr > t	<.0001
Sign	M	137.5	Pr >= M	<.0001
Signed Rank	S	18975	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7697
0	7842	1	7737
0	7839	1	7738
0	7838	1	7764
0	7837	1	7765

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3075	39.21	95.82
P	134	1.71	4.18
Total	3209	40.92	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4635	Sum Weights	4635
Mean	0.94670982	Sum Observations	4388
Std Deviation	0.89474528	Variance	0.80056912
Skewness	0.83871497	Kurtosis	0.07442498
Uncorrected SS	7864	Corrected SS	3709.83732
Coeff Variation	94.5110391	Std Error Mean	0.0131424

Basic Statistical Measures			
Location		Variability	
Mean	0.946710	Std Deviation	0.89475
Median	1.000000	Variance	0.80057
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	72.0348	Pr > t	<.0001
Sign	M	1528	Pr >= M	<.0001
Signed Rank	S	2335548	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	7792
0	7833	3	7816
0	7832	3	7817
0	7829	3	7825
0	7827	3	7837

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3074	39.19	95.82
P	134	1.71	4.18
Total	3208	40.90	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.58391916	Sum Observations	2658
Std Deviation	0.86127953	Variance	0.74180244
Skewness	1.23518752	Kurtosis	0.34853683
Uncorrected SS	4928	Corrected SS	3375.94288
Coeff Variation	147.499791	Std Error Mean	0.01276565

Basic Statistical Measures			
Location		Variability	
Mean	0.583919	Std Deviation	0.86128
Median	0.000000	Variance	0.74180
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	45.74143	Pr > t	<.0001
Sign	M	840	Pr >= M	<.0001
Signed Rank	S	706020	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	7606
0	7839	3	7642
0	7836	3	7688
0	7833	3	7789
0	7832	3	7825

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	4552	Sum Weights	4552
Mean	0.07535149	Sum Observations	343
Std Deviation	0.26398666	Variance	0.06968896
Skewness	3.21861088	Kurtosis	8.36313027
Uncorrected SS	343	Corrected SS	317.154438
Coeff Variation	350.340312	Std Error Mean	0.00391274

Basic Statistical Measures			
Location		Variability	
Mean	0.075351	Std Deviation	0.26399
Median	0.000000	Variance	0.06969
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.25799	Pr > t	<.0001
Sign	M	171.5	Pr >= M	<.0001
Signed Rank	S	29498	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7773
0	7842	1	7774
0	7839	1	7777
0	7838	1	7792
0	7837	1	7803

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.01515817	Sum Observations	69
Std Deviation	0.13901914	Variance	0.01932632
Skewness	10.7171688	Kurtosis	136.57039
Uncorrected SS	89	Corrected SS	87.9540861
Coeff Variation	917.123359	Std Error Mean	0.0020605

Basic Statistical Measures			
Location		Variability	
Mean	0.015158	Std Deviation	0.13902
Median	0.000000	Variance	0.01933
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.356536	Pr > t	<.0001
Sign	M	30	Pr >= M	<.0001
Signed Rank	S	915	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	2	1966
0	7842	2	3072
0	7839	2	5471
0	7838	2	7825
0	7837	3	3923

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: v05XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	7708	Sum Weights	7708
Mean	1.33212247	Sum Observations	10268
Std Deviation	1.24883579	Variance	1.55959082
Skewness	0.4168448	Kurtosis	-1.0009491
Uncorrected SS	25698	Corrected SS	12019.7665
Coeff Variation	93.7478209	Std Error Mean	0.01422442

Basic Statistical Measures			
Location		Variability	
Mean	1.332122	Std Deviation	1.24884
Median	1.000000	Variance	1.55959
Mode	0.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	93.65041	Pr > t	<.0001
Sign	M	2417.5	Pr >= M	<.0001
Signed Rank	S	5845515	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: v05XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7840	4	7789
0	7835	4	7792
0	7834	4	7817
0	7833	4	7825
0	7829	4	7830

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	134	1.71	99.26
T	1	0.01	0.74
Total	135	1.72	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	4635	Sum Weights	4635
Mean	0.68414239	Sum Observations	3171
Std Deviation	0.96681945	Variance	0.93473985
Skewness	1.26480699	Kurtosis	0.42571204
Uncorrected SS	6501	Corrected SS	4331.58447
Coeff Variation	141.318453	Std Error Mean	0.01420105

Basic Statistical Measures			
Location		Variability	
Mean	0.684142	Std Deviation	0.96682
Median	0.000000	Variance	0.93474
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	48.17547	Pr > t	<.0001
Sign	M	962	Pr >= M	<.0001
Signed Rank	S	925925	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	7789
0	7842	3	7798
0	7839	3	7816
0	7838	3	7817
0	7837	3	7830

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3074	39.19	95.82
P	134	1.71	4.18
Total	3208	40.90	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.15289982	Sum Observations	696
Std Deviation	0.5210535	Variance	0.27149675
Skewness	3.56937356	Kurtosis	12.2611625
Uncorrected SS	1342	Corrected SS	1235.58172
Coeff Variation	340.780969	Std Error Mean	0.00772291

Basic Statistical Measures			
Location		Variability	
Mean	0.152900	Std Deviation	0.52105
Median	0.000000	Variance	0.27150
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.7982	Pr > t	<.0001
Sign	M	207	Pr >= M	<.0001
Signed Rank	S	42952.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	6984
0	7842	3	7017
0	7839	3	7382
0	7838	3	7427
0	7837	3	7442

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	4552	Sum Weights	4552
Mean	0.00593146	Sum Observations	27
Std Deviation	0.07679565	Variance	0.00589757
Skewness	12.8727527	Kurtosis	163.779721
Uncorrected SS	27	Corrected SS	26.8398506
Coeff Variation	1294.7178	Std Error Mean	0.00113824

Basic Statistical Measures			
Location		Variability	
Mean	0.005931	Std Deviation	0.07680
Median	0.000000	Variance	0.00590
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.211059	Pr > t	<.0001
Sign	M	13.5	Pr >= M	<.0001
Signed Rank	S	189	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	6436
0	7842	1	6851
0	7839	1	6937
0	7838	1	7055
0	7837	1	7799

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: v05XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	7708	Sum Weights	7708
Mean	0.15570835	Sum Observations	1200.2
Std Deviation	0.55240475	Variance	0.30515101
Skewness	3.7730394	Kurtosis	13.7177301
Uncorrected SS	2538.68	Corrected SS	2351.79883
Coeff Variation	354.768857	Std Error Mean	0.00629197

Basic Statistical Measures			
Location		Variability	
Mean	0.155708	Std Deviation	0.55240
Median	0.000000	Variance	0.30515
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	24.74716	Pr > t	<.0001
Sign	M	335	Pr >= M	<.0001
Signed Rank	S	112392.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	3.0
95%	1.4
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: v05XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	7382
0	7842	3	7386
0	7840	3	7427
0	7839	3	7442
0	7838	3	7830

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	134	1.71	99.26
T	1	0.01	0.74
Total	135	1.72	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	4634	Sum Weights	4634
Mean	0.06020716	Sum Observations	279
Std Deviation	0.23789593	Variance	0.05659447
Skewness	3.69895125	Kurtosis	11.6872843
Uncorrected SS	279	Corrected SS	262.202201
Coeff Variation	395.128943	Std Error Mean	0.00349469

Basic Statistical Measures			
Location		Variability	
Mean	0.060207	Std Deviation	0.23790
Median	0.000000	Variance	0.05659
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.22817	Pr > t	<.0001
Sign	M	139.5	Pr >= M	<.0001
Signed Rank	S	19530	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7697
0	7842	1	7737
0	7839	1	7738
0	7838	1	7764
0	7837	1	7765

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3075	39.21	95.82
P	134	1.71	4.18
Total	3209	40.92	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4635	Sum Weights	4635
Mean	0.6425027	Sum Observations	2978
Std Deviation	0.93378386	Variance	0.8719523
Skewness	1.40697071	Kurtosis	0.94351993
Uncorrected SS	5954	Corrected SS	4040.62697
Coeff Variation	145.3354	Std Error Mean	0.01371581

Basic Statistical Measures			
Location		Variability	
Mean	0.642503	Std Deviation	0.93378
Median	0.000000	Variance	0.87195
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	46.84394	Pr > t	<.0001
Sign	M	946.5	Pr >= M	<.0001
Signed Rank	S	896335.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	7775
0	7842	3	7788
0	7839	3	7789
0	7837	3	7816
0	7836	3	7830

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3074	39.19	95.82
P	134	1.71	4.18
Total	3208	40.90	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.14762742	Sum Observations	672
Std Deviation	0.50980162	Variance	0.25989769
Skewness	3.5961905	Kurtosis	12.4026634
Uncorrected SS	1282	Corrected SS	1182.79438
Coeff Variation	345.329904	Std Error Mean	0.00755614

Basic Statistical Measures			
Location		Variability	
Mean	0.147627	Std Deviation	0.50980
Median	0.000000	Variance	0.25990
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.53741	Pr > t	<.0001
Sign	M	200.5	Pr >= M	<.0001
Signed Rank	S	40300.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	3	5974
0	7842	3	6324
0	7839	3	6707
0	7838	3	7017
0	7837	3	7382

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	4552	Sum Weights	4552
Mean	0.01318102	Sum Observations	60
Std Deviation	0.11406199	Variance	0.01301014
Skewness	8.53979412	Kurtosis	70.9592605
Uncorrected SS	60	Corrected SS	59.2091388
Coeff Variation	865.350318	Std Error Mean	0.0016906

Basic Statistical Measures			
Location		Variability	
Mean	0.013181	Std Deviation	0.11406
Median	0.000000	Variance	0.01301
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.79667	Pr > t	<.0001
Sign	M	30	Pr >= M	<.0001
Signed Rank	S	915	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7297
0	7842	1	7314
0	7839	1	7760
0	7838	1	7761
0	7837	1	7830

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4552	Sum Weights	4552
Mean	0.00659051	Sum Observations	30
Std Deviation	0.09113928	Variance	0.00830637
Skewness	15.4631268	Kurtosis	266.736856
Uncorrected SS	38	Corrected SS	37.8022847
Coeff Variation	1382.88672	Std Error Mean	0.00135084

Basic Statistical Measures			
Location		Variability	
Mean	0.006591	Std Deviation	0.09114
Median	0.000000	Variance	0.00831
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.878817	Pr > t	<.0001
Sign	M	13	Pr >= M	<.0001
Signed Rank	S	175.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.7 03/04/2016: Freqs/Univs for kxr_sq_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7843	1	7830
0	7842	2	3433
0	7839	2	5334
0	7838	2	5428
0	7837	2	6324

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3157	40.25	95.93
P	134	1.71	4.07
Total	3291	41.96	100.00