

The FREQ Procedure

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	7176	49.82	7176	49.82
2: Left	7229	50.18	14405	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	7176	49.82	7176	49.82
37	3637	25.25	10813	75.06
43	3592	24.94	14405	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V06XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6755	46.89	6755	46.89
.M: Missing	108	0.75	6863	47.64
.P: Prosthetic	157	1.09	7020	48.73
0: 0	4311	29.93	11331	78.66
1: 1	1586	11.01	12917	89.67
2: 2	663	4.60	13580	94.27
3: 3	825	5.73	14405	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment

V06XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook	1	0.01	1	0.01
.A: Not Expected	9982	69.30	9983	69.30
.P: Prosthetic	157	1.09	10140	70.39
0: 0	2785	19.33	12925	89.73
1: 1	739	5.13	13664	94.86
2: 2	631	4.38	14295	99.24
3: 3	110	0.76	14405	100.00

The FREQ Procedure

BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment

	V06XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		9982	69.30	9983	69.30
.P: Prosthetic		157	1.09	10140	70.39
0: 0		4176	28.99	14316	99.38
1: 1		89	0.62	14405	100.00

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) medial compartment

	V06XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P		172	1.19	172	1.19
T		5	0.03	177	1.23
0		10165	70.57	10342	71.79
1		2544	17.66	12886	89.46
1.2		43	0.30	12929	89.75
1.4		20	0.14	12949	89.89
1.6		4	0.03	12953	89.92
2		864	6.00	13817	95.92
2.2		109	0.76	13926	96.67
2.4		100	0.69	14026	97.37
2.6		47	0.33	14073	97.70
2.8		42	0.29	14115	97.99
3		290	2.01	14405	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment

	V06XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		6755	46.89	6756	46.90
.M: Missing		108	0.75	6864	47.65
.P: Prosthetic		157	1.09	7021	48.74
0: 0		7008	48.65	14029	97.39
1: 1		376	2.61	14405	100.00

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia medial compartment

V06XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6755	46.89	6755	46.89
.M: Missing	108	0.75	6863	47.64
.P: Prosthetic	157	1.09	7020	48.73
0: 0	3097	21.50	10117	70.23
1: 1	3185	22.11	13302	92.34
2: 2	653	4.53	13955	96.88
3: 3	450	3.12	14405	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment

V06XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook	1	0.01	1	0.01
.A: Not Expected	9982	69.30	9983	69.30
.P: Prosthetic	157	1.09	10140	70.39
0: 0	2698	18.73	12838	89.12
1: 1	793	5.51	13631	94.63
2: 2	635	4.41	14266	99.04
3: 3	139	0.96	14405	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment

V06XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook	1	0.01	1	0.01
.A: Not Expected	9982	69.30	9983	69.30
.P: Prosthetic	157	1.09	10140	70.39
0: 0	3938	27.34	14078	97.73
1: 1	327	2.27	14405	100.00

The FREQ Procedure

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment

	V06XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		9982	69.30	9983	69.30
.P: Prosthetic		157	1.09	10140	70.39
0: 0		4211	29.23	14351	99.63
1: 1		47	0.33	14398	99.95
2: 2		7	0.05	14405	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)

	V06XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.P: Prosthetic		172	1.19	172	1.19
.T: Technical Problems		5	0.03	177	1.23
0: 0		6494	45.08	6671	46.31
1: 1		2924	20.30	9595	66.61
2: 2		2915	20.24	12510	86.84
3: 3		1475	10.24	13985	97.08
4: 4		420	2.92	14405	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur lateral compartment

	V06XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected		6755	46.89	6755	46.89
.M: Missing		108	0.75	6863	47.64
.P: Prosthetic		157	1.09	7020	48.73
0: 0		4905	34.05	11925	82.78
1: 1		1540	10.69	13465	93.47
2: 2		516	3.58	13981	97.06
3: 3		424	2.94	14405	100.00

The FREQ Procedure

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V06XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook	1	0.01	1	0.01
.A: Not Expected	9982	69.30	9983	69.30
.P: Prosthetic	157	1.09	10140	70.39
0: 0	3855	26.76	13995	97.15
1: 1	176	1.22	14171	98.38
2: 2	186	1.29	14357	99.67
3: 3	48	0.33	14405	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V06XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook	1	0.01	1	0.01
.A: Not Expected	9982	69.30	9983	69.30
.P: Prosthetic	157	1.09	10140	70.39
0: 0	4238	29.42	14378	99.81
1: 1	27	0.19	14405	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V06XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	172	1.19	172	1.19
T	5	0.03	177	1.23
0	13271	92.13	13448	93.36
0.6	2	0.01	13450	93.37
1	437	3.03	13887	96.40
1.2	16	0.11	13903	96.52
1.4	12	0.08	13915	96.60
1.6	7	0.05	13922	96.65
2	234	1.62	14156	98.27
2.2	31	0.22	14187	98.49
2.4	34	0.24	14221	98.72
2.6	28	0.19	14249	98.92

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V06XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8	20	0.14	14269	99.06
3	136	0.94	14405	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment					
	V06XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
∴ Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		6755	46.89	6756	46.90
.M: Missing		108	0.75	6864	47.65
.P: Prosthetic		157	1.09	7021	48.74
0: 0		6995	48.56	14016	97.30
1: 1		389	2.70	14405	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment				
V06XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6754	46.89	6754	46.89
.M: Missing	108	0.75	6862	47.64
.P: Prosthetic	157	1.09	7019	48.73
0: 0	4925	34.19	11944	82.92
1: 1	1677	11.64	13621	94.56
2: 2	342	2.37	13963	96.93
3: 3	442	3.07	14405	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment					
	V06XRSCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
∴ Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		9982	69.30	9983	69.30
.P: Prosthetic		157	1.09	10140	70.39
0: 0		3879	26.93	14019	97.32

The FREQ Procedure

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment

	V06XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
	1: 1	151	1.05	14170	98.37
	2: 2	197	1.37	14367	99.74
	3: 3	38	0.26	14405	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment

	V06XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		9982	69.30	9983	69.30
.P: Prosthetic		157	1.09	10140	70.39
0: 0		4205	29.19	14345	99.58
1: 1		60	0.42	14405	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment

	V06XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.: Missing Form/Incomplete Workbook		1	0.01	1	0.01
.A: Not Expected		9982	69.30	9983	69.30
.P: Prosthetic		157	1.09	10140	70.39
0: 0		4242	29.45	14382	99.84
1: 1		20	0.14	14402	99.98
2: 2		2	0.01	14404	99.99
3: 3		1	0.01	14405	100.00

The UNIVARIATE Procedure

Variable: V06XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	7385	Sum Weights	7385
Mean	0.72945159	Sum Observations	5387
Std Deviation	1.02338874	Variance	1.04732452
Skewness	1.18489011	Kurtosis	0.07355765
Uncorrected SS	11663	Corrected SS	7733.44428
Coeff Variation	140.295635	Std Error Mean	0.01190873

Basic Statistical Measures			
Location		Variability	
Mean	0.729452	Std Deviation	1.02339
Median	0.000000	Variance	1.04732
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	61.25353	Pr > t	<.0001
Sign	M	1537	Pr >= M	<.0001
Signed Rank	S	2363138	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14402	3	14366
0	14401	3	14376
0	14400	3	14377
0	14399	3	14393
0	14392	3	14394

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	6755	46.89	96.23
M	108	0.75	1.54
P	157	1.09	2.24
Total	7020	48.73	100.00

The UNIVARIATE Procedure

Variable: V06XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.54654162	Sum Observations	2331
Std Deviation	0.83584835	Variance	0.69864247
Skewness	1.27620031	Kurtosis	0.40518557
Uncorrected SS	4253	Corrected SS	2979.01149
Coeff Variation	152.934072	Std Error Mean	0.01279876

Basic Statistical Measures			
Location		Variability	
Mean	0.546542	Std Deviation	0.83585
Median	0.000000	Variance	0.69864
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	42.70269	Pr > t	<.0001
Sign	M	740	Pr >= M	<.0001
Signed Rank	S	547970	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14390	3	13846
0	14381	3	13975
0	14378	3	14054
0	14377	3	14300
0	14376	3	14365

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.02086753	Sum Observations	89
Std Deviation	0.14295756	Variance	0.02043686
Skewness	6.70628757	Kurtosis	42.9944543
Uncorrected SS	89	Corrected SS	87.1427902
Coeff Variation	685.071911	Std Error Mean	0.00218901

Basic Statistical Measures			
Location		Variability	
Mean	0.020868	Std Deviation	0.14296
Median	0.000000	Variance	0.02044
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.532863	Pr > t	<.0001
Sign	M	44.5	Pr >= M	<.0001
Signed Rank	S	2002.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V06XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	1	13704
0	14401	1	13943
0	14393	1	14018
0	14390	1	14159
0	14381	1	14365

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	14228	Sum Weights	14228
Mean	0.4180208	Sum Observations	5947.6
Std Deviation	0.74920353	Variance	0.56130593
Skewness	1.78346171	Kurtosis	2.35689047
Uncorrected SS	10471.92	Corrected SS	7985.69947
Coeff Variation	179.226374	Std Error Mean	0.00628099

Basic Statistical Measures			
Location		Variability	
Mean	0.418021	Std Deviation	0.74920
Median	0.000000	Variance	0.56131
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	66.55336	Pr > t	<.0001
Sign	M	2031.5	Pr >= M	<.0001
Signed Rank	S	4128008	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14400	3	14299
0	14399	3	14305
0	14398	3	14353
0	14397	3	14365
0	14396	3	14366

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	172	1.19	97.18
T	5	0.03	2.82
Total	177	1.23	100.00

The UNIVARIATE Procedure

Variable: V06XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	7384	Sum Weights	7384
Mean	0.05092091	Sum Observations	376
Std Deviation	0.21985112	Variance	0.04833452
Skewness	4.08640857	Kurtosis	14.7027172
Uncorrected SS	376	Corrected SS	356.853738
Coeff Variation	431.750187	Std Error Mean	0.00255848

Basic Statistical Measures			
Location		Variability	
Mean	0.050921	Std Deviation	0.21985
Median	0.000000	Variance	0.04833
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.90276	Pr > t	<.0001
Sign	M	188	Pr >= M	<.0001
Signed Rank	S	35438	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	1	14217
0	14404	1	14259
0	14403	1	14260
0	14402	1	14261
0	14401	1	14262

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	6755	46.89	96.21
M	108	0.75	1.54
P	157	1.09	2.24
Total	7021	48.74	100.00

The UNIVARIATE Procedure

Variable: V06XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	7385	Sum Weights	7385
Mean	0.79092756	Sum Observations	5841
Std Deviation	0.84137265	Variance	0.70790793
Skewness	1.0239378	Kurtosis	0.60405239
Uncorrected SS	9847	Corrected SS	5227.19215
Coeff Variation	106.377966	Std Error Mean	0.00979069

Basic Statistical Measures			
Location		Variability	
Mean	0.790928	Std Deviation	0.84137
Median	1.000000	Variance	0.70791
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	80.78367	Pr > t	<.0001
Sign	M	2144	Pr >= M	<.0001
Signed Rank	S	4597808	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	3	14353
0	14404	3	14365
0	14403	3	14366
0	14400	3	14393
0	14399	3	14394

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	6755	46.89	96.23
M	108	0.75	1.54
P	157	1.09	2.24
Total	7020	48.73	100.00

The UNIVARIATE Procedure

Variable: V06XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.58147714	Sum Observations	2480
Std Deviation	0.85840081	Variance	0.73685195
Skewness	1.22657808	Kurtosis	0.31101967
Uncorrected SS	4584	Corrected SS	3141.93669
Coeff Variation	147.624171	Std Error Mean	0.01314409

Basic Statistical Measures			
Location		Variability	
Mean	0.581477	Std Deviation	0.85840
Median	0.000000	Variance	0.73685
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	44.23867	Pr > t	<.0001
Sign	M	783.5	Pr >= M	<.0001
Signed Rank	S	614264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	3	13995
0	14390	3	14018
0	14381	3	14054
0	14378	3	14300
0	14377	3	14365

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.07667057	Sum Observations	327
Std Deviation	0.26609923	Variance	0.0708088
Skewness	3.18323381	Kurtosis	8.1367929
Uncorrected SS	327	Corrected SS	301.928722
Coeff Variation	347.068261	Std Error Mean	0.00407459

Basic Statistical Measures			
Location		Variability	
Mean	0.076671	Std Deviation	0.26610
Median	0.000000	Variance	0.07081
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	18.81675	Pr > t	<.0001
Sign	M	163.5	Pr >= M	<.0001
Signed Rank	S	26814	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V06XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	1	14275
0	14401	1	14277
0	14393	1	14281
0	14390	1	14305
0	14381	1	14323

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.01430246	Sum Observations	61
Std Deviation	0.13185033	Variance	0.01738451
Skewness	10.2165299	Kurtosis	116.046591
Uncorrected SS	75	Corrected SS	74.1275498
Coeff Variation	921.871577	Std Error Mean	0.00201893

Basic Statistical Measures			
Location		Variability	
Mean	0.014302	Std Deviation	0.13185
Median	0.000000	Variance	0.01738
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.084172	Pr > t	<.0001
Sign	M	27	Pr >= M	<.0001
Signed Rank	S	742.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	2	3567
0	14401	2	3640
0	14393	2	7317
0	14390	2	10044
0	14381	2	14365

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure**Variable: V06XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	14228	Sum Weights	14228
Mean	1.04434917	Sum Observations	14859
Std Deviation	1.15748762	Variance	1.33977758
Skewness	0.77170905	Kurtosis	-0.501919
Uncorrected SS	34579	Corrected SS	19061.0157
Coeff Variation	110.833393	Std Error Mean	0.00970386

Basic Statistical Measures			
Location		Variability	
Mean	1.044349	Std Deviation	1.15749
Median	1.000000	Variance	1.33978
Mode	0.000000	Range	4.00000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	107.6221	Pr > t	<.0001
Sign	M	3867	Pr >= M	<.0001
Signed Rank	S	14955623	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V06XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14397	4	14305
0	14396	4	14353
0	14395	4	14365
0	14389	4	14366
0	14388	4	14376

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	172	1.19	97.18
T	5	0.03	2.82
Total	177	1.23	100.00

The UNIVARIATE Procedure

Variable: V06XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	7385	Sum Weights	7385
Mean	0.52051456	Sum Observations	3844
Std Deviation	0.85668157	Variance	0.73390331
Skewness	1.64014943	Kurtosis	1.76468963
Uncorrected SS	7420	Corrected SS	5419.14204
Coeff Variation	164.583595	Std Error Mean	0.00996883

Basic Statistical Measures			
Location		Variability	
Mean	0.520515	Std Deviation	0.85668
Median	0.000000	Variance	0.73390
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	52.21421	Pr > t	<.0001
Sign	M	1240	Pr >= M	<.0001
Signed Rank	S	1538220	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	3	14300
0	14404	3	14313
0	14403	3	14352
0	14402	3	14353
0	14401	3	14376

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	6755	46.89	96.23
M	108	0.75	1.54
P	157	1.09	2.24
Total	7020	48.73	100.00

The UNIVARIATE Procedure

Variable: V06XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.16225088	Sum Observations	692
Std Deviation	0.53920464	Variance	0.29074165
Skewness	3.49972699	Kurtosis	11.7885487
Uncorrected SS	1352	Corrected SS	1239.72239
Coeff Variation	332.327718	Std Error Mean	0.00825646

Basic Statistical Measures			
Location		Variability	
Mean	0.162251	Std Deviation	0.53920
Median	0.000000	Variance	0.29074
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.65138	Pr > t	<.0001
Sign	M	205	Pr >= M	<.0001
Signed Rank	S	42127.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	3	12831
0	14401	3	13510
0	14393	3	13635
0	14390	3	13692
0	14381	3	13711

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.0063306	Sum Observations	27
Std Deviation	0.07932211	Variance	0.006292
Skewness	12.4530481	Kurtosis	153.150224
Uncorrected SS	27	Corrected SS	26.8290739
Coeff Variation	1252.99551	Std Error Mean	0.0012146

Basic Statistical Measures			
Location		Variability	
Mean	0.006331	Std Deviation	0.07932
Median	0.000000	Variance	0.00629
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.212067	Pr > t	<.0001
Sign	M	13.5	Pr >= M	<.0001
Signed Rank	S	189	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V06XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	1	11786
0	14401	1	12580
0	14393	1	12748
0	14390	1	13262
0	14381	1	14314

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	14228	Sum Weights	14228
Mean	0.11526567	Sum Observations	1640
Std Deviation	0.4716705	Variance	0.22247306
Skewness	4.47895437	Kurtosis	20.2258534
Uncorrected SS	3354.16	Corrected SS	3165.1243
Coeff Variation	409.202923	Std Error Mean	0.00395427

Basic Statistical Measures			
Location		Variability	
Mean	0.115266	Std Deviation	0.47167
Median	0.000000	Variance	0.22247
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.14964	Pr > t	<.0001
Sign	M	478.5	Pr >= M	<.0001
Signed Rank	S	229201.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	2.8
95%	1.0
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

The UNIVARIATE Procedure

Variable: V06XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	3	13641
0	14404	3	13692
0	14403	3	13711
0	14402	3	13712
0	14401	3	14376

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	172	1.19	97.18
T	5	0.03	2.82
Total	177	1.23	100.00

The UNIVARIATE Procedure

Variable: V06XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Moments			
N	7384	Sum Weights	7384
Mean	0.05268147	Sum Observations	389
Std Deviation	0.22341194	Variance	0.0499129
Skewness	4.00551301	Kurtosis	14.0479394
Uncorrected SS	389	Corrected SS	368.506907
Coeff Variation	424.080661	Std Error Mean	0.00259992

Basic Statistical Measures			
Location		Variability	
Mean	0.052681	Std Deviation	0.22341
Median	0.000000	Variance	0.04991
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.2627	Pr > t	<.0001
Sign	M	194.5	Pr >= M	<.0001
Signed Rank	S	37927.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V06XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	1	14260
0	14404	1	14261
0	14403	1	14262
0	14402	1	14277
0	14401	1	14278

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	6755	46.89	96.21
M	108	0.75	1.54
P	157	1.09	2.24
Total	7021	48.74	100.00

The UNIVARIATE Procedure

Variable: V06XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	7386	Sum Weights	7386
Mean	0.49918765	Sum Observations	3687
Std Deviation	0.83771097	Variance	0.70175966
Skewness	1.76651503	Kurtosis	2.34687841
Uncorrected SS	7023	Corrected SS	5182.49513
Coeff Variation	167.814841	Std Error Mean	0.00974742

Basic Statistical Measures			
Location		Variability	
Mean	0.499188	Std Deviation	0.83771
Median	0.000000	Variance	0.70176
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	51.2123	Pr > t	<.0001
Sign	M	1230.5	Pr >= M	<.0001
Signed Rank	S	1514746	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14405	3	14279
0	14404	3	14299
0	14403	3	14300
0	14402	3	14352
0	14401	3	14376

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	6754	46.89	96.22
M	108	0.75	1.54
P	157	1.09	2.24
Total	7019	48.73	100.00

The UNIVARIATE Procedure

Variable: V06XRCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.15451348	Sum Observations	659
Std Deviation	0.52587273	Variance	0.27654212
Skewness	3.53444932	Kurtosis	11.9094615
Uncorrected SS	1281	Corrected SS	1179.17562
Coeff Variation	340.340998	Std Error Mean	0.00805232

Basic Statistical Measures			
Location		Variability	
Mean	0.154513	Std Deviation	0.52587
Median	0.000000	Variance	0.27654
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.18869	Pr > t	<.0001
Sign	M	193	Pr >= M	<.0001
Signed Rank	S	37345.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	3	11567
0	14401	3	12414
0	14393	3	13042
0	14390	3	13510
0	14381	3	13635

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.014068	Sum Observations	60
Std Deviation	0.11778514	Variance	0.01387334
Skewness	8.2550307	Kurtosis	66.176564
Uncorrected SS	60	Corrected SS	59.1559203
Coeff Variation	837.25605	Std Error Mean	0.00180356

Basic Statistical Measures			
Location		Variability	
Mean	0.014068	Std Deviation	0.11779
Median	0.000000	Variance	0.01387
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.800119	Pr > t	<.0001
Sign	M	30	Pr >= M	<.0001
Signed Rank	S	915	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V06XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	1	13447
0	14401	1	13493
0	14393	1	14249
0	14390	1	14251
0	14381	1	14376

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00

The UNIVARIATE Procedure

Variable: V06XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	4265	Sum Weights	4265
Mean	0.0063306	Sum Observations	27
Std Deviation	0.0929366	Variance	0.00863721
Skewness	18.2100207	Kurtosis	410.69921
Uncorrected SS	37	Corrected SS	36.8290739
Coeff Variation	1468.05414	Std Error Mean	0.00142307

Basic Statistical Measures			
Location		Variability	
Mean	0.006331	Std Deviation	0.09294
Median	0.000000	Variance	0.00864
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.448539	Pr > t	<.0001
Sign	M	11.5	Pr >= M	<.0001
Signed Rank	S	138	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V06XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	14403	1	12473
0	14401	1	14376
0	14393	2	9980
0	14390	2	11567
0	14381	3	9835

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	1	0.01	0.01
A	9982	69.30	98.44
P	157	1.09	1.55
Total	10140	70.39	100.00