

The FREQ Procedure

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	3495	49.64	3495	49.64
2: Left	3546	50.36	7041	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
37	3580	50.85	3580	50.85
43	3461	49.15	7041	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V08XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5835	82.87	5835	82.87
.P: Prosthetic	20	0.28	5855	83.16
.T: Technical Problems	1	0.01	5856	83.17
0: 0	675	9.59	6531	92.76
1: 1	345	4.90	6876	97.66
2: 2	110	1.56	6986	99.22
3: 3	55	0.78	7041	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V08XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V08XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V08XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	21	0.30	21	0.30
T	6	0.09	27	0.38
0	5403	76.74	5430	77.12
1	1132	16.08	6562	93.20
1.2	28	0.40	6590	93.59
1.4	26	0.37	6616	93.96
1.6	3	0.04	6619	94.01
2	263	3.74	6882	97.74
2.2	43	0.61	6925	98.35
2.4	29	0.41	6954	98.76
2.6	24	0.34	6978	99.11
2.8	12	0.17	6990	99.28
3	51	0.72	7041	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V08XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5835	82.87	5835	82.87
.P: Prosthetic	20	0.28	5855	83.16
.T: Technical Problems	1	0.01	5856	83.17
0: 0	1099	15.61	6955	98.78
1: 1	86	1.22	7041	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V08XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5838	82.91	5838	82.91
.P: Prosthetic	20	0.28	5858	83.20
.T: Technical Problems	1	0.01	5859	83.21
0: 0	457	6.49	6316	89.70
1: 1	573	8.14	6889	97.84

The FREQ Procedure

BL / FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment					
V08XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
2: 2	121	1.72	7010	99.56	
3: 3	31	0.44	7041	100.00	

BL / FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment					
V08XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
.A: Not Expected	7041	100.00	7041	100.00	

BL / FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment					
V08XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
.A: Not Expected	7041	100.00	7041	100.00	

BL / FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment					
V08XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
.A: Not Expected	7041	100.00	7041	100.00	

BL / FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)					
V08XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
.P: Prosthetic	21	0.30	21	0.30	
.T: Technical Problems	6	0.09	27	0.38	
0: 0	3469	49.27	3496	49.65	
1: 1	1827	25.95	5323	75.60	
2: 2	1184	16.82	6507	92.42	
3: 3	461	6.55	6968	98.96	
4: 4	73	1.04	7041	100.00	

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V08XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5846	83.03	5846	83.03
.P: Prosthetic	20	0.28	5866	83.31
.T: Technical Problems	1	0.01	5867	83.33
0: 0	819	11.63	6686	94.96
1: 1	274	3.89	6960	98.85
2: 2	56	0.80	7016	99.64
3: 3	25	0.36	7041	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V08XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V08XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V08XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	6	0.09	6	0.09
P	21	0.30	27	0.38
T	6	0.09	33	0.47
0	6606	93.82	6639	94.29
1	248	3.52	6887	97.81
1.2	10	0.14	6897	97.95
1.4	12	0.17	6909	98.13
1.6	2	0.03	6911	98.15
2	66	0.94	6977	99.09

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V08XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2	8	0.11	6985	99.20
2.4	10	0.14	6995	99.35
2.6	12	0.17	7007	99.52
2.8	7	0.10	7014	99.62
3	27	0.38	7041	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment				
V08XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5836	82.89	5836	82.89
.P: Prosthetic	20	0.28	5856	83.17
.T: Technical Problems	1	0.01	5857	83.18
0: 0	1098	15.59	6955	98.78
1: 1	86	1.22	7041	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment				
V08XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5836	82.89	5836	82.89
.P: Prosthetic	20	0.28	5856	83.17
.T: Technical Problems	1	0.01	5857	83.18
0: 0	785	11.15	6642	94.33
1: 1	309	4.39	6951	98.72
2: 2	62	0.88	7013	99.60
3: 3	28	0.40	7041	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment				
V08XRSCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

The FREQ Procedure

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment				
V08XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment				
V08XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	7041	100.00	7041	100.00

The UNIVARIATE Procedure

Variable: V08XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	1185	Sum Weights	1185
Mean	0.61603376	Sum Observations	730
Std Deviation	0.83741446	Variance	0.70126297
Skewness	1.29442563	Kurtosis	0.93628462
Uncorrected SS	1280	Corrected SS	830.295359
Coeff Variation	135.936456	Std Error Mean	0.02432659

Basic Statistical Measures			
Location		Variability	
Mean	0.616034	Std Deviation	0.83741
Median	0.000000	Variance	0.70126
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	25.32347	Pr > t	<.0001
Sign	M	255	Pr >= M	<.0001
Signed Rank	S	65152.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7037	3	4835
0	7036	3	5024
0	7004	3	5025
0	7003	3	5118
0	6821	3	5337

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5835	82.87	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5856	83.17	100.00

The UNIVARIATE Procedure

Variable: V08XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	7014	Sum Weights	7014
Mean	0.30595951	Sum Observations	2146
Std Deviation	0.62241634	Variance	0.3874021
Skewness	2.12619404	Kurtosis	4.098278
Uncorrected SS	3373.44	Corrected SS	2716.85089
Coeff Variation	203.43095	Std Error Mean	0.00743187

Basic Statistical Measures			
Location		Variability	
Mean	0.305960	Std Deviation	0.62242
Median	0.000000	Variance	0.38740
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	41.16858	Pr > t	<.0001
Sign	M	805.5	Pr >= M	<.0001
Signed Rank	S	649233	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.0
99%	2.6
95%	2.0
90%	1.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

The UNIVARIATE Procedure

Variable: V08XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7035	3	6846
0	7034	3	6940
0	7031	3	6948
0	7030	3	6953
0	7029	3	7026

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	21	0.30	77.78
T	6	0.09	22.22
Total	27	0.38	100.00

The UNIVARIATE Procedure

Variable: V08XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	1185	Sum Weights	1185
Mean	0.07257384	Sum Observations	86
Std Deviation	0.25954523	Variance	0.06736372
Skewness	3.29922288	Kurtosis	8.89988968
Uncorrected SS	86	Corrected SS	79.7586498
Coeff Variation	357.629178	Std Error Mean	0.0075397

Basic Statistical Measures			
Location		Variability	
Mean	0.072574	Std Deviation	0.25955
Median	0.000000	Variance	0.06736
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.625565	Pr > t	<.0001
Sign	M	43	Pr >= M	<.0001
Signed Rank	S	1870.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7037	1	5444
0	7036	1	5445
0	7004	1	5889
0	7003	1	5890
0	6988	1	6432

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5835	82.87	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5856	83.17	100.00

The UNIVARIATE Procedure

Variable: V08XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	1182	Sum Weights	1182
Mean	0.76818951	Sum Observations	908
Std Deviation	0.7352754	Variance	0.54062991
Skewness	0.79106353	Kurtosis	0.51123224
Uncorrected SS	1336	Corrected SS	638.483926
Coeff Variation	95.7153657	Std Error Mean	0.02138658

Basic Statistical Measures			
Location		Variability	
Mean	0.768190	Std Deviation	0.73528
Median	1.000000	Variance	0.54063
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	35.91923	Pr > t	<.0001
Sign	M	362.5	Pr >= M	<.0001
Signed Rank	S	131587.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6825	3	4431
0	6824	3	4547
0	6821	3	4637
0	6820	3	4835
0	6687	3	5118

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5838	82.91	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5859	83.21	100.00

The UNIVARIATE Procedure

Variable: V08XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))

Moments			
N	7014	Sum Weights	7014
Mean	0.83689763	Sum Observations	5870
Std Deviation	0.99674437	Variance	0.99349934
Skewness	0.98140353	Kurtosis	0.07413683
Uncorrected SS	11880	Corrected SS	6967.41089
Coeff Variation	119.099915	Std Error Mean	0.01190148

Basic Statistical Measures			
Location		Variability	
Mean	0.836898	Std Deviation	0.99674
Median	1.000000	Variance	0.99350
Mode	0.000000	Range	4.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	70.3188	Pr > t	<.0001
Sign	M	1772.5	Pr >= M	<.0001
Signed Rank	S	3142643	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V08XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7035	4	6846
0	7034	4	6940
0	7025	4	6948
0	7024	4	6953
0	7021	4	7026

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	21	0.30	77.78
T	6	0.09	22.22
Total	27	0.38	100.00

The UNIVARIATE Procedure

Variable: V08XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	1174	Sum Weights	1174
Mean	0.39267462	Sum Observations	461
Std Deviation	0.6797378	Variance	0.46204348
Skewness	1.86922895	Kurtosis	3.35777653
Uncorrected SS	723	Corrected SS	541.977002
Coeff Variation	173.104594	Std Error Mean	0.01983843

Basic Statistical Measures			
Location		Variability	
Mean	0.392675	Std Deviation	0.67974
Median	0.000000	Variance	0.46204
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.79363	Pr > t	<.0001
Sign	M	177.5	Pr >= M	<.0001
Signed Rank	S	31595	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6897	3	3276
0	6870	3	4020
0	6869	3	4087
0	6818	3	4637
0	6772	3	5024

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5846	83.03	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5867	83.33	100.00

The UNIVARIATE Procedure

Variable: V08XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure**Variable: V08XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	7008	Sum Weights	7008
Mean	0.08353311	Sum Observations	585.4
Std Deviation	0.37425722	Variance	0.14006846
Skewness	5.17781018	Kurtosis	28.9746222
Uncorrected SS	1030.36	Corrected SS	981.45972
Coeff Variation	448.034602	Std Error Mean	0.00447068

Basic Statistical Measures			
Location		Variability	
Mean	0.083533	Std Deviation	0.37426
Median	0.000000	Variance	0.14007
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	18.68467	Pr > t	<.0001
Sign	M	201	Pr >= M	<.0001
Signed Rank	S	40501.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7041	3	6167
0	7040	3	6592
0	7039	3	6717
0	7038	3	6745
0	7037	3	6753

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	6	0.09	18.18
P	21	0.30	63.64
T	6	0.09	18.18
Total	33	0.47	100.00

The UNIVARIATE Procedure

Variable: V08XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Moments			
N	1184	Sum Weights	1184
Mean	0.07263514	Sum Observations	86
Std Deviation	0.25964632	Variance	0.06741621
Skewness	3.29747008	Kurtosis	8.88832016
Uncorrected SS	86	Corrected SS	79.7533784
Coeff Variation	357.466562	Std Error Mean	0.00754582

Basic Statistical Measures			
Location		Variability	
Mean	0.072635	Std Deviation	0.25965
Median	0.000000	Variance	0.06742
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.62588	Pr > t	<.0001
Sign	M	43	Pr >= M	<.0001
Signed Rank	S	1870.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V08XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	7037	1	5444
0	7036	1	5445
0	7004	1	5889
0	7003	1	5890
0	6988	1	6432

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5836	82.89	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5857	83.18	100.00

The UNIVARIATE Procedure

Variable: V08XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	1184	Sum Weights	1184
Mean	0.43665541	Sum Observations	517
Std Deviation	0.70215774	Variance	0.49302549
Skewness	1.70821362	Kurtosis	2.7207391
Uncorrected SS	809	Corrected SS	583.249155
Coeff Variation	160.803629	Std Error Mean	0.02040604

Basic Statistical Measures			
Location		Variability	
Mean	0.436655	Std Deviation	0.70216
Median	0.000000	Variance	0.49303
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.39834	Pr > t	<.0001
Sign	M	199.5	Pr >= M	<.0001
Signed Rank	S	39900	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V08XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6988	3	3302
0	6987	3	3463
0	6897	3	3924
0	6870	3	4479
0	6869	3	5024

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5836	82.89	99.64
P	20	0.28	0.34
T	1	0.01	0.02
Total	5857	83.18	100.00

The UNIVARIATE Procedure

Variable: V08XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00

The UNIVARIATE Procedure

Variable: V08XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	7041	100.00	100.00