

The FREQ Procedure

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	3451	49.61	3451	49.61
2: Left	3505	50.39	6956	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
37	3675	52.83	3675	52.83
43	3281	47.17	6956	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V10XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5783	83.14	5783	83.14
.P: Prosthetic	37	0.53	5820	83.67
0: 0	559	8.04	6379	91.71
1: 1	346	4.97	6725	96.68
2: 2	164	2.36	6889	99.04
3: 3	67	0.96	6956	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V10XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V10XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V10XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	1	0.01	1	0.01
P	42	0.60	43	0.62
T	5	0.07	48	0.69
0	5255	75.55	5303	76.24
1	1076	15.47	6379	91.71
1.2	34	0.49	6413	92.19
1.4	41	0.59	6454	92.78
1.6	2	0.03	6456	92.81
1.8	1	0.01	6457	92.83
2	291	4.18	6748	97.01
2.2	32	0.46	6780	97.47
2.4	41	0.59	6821	98.06
2.6	33	0.47	6854	98.53
2.8	22	0.32	6876	98.85
3	80	1.15	6956	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V10XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5790	83.24	5790	83.24
.P: Prosthetic	37	0.53	5827	83.77
0: 0	1046	15.04	6873	98.81
1: 1	83	1.19	6956	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V10XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5788	83.21	5788	83.21
.P: Prosthetic	37	0.53	5825	83.74
0: 0	346	4.97	6171	88.71
1: 1	577	8.29	6748	97.01

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia medial compartment

V10XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2: 2	170	2.44	6918	99.45
3: 3	38	0.55	6956	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) tibia medial compartment

V10XRSC TM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) tibia medial compartment

V10XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): attrition
(OARSI grades 0-3) tibia medial compartment

V10XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)

V10XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.P: Prosthetic	42	0.60	42	0.60
.T: Technical Problems	5	0.07	47	0.68
0: 0	3359	48.29	3406	48.96
1: 1	1733	24.91	5139	73.88
2: 2	1175	16.89	6314	90.77
3: 3	535	7.69	6849	98.46
4: 4	107	1.54	6956	100.00

The FREQ Procedure

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur lateral compartment

V10XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5795	83.31	5795	83.31
.P: Prosthetic	37	0.53	5832	83.84
0: 0	736	10.58	6568	94.42
1: 1	304	4.37	6872	98.79
2: 2	65	0.93	6937	99.73
3: 3	19	0.27	6956	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur lateral compartment

V10XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur lateral compartment

V10XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) lateral compartment

V10XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A	7	0.10	7	0.10
P	42	0.60	49	0.70
T	3	0.04	52	0.75
0	6467	92.97	6519	93.72
1	246	3.54	6765	97.25
1.2	20	0.29	6785	97.54
1.4	14	0.20	6799	97.74
1.6	2	0.03	6801	97.77
1.8	1	0.01	6802	97.79
2	87	1.25	6889	99.04

The FREQ Procedure

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) lateral compartment

V10XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2	5	0.07	6894	99.11
2.4	9	0.13	6903	99.24
2.6	14	0.20	6917	99.44
2.8	12	0.17	6929	99.61
3	27	0.39	6956	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) lateral compartment

V10XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5787	83.19	5787	83.19
.P: Prosthetic	37	0.53	5824	83.73
0: 0	1054	15.15	6878	98.88
1: 1	78	1.12	6956	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia lateral compartment

V10XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	5788	83.21	5788	83.21
.P: Prosthetic	37	0.53	5825	83.74
0: 0	706	10.15	6531	93.89
1: 1	302	4.34	6833	98.23
2: 2	94	1.35	6927	99.58
3: 3	29	0.42	6956	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) tibia lateral compartment

V10XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

The FREQ Procedure

BL/FU kXR reading (BU): cysts (Grades 0 - 1) tibia lateral compartment				
V10XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0 - 3) tibia lateral compartment				
V10XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	6956	100.00	6956	100.00

The UNIVARIATE Procedure

Variable: V10XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	1136	Sum Weights	1136
Mean	0.77024648	Sum Observations	875
Std Deviation	0.90570115	Variance	0.82029456
Skewness	0.94624118	Kurtosis	-0.0739365
Uncorrected SS	1605	Corrected SS	931.034331
Coeff Variation	117.585886	Std Error Mean	0.02687174

Basic Statistical Measures			
Location		Variability	
Mean	0.770246	Std Deviation	0.90570
Median	1.000000	Variance	0.82029
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	28.66381	Pr > t	<.0001
Sign	M	288.5	Pr >= M	<.0001
Signed Rank	S	83376.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6948	3	5367
0	6947	3	5876
0	6917	3	5877
0	6916	3	5892
0	6823	3	5893

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5783	83.14	99.36
P	37	0.53	0.64
Total	5820	83.67	100.00

The UNIVARIATE Procedure

Variable: V10XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure**Variable: V10XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	6908	Sum Weights	6908
Mean	0.33546613	Sum Observations	2317.4
Std Deviation	0.67068234	Variance	0.4498148
Skewness	2.07967262	Kurtosis	3.75598122
Uncorrected SS	3884.28	Corrected SS	3106.8708
Coeff Variation	199.925502	Std Error Mean	0.00806939

Basic Statistical Measures			
Location		Variability	
Mean	0.335466	Std Deviation	0.67068
Median	0.000000	Variance	0.44981
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	41.57267	Pr > t	<.0001
Sign	M	826.5	Pr >= M	<.0001
Signed Rank	S	683515.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6952	3	6855
0	6951	3	6865
0	6950	3	6935
0	6944	3	6945
0	6943	3	6946

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	1	0.01	2.08
P	42	0.60	87.50
T	5	0.07	10.42
Total	48	0.69	100.00

The UNIVARIATE Procedure

Variable: V10XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	1129	Sum Weights	1129
Mean	0.07351639	Sum Observations	83
Std Deviation	0.26109789	Variance	0.06817211
Skewness	3.2726458	Kurtosis	8.72566472
Uncorrected SS	83	Corrected SS	76.8981399
Coeff Variation	355.15605	Std Error Mean	0.00777063

Basic Statistical Measures			
Location		Variability	
Mean	0.073516	Std Deviation	0.26110
Median	0.000000	Variance	0.06817
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.460798	Pr > t	<.0001
Sign	M	41.5	Pr >= M	<.0001
Signed Rank	S	1743	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6953	1	5418
0	6952	1	5419
0	6948	1	5837
0	6947	1	5838
0	6946	1	6352

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5790	83.24	99.37
P	37	0.53	0.63
Total	5827	83.77	100.00

The UNIVARIATE Procedure

Variable: V10XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	1131	Sum Weights	1131
Mean	0.91158267	Sum Observations	1031
Std Deviation	0.76375775	Variance	0.5833259
Skewness	0.60417198	Kurtosis	0.13057093
Uncorrected SS	1599	Corrected SS	659.158267
Coeff Variation	83.7837066	Std Error Mean	0.02271038

Basic Statistical Measures			
Location		Variability	
Mean	0.911583	Std Deviation	0.76376
Median	1.000000	Variance	0.58333
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.13948	Pr > t	<.0001
Sign	M	392.5	Pr >= M	<.0001
Signed Rank	S	154252.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6823	3	4558
0	6822	3	4832
0	6739	3	5099
0	6738	3	5892
0	6731	3	5893

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5788	83.21	99.36
P	37	0.53	0.64
Total	5825	83.74	100.00

The UNIVARIATE Procedure

Variable: V10XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure**Variable: V10XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	6909	Sum Weights	6909
Mean	0.88522217	Sum Observations	6116
Std Deviation	1.04515739	Variance	1.09235396
Skewness	0.96313327	Kurtosis	-0.0082789
Uncorrected SS	12960	Corrected SS	7545.98118
Coeff Variation	118.06724	Std Error Mean	0.01257402

Basic Statistical Measures			
Location		Variability	
Mean	0.885222	Std Deviation	1.04516
Median	1.000000	Variance	1.09235
Mode	0.000000	Range	4.00000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	70.4009	Pr > t	<.0001
Sign	M	1775	Pr >= M	<.0001
Signed Rank	S	3151513	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	2
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V10XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6951	4	6865
0	6950	4	6887
0	6944	4	6935
0	6943	4	6945
0	6942	4	6946

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	42	0.60	89.36
T	5	0.07	10.64
Total	47	0.68	100.00

The UNIVARIATE Procedure

Variable: V10XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	1124	Sum Weights	1124
Mean	0.43683274	Sum Observations	491
Std Deviation	0.68081137	Variance	0.46350412
Skewness	1.58638711	Kurtosis	2.26568381
Uncorrected SS	735	Corrected SS	520.515125
Coeff Variation	155.851726	Std Error Mean	0.0203069

Basic Statistical Measures			
Location		Variability	
Mean	0.436833	Std Deviation	0.68081
Median	0.000000	Variance	0.46350
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.51154	Pr > t	<.0001
Sign	M	194	Pr >= M	<.0001
Signed Rank	S	37733	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6953	3	2823
0	6952	3	3199
0	6946	3	4027
0	6945	3	4092
0	6823	3	5004

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5795	83.31	99.37
P	37	0.53	0.63
Total	5832	83.84	100.00

The UNIVARIATE Procedure

Variable: V10XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure**Variable: V10XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	6904	Sum Weights	6904
Mean	0.09446698	Sum Observations	652.2
Std Deviation	0.40004864	Variance	0.16003892
Skewness	4.81239445	Kurtosis	24.5889756
Uncorrected SS	1166.36	Corrected SS	1104.74864
Coeff Variation	423.479888	Std Error Mean	0.00481462

Basic Statistical Measures			
Location		Variability	
Mean	0.094467	Std Deviation	0.40005
Median	0.000000	Variance	0.16004
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.62084	Pr > t	<.0001
Sign	M	218.5	Pr >= M	<.0001
Signed Rank	S	47851.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6956	3	4514
0	6955	3	5503
0	6954	3	5753
0	6951	3	6652
0	6950	3	6887

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	7	0.10	13.46
P	42	0.60	80.77
T	3	0.04	5.77
Total	52	0.75	100.00

The UNIVARIATE Procedure

Variable: V10XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)

Moments			
N	1132	Sum Weights	1132
Mean	0.06890459	Sum Observations	78
Std Deviation	0.25340378	Variance	0.06421348
Skewness	3.40846064	Kurtosis	9.63462314
Uncorrected SS	78	Corrected SS	72.6254417
Coeff Variation	367.760359	Std Error Mean	0.00753165

Basic Statistical Measures			
Location		Variability	
Mean	0.068905	Std Deviation	0.25340
Median	0.000000	Variance	0.06421
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.148677	Pr > t	<.0001
Sign	M	39	Pr >= M	<.0001
Signed Rank	S	1540.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure**Variable: V10XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6953	1	5418
0	6952	1	5419
0	6948	1	5837
0	6947	1	5838
0	6946	1	6352

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5787	83.19	99.36
P	37	0.53	0.64
Total	5824	83.73	100.00

The UNIVARIATE Procedure

Variable: V10XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	1131	Sum Weights	1131
Mean	0.51016799	Sum Observations	577
Std Deviation	0.7552958	Variance	0.57047174
Skewness	1.4406792	Kurtosis	1.4830521
Uncorrected SS	939	Corrected SS	644.633068
Coeff Variation	148.048448	Std Error Mean	0.02245876

Basic Statistical Measures			
Location		Variability	
Mean	0.510168	Std Deviation	0.75530
Median	0.000000	Variance	0.57047
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	22.71577	Pr > t	<.0001
Sign	M	212.5	Pr >= M	<.0001
Signed Rank	S	45262.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

The UNIVARIATE Procedure

Variable: V10XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6953	3	4095
0	6952	3	4494
0	6946	3	5003
0	6945	3	5892
0	6903	3	5893

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	5788	83.21	99.36
P	37	0.53	0.64
Total	5825	83.74	100.00

The UNIVARIATE Procedure

Variable: V10XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00

The UNIVARIATE Procedure

Variable: V10XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	6956	100.00	100.00