

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V00XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	308	51.68	424	71.14
1: 1	111	18.62	535	89.77
2: 2	30	5.03	565	94.80
3: 3	31	5.20	596	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V00XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	374	62.75	490	82.21
1: 1	64	10.74	554	92.95
2: 2	42	7.05	596	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V00XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	478	80.20	594	99.66
1: 1	2	0.34	596	100.00

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) medial compartment

V00XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	374	62.75	374	62.75
1	150	25.17	524	87.92
2	69	11.58	593	99.50
3	3	0.50	596	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The FREQ Procedure**

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V00XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	460	77.18	576	96.64
1: 1	20	3.36	596	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V00XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	255	42.79	371	62.25
1: 1	192	32.21	563	94.46
2: 2	23	3.86	586	98.32
3: 3	10	1.68	596	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V00XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	367	61.58	483	81.04
1: 1	64	10.74	547	91.78
2: 2	48	8.05	595	99.83
3: 3	1	0.17	596	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V00XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	463	77.68	579	97.15
1: 1	17	2.85	596	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The FREQ Procedure**

BL/FU kXR reading (BU): attrition
(OARSI grades 0-3) tibia medial compartment

V00XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	478	80.20	594	99.66
1: 1	2	0.34	596	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence
(grades 0-4)

V00XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: 0	192	32.21	192	32.21
1: 1	133	22.32	325	54.53
2: 2	181	30.37	506	84.90
3: 3	87	14.60	593	99.50
4: 4	3	0.50	596	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur lateral compartment

V00XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	353	59.23	469	78.69
1: 1	97	16.28	566	94.97
2: 2	12	2.01	578	96.98
3: 3	18	3.02	596	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur lateral compartment

V00XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	454	76.17	570	95.64
1: 1	17	2.85	587	98.49
2: 2	9	1.51	596	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The FREQ Procedure**

BL/FU kXR reading (BU): cysts (Grades 0 - 1) femur lateral compartment				
V00XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	478	80.20	594	99.66
1: 1	2	0.34	596	100.00

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0 - 3) lateral compartment				
V00XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	558	93.62	558	93.62
1	19	3.19	577	96.81
2	19	3.19	596	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0 - 1) lateral compartment				
V00XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	459	77.01	575	96.48
1: 1	21	3.52	596	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0 - 3) tibia lateral compartment				
V00XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	339	56.88	455	76.34
1: 1	123	20.64	578	96.98
2: 2	9	1.51	587	98.49
3: 3	9	1.51	596	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment				
V00XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	456	76.51	572	95.97
1: 1	15	2.52	587	98.49
2: 2	9	1.51	596	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment				
V00XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	476	79.87	592	99.33
1: 1	4	0.67	596	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment				
V00XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	116	19.46	116	19.46
0: 0	479	80.37	595	99.83
1: 1	1	0.17	596	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.55	Sum Observations	264
Std Deviation	0.87268931	Variance	0.76158664
Skewness	1.59675451	Kurtosis	1.65469266
Uncorrected SS	510	Corrected SS	364.8
Coeff Variation	158.670784	Std Error Mean	0.03983264

Basic Statistical Measures			
Location		Variability	
Mean	0.550000	Std Deviation	0.87269
Median	0.000000	Variance	0.76159
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.80777	Pr > t	<.0001
Sign	M	86	Pr >= M	<.0001
Signed Rank	S	7439	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	592	3	543
0	590	3	593
0	589	3	594
0	587	3	595
0	585	3	596

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.30833333	Sum Observations	148
Std Deviation	0.62375834	Variance	0.38907446
Skewness	1.84462933	Kurtosis	2.0362642
Uncorrected SS	232	Corrected SS	186.366667
Coeff Variation	202.300001	Std Error Mean	0.02847054

Basic Statistical Measures			
Location		Variability	
Mean	0.308333	Std Deviation	0.62376
Median	0.000000	Variance	0.38907
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.82991	Pr > t	<.0001
Sign	M	53	Pr >= M	<.0001
Signed Rank	S	2835.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	2
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	536
0	595	2	541
0	594	2	542
0	593	2	543
0	592	2	544

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	480	Sum Weights	480
Mean	0.00416667	Sum Observations	2
Std Deviation	0.06448231	Variance	0.00415797
Skewness	15.4432423	Kurtosis	237.483237
Uncorrected SS	2	Corrected SS	1.99166667
Coeff Variation	1547.57538	Std Error Mean	0.0029432

Basic Statistical Measures			
Location		Variability	
Mean	0.004167	Std Deviation	0.06448
Median	0.000000	Variance	0.00416
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415692	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	0	594
0	595	0	595
0	594	0	596
0	593	1	109
0	592	1	110

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	596	Sum Weights	596
Mean	0.49832215	Sum Observations	297
Std Deviation	0.71596244	Variance	0.51260222
Skewness	1.16380974	Kurtosis	0.22143168
Uncorrected SS	453	Corrected SS	304.998322
Coeff Variation	143.674619	Std Error Mean	0.02932696

Basic Statistical Measures			
Location		Variability	
Mean	0.498322	Std Deviation	0.71596
Median	0.000000	Variance	0.51260
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.99194	Pr > t	<.0001
Sign	M	111	Pr >= M	<.0001
Signed Rank	S	12376.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	561
0	594	2	571
0	593	3	419
0	592	3	420
0	590	3	536

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.04166667	Sum Observations	20
Std Deviation	0.20003479	Variance	0.04001392
Skewness	4.60170995	Kurtosis	19.2559509
Uncorrected SS	20	Corrected SS	19.1666667
Coeff Variation	480.0835	Std Error Mean	0.0091303

Basic Statistical Measures			
Location		Variability	
Mean	0.041667	Std Deviation	0.20003
Median	0.000000	Variance	0.04001
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.563561	Pr > t	<.0001
Sign	M	10	Pr >= M	<.0001
Signed Rank	S	105	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	1	508
0	595	1	561
0	594	1	562
0	593	1	563
0	592	1	564

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.55833333	Sum Observations	268
Std Deviation	0.68440222	Variance	0.4684064
Skewness	1.22053324	Kurtosis	1.67213244
Uncorrected SS	374	Corrected SS	224.366667
Coeff Variation	122.579503	Std Error Mean	0.03123854

Basic Statistical Measures			
Location		Variability	
Mean	0.558333	Std Deviation	0.68440
Median	0.000000	Variance	0.46841
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.87322	Pr > t	<.0001
Sign	M	112.5	Pr >= M	<.0001
Signed Rank	S	12712.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	592	3	415
0	591	3	419
0	590	3	420
0	589	3	543
0	585	3	544

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.33958333	Sum Observations	163
Std Deviation	0.66157261	Variance	0.43767832
Skewness	1.75662879	Kurtosis	1.74844148
Uncorrected SS	265	Corrected SS	209.647917
Coeff Variation	194.818929	Std Error Mean	0.03019652

Basic Statistical Measures			
Location		Variability	
Mean	0.339583	Std Deviation	0.66157
Median	0.000000	Variance	0.43768
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.24578	Pr > t	<.0001
Sign	M	56.5	Pr >= M	<.0001
Signed Rank	S	3220.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	541
0	595	2	542
0	594	2	543
0	593	2	544
0	592	3	416

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	480	Sum Weights	480
Mean	0.03541667	Sum Observations	17
Std Deviation	0.18502337	Variance	0.03423365
Skewness	5.04290029	Kurtosis	23.5288637
Uncorrected SS	17	Corrected SS	16.3979167
Coeff Variation	522.41892	Std Error Mean	0.00844512

Basic Statistical Measures			
Location		Variability	
Mean	0.035417	Std Deviation	0.18502
Median	0.000000	Variance	0.03423
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.193742	Pr > t	<.0001
Sign	M	8.5	Pr >= M	<.0001
Signed Rank	S	76.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	1	541
0	595	1	542
0	594	1	543
0	593	1	544
0	592	1	561

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	480	Sum Weights	480
Mean	0.00416667	Sum Observations	2
Std Deviation	0.06448231	Variance	0.00415797
Skewness	15.4432423	Kurtosis	237.483237
Uncorrected SS	2	Corrected SS	1.99166667
Coeff Variation	1547.57538	Std Error Mean	0.0029432

Basic Statistical Measures			
Location		Variability	
Mean	0.004167	Std Deviation	0.06448
Median	0.000000	Variance	0.00416
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415692	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	0	594
0	595	0	595
0	594	0	596
0	593	1	419
0	592	1	420

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	596	Sum Weights	596
Mean	1.2885906	Sum Observations	768
Std Deviation	1.08338283	Variance	1.17371835
Skewness	0.19501572	Kurtosis	-1.184974
Uncorrected SS	1688	Corrected SS	698.362416
Coeff Variation	84.0750213	Std Error Mean	0.04437709

Basic Statistical Measures			
Location		Variability	
Mean	1.288591	Std Deviation	1.08338
Median	1.000000	Variance	1.17372
Mode	0.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.03729	Pr > t	<.0001
Sign	M	202	Pr >= M	<.0001
Signed Rank	S	40905	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4
99%	3
95%	3
90%	3
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	592	3	593
0	590	3	594
0	589	4	419
0	586	4	420
0	585	4	536

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	480	Sum Weights	480
Mean	0.36458333	Sum Observations	175
Std Deviation	0.71254479	Variance	0.50772008
Skewness	2.25848667	Kurtosis	4.98665311
Uncorrected SS	307	Corrected SS	243.197917
Coeff Variation	195.440856	Std Error Mean	0.03252307

Basic Statistical Measures			
Location		Variability	
Mean	0.364583	Std Deviation	0.71254
Median	0.000000	Variance	0.50772
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.20999	Pr > t	<.0001
Sign	M	63.5	Pr >= M	<.0001
Signed Rank	S	4064	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	592	3	474
0	591	3	562
0	590	3	593
0	589	3	594
0	587	3	596

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	480	Sum Weights	480
Mean	0.07291667	Sum Observations	35
Std Deviation	0.32452926	Variance	0.10531924
Skewness	4.77062642	Kurtosis	23.0325312
Uncorrected SS	53	Corrected SS	50.4479167
Coeff Variation	445.068701	Std Error Mean	0.01481267

Basic Statistical Measures			
Location		Variability	
Mean	0.072917	Std Deviation	0.32453
Median	0.000000	Variance	0.10532
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.922589	Pr > t	<.0001
Sign	M	13	Pr >= M	<.0001
Signed Rank	S	175.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	437
0	595	2	438
0	592	2	467
0	591	2	593
0	590	2	594

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	480	Sum Weights	480
Mean	0.00416667	Sum Observations	2
Std Deviation	0.06448231	Variance	0.00415797
Skewness	15.4432423	Kurtosis	237.483237
Uncorrected SS	2	Corrected SS	1.99166667
Coeff Variation	1547.57538	Std Error Mean	0.0029432

Basic Statistical Measures			
Location		Variability	
Mean	0.004167	Std Deviation	0.06448
Median	0.000000	Variance	0.00416
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415692	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	0	594
0	595	0	595
0	594	0	596
0	593	1	357
0	592	1	358

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	596	Sum Weights	596
Mean	0.09563758	Sum Observations	57
Std Deviation	0.3879458	Variance	0.15050195
Skewness	4.18173235	Kurtosis	16.6705702
Uncorrected SS	95	Corrected SS	89.5486577
Coeff Variation	405.641576	Std Error Mean	0.01589088

Basic Statistical Measures			
Location		Variability	
Mean	0.095638	Std Deviation	0.38795
Median	0.000000	Variance	0.15050
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.018395	Pr > t	<.0001
Sign	M	19	Pr >= M	<.0001
Signed Rank	S	370.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	438
0	595	2	467
0	592	2	468
0	591	2	593
0	590	2	594

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	480	Sum Weights	480
Mean	0.04375	Sum Observations	21
Std Deviation	0.20475175	Variance	0.04192328
Skewness	4.47526337	Kurtosis	18.1033963
Uncorrected SS	21	Corrected SS	20.08125
Coeff Variation	468.003992	Std Error Mean	0.0093456

Basic Statistical Measures			
Location		Variability	
Mean	0.043750	Std Deviation	0.20475
Median	0.000000	Variance	0.04192
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.681349	Pr > t	<.0001
Sign	M	10.5	Pr >= M	<.0001
Signed Rank	S	115.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	1	508
0	595	1	561
0	594	1	562
0	593	1	563
0	592	1	564

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	480	Sum Weights	480
Mean	0.35	Sum Observations	168
Std Deviation	0.6150513	Variance	0.3782881
Skewness	2.04680122	Kurtosis	4.92277644
Uncorrected SS	240	Corrected SS	181.2
Coeff Variation	175.728943	Std Error Mean	0.02807312

Basic Statistical Measures			
Location		Variability	
Mean	0.350000	Std Deviation	0.61505
Median	0.000000	Variance	0.37829
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.46744	Pr > t	<.0001
Sign	M	70.5	Pr >= M	<.0001
Signed Rank	S	5005.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	592	3	356
0	591	3	437
0	590	3	438
0	589	3	593
0	587	3	594

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	480	Sum Weights	480
Mean	0.06875	Sum Observations	33
Std Deviation	0.31895985	Variance	0.10173539
Skewness	4.96126646	Kurtosis	24.8589256
Uncorrected SS	51	Corrected SS	48.73125
Coeff Variation	463.941601	Std Error Mean	0.01455846

Basic Statistical Measures			
Location		Variability	
Mean	0.068750	Std Deviation	0.31896
Median	0.000000	Variance	0.10174
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.722341	Pr > t	<.0001
Sign	M	12	Pr >= M	<.0001
Signed Rank	S	150	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2.0
99%	2.0
95%	0.5
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	2	438
0	595	2	467
0	592	2	477
0	591	2	593
0	590	2	594

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	480	Sum Weights	480
Mean	0.00833333	Sum Observations	4
Std Deviation	0.09100078	Variance	0.00828114
Skewness	10.8509811	Kurtosis	116.22806
Uncorrected SS	4	Corrected SS	3.96666667
Coeff Variation	1092.00931	Std Error Mean	0.0041536

Basic Statistical Measures			
Location		Variability	
Mean	0.008333	Std Deviation	0.09100
Median	0.000000	Variance	0.00828
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.006293	Pr > t	0.0454
Sign	M	2	Pr >= M	0.1250
Signed Rank	S	5	Pr >= S	0.1250

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure****Variable: V00XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	0	596
0	595	1	328
0	594	1	437
0	592	1	438
0	591	1	593

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	480	Sum Weights	480
Mean	0.00208333	Sum Observations	1
Std Deviation	0.04564355	Variance	0.00208333
Skewness	21.9089023	Kurtosis	480
Uncorrected SS	1	Corrected SS	0.99791667
Coeff Variation	2190.89023	Std Error Mean	0.00208333

Basic Statistical Measures			
Location		Variability	
Mean	0.002083	Std Deviation	0.04564
Median	0.000000	Variance	0.00208
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3178
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu00**The UNIVARIATE Procedure**

Variable: V00XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	596	0	592
0	595	0	594
0	594	0	595
0	592	0	596
0	591	1	593

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	116	19.46	100.00
