

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V01XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	254	44.41	364	63.64
1: 1	133	23.25	497	86.89
2: 2	39	6.82	536	93.71
3: 3	36	6.29	572	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V01XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	343	59.97	453	79.20
1: 1	64	11.19	517	90.38
2: 2	55	9.62	572	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V01XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	457	79.90	567	99.13
1: 1	5	0.87	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) medial compartment

V01XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	346	60.49	346	60.49
1	140	24.48	486	84.97
1.4	2	0.35	488	85.31
2	61	10.66	549	95.98
2.2	9	1.57	558	97.55
2.4	5	0.87	563	98.43
2.6	3	0.52	566	98.95
2.8	1	0.17	567	99.13
3	5	0.87	572	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) medial compartment

V01XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	440	76.92	550	96.15
1: 1	22	3.85	572	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia medial compartment

V01XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	204	35.66	314	54.90
1: 1	218	38.11	532	93.01
2: 2	27	4.72	559	97.73
3: 3	13	2.27	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V01XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	335	58.57	445	77.80
1: 1	68	11.89	513	89.69
2: 2	58	10.14	571	99.83
3: 3	1	0.17	572	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V01XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	437	76.40	547	95.63
1: 1	25	4.37	572	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment				
V01XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	460	80.42	570	99.65
1: 1	2	0.35	572	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V01XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: 0	157	27.45	157	27.45
1: 1	107	18.71	264	46.15
2: 2	199	34.79	463	80.94
3: 3	102	17.83	565	98.78
4: 4	7	1.22	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V01XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	323	56.47	433	75.70
1: 1	105	18.36	538	94.06
2: 2	14	2.45	552	96.50
3: 3	20	3.50	572	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V01XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	430	75.17	540	94.41
1: 1	20	3.50	560	97.90
2: 2	12	2.10	572	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V01XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	461	80.59	571	99.83
1: 1	1	0.17	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) lateral compartment

V01XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	533	93.18	533	93.18
1	11	1.92	544	95.10
1.2	1	0.17	545	95.28
1.4	1	0.17	546	95.45
2	22	3.85	568	99.30
2.2	2	0.35	570	99.65
3	2	0.35	572	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) lateral compartment

V01XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	440	76.92	550	96.15
1: 1	22	3.85	572	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia lateral compartment

V01XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	309	54.02	419	73.25
1: 1	127	22.20	546	95.45
2: 2	16	2.80	562	98.25
3: 3	10	1.75	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) tibia lateral compartment

V01XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	434	75.87	544	95.10
1: 1	13	2.27	557	97.38
2: 2	15	2.62	572	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) tibia lateral compartment

V01XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	457	79.90	567	99.13
1: 1	5	0.87	572	100.00

BL/FU kXR reading (BU): attrition
(OARSI grades 0-3) tibia lateral compartment

V01XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	110	19.23	110	19.23
0: 0	461	80.59	571	99.83
1: 1	1	0.17	572	100.00

FU kXR reading (BU): first visit scored KL>=2

V01XRNWKL2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	261	45.63	261	45.63
1: KL 0-1 at baseline, no change	284	49.65	545	95.28
3: Incident KL>=2 at this visit	27	4.72	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The FREQ Procedure**

FU kXR reading (BU): first visit scored KL=2N				
V01XRNW2N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	261	45.63	261	45.63
1: KL 0-1 at BL, no change	264	46.15	525	91.78
3: Incident KL = 2N or KL >=2 at this visit	47	8.22	572	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.69047619	Sum Observations	319
Std Deviation	0.92299862	Variance	0.85192645
Skewness	1.25062658	Kurtosis	0.60742688
Uncorrected SS	613	Corrected SS	392.738095
Coeff Variation	133.675662	Std Error Mean	0.04294178

Basic Statistical Measures			
Location		Variability	
Mean	0.690476	Std Deviation	0.92300
Median	0.000000	Variance	0.85193
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.07936	Pr > t	<.0001
Sign	M	104	Pr >= M	<.0001
Signed Rank	S	10868	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	566	3	519
0	565	3	569
0	563	3	570
0	561	3	571
0	560	3	572

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.37662338	Sum Observations	174
Std Deviation	0.68840337	Variance	0.4738992
Skewness	1.55252279	Kurtosis	0.88030949
Uncorrected SS	284	Corrected SS	218.467532
Coeff Variation	182.782964	Std Error Mean	0.03202742

Basic Statistical Measures			
Location		Variability	
Mean	0.376623	Std Deviation	0.68840
Median	0.000000	Variance	0.47390
Mode	0.000000	Range	2.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.7594	Pr > t	<.0001
Sign	M	59.5	Pr >= M	<.0001
Signed Rank	S	3570	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	2	512
0	571	2	517
0	570	2	518
0	569	2	519
0	568	2	520

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	462	Sum Weights	462
Mean	0.01082251	Sum Observations	5
Std Deviation	0.10357899	Variance	0.01072861
Skewness	9.48656423	Kurtosis	88.3774721
Uncorrected SS	5	Corrected SS	4.94588745
Coeff Variation	957.069823	Std Error Mean	0.00481893

Basic Statistical Measures			
Location		Variability	
Mean	0.010823	Std Deviation	0.10358
Median	0.000000	Variance	0.01073
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.245833	Pr > t	0.0252
Sign	M	2.5	Pr >= M	0.0625
Signed Rank	S	7.5	Pr >= S	0.0625

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	1	101
0	571	1	102
0	570	1	480
0	569	1	503
0	568	1	504

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	572	Sum Weights	572
Mean	0.56328671	Sum Observations	322.2
Std Deviation	0.78504969	Variance	0.61630301
Skewness	1.13044461	Kurtosis	0.13036601
Uncorrected SS	533.4	Corrected SS	351.909021
Coeff Variation	139.369467	Std Error Mean	0.03282458

Basic Statistical Measures			
Location		Variability	
Mean	0.563287	Std Deviation	0.78505
Median	0.000000	Variance	0.61630
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.16052	Pr > t	<.0001
Sign	M	113	Pr >= M	<.0001
Signed Rank	S	12825.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3.0
99%	2.8
95%	2.0
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	3	319
0	570	3	320
0	569	3	403
0	568	3	404
0	566	3	512

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.04761905	Sum Observations	22
Std Deviation	0.2131897	Variance	0.04544985
Skewness	4.26238056	Kurtosis	16.238165
Uncorrected SS	22	Corrected SS	20.952381
Coeff Variation	447.69838	Std Error Mean	0.00991848

Basic Statistical Measures			
Location		Variability	
Mean	0.047619	Std Deviation	0.21319
Median	0.000000	Variance	0.04545
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.801042	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	1	484
0	571	1	537
0	570	1	538
0	569	1	539
0	568	1	540

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.67316017	Sum Observations	311
Std Deviation	0.71191774	Variance	0.50682687
Skewness	1.03990268	Kurtosis	1.33614347
Uncorrected SS	443	Corrected SS	233.647186
Coeff Variation	105.757555	Std Error Mean	0.03312141

Basic Statistical Measures			
Location		Variability	
Mean	0.673160	Std Deviation	0.71192
Median	1.000000	Variance	0.50683
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.32402	Pr > t	<.0001
Sign	M	129	Pr >= M	<.0001
Signed Rank	S	16705.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	568	3	404
0	567	3	512
0	566	3	518
0	565	3	519
0	561	3	520

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.4047619	Sum Observations	187
Std Deviation	0.71140313	Variance	0.50609441
Skewness	1.48288163	Kurtosis	0.74268076
Uncorrected SS	309	Corrected SS	233.309524
Coeff Variation	175.75842	Std Error Mean	0.03309747

Basic Statistical Measures			
Location		Variability	
Mean	0.404762	Std Deviation	0.71140
Median	0.000000	Variance	0.50609
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.22939	Pr > t	<.0001
Sign	M	63.5	Pr >= M	<.0001
Signed Rank	S	4064	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	2	517
0	571	2	518
0	570	2	519
0	569	2	520
0	568	3	400

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	462	Sum Weights	462
Mean	0.05411255	Sum Observations	25
Std Deviation	0.22648491	Variance	0.05129541
Skewness	3.95457769	Kurtosis	13.697965
Uncorrected SS	25	Corrected SS	23.6471861
Coeff Variation	418.544114	Std Error Mean	0.01053703

Basic Statistical Measures			
Location		Variability	
Mean	0.054113	Std Deviation	0.22648
Median	0.000000	Variance	0.05130
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.135465	Pr > t	<.0001
Sign	M	12.5	Pr >= M	<.0001
Signed Rank	S	162.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	1	518
0	571	1	519
0	570	1	520
0	569	1	537
0	568	1	547

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	462	Sum Weights	462
Mean	0.004329	Sum Observations	2
Std Deviation	0.06572377	Variance	0.00431961
Skewness	15.1490425	Kurtosis	228.48258
Uncorrected SS	2	Corrected SS	1.99134199
Coeff Variation	1518.21907	Std Error Mean	0.00305775

Basic Statistical Measures			
Location		Variability	
Mean	0.004329	Std Deviation	0.06572
Median	0.000000	Variance	0.00432
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.41575	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	0	570
0	571	0	571
0	570	0	572
0	569	1	403
0	568	1	404

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	572	Sum Weights	572
Mean	1.46678322	Sum Observations	839
Std Deviation	1.10908435	Variance	1.23006809
Skewness	0.00677898	Kurtosis	-1.1445651
Uncorrected SS	1933	Corrected SS	702.368881
Coeff Variation	75.6133787	Std Error Mean	0.04637315

Basic Statistical Measures			
Location		Variability	
Mean	1.466783	Std Deviation	1.10908
Median	2.000000	Variance	1.23007
Mode	2.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.63001	Pr > t	<.0001
Sign	M	207.5	Pr >= M	<.0001
Signed Rank	S	43160	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	2
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	566	4	319
0	565	4	320
0	562	4	403
0	561	4	404
0	554	4	512

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	462	Sum Weights	462
Mean	0.41774892	Sum Observations	193
Std Deviation	0.75153416	Variance	0.5648036
Skewness	2.03766772	Kurtosis	3.86181615
Uncorrected SS	341	Corrected SS	260.374459
Coeff Variation	179.900924	Std Error Mean	0.03496453

Basic Statistical Measures			
Location		Variability	
Mean	0.417749	Std Deviation	0.75153
Median	0.000000	Variance	0.56480
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.94779	Pr > t	<.0001
Sign	M	69.5	Pr >= M	<.0001
Signed Rank	S	4865	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	568	3	454
0	567	3	538
0	566	3	569
0	565	3	570
0	563	3	572

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	462	Sum Weights	462
Mean	0.0952381	Sum Observations	44
Std Deviation	0.37204227	Variance	0.13841545
Skewness	4.11936051	Kurtosis	16.6403773
Uncorrected SS	68	Corrected SS	63.8095238
Coeff Variation	390.644387	Std Error Mean	0.01730897

Basic Statistical Measures			
Location		Variability	
Mean	0.095238	Std Deviation	0.37204
Median	0.000000	Variance	0.13842
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.502238	Pr > t	<.0001
Sign	M	16	Pr >= M	<.0001
Signed Rank	S	264	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	2	422
0	571	2	436
0	568	2	447
0	567	2	569
0	566	2	570

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	462	Sum Weights	462
Mean	0.0021645	Sum Observations	1
Std Deviation	0.04652421	Variance	0.0021645
Skewness	21.4941853	Kurtosis	462
Uncorrected SS	1	Corrected SS	0.9978355
Coeff Variation	2149.41853	Std Error Mean	0.0021645

Basic Statistical Measures			
Location		Variability	
Mean	0.002165	Std Deviation	0.04652
Median	0.000000	Variance	0.00216
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3178
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	0	569
0	571	0	570
0	570	0	571
0	569	0	572
0	568	1	345

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	572	Sum Weights	572
Mean	0.11888112	Sum Observations	68
Std Deviation	0.46222655	Variance	0.21365339
Skewness	3.95599485	Kurtosis	14.8808732
Uncorrected SS	130.08	Corrected SS	121.996084
Coeff Variation	388.814101	Std Error Mean	0.01932666

Basic Statistical Measures			
Location		Variability	
Mean	0.118881	Std Deviation	0.46223
Median	0.000000	Variance	0.21365
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.151146	Pr > t	<.0001
Sign	M	19.5	Pr >= M	<.0001
Signed Rank	S	390	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	2.0	570
0	571	2.2	294
0	568	2.2	458
0	567	3.0	271
0	566	3.0	272

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	462	Sum Weights	462
Mean	0.04761905	Sum Observations	22
Std Deviation	0.2131897	Variance	0.04544985
Skewness	4.26238056	Kurtosis	16.238165
Uncorrected SS	22	Corrected SS	20.952381
Coeff Variation	447.69838	Std Error Mean	0.00991848

Basic Statistical Measures			
Location		Variability	
Mean	0.047619	Std Deviation	0.21319
Median	0.000000	Variance	0.04545
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.801042	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	1	484
0	571	1	537
0	570	1	538
0	569	1	539
0	568	1	540

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	462	Sum Weights	462
Mean	0.40909091	Sum Observations	189
Std Deviation	0.66469998	Variance	0.44182607
Skewness	1.80559726	Kurtosis	3.47888882
Uncorrected SS	281	Corrected SS	203.681818
Coeff Variation	162.482219	Std Error Mean	0.03092464

Basic Statistical Measures			
Location		Variability	
Mean	0.409091	Std Deviation	0.66470
Median	0.000000	Variance	0.44183
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.22864	Pr > t	<.0001
Sign	M	76.5	Pr >= M	<.0001
Signed Rank	S	5890.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	568	3	421
0	567	3	422
0	566	3	476
0	565	3	569
0	563	3	570

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	462	Sum Weights	462
Mean	0.09307359	Sum Observations	43
Std Deviation	0.38687198	Variance	0.14966993
Skewness	4.26528864	Kurtosis	17.3048839
Uncorrected SS	73	Corrected SS	68.9978355
Coeff Variation	415.662448	Std Error Mean	0.01799891

Basic Statistical Measures			
Location		Variability	
Mean	0.093074	Std Deviation	0.38687
Median	0.000000	Variance	0.14967
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.171067	Pr > t	<.0001
Sign	M	14	Pr >= M	<.0001
Signed Rank	S	203	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	2	436
0	571	2	447
0	568	2	457
0	567	2	569
0	566	2	570

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	462	Sum Weights	462
Mean	0.01082251	Sum Observations	5
Std Deviation	0.10357899	Variance	0.01072861
Skewness	9.48656423	Kurtosis	88.3774721
Uncorrected SS	5	Corrected SS	4.94588745
Coeff Variation	957.069823	Std Error Mean	0.00481893

Basic Statistical Measures			
Location		Variability	
Mean	0.010823	Std Deviation	0.10358
Median	0.000000	Variance	0.01073
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.245833	Pr > t	0.0252
Sign	M	2.5	Pr >= M	0.0625
Signed Rank	S	7.5	Pr >= S	0.0625

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	1	316
0	571	1	421
0	570	1	422
0	568	1	457
0	567	1	569

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	462	Sum Weights	462
Mean	0.0021645	Sum Observations	1
Std Deviation	0.04652421	Variance	0.0021645
Skewness	21.4941853	Kurtosis	462
Uncorrected SS	1	Corrected SS	0.9978355
Coeff Variation	2149.41853	Std Error Mean	0.0021645

Basic Statistical Measures			
Location		Variability	
Mean	0.002165	Std Deviation	0.04652
Median	0.000000	Variance	0.00216
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3178
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure**

Variable: V01XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	0	568
0	571	0	570
0	570	0	571
0	568	0	572
0	567	1	569

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	110	19.23	100.00

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Moments			
N	572	Sum Weights	572
Mean	0.63811189	Sum Observations	365
Std Deviation	0.71766449	Variance	0.51504231
Skewness	1.43301797	Kurtosis	2.91125178
Uncorrected SS	527	Corrected SS	294.089161
Coeff Variation	112.466873	Std Error Mean	0.03000706

Basic Statistical Measures			
Location		Variability	
Mean	0.638112	Std Deviation	0.71766
Median	1.000000	Variance	0.51504
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.26539	Pr > t	<.0001
Sign	M	155.5	Pr >= M	<.0001
Signed Rank	S	24258	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	3	411
0	571	3	471
0	570	3	479
0	569	3	480
0	567	3	559

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Moments			
N	572	Sum Weights	572
Mean	0.70804196	Sum Observations	405
Std Deviation	0.83722815	Variance	0.70095098
Skewness	1.43685046	Kurtosis	1.89908202
Uncorrected SS	687	Corrected SS	400.243007
Coeff Variation	118.245556	Std Error Mean	0.03500627

Basic Statistical Measures			
Location		Variability	
Mean	0.708042	Std Deviation	0.83723
Median	1.000000	Variance	0.70095
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.22615	Pr > t	<.0001
Sign	M	155.5	Pr >= M	<.0001
Signed Rank	S	24258	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 1.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu01**The UNIVARIATE Procedure****Variable: V01XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	572	3	471
0	571	3	479
0	570	3	480
0	569	3	490
0	567	3	559