

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V03XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	234	42.39	336	60.87
1: 1	132	23.91	468	84.78
2: 2	38	6.88	506	91.67
3: 3	46	8.33	552	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V03XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	318	57.61	420	76.09
1: 1	76	13.77	496	89.86
2: 2	53	9.60	549	99.46
3: 3	3	0.54	552	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V03XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	441	79.89	543	98.37
1: 1	9	1.63	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V03XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	322	58.33	322	58.33
0.4	1	0.18	323	58.51
1	124	22.46	447	80.98
1.2	4	0.72	451	81.70
1.4	2	0.36	453	82.07
2	60	10.87	513	92.93
2.2	10	1.81	523	94.75
2.4	9	1.63	532	96.38
2.6	7	1.27	539	97.64
2.8	6	1.09	545	98.73
3	7	1.27	552	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V03XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	428	77.54	530	96.01
1: 1	22	3.99	552	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V03XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	181	32.79	283	51.27
1: 1	202	36.59	485	87.86
2: 2	47	8.51	532	96.38
3: 3	20	3.62	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V03XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	311	56.34	413	74.82
1: 1	75	13.59	488	88.41
2: 2	63	11.41	551	99.82
3: 3	1	0.18	552	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V03XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	422	76.45	524	94.93
1: 1	28	5.07	552	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment				
V03XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	448	81.16	550	99.64
1: 1	2	0.36	552	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V03XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: 0	142	25.72	142	25.72
1: 1	87	15.76	229	41.49
2: 2	196	35.51	425	76.99
3: 3	116	21.01	541	98.01
4: 4	11	1.99	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V03XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	302	54.71	404	73.19
1: 1	111	20.11	515	93.30
2: 2	17	3.08	532	96.38
3: 3	20	3.62	552	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V03XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	418	75.72	520	94.20
1: 1	16	2.90	536	97.10
2: 2	15	2.72	551	99.82
3: 3	1	0.18	552	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V03XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	448	81.16	550	99.64
1: 1	2	0.36	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment				
V03XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	509	92.21	509	92.21
1	11	1.99	520	94.20
1.2	1	0.18	521	94.38
1.4	2	0.36	523	94.75
2	15	2.72	538	97.46
2.2	2	0.36	540	97.83
2.4	5	0.91	545	98.73
2.6	2	0.36	547	99.09
2.8	1	0.18	548	99.28
3	4	0.72	552	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment				
V03XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	428	77.54	530	96.01
1: 1	22	3.99	552	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment				
V03XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	292	52.90	394	71.38
1: 1	133	24.09	527	95.47
2: 2	14	2.54	541	98.01
3: 3	11	1.99	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) tibia lateral compartment

V03XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	421	76.27	523	94.75
1: 1	13	2.36	536	97.10
2: 2	15	2.72	551	99.82
3: 3	1	0.18	552	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) tibia lateral compartment

V03XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	441	79.89	543	98.37
1: 1	9	1.63	552	100.00

BL/FU kXR reading (BU): attrition
(OARSI grades 0-3) tibia lateral compartment

V03XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	102	18.48	102	18.48
0: 0	449	81.34	551	99.82
1: 1	1	0.18	552	100.00

FU kXR reading (BU): first visit scored KL>=2

V03XRNWKL2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	260	47.10	260	47.10
1: KL 0-1 at baseline, no change	256	46.38	516	93.48
2: Incident KL>=2 at prev followup visit	22	3.99	538	97.46
3: Incident KL>=2 at this visit	14	2.54	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The FREQ Procedure**

FU kXR reading (BU): first visit scored KL=2N				
V03XRNW2N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	260	47.10	260	47.10
1: KL 0-1 at BL, no change	229	41.49	489	88.59
2: Incident KL=2N or KL >=2 at prev f/up	39	7.07	528	95.65
3: Incident KL = 2N or KL >=2 at this visit	24	4.35	552	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.76888889	Sum Observations	346
Std Deviation	0.98084601	Variance	0.9620589
Skewness	1.1309666	Kurtosis	0.17278122
Uncorrected SS	698	Corrected SS	431.964444
Coeff Variation	127.566678	Std Error Mean	0.04623752

Basic Statistical Measures			
Location		Variability	
Mean	0.768889	Std Deviation	0.98085
Median	0.000000	Variance	0.96206
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.62911	Pr > t	<.0001
Sign	M	108	Pr >= M	<.0001
Signed Rank	S	11718	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	3
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	546	3	507
0	545	3	549
0	543	3	550
0	541	3	551
0	540	3	552

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.42444444	Sum Observations	191
Std Deviation	0.72180655	Variance	0.5210047
Skewness	1.47956397	Kurtosis	0.94842404
Uncorrected SS	315	Corrected SS	233.931111
Coeff Variation	170.059136	Std Error Mean	0.03402629

Basic Statistical Measures			
Location		Variability	
Mean	0.424444	Std Deviation	0.72181
Median	0.000000	Variance	0.52100
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.47402	Pr > t	<.0001
Sign	M	66	Pr >= M	<.0001
Signed Rank	S	4389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	2	507
0	551	2	508
0	550	3	387
0	549	3	388
0	546	3	434

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	450	Sum Weights	450
Mean	0.02	Sum Observations	9
Std Deviation	0.14015582	Variance	0.01964365
Skewness	6.88009778	Kurtosis	45.5381194
Uncorrected SS	9	Corrected SS	8.82
Coeff Variation	700.779076	Std Error Mean	0.00660701

Basic Statistical Measures			
Location		Variability	
Mean	0.020000	Std Deviation	0.14016
Median	0.000000	Variance	0.01964
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3.027089	Pr > t	0.0026
Sign	M	4.5	Pr >= M	0.0039
Signed Rank	S	22.5	Pr >= S	0.0039

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	1	433
0	551	1	434
0	550	1	468
0	549	1	491
0	548	1	492

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	552	Sum Weights	552
Mean	0.63695652	Sum Observations	351.6
Std Deviation	0.85996464	Variance	0.73953918
Skewness	1.05913826	Kurtosis	-0.1194578
Uncorrected SS	631.44	Corrected SS	407.486087
Coeff Variation	135.011513	Std Error Mean	0.03660253

Basic Statistical Measures			
Location		Variability	
Mean	0.636957	Std Deviation	0.85996
Median	0.000000	Variance	0.73954
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.40198	Pr > t	<.0001
Sign	M	115	Pr >= M	<.0001
Signed Rank	S	13282.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3.0
99%	3.0
95%	2.4
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	3	391
0	550	3	392
0	549	3	404
0	546	3	499
0	545	3	500

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.04888889	Sum Observations	22
Std Deviation	0.21587572	Variance	0.04660233
Skewness	4.19801728	Kurtosis	15.693077
Uncorrected SS	22	Corrected SS	20.9244444
Coeff Variation	441.563971	Std Error Mean	0.01017648

Basic Statistical Measures			
Location		Variability	
Mean	0.048889	Std Deviation	0.21588
Median	0.000000	Variance	0.04660
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.804106	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	1	472
0	551	1	517
0	550	1	518
0	549	1	519
0	548	1	520

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.79111111	Sum Observations	356
Std Deviation	0.80139695	Variance	0.64223707
Skewness	0.91629725	Kurtosis	0.52472792
Uncorrected SS	570	Corrected SS	288.364444
Coeff Variation	101.300176	Std Error Mean	0.03777821

Basic Statistical Measures			
Location		Variability	
Mean	0.791111	Std Deviation	0.80140
Median	1.000000	Variance	0.64224
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.94093	Pr > t	<.0001
Sign	M	134.5	Pr >= M	<.0001
Signed Rank	S	18157.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	548	3	464
0	547	3	506
0	546	3	507
0	545	3	508
0	541	3	527

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.45333333	Sum Observations	204
Std Deviation	0.73645149	Variance	0.5423608
Skewness	1.30437908	Kurtosis	0.22114366
Uncorrected SS	336	Corrected SS	243.52
Coeff Variation	162.452535	Std Error Mean	0.03471666

Basic Statistical Measures			
Location		Variability	
Mean	0.453333	Std Deviation	0.73645
Median	0.000000	Variance	0.54236
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.05809	Pr > t	<.0001
Sign	M	69.5	Pr >= M	<.0001
Signed Rank	S	4865	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	2	505
0	551	2	506
0	550	2	507
0	549	2	508
0	548	3	388

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	450	Sum Weights	450
Mean	0.06222222	Sum Observations	28
Std Deviation	0.24182757	Variance	0.05848057
Skewness	3.63674118	Kurtosis	11.2759826
Uncorrected SS	28	Corrected SS	26.2577778
Coeff Variation	388.651453	Std Error Mean	0.01139986

Basic Statistical Measures			
Location		Variability	
Mean	0.062222	Std Deviation	0.24183
Median	0.000000	Variance	0.05848
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.458156	Pr > t	<.0001
Sign	M	14	Pr >= M	<.0001
Signed Rank	S	203	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	1	506
0	551	1	507
0	550	1	508
0	549	1	517
0	548	1	527

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	450	Sum Weights	450
Mean	0.00444444	Sum Observations	2
Std Deviation	0.06659239	Variance	0.00443455
Skewness	14.9496928	Kurtosis	222.482113
Uncorrected SS	2	Corrected SS	1.99111111
Coeff Variation	1498.32869	Std Error Mean	0.0031392

Basic Statistical Measures			
Location		Variability	
Mean	0.004444	Std Deviation	0.06659
Median	0.000000	Variance	0.00443
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415791	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	0	550
0	551	0	551
0	550	0	552
0	549	1	391
0	548	1	392

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	552	Sum Weights	552
Mean	1.57789855	Sum Observations	871
Std Deviation	1.14045424	Variance	1.30063587
Skewness	-0.0859451	Kurtosis	-1.1192414
Uncorrected SS	2091	Corrected SS	716.650362
Coeff Variation	72.2767783	Std Error Mean	0.04854096

Basic Statistical Measures			
Location		Variability	
Mean	1.577899	Std Deviation	1.14045
Median	2.000000	Variance	1.30064
Mode	2.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	32.50654	Pr > t	<.0001
Sign	M	205	Pr >= M	<.0001
Signed Rank	S	42127.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	2
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	546	4	423
0	545	4	424
0	542	4	499
0	541	4	500
0	534	4	550

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	450	Sum Weights	450
Mean	0.45555556	Sum Observations	205
Std Deviation	0.76913035	Variance	0.59156149
Skewness	1.87555952	Kurtosis	3.157559
Uncorrected SS	359	Corrected SS	265.611111
Coeff Variation	168.833491	Std Error Mean	0.03625715

Basic Statistical Measures			
Location		Variability	
Mean	0.455556	Std Deviation	0.76913
Median	0.000000	Variance	0.59156
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.56457	Pr > t	<.0001
Sign	M	74	Pr >= M	<.0001
Signed Rank	S	5513	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	548	3	438
0	547	3	518
0	546	3	549
0	545	3	550
0	543	3	552

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	450	Sum Weights	450
Mean	0.10888889	Sum Observations	49
Std Deviation	0.42122011	Variance	0.17742638
Skewness	4.08282038	Kurtosis	16.4724025
Uncorrected SS	85	Corrected SS	79.6644444
Coeff Variation	386.834793	Std Error Mean	0.01985651

Basic Statistical Measures			
Location		Variability	
Mean	0.108889	Std Deviation	0.42122
Median	0.000000	Variance	0.17743
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.483789	Pr > t	<.0001
Sign	M	16	Pr >= M	<.0001
Signed Rank	S	264	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	2	438
0	551	2	441
0	548	2	442
0	547	2	549
0	546	3	550

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	450	Sum Weights	450
Mean	0.00444444	Sum Observations	2
Std Deviation	0.06659239	Variance	0.00443455
Skewness	14.9496928	Kurtosis	222.482113
Uncorrected SS	2	Corrected SS	1.99111111
Coeff Variation	1498.32869	Std Error Mean	0.0031392

Basic Statistical Measures			
Location		Variability	
Mean	0.004444	Std Deviation	0.06659
Median	0.000000	Variance	0.00443
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415791	Pr > t	0.1575
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	0	550
0	551	0	551
0	550	0	552
0	549	1	337
0	548	1	338

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	552	Sum Weights	552
Mean	0.14746377	Sum Observations	81.4
Std Deviation	0.53920094	Variance	0.29073766
Skewness	3.7308543	Kurtosis	13.0413893
Uncorrected SS	172.2	Corrected SS	160.196449
Coeff Variation	365.64978	Std Error Mean	0.02294992

Basic Statistical Measures			
Location		Variability	
Mean	0.147464	Std Deviation	0.53920
Median	0.000000	Variance	0.29074
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.42546	Pr > t	<.0001
Sign	M	21.5	Pr >= M	<.0001
Signed Rank	S	473	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3.0
99%	2.6
95%	2.0
90%	0.0
75% Q3	0.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	2.8	337
0	551	3.0	339
0	548	3.0	423
0	547	3.0	424
0	546	3.0	550

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	450	Sum Weights	450
Mean	0.04888889	Sum Observations	22
Std Deviation	0.21587572	Variance	0.04660233
Skewness	4.19801728	Kurtosis	15.693077
Uncorrected SS	22	Corrected SS	20.9244444
Coeff Variation	441.563971	Std Error Mean	0.01017648

Basic Statistical Measures			
Location		Variability	
Mean	0.048889	Std Deviation	0.21588
Median	0.000000	Variance	0.04660
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.804106	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	1	472
0	551	1	517
0	550	1	518
0	549	1	519
0	548	1	520

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	450	Sum Weights	450
Mean	0.43111111	Sum Observations	194
Std Deviation	0.67465151	Variance	0.45515466
Skewness	1.76037378	Kurtosis	3.384968
Uncorrected SS	288	Corrected SS	204.364444
Coeff Variation	156.49133	Std Error Mean	0.03180338

Basic Statistical Measures			
Location		Variability	
Mean	0.431111	Std Deviation	0.67465
Median	0.000000	Variance	0.45515
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.55551	Pr > t	<.0001
Sign	M	79	Pr >= M	<.0001
Signed Rank	S	6280.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	548	3	409
0	547	3	410
0	546	3	464
0	545	3	549
0	543	3	550

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	450	Sum Weights	450
Mean	0.10222222	Sum Observations	46
Std Deviation	0.41491614	Variance	0.17215541
Skewness	4.25357271	Kurtosis	17.8145216
Uncorrected SS	82	Corrected SS	77.2977778
Coeff Variation	405.896228	Std Error Mean	0.01955933

Basic Statistical Measures			
Location		Variability	
Mean	0.102222	Std Deviation	0.41492
Median	0.000000	Variance	0.17216
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.226263	Pr > t	<.0001
Sign	M	14.5	Pr >= M	<.0001
Signed Rank	S	217.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	2	431
0	551	2	441
0	548	2	442
0	547	2	549
0	546	3	550

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	450	Sum Weights	450
Mean	0.02	Sum Observations	9
Std Deviation	0.14015582	Variance	0.01964365
Skewness	6.88009778	Kurtosis	45.5381194
Uncorrected SS	9	Corrected SS	8.82
Coeff Variation	700.779076	Std Error Mean	0.00660701

Basic Statistical Measures			
Location		Variability	
Mean	0.020000	Std Deviation	0.14016
Median	0.000000	Variance	0.01964
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3.027089	Pr > t	0.0026
Sign	M	4.5	Pr >= M	0.0039
Signed Rank	S	22.5	Pr >= S	0.0039

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	1	409
0	551	1	410
0	550	1	441
0	548	1	442
0	547	1	549

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	450	Sum Weights	450
Mean	0.00222222	Sum Observations	1
Std Deviation	0.04714045	Variance	0.00222222
Skewness	21.2132034	Kurtosis	450
Uncorrected SS	1	Corrected SS	0.99777778
Coeff Variation	2121.32034	Std Error Mean	0.00222222

Basic Statistical Measures			
Location		Variability	
Mean	0.002222	Std Deviation	0.04714
Median	0.000000	Variance	0.00222
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3178
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure**

Variable: V03XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	0	548
0	551	0	550
0	550	0	551
0	548	0	552
0	547	1	549

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	102	18.48	100.00

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Moments			
N	552	Sum Weights	552
Mean	0.61956522	Sum Observations	342
Std Deviation	0.68442445	Variance	0.46843683
Skewness	1.13043236	Kurtosis	1.77536281
Uncorrected SS	470	Corrected SS	258.108696
Coeff Variation	110.468508	Std Error Mean	0.02913104

Basic Statistical Measures			
Location		Variability	
Mean	0.619565	Std Deviation	0.68442
Median	1.000000	Variance	0.46844
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.26822	Pr > t	<.0001
Sign	M	146	Pr >= M	<.0001
Signed Rank	S	21389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	3	367
0	551	3	379
0	550	3	465
0	549	3	533
0	547	3	548

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Moments			
N	552	Sum Weights	552
Mean	0.6865942	Sum Observations	379
Std Deviation	0.78643305	Variance	0.61847695
Skewness	1.15492769	Kurtosis	1.12522696
Uncorrected SS	601	Corrected SS	340.780797
Coeff Variation	114.541173	Std Error Mean	0.03347281

Basic Statistical Measures			
Location		Variability	
Mean	0.686594	Std Deviation	0.78643
Median	1.000000	Variance	0.61848
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.512	Pr > t	<.0001
Sign	M	146	Pr >= M	<.0001
Signed Rank	S	21389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 3.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu03**The UNIVARIATE Procedure****Variable: V03XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	552	3	406
0	551	3	465
0	550	3	510
0	549	3	533
0	547	3	548