

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V05XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	193	37.40	305	59.11
1: 1	132	25.58	437	84.69
2: 2	38	7.36	475	92.05
3: 3	41	7.95	516	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V05XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	282	54.65	394	76.36
1: 1	71	13.76	465	90.12
2: 2	48	9.30	513	99.42
3: 3	3	0.58	516	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V05XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	398	77.13	510	98.84
1: 1	6	1.16	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) medial compartment

V05XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	310	60.08	310	60.08
1	109	21.12	419	81.20
1.2	2	0.39	421	81.59
1.4	3	0.58	424	82.17
2	53	10.27	477	92.44
2.2	9	1.74	486	94.19
2.4	12	2.33	498	96.51
2.8	4	0.78	502	97.29
3	14	2.71	516	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) medial compartment

V05XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	380	73.64	492	95.35
1: 1	24	4.65	516	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia medial compartment

V05XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	153	29.65	265	51.36
1: 1	183	35.47	448	86.82
2: 2	40	7.75	488	94.57
3: 3	28	5.43	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V05XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	272	52.71	384	74.42
1: 1	77	14.92	461	89.34
2: 2	52	10.08	513	99.42
3: 3	3	0.58	516	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V05XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	377	73.06	489	94.77
1: 1	27	5.23	516	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment				
V05XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	400	77.52	512	99.22
1: 1	4	0.78	516	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V05XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: 0	129	25.00	129	25.00
1: 1	72	13.95	201	38.95
2: 2	192	37.21	393	76.16
3: 3	102	19.77	495	95.93
4: 4	21	4.07	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V05XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	265	51.36	377	73.06
1: 1	104	20.16	481	93.22
2: 2	19	3.68	500	96.90
3: 3	16	3.10	516	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V05XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	370	71.71	482	93.41
1: 1	16	3.10	498	96.51
2: 2	18	3.49	516	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V05XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	402	77.91	514	99.61
1: 1	2	0.39	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) lateral compartment

V05XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	471	91.28	471	91.28
1	11	2.13	482	93.41
1.4	2	0.39	484	93.80
2	16	3.10	500	96.90
2.2	1	0.19	501	97.09
2.4	5	0.97	506	98.06
2.6	3	0.58	509	98.64
3	7	1.36	516	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) lateral compartment

V05XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	384	74.42	496	96.12
1: 1	20	3.88	516	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia lateral compartment

V05XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	245	47.48	357	69.19
1: 1	132	25.58	489	94.77
2: 2	12	2.33	501	97.09
3: 3	15	2.91	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment				
V05XRCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	371	71.90	483	93.60
1: 1	17	3.29	500	96.90
2: 2	16	3.10	516	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment				
V05XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	397	76.94	509	98.64
1: 1	7	1.36	516	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment				
V05XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	112	21.71	112	21.71
0: 0	403	78.10	515	99.81
1: 1	1	0.19	516	100.00

FU kXR reading (BU): first visit scored KL>=2				
V05XRNWKL2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	232	44.96	232	44.96
1: KL 0-1 at baseline, no change	240	46.51	472	91.47
2: Incident KL>=2 at prev followup visit	31	6.01	503	97.48
3: Incident KL>=2 at this visit	13	2.52	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The FREQ Procedure**

FU kXR reading (BU): first visit scored KL=2N				
V05XRNW2N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	232	44.96	232	44.96
1: KL 0-1 at BL, no change	201	38.95	433	83.91
2: Incident KL=2N or KL >=2 at prev f/up	57	11.05	490	94.96
3: Incident KL = 2N or KL >=2 at this visit	26	5.04	516	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.81930693	Sum Observations	331
Std Deviation	0.97335393	Variance	0.94741788
Skewness	1.03396058	Kurtosis	0.03075518
Uncorrected SS	653	Corrected SS	381.809406
Coeff Variation	118.802112	Std Error Mean	0.04842617

Basic Statistical Measures			
Location		Variability	
Mean	0.819307	Std Deviation	0.97335
Median	1.000000	Variance	0.94742
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.91868	Pr > t	<.0001
Sign	M	105.5	Pr >= M	<.0001
Signed Rank	S	11183	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	3
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	510	3	464
0	509	3	513
0	507	3	514
0	505	3	515
0	504	3	516

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.43564356	Sum Observations	176
Std Deviation	0.72756218	Variance	0.52934673
Skewness	1.44907005	Kurtosis	0.88344959
Uncorrected SS	290	Corrected SS	213.326733
Coeff Variation	167.008592	Std Error Mean	0.03619757

Basic Statistical Measures			
Location		Variability	
Mean	0.435644	Std Deviation	0.72756
Median	0.000000	Variance	0.52935
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.03516	Pr > t	<.0001
Sign	M	61	Pr >= M	<.0001
Signed Rank	S	3751.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	2	463
0	515	2	464
0	514	3	363
0	513	3	401
0	510	3	402

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	404	Sum Weights	404
Mean	0.01485149	Sum Observations	6
Std Deviation	0.12110831	Variance	0.01466722
Skewness	8.0516717	Kurtosis	63.1419804
Uncorrected SS	6	Corrected SS	5.91089109
Coeff Variation	815.462643	Std Error Mean	0.00602536

Basic Statistical Measures			
Location		Variability	
Mean	0.014851	Std Deviation	0.12111
Median	0.000000	Variance	0.01467
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.464828	Pr > t	0.0141
Sign	M	3	Pr >= M	0.0313
Signed Rank	S	10.5	Pr >= S	0.0313

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	1	401
0	515	1	402
0	514	1	432
0	513	1	451
0	512	1	452

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	516	Sum Weights	516
Mean	0.62674419	Sum Observations	323.4
Std Deviation	0.87811684	Variance	0.77108918
Skewness	1.14729088	Kurtosis	0.11090916
Uncorrected SS	599.8	Corrected SS	397.11093
Coeff Variation	140.107696	Std Error Mean	0.03865694

Basic Statistical Measures			
Location		Variability	
Mean	0.626744	Std Deviation	0.87812
Median	0.000000	Variance	0.77109
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.21298	Pr > t	<.0001
Sign	M	103	Pr >= M	<.0001
Signed Rank	S	10660.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3.0
99%	3.0
95%	2.4
90%	2.0
75% Q3	1.0
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	3	401
0	514	3	402
0	513	3	459
0	510	3	460
0	509	3	463

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.05940594	Sum Observations	24
Std Deviation	0.236676	Variance	0.05601553
Skewness	3.74170661	Kurtosis	12.0600477
Uncorrected SS	24	Corrected SS	22.5742574
Coeff Variation	398.404593	Std Error Mean	0.01177507

Basic Statistical Measures			
Location		Variability	
Mean	0.059406	Std Deviation	0.23668
Median	0.000000	Variance	0.05602
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.04506	Pr > t	<.0001
Sign	M	12	Pr >= M	<.0001
Signed Rank	S	150	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	1	436
0	515	1	481
0	514	1	482
0	513	1	483
0	512	1	484

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.85891089	Sum Observations	347
Std Deviation	0.85841033	Variance	0.73686829
Skewness	0.93762041	Kurtosis	0.40816143
Uncorrected SS	595	Corrected SS	296.957921
Coeff Variation	99.9417211	Std Error Mean	0.04270751

Basic Statistical Measures			
Location		Variability	
Mean	0.858911	Std Deviation	0.85841
Median	1.000000	Variance	0.73687
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.11147	Pr > t	<.0001
Sign	M	125.5	Pr >= M	<.0001
Signed Rank	S	15813	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	512	3	460
0	511	3	462
0	510	3	463
0	509	3	464
0	505	3	491

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.47029703	Sum Observations	190
Std Deviation	0.74328018	Variance	0.55246542
Skewness	1.32297125	Kurtosis	0.50069525
Uncorrected SS	312	Corrected SS	222.643564
Coeff Variation	158.044837	Std Error Mean	0.03697957

Basic Statistical Measures			
Location		Variability	
Mean	0.470297	Std Deviation	0.74328
Median	0.000000	Variance	0.55247
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.71775	Pr > t	<.0001
Sign	M	66	Pr >= M	<.0001
Signed Rank	S	4389	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	2	463
0	515	2	464
0	514	3	363
0	513	3	401
0	512	3	402

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	404	Sum Weights	404
Mean	0.06683168	Sum Observations	27
Std Deviation	0.25003992	Variance	0.06251996
Skewness	3.48203105	Kurtosis	10.174887
Uncorrected SS	27	Corrected SS	25.1955446
Coeff Variation	374.133806	Std Error Mean	0.01243995

Basic Statistical Measures			
Location		Variability	
Mean	0.066832	Std Deviation	0.25004
Median	0.000000	Variance	0.06252
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.372343	Pr > t	<.0001
Sign	M	13.5	Pr >= M	<.0001
Signed Rank	S	189	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	1	463
0	515	1	464
0	514	1	481
0	513	1	487
0	512	1	491

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	404	Sum Weights	404
Mean	0.00990099	Sum Observations	4
Std Deviation	0.09913267	Variance	0.00982729
Skewness	9.93693267	Kurtosis	97.2239187
Uncorrected SS	4	Corrected SS	3.96039604
Coeff Variation	1001.23993	Std Error Mean	0.00493203

Basic Statistical Measures			
Location		Variability	
Mean	0.009901	Std Deviation	0.09913
Median	0.000000	Variance	0.00983
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.007486	Pr > t	0.0454
Sign	M	2	Pr >= M	0.1250
Signed Rank	S	5	Pr >= S	0.1250

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	0	516
0	515	1	355
0	514	1	356
0	513	1	460
0	512	1	464

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	516	Sum Weights	516
Mean	1.63953488	Sum Observations	846
Std Deviation	1.17163357	Variance	1.37272522
Skewness	-0.0549472	Kurtosis	-0.9859173
Uncorrected SS	2094	Corrected SS	706.953488
Coeff Variation	71.4613383	Std Error Mean	0.05157829

Basic Statistical Measures			
Location		Variability	
Mean	1.639535	Std Deviation	1.17163
Median	2.000000	Variance	1.37273
Mode	2.000000	Range	4.00000
		Interquartile Range	1.50000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	31.7873	Pr > t	<.0001
Sign	M	193.5	Pr >= M	<.0001
Signed Rank	S	37539	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4.0
99%	4.0
95%	3.0
90%	3.0
75% Q3	2.0
50% Median	2.0
25% Q1	0.5
10%	0.0
5%	0.0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	506	4	459
0	505	4	460
0	484	4	463
0	483	4	513
0	480	4	514

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	404	Sum Weights	404
Mean	0.47029703	Sum Observations	190
Std Deviation	0.7630479	Variance	0.5822421
Skewness	1.76764198	Kurtosis	2.77561731
Uncorrected SS	324	Corrected SS	234.643564
Coeff Variation	162.248079	Std Error Mean	0.03796305

Basic Statistical Measures			
Location		Variability	
Mean	0.470297	Std Deviation	0.76305
Median	0.000000	Variance	0.58224
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.38828	Pr > t	<.0001
Sign	M	69.5	Pr >= M	<.0001
Signed Rank	S	4865	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	512	3	406
0	511	3	482
0	510	3	513
0	509	3	514
0	507	3	516

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	404	Sum Weights	404
Mean	0.12871287	Sum Observations	52
Std Deviation	0.44917054	Variance	0.20175417
Skewness	3.51522246	Kurtosis	11.2111907
Uncorrected SS	88	Corrected SS	81.3069307
Coeff Variation	348.970955	Std Error Mean	0.02234707

Basic Statistical Measures			
Location		Variability	
Mean	0.128713	Std Deviation	0.44917
Median	0.000000	Variance	0.20175
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.75972	Pr > t	<.0001
Sign	M	17	Pr >= M	<.0001
Signed Rank	S	297.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	2	406
0	515	2	409
0	512	2	410
0	511	2	513
0	510	2	514

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	404	Sum Weights	404
Mean	0.0049505	Sum Observations	2
Std Deviation	0.07027241	Variance	0.00493821
Skewness	14.1595392	Kurtosis	199.480062
Uncorrected SS	2	Corrected SS	1.99009901
Coeff Variation	1419.50259	Std Error Mean	0.00349618

Basic Statistical Measures			
Location		Variability	
Mean	0.004950	Std Deviation	0.07027
Median	0.000000	Variance	0.00494
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.415971	Pr > t	0.1576
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	0	514
0	515	0	515
0	514	0	516
0	513	1	313
0	512	1	314

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	516	Sum Weights	516
Mean	0.17209302	Sum Observations	88.8
Std Deviation	0.59211344	Variance	0.35059833
Skewness	3.4755663	Kurtosis	11.05883
Uncorrected SS	195.84	Corrected SS	180.55814
Coeff Variation	344.065919	Std Error Mean	0.02606634

Basic Statistical Measures			
Location		Variability	
Mean	0.172093	Std Deviation	0.59211
Median	0.000000	Variance	0.35060
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.602117	Pr > t	<.0001
Sign	M	22.5	Pr >= M	<.0001
Signed Rank	S	517.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	3	315
0	515	3	387
0	512	3	388
0	511	3	513
0	510	3	514

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	404	Sum Weights	404
Mean	0.04950495	Sum Observations	20
Std Deviation	0.21718879	Variance	0.04717097
Skewness	4.1690579	Kurtosis	15.4575426
Uncorrected SS	20	Corrected SS	19.009901
Coeff Variation	438.721354	Std Error Mean	0.01080555

Basic Statistical Measures			
Location		Variability	
Mean	0.049505	Std Deviation	0.21719
Median	0.000000	Variance	0.04717
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.581439	Pr > t	<.0001
Sign	M	10	Pr >= M	<.0001
Signed Rank	S	105	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	1	436
0	515	1	481
0	514	1	482
0	513	1	483
0	512	1	484

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	404	Sum Weights	404
Mean	0.49752475	Sum Observations	201
Std Deviation	0.73040579	Variance	0.53349262
Skewness	1.67893142	Kurtosis	2.93163064
Uncorrected SS	315	Corrected SS	214.997525
Coeff Variation	146.80793	Std Error Mean	0.03633905

Basic Statistical Measures			
Location		Variability	
Mean	0.497525	Std Deviation	0.73041
Median	0.000000	Variance	0.53349
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.69119	Pr > t	<.0001
Sign	M	79.5	Pr >= M	<.0001
Signed Rank	S	6360	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	507	3	370
0	505	3	428
0	500	3	487
0	499	3	513
0	497	3	514

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	404	Sum Weights	404
Mean	0.12128713	Sum Observations	49
Std Deviation	0.43156168	Variance	0.18624549
Skewness	3.62904124	Kurtosis	12.1920286
Uncorrected SS	81	Corrected SS	75.0569307
Coeff Variation	355.818203	Std Error Mean	0.021471

Basic Statistical Measures			
Location		Variability	
Mean	0.121287	Std Deviation	0.43156
Median	0.000000	Variance	0.18625
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.648882	Pr > t	<.0001
Sign	M	16.5	Pr >= M	<.0001
Signed Rank	S	280.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	2	388
0	515	2	399
0	512	2	409
0	511	2	513
0	510	2	514

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	404	Sum Weights	404
Mean	0.01732673	Sum Observations	7
Std Deviation	0.13064749	Variance	0.01706877
Skewness	7.42570148	Kurtosis	53.4054043
Uncorrected SS	7	Corrected SS	6.87871287
Coeff Variation	754.022652	Std Error Mean	0.00649996

Basic Statistical Measures			
Location		Variability	
Mean	0.017327	Std Deviation	0.13065
Median	0.000000	Variance	0.01707
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.665669	Pr > t	0.0080
Sign	M	3.5	Pr >= M	0.0156
Signed Rank	S	14	Pr >= S	0.0156

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	1	313
0	515	1	369
0	514	1	409
0	512	1	410
0	511	1	513

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	404	Sum Weights	404
Mean	0.00247525	Sum Observations	1
Std Deviation	0.04975186	Variance	0.00247525
Skewness	20.0997512	Kurtosis	404
Uncorrected SS	1	Corrected SS	0.99752475
Coeff Variation	2009.97512	Std Error Mean	0.00247525

Basic Statistical Measures			
Location		Variability	
Mean	0.002475	Std Deviation	0.04975
Median	0.000000	Variance	0.00248
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3179
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure**

Variable: V05XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	0	512
0	515	0	514
0	514	0	515
0	512	0	516
0	511	1	513

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	112	21.71	100.00

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Moments			
N	516	Sum Weights	516
Mean	0.66085271	Sum Observations	341
Std Deviation	0.70456104	Variance	0.49640626
Skewness	1.02126009	Kurtosis	1.25809819
Uncorrected SS	481	Corrected SS	255.649225
Coeff Variation	106.613929	Std Error Mean	0.03101657

Basic Statistical Measures			
Location		Variability	
Mean	0.660853	Std Deviation	0.70456
Median	1.000000	Variance	0.49641
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.30644	Pr > t	<.0001
Sign	M	142	Pr >= M	<.0001
Signed Rank	S	20235	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	3	430
0	515	3	477
0	514	3	495
0	513	3	498
0	511	3	507

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Moments			
N	516	Sum Weights	516
Mean	0.76162791	Sum Observations	393
Std Deviation	0.84034232	Variance	0.70617521
Skewness	0.98564976	Kurtosis	0.39178561
Uncorrected SS	663	Corrected SS	363.680233
Coeff Variation	110.335022	Std Error Mean	0.03699401

Basic Statistical Measures			
Location		Variability	
Mean	0.761628	Std Deviation	0.84034
Median	1.000000	Variance	0.70618
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.58787	Pr > t	<.0001
Sign	M	142	Pr >= M	<.0001
Signed Rank	S	20235	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 5.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu05**The UNIVARIATE Procedure****Variable: V05XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	516	3	477
0	515	3	495
0	514	3	498
0	513	3	507
0	511	3	509