

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) femur medial compartment

V06XROSFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	185	39.87	253	54.53
1: 1	118	25.43	371	79.96
2: 2	46	9.91	417	89.87
3: 3	47	10.13	464	100.00

BL/FU kXR reading (BU): sclerosis
(OARSI grades 0-3) femur medial compartment

V06XRSCFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	262	56.47	330	71.12
1: 1	74	15.95	404	87.07
2: 2	56	12.07	460	99.14
3: 3	4	0.86	464	100.00

BL/FU kXR reading (BU): cysts
(Grades 0-1) femur medial compartment

V06XRCYFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	387	83.41	455	98.06
1: 1	9	1.94	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment				
V06XRJSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	255	54.96	255	54.96
1	93	20.04	348	75.00
1.2	3	0.65	351	75.65
1.4	2	0.43	353	76.08
1.6	1	0.22	354	76.29
2	69	14.87	423	91.16
2.2	8	1.72	431	92.89
2.4	11	2.37	442	95.26
2.6	5	1.08	447	96.34
2.8	2	0.43	449	96.77
3	15	3.23	464	100.00

BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment				
V06XRCHM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	378	81.47	446	96.12
1: 1	18	3.88	464	100.00

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment				
V06XROSTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	148	31.90	216	46.55
1: 1	174	37.50	390	84.05
2: 2	48	10.34	438	94.40
3: 3	26	5.60	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment				
V06XRSCTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	257	55.39	325	70.04
1: 1	74	15.95	399	85.99
2: 2	62	13.36	461	99.35
3: 3	3	0.65	464	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment				
V06XRCYTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	367	79.09	435	93.75
1: 1	29	6.25	464	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment				
V06XRATTM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	394	84.91	462	99.57
1: 1	2	0.43	464	100.00

BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4)				
V06XRKL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: 0	97	20.91	97	20.91
1: 1	57	12.28	154	33.19
2: 2	169	36.42	323	69.61
3: 3	120	25.86	443	95.47
4: 4	21	4.53	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment				
V06XROSFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	270	58.19	338	72.84
1: 1	89	19.18	427	92.03
2: 2	20	4.31	447	96.34
3: 3	17	3.66	464	100.00

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment				
V06XRSCFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	363	78.23	431	92.89
1: 1	16	3.45	447	96.34
2: 2	17	3.66	464	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment				
V06XRCYFL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	394	84.91	462	99.57
1: 1	2	0.43	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): joint space narrowing
(OARSI grades 0-3) lateral compartment

V06XRJSL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	425	91.59	425	91.59
1	8	1.72	433	93.32
2	13	2.80	446	96.12
2.4	7	1.51	453	97.63
2.6	4	0.86	457	98.49
2.8	2	0.43	459	98.92
3	5	1.08	464	100.00

BL/FU kXR reading (BU): chondrocalcinosis
(Grades 0-1) lateral compartment

V06XRCHL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	378	81.47	446	96.12
1: 1	18	3.88	464	100.00

BL/FU kXR reading (BU): osteophytes
(OARSI grades 0-3) tibia lateral compartment

V06XROSTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	226	48.71	294	63.36
1: 1	141	30.39	435	93.75
2: 2	14	3.02	449	96.77
3: 3	15	3.23	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment				
V06XRSCTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	366	78.88	434	93.53
1: 1	13	2.80	447	96.34
2: 2	17	3.66	464	100.00

BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment				
V06XRCYTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	389	83.84	457	98.49
1: 1	7	1.51	464	100.00

BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment				
V06XRATTL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	68	14.66	68	14.66
0: 0	395	85.13	463	99.78
1: 1	1	0.22	464	100.00

FU kXR reading (BU): first visit scored KL>=2				
V06XRNWKL2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	226	48.71	226	48.71
1: KL 0-1 at baseline, no change	198	42.67	424	91.38
2: Incident KL>=2 at prev followup visit	29	6.25	453	97.63
3: Incident KL>=2 at this visit	11	2.37	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The FREQ Procedure**

FU kXR reading (BU): first visit scored KL=2N				
V06XRNW2N	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: KL>=2 at baseline	226	48.71	226	48.71
1: KL 0-1 at BL, no change	154	33.19	380	81.90
2: Incident KL=2N or KL >=2 at prev f/up	70	15.09	450	96.98
3: Incident KL = 2N or KL >=2 at this visit	14	3.02	464	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.88636364	Sum Observations	351
Std Deviation	1.02362766	Variance	1.04781358
Skewness	0.8983524	Kurtosis	-0.3938097
Uncorrected SS	725	Corrected SS	413.886364
Coeff Variation	115.486197	Std Error Mean	0.05143923

Basic Statistical Measures			
Location		Variability	
Mean	0.886364	Std Deviation	1.02363
Median	1.000000	Variance	1.04781
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.23128	Pr > t	<.0001
Sign	M	105.5	Pr >= M	<.0001
Signed Rank	S	11183	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	3
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSFM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	458	3	428
0	457	3	461
0	454	3	462
0	453	3	463
0	446	3	464

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.5	Sum Observations	198
Std Deviation	0.7713214	Variance	0.59493671
Skewness	1.26424302	Kurtosis	0.32306213
Uncorrected SS	334	Corrected SS	235
Coeff Variation	154.264281	Std Error Mean	0.03876036

Basic Statistical Measures			
Location		Variability	
Mean	0.500000	Std Deviation	0.77132
Median	0.000000	Variance	0.59494
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.89978	Pr > t	<.0001
Sign	M	67	Pr >= M	<.0001
Signed Rank	S	4522.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCFM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	2	442
0	463	3	56
0	462	3	327
0	461	3	361
0	458	3	362

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Moments			
N	396	Sum Weights	396
Mean	0.02272727	Sum Observations	9
Std Deviation	0.14922122	Variance	0.02226697
Skewness	6.42931911	Kurtosis	39.5357969
Uncorrected SS	9	Corrected SS	8.79545455
Coeff Variation	656.573383	Std Error Mean	0.00749865

Basic Statistical Measures			
Location		Variability	
Mean	0.022727	Std Deviation	0.14922
Median	0.000000	Variance	0.02227
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3.030849	Pr > t	0.0026
Sign	M	4.5	Pr >= M	0.0039
Signed Rank	S	22.5	Pr >= S	0.0039

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYFM (BL/FU kXR reading (BU): cysts (Grades 0-1) femur medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	1	361
0	463	1	362
0	462	1	388
0	461	1	411
0	460	1	412

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Moments			
N	464	Sum Weights	464
Mean	0.74698276	Sum Observations	346.6
Std Deviation	0.93810131	Variance	0.88003407
Skewness	0.86002803	Kurtosis	-0.6191026
Uncorrected SS	666.36	Corrected SS	407.455776
Coeff Variation	125.585404	Std Error Mean	0.04355026

Basic Statistical Measures			
Location		Variability	
Mean	0.746983	Std Deviation	0.93810
Median	0.000000	Variance	0.88003
Mode	0.000000	Range	3.00000
		Interquartile Range	1.10000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.1522	Pr > t	<.0001
Sign	M	104.5	Pr >= M	<.0001
Signed Rank	S	10972.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3.0
99%	3.0
95%	2.4
90%	2.0
75% Q3	1.1
50% Median	0.0
25% Q1	0.0
10%	0.0
5%	0.0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRJSM (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0.0
0 % Min	0.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	3	362
0	462	3	379
0	461	3	380
0	458	3	419
0	457	3	420

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.04545455	Sum Observations	18
Std Deviation	0.2085624	Variance	0.04349827
Skewness	4.38096988	Kurtosis	17.2801461
Uncorrected SS	18	Corrected SS	17.1818182
Coeff Variation	458.837276	Std Error Mean	0.01048065

Basic Statistical Measures			
Location		Variability	
Mean	0.045455	Std Deviation	0.20856
Median	0.000000	Variance	0.04350
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.336995	Pr > t	<.0001
Sign	M	9	Pr >= M	<.0001
Signed Rank	S	85.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRCHM (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	1	392
0	463	1	441
0	462	1	442
0	461	1	443
0	460	1	444

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.87878788	Sum Observations	348
Std Deviation	0.86299716	Variance	0.7447641
Skewness	0.8538558	Kurtosis	0.17715129
Uncorrected SS	600	Corrected SS	294.181818
Coeff Variation	98.203125	Std Error Mean	0.04336724

Basic Statistical Measures			
Location		Variability	
Mean	0.878788	Std Deviation	0.86300
Median	1.000000	Variance	0.74476
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.26387	Pr > t	<.0001
Sign	M	124	Pr >= M	<.0001
Signed Rank	S	15438	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSTM (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	460	3	420
0	459	3	426
0	458	3	427
0	457	3	428
0	454	3	451

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.52272727	Sum Observations	207
Std Deviation	0.78077445	Variance	0.60960875
Skewness	1.15914938	Kurtosis	-0.0398127
Uncorrected SS	349	Corrected SS	240.795455
Coeff Variation	149.365547	Std Error Mean	0.03923539

Basic Statistical Measures			
Location		Variability	
Mean	0.522727	Std Deviation	0.78077
Median	0.000000	Variance	0.60961
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	13.32285	Pr > t	<.0001
Sign	M	69.5	Pr >= M	<.0001
Signed Rank	S	4865	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	2
95%	2
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCTM (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	2	428
0	463	2	442
0	462	3	327
0	461	3	361
0	460	3	362

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Moments			
N	396	Sum Weights	396
Mean	0.07323232	Sum Observations	29
Std Deviation	0.26084703	Variance	0.06804117
Skewness	3.28877822	Kurtosis	8.86078866
Uncorrected SS	29	Corrected SS	26.8762626
Coeff Variation	356.191112	Std Error Mean	0.01310806

Basic Statistical Measures			
Location		Variability	
Mean	0.073232	Std Deviation	0.26085
Median	0.000000	Variance	0.06804
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.586818	Pr > t	<.0001
Sign	M	14.5	Pr >= M	<.0001
Signed Rank	S	217.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYTM (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia medial compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	1	428
0	463	1	441
0	462	1	442
0	461	1	447
0	460	1	451

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Moments			
N	396	Sum Weights	396
Mean	0.00505051	Sum Observations	2
Std Deviation	0.07097689	Variance	0.00503772
Skewness	14.0175746	Kurtosis	195.479657
Uncorrected SS	2	Corrected SS	1.98989899
Coeff Variation	1405.34243	Std Error Mean	0.00356672

Basic Statistical Measures			
Location		Variability	
Mean	0.005051	Std Deviation	0.07098
Median	0.000000	Variance	0.00504
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.416007	Pr > t	0.1576
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRATTM (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia medial compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	0	462
0	463	0	463
0	462	0	464
0	461	1	362
0	460	1	428

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Moments			
N	464	Sum Weights	464
Mean	1.80818966	Sum Observations	839
Std Deviation	1.16827103	Variance	1.36485719
Skewness	-0.2422779	Kurtosis	-0.919161
Uncorrected SS	2149	Corrected SS	631.928879
Coeff Variation	64.6099829	Std Error Mean	0.05423562

Basic Statistical Measures			
Location		Variability	
Mean	1.808190	Std Deviation	1.16827
Median	2.000000	Variance	1.36486
Mode	2.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	33.33952	Pr > t	<.0001
Sign	M	183.5	Pr >= M	<.0001
Signed Rank	S	33764	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	4
99%	4
95%	3
90%	3
75% Q3	3
50% Median	2
25% Q1	1
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRKL (BL/FU kXR reading (BU): Kellgren and Lawrence (grades 0-4))**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	444	4	380
0	443	4	419
0	440	4	420
0	439	4	461
0	436	4	462

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Moments			
N	396	Sum Weights	396
Mean	0.45454545	Sum Observations	180
Std Deviation	0.77977897	Variance	0.60805524
Skewness	1.84224561	Kurtosis	2.86677862
Uncorrected SS	322	Corrected SS	240.181818
Coeff Variation	171.551373	Std Error Mean	0.03918537

Basic Statistical Measures			
Location		Variability	
Mean	0.454545	Std Deviation	0.77978
Median	0.000000	Variance	0.60806
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.59988	Pr > t	<.0001
Sign	M	63	Pr >= M	<.0001
Signed Rank	S	4000.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSFL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	460	3	366
0	459	3	442
0	458	3	461
0	457	3	462
0	452	3	464

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Moments			
N	396	Sum Weights	396
Mean	0.12626263	Sum Observations	50
Std Deviation	0.44348125	Variance	0.19667562
Skewness	3.55253157	Kurtosis	11.52745
Uncorrected SS	84	Corrected SS	77.6868687
Coeff Variation	351.237148	Std Error Mean	0.02228577

Basic Statistical Measures			
Location		Variability	
Mean	0.126263	Std Deviation	0.44348
Median	0.000000	Variance	0.19668
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.665616	Pr > t	<.0001
Sign	M	16.5	Pr >= M	<.0001
Signed Rank	S	280.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCFL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) femur lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	2	366
0	463	2	369
0	460	2	370
0	459	2	461
0	458	2	462

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Moments			
N	396	Sum Weights	396
Mean	0.00505051	Sum Observations	2
Std Deviation	0.07097689	Variance	0.00503772
Skewness	14.0175746	Kurtosis	195.479657
Uncorrected SS	2	Corrected SS	1.98989899
Coeff Variation	1405.34243	Std Error Mean	0.00356672

Basic Statistical Measures			
Location		Variability	
Mean	0.005051	Std Deviation	0.07098
Median	0.000000	Variance	0.00504
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.416007	Pr > t	0.1576
Sign	M	1	Pr >= M	0.5000
Signed Rank	S	1.5	Pr >= S	0.5000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYFL (BL/FU kXR reading (BU): cysts (Grades 0-1) femur lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	0	462
0	463	0	463
0	462	0	464
0	461	1	277
0	460	1	278

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Moments			
N	464	Sum Weights	464
Mean	0.1762931	Sum Observations	81.8
Std Deviation	0.61236225	Variance	0.37498753
Skewness	3.43483376	Kurtosis	10.5136282
Uncorrected SS	188.04	Corrected SS	173.619224
Coeff Variation	347.354626	Std Error Mean	0.0284282

Basic Statistical Measures			
Location		Variability	
Mean	0.176293	Std Deviation	0.61236
Median	0.000000	Variance	0.37499
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.201345	Pr > t	<.0001
Sign	M	19.5	Pr >= M	<.0001
Signed Rank	S	390	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRJSL (BL/FU kXR reading (BU): joint space narrowing (OARSI grades 0-3) lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	3	277
0	463	3	278
0	460	3	351
0	459	3	352
0	458	3	461

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Moments			
N	396	Sum Weights	396
Mean	0.04545455	Sum Observations	18
Std Deviation	0.2085624	Variance	0.04349827
Skewness	4.38096988	Kurtosis	17.2801461
Uncorrected SS	18	Corrected SS	17.1818182
Coeff Variation	458.837276	Std Error Mean	0.01048065

Basic Statistical Measures			
Location		Variability	
Mean	0.045455	Std Deviation	0.20856
Median	0.000000	Variance	0.04350
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.336995	Pr > t	<.0001
Sign	M	9	Pr >= M	<.0001
Signed Rank	S	85.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCHL (BL/FU kXR reading (BU): chondrocalcinosis (Grades 0-1) lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	1	392
0	463	1	441
0	462	1	442
0	461	1	443
0	460	1	444

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	396	Sum Weights	396
Mean	0.54040404	Sum Observations	214
Std Deviation	0.74008815	Variance	0.54773047
Skewness	1.53628862	Kurtosis	2.4439318
Uncorrected SS	332	Corrected SS	216.353535
Coeff Variation	136.950891	Std Error Mean	0.03719083

Basic Statistical Measures			
Location		Variability	
Mean	0.540404	Std Deviation	0.74009
Median	0.000000	Variance	0.54773
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	14.53057	Pr > t	<.0001
Sign	M	85	Pr >= M	<.0001
Signed Rank	S	7267.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XROSTL (BL/FU kXR reading (BU): osteophytes (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	456	3	334
0	455	3	384
0	444	3	447
0	443	3	461
0	440	3	462

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	396	Sum Weights	396
Mean	0.11868687	Sum Observations	47
Std Deviation	0.43696803	Variance	0.19094106
Skewness	3.70483793	Kurtosis	12.5490565
Uncorrected SS	81	Corrected SS	75.4217172
Coeff Variation	368.168805	Std Error Mean	0.02195847

Basic Statistical Measures			
Location		Variability	
Mean	0.118687	Std Deviation	0.43697
Median	0.000000	Variance	0.19094
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.405061	Pr > t	<.0001
Sign	M	15	Pr >= M	<.0001
Signed Rank	S	232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	2
99%	2
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRSCTL (BL/FU kXR reading (BU): sclerosis (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	2	359
0	463	2	369
0	460	2	370
0	459	2	461
0	458	2	462

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Moments			
N	396	Sum Weights	396
Mean	0.01767677	Sum Observations	7
Std Deviation	0.13194036	Variance	0.01740826
Skewness	7.3483437	Kurtosis	52.2620829
Uncorrected SS	7	Corrected SS	6.87626263
Coeff Variation	746.405491	Std Error Mean	0.00663025

Basic Statistical Measures			
Location		Variability	
Mean	0.017677	Std Deviation	0.13194
Median	0.000000	Variance	0.01741
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	2.666077	Pr > t	0.0080
Sign	M	3.5	Pr >= M	0.0156
Signed Rank	S	14	Pr >= S	0.0156

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRCYTL (BL/FU kXR reading (BU): cysts (Grades 0-1) tibia lateral compartment)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	1	277
0	463	1	333
0	462	1	334
0	460	1	369
0	459	1	461

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Moments			
N	396	Sum Weights	396
Mean	0.00252525	Sum Observations	1
Std Deviation	0.05025189	Variance	0.00252525
Skewness	19.8997487	Kurtosis	396
Uncorrected SS	1	Corrected SS	0.99747475
Coeff Variation	1989.97487	Std Error Mean	0.00252525

Basic Statistical Measures			
Location		Variability	
Mean	0.002525	Std Deviation	0.05025
Median	0.000000	Variance	0.00253
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1	Pr > t	0.3179
Sign	M	0.5	Pr >= M	1.0000
Signed Rank	S	0.5	Pr >= S	1.0000

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure**

Variable: V06XRATTL (BL/FU kXR reading (BU): attrition (OARSI grades 0-3) tibia lateral compartment)

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	0	460
0	463	0	462
0	462	0	463
0	460	0	464
0	459	1	461

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	68	14.66	100.00

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Moments			
N	464	Sum Weights	464
Mean	0.62284483	Sum Observations	289
Std Deviation	0.70939064	Variance	0.50323509
Skewness	1.09082861	Kurtosis	1.24494586
Uncorrected SS	413	Corrected SS	232.997845
Coeff Variation	113.895245	Std Error Mean	0.03293263

Basic Statistical Measures			
Location		Variability	
Mean	0.622845	Std Deviation	0.70939
Median	1.000000	Variance	0.50324
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	18.91269	Pr > t	<.0001
Sign	M	119	Pr >= M	<.0001
Signed Rank	S	14220.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRNWKL2 (FU kXR reading (BU): first visit scored KL>=2)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	3	257
0	463	3	307
0	462	3	353
0	461	3	421
0	459	3	422

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Moments			
N	464	Sum Weights	464
Mean	0.72413793	Sum Observations	336
Std Deviation	0.82703986	Variance	0.68399494
Skewness	0.8736234	Kurtosis	-0.1007503
Uncorrected SS	560	Corrected SS	316.689655
Coeff Variation	114.210267	Std Error Mean	0.03839436

Basic Statistical Measures			
Location		Variability	
Mean	0.724138	Std Deviation	0.82704
Median	1.000000	Variance	0.68399
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	18.86053	Pr > t	<.0001
Sign	M	119	Pr >= M	<.0001
Signed Rank	S	14220.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Quantile	Estimate
100% Max	3
99%	3
95%	2
90%	2
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 6.1 4/13/2012: Freqs/Univs for kxr_sq_rel_bu06**The UNIVARIATE Procedure****Variable: V06XRNW2N (FU kXR reading (BU): first visit scored KL=2N)**

Quantiles (Definition 5)	
Quantile	Estimate
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	464	3	353
0	463	3	413
0	462	3	421
0	461	3	422
0	459	3	433