

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	322	53.67	322	53.67
2: Left	278	46.33	600	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22	600	100.00	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
2.1401362127	1	0.17	22	3.67
2.1415660816	1	0.17	23	3.83
2.1616401369	1	0.17	24	4.00
2.1780253236	1	0.17	25	4.17
2.185243413	1	0.17	26	4.33
2.2191557407	1	0.17	27	4.50
2.2203136059	1	0.17	28	4.67
2.2263182367	1	0.17	29	4.83
2.2325624968	1	0.17	30	5.00
2.2382479351	1	0.17	31	5.17
2.2407568576	1	0.17	32	5.33
2.2444430326	1	0.17	33	5.50
2.253436721	1	0.17	34	5.67
2.2538250155	1	0.17	35	5.83
2.2550005706	1	0.17	36	6.00
2.2695315351	1	0.17	37	6.17
2.2726716331	1	0.17	38	6.33
2.2763273045	1	0.17	39	6.50
2.2790820853	1	0.17	40	6.67
2.2794123258	1	0.17	41	6.83
2.2851030815	1	0.17	42	7.00
2.286352054	1	0.17	43	7.17
2.2865533426	1	0.17	44	7.33
2.2988425306	1	0.17	45	7.50
2.2992333175	1	0.17	46	7.67
2.3031141487	1	0.17	47	7.83
2.3037953039	1	0.17	48	8.00
2.3045353524	1	0.17	49	8.17
2.3055295014	1	0.17	50	8.33
2.3072320706	1	0.17	51	8.50
2.310495935	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3128944998	1	0.17	53	8.83
2.3139669334	1	0.17	54	9.00
2.3166029668	1	0.17	55	9.17
2.3172046305	1	0.17	56	9.33
2.3172632953	1	0.17	57	9.50
2.3184484604	1	0.17	58	9.67
2.318815475	1	0.17	59	9.83
2.3199036681	1	0.17	60	10.00
2.3211307301	1	0.17	61	10.17
2.3220631437	1	0.17	62	10.33
2.322907789	1	0.17	63	10.50
2.3229333556	1	0.17	64	10.67
2.3231892568	1	0.17	65	10.83
2.3239446937	1	0.17	66	11.00
2.3262043621	1	0.17	67	11.17
2.3268477781	1	0.17	68	11.33
2.3290638681	1	0.17	69	11.50
2.3301504491	1	0.17	70	11.67
2.3305672098	1	0.17	71	11.83
2.3331630555	1	0.17	72	12.00
2.3344466568	1	0.17	73	12.17
2.3382163375	1	0.17	74	12.33
2.3386512998	1	0.17	75	12.50
2.3420782418	1	0.17	76	12.67
2.3429469312	1	0.17	77	12.83
2.343341722	1	0.17	78	13.00
2.3458613905	1	0.17	79	13.17
2.3458740005	1	0.17	80	13.33
2.347354227	1	0.17	81	13.50
2.3497737772	1	0.17	82	13.67
2.3591999488	1	0.17	83	13.83
2.3601167059	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3609369749	1	0.17	85	14.17
2.3610756779	1	0.17	86	14.33
2.3687538347	1	0.17	87	14.50
2.3708806821	1	0.17	88	14.67
2.3726503518	1	0.17	89	14.83
2.3733226271	1	0.17	90	15.00
2.3733942204	1	0.17	91	15.17
2.3742704847	1	0.17	92	15.33
2.3763537555	1	0.17	93	15.50
2.3770810187	1	0.17	94	15.67
2.3772741175	1	0.17	95	15.83
2.378611002	1	0.17	96	16.00
2.3791110713	1	0.17	97	16.17
2.3793959154	1	0.17	98	16.33
2.3820916378	1	0.17	99	16.50
2.383145615	1	0.17	100	16.67
2.385648998	1	0.17	101	16.83
2.3868238076	1	0.17	102	17.00
2.3877645141	1	0.17	103	17.17
2.3879824657	1	0.17	104	17.33
2.388260237	1	0.17	105	17.50
2.3887219019	1	0.17	106	17.67
2.3959824152	1	0.17	107	17.83
2.396154496	1	0.17	108	18.00
2.4002699308	1	0.17	109	18.17
2.4041878632	1	0.17	110	18.33
2.4046693881	1	0.17	111	18.50
2.4060322264	1	0.17	112	18.67
2.4078200637	1	0.17	113	18.83
2.4095547785	1	0.17	114	19.00
2.4100145573	1	0.17	115	19.17
2.4106498944	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4137450156	1	0.17	117	19.50
2.4140281975	1	0.17	118	19.67
2.4160544438	1	0.17	119	19.83
2.4217366187	1	0.17	120	20.00
2.4219262274	1	0.17	121	20.17
2.4220622165	1	0.17	122	20.33
2.4222991243	1	0.17	123	20.50
2.4256609109	1	0.17	124	20.67
2.4286014674	1	0.17	125	20.83
2.4288472956	1	0.17	126	21.00
2.4290774515	1	0.17	127	21.17
2.4303460511	1	0.17	128	21.33
2.4324351769	1	0.17	129	21.50
2.4346007929	1	0.17	130	21.67
2.4350196495	1	0.17	131	21.83
2.4360391062	1	0.17	132	22.00
2.4397044219	1	0.17	133	22.17
2.4416246255	1	0.17	134	22.33
2.4433034667	1	0.17	135	22.50
2.4446093987	1	0.17	136	22.67
2.4450789771	1	0.17	137	22.83
2.4453217333	1	0.17	138	23.00
2.4458934878	1	0.17	139	23.17
2.4462404004	1	0.17	140	23.33
2.448686941	1	0.17	141	23.50
2.4487403886	1	0.17	142	23.67
2.4497325302	1	0.17	143	23.83
2.4500243604	1	0.17	144	24.00
2.457778681	1	0.17	145	24.17
2.4592635791	1	0.17	146	24.33
2.460197478	1	0.17	147	24.50
2.4621525737	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4625944876	1	0.17	149	24.83
2.4628186995	1	0.17	150	25.00
2.4630543221	1	0.17	151	25.17
2.4639609493	1	0.17	152	25.33
2.4646427391	1	0.17	153	25.50
2.4654010461	1	0.17	154	25.67
2.4658726415	1	0.17	155	25.83
2.4689477268	1	0.17	156	26.00
2.4707129732	1	0.17	157	26.17
2.4718838326	1	0.17	158	26.33
2.4733515098	1	0.17	159	26.50
2.4749323787	1	0.17	160	26.67
2.4784765471	1	0.17	161	26.83
2.479318746	1	0.17	162	27.00
2.4837161912	1	0.17	163	27.17
2.4839076685	1	0.17	164	27.33
2.4845106592	1	0.17	165	27.50
2.4901006067	1	0.17	166	27.67
2.4957631485	1	0.17	167	27.83
2.4972613853	1	0.17	168	28.00
2.4973751761	1	0.17	169	28.17
2.4975475675	1	0.17	170	28.33
2.4980111144	1	0.17	171	28.50
2.500868442	1	0.17	172	28.67
2.5037109213	1	0.17	173	28.83
2.5042864382	1	0.17	174	29.00
2.5080332226	1	0.17	175	29.17
2.5105107682	1	0.17	176	29.33
2.5135986206	1	0.17	177	29.50
2.5265196776	1	0.17	178	29.67
2.5265916615	1	0.17	179	29.83
2.5392648159	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5429821003	1	0.17	181	30.17
2.5456946379	1	0.17	182	30.33
2.5466020694	1	0.17	183	30.50
2.5483176473	1	0.17	184	30.67
2.5485868649	1	0.17	185	30.83
2.5596222697	1	0.17	186	31.00
2.5598102286	1	0.17	187	31.17
2.5612724194	1	0.17	188	31.33
2.5615976818	1	0.17	189	31.50
2.563082354	1	0.17	190	31.67
2.5661952611	1	0.17	191	31.83
2.5683901246	1	0.17	192	32.00
2.5726734806	1	0.17	193	32.17
2.5728725433	1	0.17	194	32.33
2.5810323049	1	0.17	195	32.50
2.5838857328	1	0.17	196	32.67
2.5855338489	1	0.17	197	32.83
2.5882262872	1	0.17	198	33.00
2.5946721188	1	0.17	199	33.17
2.6031429662	1	0.17	200	33.33
2.6066507621	1	0.17	201	33.50
2.6098977871	1	0.17	202	33.67
2.6125481809	1	0.17	203	33.83
2.6156040983	1	0.17	204	34.00
2.6183780317	1	0.17	205	34.17
2.6213934467	1	0.17	206	34.33
2.6243490156	1	0.17	207	34.50
2.6276622279	1	0.17	208	34.67
2.6286202577	1	0.17	209	34.83
2.6318303138	1	0.17	210	35.00
2.6333018464	1	0.17	211	35.17
2.6355678456	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6360378975	1	0.17	213	35.50
2.637002043	1	0.17	214	35.67
2.6406666589	1	0.17	215	35.83
2.6427411025	1	0.17	216	36.00
2.6449237425	1	0.17	217	36.17
2.6480702231	1	0.17	218	36.33
2.6484803818	1	0.17	219	36.50
2.6498553097	1	0.17	220	36.67
2.6502951919	1	0.17	221	36.83
2.6517020556	1	0.17	222	37.00
2.6531789055	1	0.17	223	37.17
2.6558861097	1	0.17	224	37.33
2.6580618532	1	0.17	225	37.50
2.6587634582	1	0.17	226	37.67
2.6621614252	1	0.17	227	37.83
2.6706640208	1	0.17	228	38.00
2.6708330441	1	0.17	229	38.17
2.6735749452	1	0.17	230	38.33
2.6740421581	1	0.17	231	38.50
2.6752969319	1	0.17	232	38.67
2.6754910328	1	0.17	233	38.83
2.6760208341	1	0.17	234	39.00
2.6763575032	1	0.17	235	39.17
2.6764968503	1	0.17	236	39.33
2.6776932771	1	0.17	237	39.50
2.6786572414	1	0.17	238	39.67
2.6796434077	1	0.17	239	39.83
2.681966372	1	0.17	240	40.00
2.6842758763	1	0.17	241	40.17
2.6870069826	1	0.17	242	40.33
2.6872372014	1	0.17	243	40.50
2.6874318122	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6880272347	1	0.17	245	40.83
2.6881572859	1	0.17	246	41.00
2.6895197833	1	0.17	247	41.17
2.6898472565	1	0.17	248	41.33
2.6907836382	1	0.17	249	41.50
2.6913813185	1	0.17	250	41.67
2.6918101157	1	0.17	251	41.83
2.6920859126	1	0.17	252	42.00
2.6938842136	1	0.17	253	42.17
2.6964961617	1	0.17	254	42.33
2.6980541645	1	0.17	255	42.50
2.6981698371	1	0.17	256	42.67
2.6982036644	1	0.17	257	42.83
2.6986970803	1	0.17	258	43.00
2.6996673722	1	0.17	259	43.17
2.702671783	1	0.17	260	43.33
2.7034035121	1	0.17	261	43.50
2.7055607423	1	0.17	262	43.67
2.7065693863	1	0.17	263	43.83
2.7078009196	1	0.17	264	44.00
2.7110420978	1	0.17	265	44.17
2.7138130257	1	0.17	266	44.33
2.7143250231	1	0.17	267	44.50
2.7143528068	1	0.17	268	44.67
2.7157724752	1	0.17	269	44.83
2.7166072748	1	0.17	270	45.00
2.7175857141	1	0.17	271	45.17
2.7185337781	1	0.17	272	45.33
2.7192789061	1	0.17	273	45.50
2.7205422213	1	0.17	274	45.67
2.7232062214	1	0.17	275	45.83
2.7239374891	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7242167049	1	0.17	277	46.17
2.7251993239	1	0.17	278	46.33
2.7254089469	1	0.17	279	46.50
2.7254658283	1	0.17	280	46.67
2.7259425435	1	0.17	281	46.83
2.7268124593	1	0.17	282	47.00
2.7277589736	1	0.17	283	47.17
2.7279440307	1	0.17	284	47.33
2.728115856	1	0.17	285	47.50
2.7297230736	1	0.17	286	47.67
2.7301200536	1	0.17	287	47.83
2.730549108	1	0.17	288	48.00
2.7335806406	1	0.17	289	48.17
2.7356072202	1	0.17	290	48.33
2.7356744136	1	0.17	291	48.50
2.7358429559	1	0.17	292	48.67
2.7373170923	1	0.17	293	48.83
2.7377972038	1	0.17	294	49.00
2.7378837279	1	0.17	295	49.17
2.7380268182	1	0.17	296	49.33
2.7387193653	1	0.17	297	49.50
2.7387640844	1	0.17	298	49.67
2.7388357506	1	0.17	299	49.83
2.7395844807	1	0.17	300	50.00
2.740065351	1	0.17	301	50.17
2.7405259832	1	0.17	302	50.33
2.7410002726	1	0.17	303	50.50
2.7411474435	1	0.17	304	50.67
2.7426070221	1	0.17	305	50.83
2.7435803524	1	0.17	306	51.00
2.7446801338	1	0.17	307	51.17
2.7462547287	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7464028415	1	0.17	309	51.50
2.7466211384	1	0.17	310	51.67
2.7466744577	1	0.17	311	51.83
2.7474683043	1	0.17	312	52.00
2.7478488942	1	0.17	313	52.17
2.7492816821	1	0.17	314	52.33
2.7515126982	1	0.17	315	52.50
2.7523239837	1	0.17	316	52.67
2.7534746798	1	0.17	317	52.83
2.7542958871	1	0.17	318	53.00
2.7546954378	1	0.17	319	53.17
2.7549483632	1	0.17	320	53.33
2.7555473833	1	0.17	321	53.50
2.756627245	1	0.17	322	53.67
2.7580332231	1	0.17	323	53.83
2.7582808512	1	0.17	324	54.00
2.7588219672	1	0.17	325	54.17
2.7593737647	1	0.17	326	54.33
2.7599203284	1	0.17	327	54.50
2.7603453191	1	0.17	328	54.67
2.7604580873	1	0.17	329	54.83
2.7604677944	1	0.17	330	55.00
2.7606579487	1	0.17	331	55.17
2.7624694057	1	0.17	332	55.33
2.7625736534	1	0.17	333	55.50
2.7644364905	1	0.17	334	55.67
2.7649154386	1	0.17	335	55.83
2.7653699827	1	0.17	336	56.00
2.765613101	1	0.17	337	56.17
2.7659063849	1	0.17	338	56.33
2.7672607246	1	0.17	339	56.50
2.7674521014	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7679479704	1	0.17	341	56.83
2.7682389324	1	0.17	342	57.00
2.768461474	1	0.17	343	57.17
2.7688412114	1	0.17	344	57.33
2.7692533832	1	0.17	345	57.50
2.7704808141	1	0.17	346	57.67
2.7710425191	1	0.17	347	57.83
2.7712823084	1	0.17	348	58.00
2.7724562838	1	0.17	349	58.17
2.7727293216	1	0.17	350	58.33
2.7729572226	1	0.17	351	58.50
2.7743741247	1	0.17	352	58.67
2.7752323908	1	0.17	353	58.83
2.7753095506	1	0.17	354	59.00
2.7766388204	1	0.17	355	59.17
2.7768157481	1	0.17	356	59.33
2.7771818616	1	0.17	357	59.50
2.7772903836	1	0.17	358	59.67
2.7774674715	1	0.17	359	59.83
2.777610336	1	0.17	360	60.00
2.7784967383	1	0.17	361	60.17
2.7786088961	1	0.17	362	60.33
2.7795941102	1	0.17	363	60.50
2.7795989429	1	0.17	364	60.67
2.7796401048	1	0.17	365	60.83
2.7812039075	1	0.17	366	61.00
2.7833293886	1	0.17	367	61.17
2.7839716411	1	0.17	368	61.33
2.7867901654	1	0.17	369	61.50
2.7869870629	1	0.17	370	61.67
2.7884341597	1	0.17	371	61.83
2.7889784016	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7905548918	1	0.17	373	62.17
2.7916188203	1	0.17	374	62.33
2.7917381361	1	0.17	375	62.50
2.7930786052	1	0.17	376	62.67
2.793243587	1	0.17	377	62.83
2.794985381	1	0.17	378	63.00
2.7960283661	1	0.17	379	63.17
2.7965747505	1	0.17	380	63.33
2.796952933	1	0.17	381	63.50
2.8006654447	1	0.17	382	63.67
2.8007290007	1	0.17	383	63.83
2.8012306679	1	0.17	384	64.00
2.8016443767	1	0.17	385	64.17
2.8016524511	1	0.17	386	64.33
2.8016846607	1	0.17	387	64.50
2.8028123217	1	0.17	388	64.67
2.8034487355	1	0.17	389	64.83
2.8041273397	1	0.17	390	65.00
2.8042496698	1	0.17	391	65.17
2.8045197074	1	0.17	392	65.33
2.8057594211	1	0.17	393	65.50
2.8062042083	1	0.17	394	65.67
2.8067001699	1	0.17	395	65.83
2.8071118449	1	0.17	396	66.00
2.807957194	1	0.17	397	66.17
2.808444151	1	0.17	398	66.33
2.808989251	1	0.17	399	66.50
2.8092615224	1	0.17	400	66.67
2.8111486459	1	0.17	401	66.83
2.8112962546	1	0.17	402	67.00
2.8124253787	1	0.17	403	67.17
2.8147567948	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8148281883	1	0.17	405	67.50
2.8148622754	1	0.17	406	67.67
2.8171116403	1	0.17	407	67.83
2.8174877903	1	0.17	408	68.00
2.8181326124	1	0.17	409	68.17
2.8186473285	1	0.17	410	68.33
2.8188570817	1	0.17	411	68.50
2.8200807987	1	0.17	412	68.67
2.82046885	1	0.17	413	68.83
2.8231717231	1	0.17	414	69.00
2.8234602694	1	0.17	415	69.17
2.8237631239	1	0.17	416	69.33
2.8245287911	1	0.17	417	69.50
2.8258424096	1	0.17	418	69.67
2.8266470876	1	0.17	419	69.83
2.8283497844	1	0.17	420	70.00
2.8288451098	1	0.17	421	70.17
2.830152735	1	0.17	422	70.33
2.8302371322	1	0.17	423	70.50
2.8303575739	1	0.17	424	70.67
2.8304277331	1	0.17	425	70.83
2.8319094199	1	0.17	426	71.00
2.8335254354	1	0.17	427	71.17
2.8339341076	1	0.17	428	71.33
2.8349980456	1	0.17	429	71.50
2.836843008	1	0.17	430	71.67
2.8376522786	1	0.17	431	71.83
2.8383813694	1	0.17	432	72.00
2.8391710023	1	0.17	433	72.17
2.8392438908	1	0.17	434	72.33
2.8404425566	1	0.17	435	72.50
2.8419615631	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8422385324	1	0.17	437	72.83
2.8449527468	1	0.17	438	73.00
2.8449856279	1	0.17	439	73.17
2.8460412038	1	0.17	440	73.33
2.8467409003	1	0.17	441	73.50
2.8474367007	1	0.17	442	73.67
2.8481299213	1	0.17	443	73.83
2.8483378335	1	0.17	444	74.00
2.8483580209	1	0.17	445	74.17
2.8483627738	1	0.17	446	74.33
2.8496343595	1	0.17	447	74.50
2.8497664907	1	0.17	448	74.67
2.850840305	1	0.17	449	74.83
2.8508927662	1	0.17	450	75.00
2.8513915135	1	0.17	451	75.17
2.8530590712	1	0.17	452	75.33
2.8554911275	1	0.17	453	75.50
2.8556554096	1	0.17	454	75.67
2.8558262559	1	0.17	455	75.83
2.8562463541	1	0.17	456	76.00
2.8564431333	1	0.17	457	76.17
2.8572974117	1	0.17	458	76.33
2.8575719518	1	0.17	459	76.50
2.8579350502	1	0.17	460	76.67
2.8593299657	1	0.17	461	76.83
2.8596644637	1	0.17	462	77.00
2.860435722	1	0.17	463	77.17
2.860452057	1	0.17	464	77.33
2.8621694855	1	0.17	465	77.50
2.8625507926	1	0.17	466	77.67
2.86288097	1	0.17	467	77.83
2.8629790228	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8631842719	1	0.17	469	78.17
2.8642802358	1	0.17	470	78.33
2.8645753132	1	0.17	471	78.50
2.864594232	1	0.17	472	78.67
2.8654994221	1	0.17	473	78.83
2.8662736105	1	0.17	474	79.00
2.8664669581	1	0.17	475	79.17
2.8666663662	1	0.17	476	79.33
2.8668227122	1	0.17	477	79.50
2.8677442606	1	0.17	478	79.67
2.8690693196	1	0.17	479	79.83
2.8704209706	1	0.17	480	80.00
2.8716644409	1	0.17	481	80.17
2.8741026362	1	0.17	482	80.33
2.8741391194	1	0.17	483	80.50
2.8743938825	1	0.17	484	80.67
2.8746032144	1	0.17	485	80.83
2.8751135616	1	0.17	486	81.00
2.8752641622	1	0.17	487	81.17
2.8770353786	1	0.17	488	81.33
2.8780245385	1	0.17	489	81.50
2.8781351541	1	0.17	490	81.67
2.8781782472	1	0.17	491	81.83
2.8792138467	1	0.17	492	82.00
2.8797585573	1	0.17	493	82.17
2.8800910101	1	0.17	494	82.33
2.8807289418	1	0.17	495	82.50
2.880968356	1	0.17	496	82.67
2.8815698339	1	0.17	497	82.83
2.8819890265	1	0.17	498	83.00
2.8820605559	1	0.17	499	83.17
2.8826737764	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8828181442	1	0.17	501	83.50
2.8829886088	1	0.17	502	83.67
2.8834677431	1	0.17	503	83.83
2.8839641672	1	0.17	504	84.00
2.8842264517	1	0.17	505	84.17
2.8843332808	1	0.17	506	84.33
2.8845411019	1	0.17	507	84.50
2.8849041999	1	0.17	508	84.67
2.8863827279	1	0.17	509	84.83
2.8870668395	1	0.17	510	85.00
2.8871257339	1	0.17	511	85.17
2.8908579628	1	0.17	512	85.33
2.8927386002	1	0.17	513	85.50
2.8930888074	1	0.17	514	85.67
2.8934406832	1	0.17	515	85.83
2.8957671792	1	0.17	516	86.00
2.8966261127	1	0.17	517	86.17
2.8979777851	1	0.17	518	86.33
2.898543327	1	0.17	519	86.50
2.8991003073	1	0.17	520	86.67
2.8996838092	1	0.17	521	86.83
2.900161275	1	0.17	522	87.00
2.9003338622	1	0.17	523	87.17
2.9005068602	1	0.17	524	87.33
2.9015634819	1	0.17	525	87.50
2.9021540738	1	0.17	526	87.67
2.9024393693	1	0.17	527	87.83
2.9038171107	1	0.17	528	88.00
2.9054054216	1	0.17	529	88.17
2.9059312993	1	0.17	530	88.33
2.905962584	1	0.17	531	88.50
2.9061684061	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9064087202	1	0.17	533	88.83
2.9084898812	1	0.17	534	89.00
2.9092958936	1	0.17	535	89.17
2.9093772676	1	0.17	536	89.33
2.9107610951	1	0.17	537	89.50
2.911248392	1	0.17	538	89.67
2.913585509	1	0.17	539	89.83
2.9140618702	1	0.17	540	90.00
2.9153381112	1	0.17	541	90.17
2.915961319	1	0.17	542	90.33
2.9165024377	1	0.17	543	90.50
2.9167274947	1	0.17	544	90.67
2.9169167596	1	0.17	545	90.83
2.9203087847	1	0.17	546	91.00
2.9211935581	1	0.17	547	91.17
2.9227672588	1	0.17	548	91.33
2.923908026	1	0.17	549	91.50
2.92497311	1	0.17	550	91.67
2.9264707014	1	0.17	551	91.83
2.9280307937	1	0.17	552	92.00
2.9298000353	1	0.17	553	92.17
2.9301061736	1	0.17	554	92.33
2.9310301086	1	0.17	555	92.50
2.931190411	1	0.17	556	92.67
2.9327782563	1	0.17	557	92.83
2.9331869919	1	0.17	558	93.00
2.9333399138	1	0.17	559	93.17
2.9346842202	1	0.17	560	93.33
2.9361622689	1	0.17	561	93.50
2.937085003	1	0.17	562	93.67
2.9371177484	1	0.17	563	93.83
2.9383865961	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9386717315	1	0.17	565	94.17
2.9390929219	1	0.17	566	94.33
2.9404916355	1	0.17	567	94.50
2.941339147	1	0.17	568	94.67
2.9432343458	1	0.17	569	94.83
2.9462377502	1	0.17	570	95.00
2.9490946271	1	0.17	571	95.17
2.9516333561	1	0.17	572	95.33
2.9530346386	1	0.17	573	95.50
2.9579197706	1	0.17	574	95.67
2.960088441	1	0.17	575	95.83
2.9609252146	1	0.17	576	96.00
2.9652902967	1	0.17	577	96.17
2.9683248587	1	0.17	578	96.33
2.9708871617	1	0.17	579	96.50
2.9711136233	1	0.17	580	96.67
2.972377144	1	0.17	581	96.83
2.9726851087	1	0.17	582	97.00
2.9754151857	1	0.17	583	97.17
2.9755893424	1	0.17	584	97.33
2.9758619037	1	0.17	585	97.50
2.9788668044	1	0.17	586	97.67
2.9818670894	1	0.17	587	97.83
2.9838660334	1	0.17	588	98.00
2.9843740249	1	0.17	589	98.17
2.9941701759	1	0.17	590	98.33
2.9944317853	1	0.17	591	98.50
2.9946882947	1	0.17	592	98.67
2.9948545648	1	0.17	593	98.83
2.9997676853	1	0.17	594	99.00
2.9998863783	1	0.17	595	99.17
3.0063699306	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V00BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.0171080011	1	0.17	597	99.50
3.0197374704	1	0.17	598	99.67
3.0352376724	1	0.17	599	99.83
3.0460366995	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
-0.340867576	1	0.17	22	3.67
-0.308743705	1	0.17	23	3.83
-0.301557034	1	0.17	24	4.00
-0.30085671	1	0.17	25	4.17
-0.297992325	1	0.17	26	4.33
-0.297107827	1	0.17	27	4.50
-0.294331487	1	0.17	28	4.67
-0.292335018	1	0.17	29	4.83
-0.291142428	1	0.17	30	5.00
-0.290638972	1	0.17	31	5.17
-0.290606554	1	0.17	32	5.33
-0.289231231	1	0.17	33	5.50
-0.289012008	1	0.17	34	5.67
-0.287745867	1	0.17	35	5.83
-0.286981436	1	0.17	36	6.00
-0.285833714	1	0.17	37	6.17
-0.285158685	1	0.17	38	6.33
-0.284403478	1	0.17	39	6.50
-0.281329038	1	0.17	40	6.67
-0.280767866	1	0.17	41	6.83
-0.280356455	1	0.17	42	7.00
-0.278178926	1	0.17	43	7.17
-0.278175565	1	0.17	44	7.33
-0.276992952	1	0.17	45	7.50
-0.276041969	1	0.17	46	7.67
-0.275804719	1	0.17	47	7.83
-0.275679615	1	0.17	48	8.00
-0.275675162	1	0.17	49	8.17
-0.275254235	1	0.17	50	8.33
-0.274896872	1	0.17	51	8.50
-0.274822998	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.274756384	1	0.17	53	8.83
-0.274703795	1	0.17	54	9.00
-0.273386738	1	0.17	55	9.17
-0.273138699	1	0.17	56	9.33
-0.272836243	1	0.17	57	9.50
-0.272707013	1	0.17	58	9.67
-0.272647	1	0.17	59	9.83
-0.271793897	1	0.17	60	10.00
-0.271753672	1	0.17	61	10.17
-0.271629895	1	0.17	62	10.33
-0.26888017	1	0.17	63	10.50
-0.268517521	1	0.17	64	10.67
-0.268378441	1	0.17	65	10.83
-0.268186643	1	0.17	66	11.00
-0.26730692	1	0.17	67	11.17
-0.267269614	1	0.17	68	11.33
-0.267041894	1	0.17	69	11.50
-0.266729797	1	0.17	70	11.67
-0.26591092	1	0.17	71	11.83
-0.265750129	1	0.17	72	12.00
-0.265679465	1	0.17	73	12.17
-0.265348134	1	0.17	74	12.33
-0.265263379	1	0.17	75	12.50
-0.264911882	1	0.17	76	12.67
-0.264453038	1	0.17	77	12.83
-0.264442145	1	0.17	78	13.00
-0.264259077	1	0.17	79	13.17
-0.263685543	1	0.17	80	13.33
-0.262806857	1	0.17	81	13.50
-0.262556884	1	0.17	82	13.67
-0.26217606	1	0.17	83	13.83
-0.262168967	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.261897791	1	0.17	85	14.17
-0.261092551	1	0.17	86	14.33
-0.260954296	1	0.17	87	14.50
-0.26070767	1	0.17	88	14.67
-0.260579603	1	0.17	89	14.83
-0.260535432	1	0.17	90	15.00
-0.260395536	1	0.17	91	15.17
-0.260192018	1	0.17	92	15.33
-0.259734293	1	0.17	93	15.50
-0.259483765	1	0.17	94	15.67
-0.258002682	1	0.17	95	15.83
-0.257969687	1	0.17	96	16.00
-0.257833415	1	0.17	97	16.17
-0.257564462	1	0.17	98	16.33
-0.257480457	1	0.17	99	16.50
-0.257347057	1	0.17	100	16.67
-0.256690206	1	0.17	101	16.83
-0.256090737	1	0.17	102	17.00
-0.255995966	1	0.17	103	17.17
-0.25598943	1	0.17	104	17.33
-0.255912969	1	0.17	105	17.50
-0.255489057	1	0.17	106	17.67
-0.255220871	1	0.17	107	17.83
-0.255215012	1	0.17	108	18.00
-0.254429514	1	0.17	109	18.17
-0.25393113	1	0.17	110	18.33
-0.253483904	1	0.17	111	18.50
-0.253390741	1	0.17	112	18.67
-0.253147161	1	0.17	113	18.83
-0.253129173	1	0.17	114	19.00
-0.253051106	1	0.17	115	19.17
-0.252993575	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.252727154	1	0.17	117	19.50
-0.252558564	1	0.17	118	19.67
-0.252211909	1	0.17	119	19.83
-0.251972624	1	0.17	120	20.00
-0.251763478	1	0.17	121	20.17
-0.251616952	1	0.17	122	20.33
-0.251528912	1	0.17	123	20.50
-0.251193943	1	0.17	124	20.67
-0.250769512	1	0.17	125	20.83
-0.250578616	1	0.17	126	21.00
-0.250409038	1	0.17	127	21.17
-0.25021006	1	0.17	128	21.33
-0.250010977	1	0.17	129	21.50
-0.249993899	1	0.17	130	21.67
-0.249548674	1	0.17	131	21.83
-0.249281115	1	0.17	132	22.00
-0.248951637	1	0.17	133	22.17
-0.248647222	1	0.17	134	22.33
-0.248608945	1	0.17	135	22.50
-0.248361121	1	0.17	136	22.67
-0.24828061	1	0.17	137	22.83
-0.247722484	1	0.17	138	23.00
-0.246879278	1	0.17	139	23.17
-0.246815725	1	0.17	140	23.33
-0.246607692	1	0.17	141	23.50
-0.246500832	1	0.17	142	23.67
-0.246455683	1	0.17	143	23.83
-0.246374785	1	0.17	144	24.00
-0.246348042	1	0.17	145	24.17
-0.246286451	1	0.17	146	24.33
-0.246181041	1	0.17	147	24.50
-0.246088919	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.245962824	1	0.17	149	24.83
-0.245271546	1	0.17	150	25.00
-0.244743388	1	0.17	151	25.17
-0.244369066	1	0.17	152	25.33
-0.244329231	1	0.17	153	25.50
-0.243900996	1	0.17	154	25.67
-0.243886818	1	0.17	155	25.83
-0.243512372	1	0.17	156	26.00
-0.243217818	1	0.17	157	26.17
-0.243217402	1	0.17	158	26.33
-0.242931777	1	0.17	159	26.50
-0.242797697	1	0.17	160	26.67
-0.242734521	1	0.17	161	26.83
-0.242629118	1	0.17	162	27.00
-0.24249704	1	0.17	163	27.17
-0.242214182	1	0.17	164	27.33
-0.242149696	1	0.17	165	27.50
-0.242121667	1	0.17	166	27.67
-0.242118882	1	0.17	167	27.83
-0.241913048	1	0.17	168	28.00
-0.241789041	1	0.17	169	28.17
-0.241142498	1	0.17	170	28.33
-0.240982275	1	0.17	171	28.50
-0.240951133	1	0.17	172	28.67
-0.240857774	1	0.17	173	28.83
-0.240423129	1	0.17	174	29.00
-0.24019594	1	0.17	175	29.17
-0.239983172	1	0.17	176	29.33
-0.239869838	1	0.17	177	29.50
-0.239665711	1	0.17	178	29.67
-0.239548576	1	0.17	179	29.83
-0.2395293	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.239489927	1	0.17	181	30.17
-0.239060873	1	0.17	182	30.33
-0.238967375	1	0.17	183	30.50
-0.238732599	1	0.17	184	30.67
-0.23852535	1	0.17	185	30.83
-0.238524335	1	0.17	186	31.00
-0.238394217	1	0.17	187	31.17
-0.237933455	1	0.17	188	31.33
-0.237870137	1	0.17	189	31.50
-0.237744122	1	0.17	190	31.67
-0.237679238	1	0.17	191	31.83
-0.237470705	1	0.17	192	32.00
-0.236953957	1	0.17	193	32.17
-0.236879084	1	0.17	194	32.33
-0.236857628	1	0.17	195	32.50
-0.236731914	1	0.17	196	32.67
-0.236570579	1	0.17	197	32.83
-0.236429747	1	0.17	198	33.00
-0.236247935	1	0.17	199	33.17
-0.236160492	1	0.17	200	33.33
-0.236144813	1	0.17	201	33.50
-0.235891516	1	0.17	202	33.67
-0.235890748	1	0.17	203	33.83
-0.235755345	1	0.17	204	34.00
-0.235714222	1	0.17	205	34.17
-0.235569077	1	0.17	206	34.33
-0.235481903	1	0.17	207	34.50
-0.235297073	1	0.17	208	34.67
-0.235291362	1	0.17	209	34.83
-0.235162152	1	0.17	210	35.00
-0.235128609	1	0.17	211	35.17
-0.234592396	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.234444306	1	0.17	213	35.50
-0.234390544	1	0.17	214	35.67
-0.233701898	1	0.17	215	35.83
-0.233307647	1	0.17	216	36.00
-0.233200856	1	0.17	217	36.17
-0.233064381	1	0.17	218	36.33
-0.232862391	1	0.17	219	36.50
-0.232793416	1	0.17	220	36.67
-0.232579934	1	0.17	221	36.83
-0.232506781	1	0.17	222	37.00
-0.23250578	1	0.17	223	37.17
-0.232386184	1	0.17	224	37.33
-0.232276269	1	0.17	225	37.50
-0.232186401	1	0.17	226	37.67
-0.23173416	1	0.17	227	37.83
-0.231629178	1	0.17	228	38.00
-0.231413914	1	0.17	229	38.17
-0.231132912	1	0.17	230	38.33
-0.230885287	1	0.17	231	38.50
-0.230832893	1	0.17	232	38.67
-0.230707988	1	0.17	233	38.83
-0.230503622	1	0.17	234	39.00
-0.230324693	1	0.17	235	39.17
-0.230295018	1	0.17	236	39.33
-0.230239357	1	0.17	237	39.50
-0.230053495	1	0.17	238	39.67
-0.230013255	1	0.17	239	39.83
-0.229928126	1	0.17	240	40.00
-0.229891499	1	0.17	241	40.17
-0.229482693	1	0.17	242	40.33
-0.229460645	1	0.17	243	40.50
-0.229239369	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.229189878	1	0.17	245	40.83
-0.228992516	1	0.17	246	41.00
-0.228963475	1	0.17	247	41.17
-0.228882859	1	0.17	248	41.33
-0.228811836	1	0.17	249	41.50
-0.228806816	1	0.17	250	41.67
-0.22866476	1	0.17	251	41.83
-0.22819524	1	0.17	252	42.00
-0.228093957	1	0.17	253	42.17
-0.228067735	1	0.17	254	42.33
-0.227756168	1	0.17	255	42.50
-0.227731792	1	0.17	256	42.67
-0.227622332	1	0.17	257	42.83
-0.226980906	1	0.17	258	43.00
-0.226836282	1	0.17	259	43.17
-0.226467348	1	0.17	260	43.33
-0.226290244	1	0.17	261	43.50
-0.2261414	1	0.17	262	43.67
-0.22576538	1	0.17	263	43.83
-0.225506922	1	0.17	264	44.00
-0.225505105	1	0.17	265	44.17
-0.225493546	1	0.17	266	44.33
-0.225491059	1	0.17	267	44.50
-0.225488688	1	0.17	268	44.67
-0.224951108	1	0.17	269	44.83
-0.224787169	1	0.17	270	45.00
-0.224587255	1	0.17	271	45.17
-0.224488936	1	0.17	272	45.33
-0.224420794	1	0.17	273	45.50
-0.224346241	1	0.17	274	45.67
-0.224329364	1	0.17	275	45.83
-0.224321417	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.223959751	1	0.17	277	46.17
-0.223867209	1	0.17	278	46.33
-0.223658531	1	0.17	279	46.50
-0.223628523	1	0.17	280	46.67
-0.223232892	1	0.17	281	46.83
-0.223042882	1	0.17	282	47.00
-0.222950441	1	0.17	283	47.17
-0.222814383	1	0.17	284	47.33
-0.222785203	1	0.17	285	47.50
-0.222729119	1	0.17	286	47.67
-0.222596501	1	0.17	287	47.83
-0.222432782	1	0.17	288	48.00
-0.222272341	1	0.17	289	48.17
-0.221702406	1	0.17	290	48.33
-0.221273278	1	0.17	291	48.50
-0.221152408	1	0.17	292	48.67
-0.221061131	1	0.17	293	48.83
-0.221015612	1	0.17	294	49.00
-0.22097194	1	0.17	295	49.17
-0.220971066	1	0.17	296	49.33
-0.220948275	1	0.17	297	49.50
-0.220920799	1	0.17	298	49.67
-0.220873786	1	0.17	299	49.83
-0.220726414	1	0.17	300	50.00
-0.220375684	1	0.17	301	50.17
-0.219870078	1	0.17	302	50.33
-0.219642441	1	0.17	303	50.50
-0.219539742	1	0.17	304	50.67
-0.21946204	1	0.17	305	50.83
-0.219304777	1	0.17	306	51.00
-0.219262034	1	0.17	307	51.17
-0.219173952	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.219157953	1	0.17	309	51.50
-0.21881989	1	0.17	310	51.67
-0.218806725	1	0.17	311	51.83
-0.218739992	1	0.17	312	52.00
-0.218700169	1	0.17	313	52.17
-0.21846054	1	0.17	314	52.33
-0.218204684	1	0.17	315	52.50
-0.218139305	1	0.17	316	52.67
-0.217986592	1	0.17	317	52.83
-0.217935805	1	0.17	318	53.00
-0.217914671	1	0.17	319	53.17
-0.217874237	1	0.17	320	53.33
-0.217729411	1	0.17	321	53.50
-0.217440444	1	0.17	322	53.67
-0.217343387	1	0.17	323	53.83
-0.217332821	1	0.17	324	54.00
-0.217183553	1	0.17	325	54.17
-0.217181847	1	0.17	326	54.33
-0.217158889	1	0.17	327	54.50
-0.217097694	1	0.17	328	54.67
-0.217023592	1	0.17	329	54.83
-0.216906239	1	0.17	330	55.00
-0.216837158	1	0.17	331	55.17
-0.216578699	1	0.17	332	55.33
-0.216520291	1	0.17	333	55.50
-0.216457966	1	0.17	334	55.67
-0.216299789	1	0.17	335	55.83
-0.216155882	1	0.17	336	56.00
-0.215966555	1	0.17	337	56.17
-0.215803723	1	0.17	338	56.33
-0.215802583	1	0.17	339	56.50
-0.215395705	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.215061986	1	0.17	341	56.83
-0.215005964	1	0.17	342	57.00
-0.214913286	1	0.17	343	57.17
-0.214620254	1	0.17	344	57.33
-0.214565875	1	0.17	345	57.50
-0.214483276	1	0.17	346	57.67
-0.214473527	1	0.17	347	57.83
-0.214450453	1	0.17	348	58.00
-0.213969346	1	0.17	349	58.17
-0.213716965	1	0.17	350	58.33
-0.213489476	1	0.17	351	58.50
-0.213483277	1	0.17	352	58.67
-0.213415889	1	0.17	353	58.83
-0.213254883	1	0.17	354	59.00
-0.213249211	1	0.17	355	59.17
-0.213127744	1	0.17	356	59.33
-0.212994348	1	0.17	357	59.50
-0.212463067	1	0.17	358	59.67
-0.211794215	1	0.17	359	59.83
-0.211735925	1	0.17	360	60.00
-0.211705715	1	0.17	361	60.17
-0.211687886	1	0.17	362	60.33
-0.211686063	1	0.17	363	60.50
-0.211398102	1	0.17	364	60.67
-0.211137837	1	0.17	365	60.83
-0.21087011	1	0.17	366	61.00
-0.210833917	1	0.17	367	61.17
-0.210247602	1	0.17	368	61.33
-0.209656635	1	0.17	369	61.50
-0.209639563	1	0.17	370	61.67
-0.209514759	1	0.17	371	61.83
-0.209374577	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.208836046	1	0.17	373	62.17
-0.208745197	1	0.17	374	62.33
-0.208655631	1	0.17	375	62.50
-0.208615593	1	0.17	376	62.67
-0.208010153	1	0.17	377	62.83
-0.207936604	1	0.17	378	63.00
-0.207893068	1	0.17	379	63.17
-0.207722817	1	0.17	380	63.33
-0.207678628	1	0.17	381	63.50
-0.207269489	1	0.17	382	63.67
-0.207129841	1	0.17	383	63.83
-0.207010596	1	0.17	384	64.00
-0.206951994	1	0.17	385	64.17
-0.206696674	1	0.17	386	64.33
-0.205648652	1	0.17	387	64.50
-0.205615028	1	0.17	388	64.67
-0.205432771	1	0.17	389	64.83
-0.205414235	1	0.17	390	65.00
-0.205355167	1	0.17	391	65.17
-0.205168963	1	0.17	392	65.33
-0.204513047	1	0.17	393	65.50
-0.204452513	1	0.17	394	65.67
-0.204101137	1	0.17	395	65.83
-0.203934561	1	0.17	396	66.00
-0.203371632	1	0.17	397	66.17
-0.203082129	1	0.17	398	66.33
-0.203052906	1	0.17	399	66.50
-0.202940321	1	0.17	400	66.67
-0.202869782	1	0.17	401	66.83
-0.202808089	1	0.17	402	67.00
-0.202709029	1	0.17	403	67.17
-0.202566292	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.202495596	1	0.17	405	67.50
-0.202377622	1	0.17	406	67.67
-0.202225224	1	0.17	407	67.83
-0.20210574	1	0.17	408	68.00
-0.201733383	1	0.17	409	68.17
-0.201695654	1	0.17	410	68.33
-0.201689939	1	0.17	411	68.50
-0.201585302	1	0.17	412	68.67
-0.201311865	1	0.17	413	68.83
-0.200949329	1	0.17	414	69.00
-0.200887453	1	0.17	415	69.17
-0.200615262	1	0.17	416	69.33
-0.200561637	1	0.17	417	69.50
-0.200525034	1	0.17	418	69.67
-0.200524393	1	0.17	419	69.83
-0.200375369	1	0.17	420	70.00
-0.199711947	1	0.17	421	70.17
-0.199635713	1	0.17	422	70.33
-0.199633699	1	0.17	423	70.50
-0.199385608	1	0.17	424	70.67
-0.199342782	1	0.17	425	70.83
-0.199222834	1	0.17	426	71.00
-0.199036934	1	0.17	427	71.17
-0.198957694	1	0.17	428	71.33
-0.198380114	1	0.17	429	71.50
-0.197930156	1	0.17	430	71.67
-0.197800313	1	0.17	431	71.83
-0.19778882	1	0.17	432	72.00
-0.197593684	1	0.17	433	72.17
-0.197584737	1	0.17	434	72.33
-0.197473151	1	0.17	435	72.50
-0.197114387	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.197043866	1	0.17	437	72.83
-0.196405401	1	0.17	438	73.00
-0.196211978	1	0.17	439	73.17
-0.196204743	1	0.17	440	73.33
-0.195583032	1	0.17	441	73.50
-0.195299888	1	0.17	442	73.67
-0.195293871	1	0.17	443	73.83
-0.194708144	1	0.17	444	74.00
-0.194526979	1	0.17	445	74.17
-0.194198961	1	0.17	446	74.33
-0.194164591	1	0.17	447	74.50
-0.194075698	1	0.17	448	74.67
-0.193851158	1	0.17	449	74.83
-0.193720796	1	0.17	450	75.00
-0.193542627	1	0.17	451	75.17
-0.193206195	1	0.17	452	75.33
-0.192889632	1	0.17	453	75.50
-0.192867277	1	0.17	454	75.67
-0.192816602	1	0.17	455	75.83
-0.192811498	1	0.17	456	76.00
-0.191968146	1	0.17	457	76.17
-0.191765048	1	0.17	458	76.33
-0.191724203	1	0.17	459	76.50
-0.191301914	1	0.17	460	76.67
-0.191045714	1	0.17	461	76.83
-0.191007354	1	0.17	462	77.00
-0.190887584	1	0.17	463	77.17
-0.190805405	1	0.17	464	77.33
-0.189870922	1	0.17	465	77.50
-0.189858898	1	0.17	466	77.67
-0.189322455	1	0.17	467	77.83
-0.189319904	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.189135122	1	0.17	469	78.17
-0.188975419	1	0.17	470	78.33
-0.188829437	1	0.17	471	78.50
-0.18880669	1	0.17	472	78.67
-0.188670998	1	0.17	473	78.83
-0.188548919	1	0.17	474	79.00
-0.188467035	1	0.17	475	79.17
-0.18804324	1	0.17	476	79.33
-0.187978729	1	0.17	477	79.50
-0.187670668	1	0.17	478	79.67
-0.187454944	1	0.17	479	79.83
-0.18742132	1	0.17	480	80.00
-0.187254114	1	0.17	481	80.17
-0.187225604	1	0.17	482	80.33
-0.18720863	1	0.17	483	80.50
-0.186776124	1	0.17	484	80.67
-0.186761741	1	0.17	485	80.83
-0.18645412	1	0.17	486	81.00
-0.18524611	1	0.17	487	81.17
-0.183924606	1	0.17	488	81.33
-0.183233178	1	0.17	489	81.50
-0.183180234	1	0.17	490	81.67
-0.183037049	1	0.17	491	81.83
-0.182910493	1	0.17	492	82.00
-0.182672763	1	0.17	493	82.17
-0.182508996	1	0.17	494	82.33
-0.182437474	1	0.17	495	82.50
-0.182184667	1	0.17	496	82.67
-0.182084273	1	0.17	497	82.83
-0.181554613	1	0.17	498	83.00
-0.1815107	1	0.17	499	83.17
-0.181453465	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.181017039	1	0.17	501	83.50
-0.180601955	1	0.17	502	83.67
-0.180576437	1	0.17	503	83.83
-0.180405029	1	0.17	504	84.00
-0.180332024	1	0.17	505	84.17
-0.180239765	1	0.17	506	84.33
-0.180193277	1	0.17	507	84.50
-0.179917451	1	0.17	508	84.67
-0.179840193	1	0.17	509	84.83
-0.179550869	1	0.17	510	85.00
-0.17895495	1	0.17	511	85.17
-0.178758348	1	0.17	512	85.33
-0.177623229	1	0.17	513	85.50
-0.177390143	1	0.17	514	85.67
-0.177177126	1	0.17	515	85.83
-0.177121747	1	0.17	516	86.00
-0.176822775	1	0.17	517	86.17
-0.176655401	1	0.17	518	86.33
-0.176630258	1	0.17	519	86.50
-0.176263776	1	0.17	520	86.67
-0.176094582	1	0.17	521	86.83
-0.175662369	1	0.17	522	87.00
-0.175628743	1	0.17	523	87.17
-0.175417652	1	0.17	524	87.33
-0.174957049	1	0.17	525	87.50
-0.174689834	1	0.17	526	87.67
-0.174523034	1	0.17	527	87.83
-0.172103482	1	0.17	528	88.00
-0.172035277	1	0.17	529	88.17
-0.171822356	1	0.17	530	88.33
-0.171549973	1	0.17	531	88.50
-0.171259016	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.170944959	1	0.17	533	88.83
-0.169920669	1	0.17	534	89.00
-0.169918052	1	0.17	535	89.17
-0.16979992	1	0.17	536	89.33
-0.169525338	1	0.17	537	89.50
-0.169285114	1	0.17	538	89.67
-0.169049571	1	0.17	539	89.83
-0.168538449	1	0.17	540	90.00
-0.168154359	1	0.17	541	90.17
-0.16654268	1	0.17	542	90.33
-0.166142942	1	0.17	543	90.50
-0.165779754	1	0.17	544	90.67
-0.165117552	1	0.17	545	90.83
-0.164464086	1	0.17	546	91.00
-0.164247727	1	0.17	547	91.17
-0.16395909	1	0.17	548	91.33
-0.163469345	1	0.17	549	91.50
-0.162917206	1	0.17	550	91.67
-0.162238496	1	0.17	551	91.83
-0.16201435	1	0.17	552	92.00
-0.161097849	1	0.17	553	92.17
-0.160779581	1	0.17	554	92.33
-0.160580263	1	0.17	555	92.50
-0.160242133	1	0.17	556	92.67
-0.159404769	1	0.17	557	92.83
-0.159358882	1	0.17	558	93.00
-0.158847453	1	0.17	559	93.17
-0.157672075	1	0.17	560	93.33
-0.155994747	1	0.17	561	93.50
-0.155402692	1	0.17	562	93.67
-0.155389381	1	0.17	563	93.83
-0.155222889	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.154368819	1	0.17	565	94.17
-0.152782814	1	0.17	566	94.33
-0.152149895	1	0.17	567	94.50
-0.151507415	1	0.17	568	94.67
-0.150988277	1	0.17	569	94.83
-0.149769199	1	0.17	570	95.00
-0.14938798	1	0.17	571	95.17
-0.1489212	1	0.17	572	95.33
-0.146808448	1	0.17	573	95.50
-0.146589377	1	0.17	574	95.67
-0.145152713	1	0.17	575	95.83
-0.145051538	1	0.17	576	96.00
-0.1449538	1	0.17	577	96.17
-0.144769007	1	0.17	578	96.33
-0.143880796	1	0.17	579	96.50
-0.143638011	1	0.17	580	96.67
-0.142961311	1	0.17	581	96.83
-0.141805962	1	0.17	582	97.00
-0.141522866	1	0.17	583	97.17
-0.140366959	1	0.17	584	97.33
-0.140318215	1	0.17	585	97.50
-0.139143891	1	0.17	586	97.67
-0.138806751	1	0.17	587	97.83
-0.137497289	1	0.17	588	98.00
-0.135915785	1	0.17	589	98.17
-0.132606946	1	0.17	590	98.33
-0.130739987	1	0.17	591	98.50
-0.129542462	1	0.17	592	98.67
-0.127929703	1	0.17	593	98.83
-0.126686763	1	0.17	594	99.00
-0.122666476	1	0.17	595	99.17
-0.11698151	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V00BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.116426245	1	0.17	597	99.50
-0.109931448	1	0.17	598	99.67
-0.087065254	1	0.17	599	99.83
-0.076256394	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
-0.01862217	1	0.17	22	3.67
-0.011347669	1	0.17	23	3.83
0.0014381473	1	0.17	24	4.00
0.0049025284	1	0.17	25	4.17
0.0144572789	1	0.17	26	4.33
0.0167994817	1	0.17	27	4.50
0.0191320796	1	0.17	28	4.67
0.0192210138	1	0.17	29	4.83
0.0195272635	1	0.17	30	5.00
0.0201072355	1	0.17	31	5.17
0.0215586292	1	0.17	32	5.33
0.0226714557	1	0.17	33	5.50
0.0242946153	1	0.17	34	5.67
0.0248315198	1	0.17	35	5.83
0.0250399301	1	0.17	36	6.00
0.0251272707	1	0.17	37	6.17
0.0256791989	1	0.17	38	6.33
0.0259597606	1	0.17	39	6.50
0.0267290397	1	0.17	40	6.67
0.027083486	1	0.17	41	6.83
0.0273566367	1	0.17	42	7.00
0.0274684406	1	0.17	43	7.17
0.0275498816	1	0.17	44	7.33
0.0279488233	1	0.17	45	7.50
0.0284097874	1	0.17	46	7.67
0.0284804429	1	0.17	47	7.83
0.0285942973	1	0.17	48	8.00
0.0288834383	1	0.17	49	8.17
0.0290892917	1	0.17	50	8.33
0.0297196592	1	0.17	51	8.50
0.0297289355	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0297454383	1	0.17	53	8.83
0.0301680165	1	0.17	54	9.00
0.0308753498	1	0.17	55	9.17
0.0314495585	1	0.17	56	9.33
0.0314880838	1	0.17	57	9.50
0.0329687379	1	0.17	58	9.67
0.0329986461	1	0.17	59	9.83
0.0336395123	1	0.17	60	10.00
0.0342829013	1	0.17	61	10.17
0.0350251097	1	0.17	62	10.33
0.0351315809	1	0.17	63	10.50
0.035362919	1	0.17	64	10.67
0.0354411758	1	0.17	65	10.83
0.0362326954	1	0.17	66	11.00
0.0362336799	1	0.17	67	11.17
0.0364817384	1	0.17	68	11.33
0.0370408434	1	0.17	69	11.50
0.0376133555	1	0.17	70	11.67
0.037695156	1	0.17	71	11.83
0.0383875515	1	0.17	72	12.00
0.039105454	1	0.17	73	12.17
0.03916591	1	0.17	74	12.33
0.0392165078	1	0.17	75	12.50
0.0393632252	1	0.17	76	12.67
0.0395028267	1	0.17	77	12.83
0.0398955713	1	0.17	78	13.00
0.039946507	1	0.17	79	13.17
0.0400280319	1	0.17	80	13.33
0.0401297883	1	0.17	81	13.50
0.040163391	1	0.17	82	13.67
0.0410825017	1	0.17	83	13.83
0.0411402945	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0413288216	1	0.17	85	14.17
0.0420843032	1	0.17	86	14.33
0.0422986561	1	0.17	87	14.50
0.0425349967	1	0.17	88	14.67
0.0425936025	1	0.17	89	14.83
0.0432856561	1	0.17	90	15.00
0.043971084	1	0.17	91	15.17
0.0446665586	1	0.17	92	15.33
0.044710454	1	0.17	93	15.50
0.0449485543	1	0.17	94	15.67
0.0452008234	1	0.17	95	15.83
0.0452151917	1	0.17	96	16.00
0.045236008	1	0.17	97	16.17
0.0454926478	1	0.17	98	16.33
0.0461877472	1	0.17	99	16.50
0.0463530099	1	0.17	100	16.67
0.0463823381	1	0.17	101	16.83
0.0463920061	1	0.17	102	17.00
0.0467561242	1	0.17	103	17.17
0.0468635159	1	0.17	104	17.33
0.0470022091	1	0.17	105	17.50
0.0472458222	1	0.17	106	17.67
0.0472824642	1	0.17	107	17.83
0.0474787031	1	0.17	108	18.00
0.0476112903	1	0.17	109	18.17
0.047995179	1	0.17	110	18.33
0.0483353587	1	0.17	111	18.50
0.0487192709	1	0.17	112	18.67
0.0487497589	1	0.17	113	18.83
0.0490306095	1	0.17	114	19.00
0.0491531599	1	0.17	115	19.17
0.0491942921	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0498077883	1	0.17	117	19.50
0.0498438453	1	0.17	118	19.67
0.0499866329	1	0.17	119	19.83
0.0500169191	1	0.17	120	20.00
0.0502103875	1	0.17	121	20.17
0.0507827183	1	0.17	122	20.33
0.0507953015	1	0.17	123	20.50
0.0510750885	1	0.17	124	20.67
0.0513815771	1	0.17	125	20.83
0.051765801	1	0.17	126	21.00
0.0518496252	1	0.17	127	21.17
0.0518930385	1	0.17	128	21.33
0.052351226	1	0.17	129	21.50
0.052379972	1	0.17	130	21.67
0.0531252343	1	0.17	131	21.83
0.0532057626	1	0.17	132	22.00
0.0532082271	1	0.17	133	22.17
0.0534388326	1	0.17	134	22.33
0.0536457515	1	0.17	135	22.50
0.0538014686	1	0.17	136	22.67
0.0538369267	1	0.17	137	22.83
0.0538398155	1	0.17	138	23.00
0.0539362145	1	0.17	139	23.17
0.0540547899	1	0.17	140	23.33
0.0542940627	1	0.17	141	23.50
0.0544822245	1	0.17	142	23.67
0.054536935	1	0.17	143	23.83
0.0548616284	1	0.17	144	24.00
0.0548922628	1	0.17	145	24.17
0.0554533158	1	0.17	146	24.33
0.0554564161	1	0.17	147	24.50
0.0556340973	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0556990621	1	0.17	149	24.83
0.0562834178	1	0.17	150	25.00
0.0563831564	1	0.17	151	25.17
0.0566010738	1	0.17	152	25.33
0.0567574861	1	0.17	153	25.50
0.0569201328	1	0.17	154	25.67
0.0579397936	1	0.17	155	25.83
0.0581144556	1	0.17	156	26.00
0.0582855455	1	0.17	157	26.17
0.0584221991	1	0.17	158	26.33
0.0585228389	1	0.17	159	26.50
0.0592836783	1	0.17	160	26.67
0.0592906686	1	0.17	161	26.83
0.0596170007	1	0.17	162	27.00
0.059781858	1	0.17	163	27.17
0.0600380355	1	0.17	164	27.33
0.0603738422	1	0.17	165	27.50
0.060805254	1	0.17	166	27.67
0.0610537567	1	0.17	167	27.83
0.0611235086	1	0.17	168	28.00
0.0614175401	1	0.17	169	28.17
0.0618342349	1	0.17	170	28.33
0.0619123212	1	0.17	171	28.50
0.0624233409	1	0.17	172	28.67
0.0625532235	1	0.17	173	28.83
0.0629306802	1	0.17	174	29.00
0.0632238333	1	0.17	175	29.17
0.0632795271	1	0.17	176	29.33
0.0632838657	1	0.17	177	29.50
0.0633653182	1	0.17	178	29.67
0.0636839516	1	0.17	179	29.83
0.0637045983	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0637300544	1	0.17	181	30.17
0.0641361983	1	0.17	182	30.33
0.0644486615	1	0.17	183	30.50
0.0644563767	1	0.17	184	30.67
0.0648085693	1	0.17	185	30.83
0.0649763296	1	0.17	186	31.00
0.0656843105	1	0.17	187	31.17
0.0660367149	1	0.17	188	31.33
0.0660619095	1	0.17	189	31.50
0.0663117038	1	0.17	190	31.67
0.0663400319	1	0.17	191	31.83
0.0665817402	1	0.17	192	32.00
0.0665948038	1	0.17	193	32.17
0.0666598578	1	0.17	194	32.33
0.0666726917	1	0.17	195	32.50
0.0668620296	1	0.17	196	32.67
0.0670681251	1	0.17	197	32.83
0.0673665362	1	0.17	198	33.00
0.0675796906	1	0.17	199	33.17
0.068117034	1	0.17	200	33.33
0.0683165355	1	0.17	201	33.50
0.0683508048	1	0.17	202	33.67
0.0684207761	1	0.17	203	33.83
0.0686693044	1	0.17	204	34.00
0.0686863683	1	0.17	205	34.17
0.0687508628	1	0.17	206	34.33
0.0687548367	1	0.17	207	34.50
0.0688109525	1	0.17	208	34.67
0.0698337004	1	0.17	209	34.83
0.0699942739	1	0.17	210	35.00
0.0700120056	1	0.17	211	35.17
0.070053013	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0706831266	1	0.17	213	35.50
0.0706895888	1	0.17	214	35.67
0.0707557488	1	0.17	215	35.83
0.0707876988	1	0.17	216	36.00
0.0712402398	1	0.17	217	36.17
0.0713952415	1	0.17	218	36.33
0.0714009808	1	0.17	219	36.50
0.0720907063	1	0.17	220	36.67
0.0722201206	1	0.17	221	36.83
0.0725911583	1	0.17	222	37.00
0.0730133422	1	0.17	223	37.17
0.0732683068	1	0.17	224	37.33
0.0733374468	1	0.17	225	37.50
0.0739017511	1	0.17	226	37.67
0.0739765096	1	0.17	227	37.83
0.0741687479	1	0.17	228	38.00
0.0743908769	1	0.17	229	38.17
0.0748348221	1	0.17	230	38.33
0.074836718	1	0.17	231	38.50
0.0750028426	1	0.17	232	38.67
0.0750667941	1	0.17	233	38.83
0.0752920039	1	0.17	234	39.00
0.0758789072	1	0.17	235	39.17
0.0758818848	1	0.17	236	39.33
0.076213238	1	0.17	237	39.50
0.0762383098	1	0.17	238	39.67
0.0762456663	1	0.17	239	39.83
0.0762642468	1	0.17	240	40.00
0.0763691935	1	0.17	241	40.17
0.0763719917	1	0.17	242	40.33
0.0764011332	1	0.17	243	40.50
0.0771506677	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0771904274	1	0.17	245	40.83
0.0774138279	1	0.17	246	41.00
0.0775049409	1	0.17	247	41.17
0.0779474647	1	0.17	248	41.33
0.0787716777	1	0.17	249	41.50
0.078955162	1	0.17	250	41.67
0.0794678975	1	0.17	251	41.83
0.079499268	1	0.17	252	42.00
0.0795002487	1	0.17	253	42.17
0.0797767572	1	0.17	254	42.33
0.0800004144	1	0.17	255	42.50
0.0801209762	1	0.17	256	42.67
0.0801652941	1	0.17	257	42.83
0.0802009791	1	0.17	258	43.00
0.0802803548	1	0.17	259	43.17
0.0805455934	1	0.17	260	43.33
0.0809520677	1	0.17	261	43.50
0.0810421955	1	0.17	262	43.67
0.0811693053	1	0.17	263	43.83
0.0813446352	1	0.17	264	44.00
0.0814781927	1	0.17	265	44.17
0.0819118718	1	0.17	266	44.33
0.0820063082	1	0.17	267	44.50
0.0820763083	1	0.17	268	44.67
0.082323793	1	0.17	269	44.83
0.0830727135	1	0.17	270	45.00
0.0832602757	1	0.17	271	45.17
0.0834858578	1	0.17	272	45.33
0.0834983431	1	0.17	273	45.50
0.0839914196	1	0.17	274	45.67
0.0844706381	1	0.17	275	45.83
0.0847015833	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0848589766	1	0.17	277	46.17
0.0855306305	1	0.17	278	46.33
0.0856401364	1	0.17	279	46.50
0.0857895486	1	0.17	280	46.67
0.085895014	1	0.17	281	46.83
0.0863262912	1	0.17	282	47.00
0.086340402	1	0.17	283	47.17
0.086414655	1	0.17	284	47.33
0.086672588	1	0.17	285	47.50
0.0868698193	1	0.17	286	47.67
0.0869130266	1	0.17	287	47.83
0.0873238945	1	0.17	288	48.00
0.087443058	1	0.17	289	48.17
0.0877098036	1	0.17	290	48.33
0.0877886057	1	0.17	291	48.50
0.0879923971	1	0.17	292	48.67
0.088176531	1	0.17	293	48.83
0.0883253769	1	0.17	294	49.00
0.0885781557	1	0.17	295	49.17
0.0886616627	1	0.17	296	49.33
0.0888295697	1	0.17	297	49.50
0.0890448179	1	0.17	298	49.67
0.0894721999	1	0.17	299	49.83
0.0895219661	1	0.17	300	50.00
0.0906160854	1	0.17	301	50.17
0.0906333923	1	0.17	302	50.33
0.0907480865	1	0.17	303	50.50
0.0909531437	1	0.17	304	50.67
0.0910194244	1	0.17	305	50.83
0.0911144191	1	0.17	306	51.00
0.0921739307	1	0.17	307	51.17
0.0923696758	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0928964126	1	0.17	309	51.50
0.0930981464	1	0.17	310	51.67
0.0931772726	1	0.17	311	51.83
0.0932122981	1	0.17	312	52.00
0.0932664869	1	0.17	313	52.17
0.0934692241	1	0.17	314	52.33
0.0937857378	1	0.17	315	52.50
0.0938182897	1	0.17	316	52.67
0.0938988486	1	0.17	317	52.83
0.09398756	1	0.17	318	53.00
0.0943440135	1	0.17	319	53.17
0.0947365728	1	0.17	320	53.33
0.0949484675	1	0.17	321	53.50
0.0951149563	1	0.17	322	53.67
0.0956074532	1	0.17	323	53.83
0.0959499622	1	0.17	324	54.00
0.096477655	1	0.17	325	54.17
0.0964827406	1	0.17	326	54.33
0.0969433978	1	0.17	327	54.50
0.0969678985	1	0.17	328	54.67
0.0969849062	1	0.17	329	54.83
0.0973319163	1	0.17	330	55.00
0.0975179368	1	0.17	331	55.17
0.0979415342	1	0.17	332	55.33
0.0982623348	1	0.17	333	55.50
0.0982963	1	0.17	334	55.67
0.0989036426	1	0.17	335	55.83
0.0990806062	1	0.17	336	56.00
0.0991308421	1	0.17	337	56.17
0.0991423511	1	0.17	338	56.33
0.1001251922	1	0.17	339	56.50
0.1007395755	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1008190518	1	0.17	341	56.83
0.1009152326	1	0.17	342	57.00
0.1009255339	1	0.17	343	57.17
0.1011410002	1	0.17	344	57.33
0.1028875707	1	0.17	345	57.50
0.1039047121	1	0.17	346	57.67
0.1039587389	1	0.17	347	57.83
0.1044527682	1	0.17	348	58.00
0.1044730948	1	0.17	349	58.17
0.1049485842	1	0.17	350	58.33
0.1056946588	1	0.17	351	58.50
0.1057489619	1	0.17	352	58.67
0.1058495482	1	0.17	353	58.83
0.1062266889	1	0.17	354	59.00
0.1065221356	1	0.17	355	59.17
0.1065656672	1	0.17	356	59.33
0.1066392665	1	0.17	357	59.50
0.1068096939	1	0.17	358	59.67
0.107738398	1	0.17	359	59.83
0.1077884427	1	0.17	360	60.00
0.1080630646	1	0.17	361	60.17
0.1080758127	1	0.17	362	60.33
0.1084050537	1	0.17	363	60.50
0.1088062107	1	0.17	364	60.67
0.1095002226	1	0.17	365	60.83
0.1095843742	1	0.17	366	61.00
0.1099423107	1	0.17	367	61.17
0.1099694194	1	0.17	368	61.33
0.1105208695	1	0.17	369	61.50
0.1112567286	1	0.17	370	61.67
0.1117873001	1	0.17	371	61.83
0.1120114523	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1130312469	1	0.17	373	62.17
0.1139269501	1	0.17	374	62.33
0.1141581603	1	0.17	375	62.50
0.1144721775	1	0.17	376	62.67
0.1147167124	1	0.17	377	62.83
0.1150380623	1	0.17	378	63.00
0.1152323342	1	0.17	379	63.17
0.1161107849	1	0.17	380	63.33
0.1161725974	1	0.17	381	63.50
0.1164678316	1	0.17	382	63.67
0.1173253938	1	0.17	383	63.83
0.1174354708	1	0.17	384	64.00
0.1175424109	1	0.17	385	64.17
0.1176709272	1	0.17	386	64.33
0.118212431	1	0.17	387	64.50
0.1188640448	1	0.17	388	64.67
0.1198315991	1	0.17	389	64.83
0.1201268406	1	0.17	390	65.00
0.1205368078	1	0.17	391	65.17
0.1209533304	1	0.17	392	65.33
0.121044937	1	0.17	393	65.50
0.1223905023	1	0.17	394	65.67
0.1224180883	1	0.17	395	65.83
0.123123236	1	0.17	396	66.00
0.1231891802	1	0.17	397	66.17
0.1238295803	1	0.17	398	66.33
0.1256346642	1	0.17	399	66.50
0.126233559	1	0.17	400	66.67
0.1263382491	1	0.17	401	66.83
0.1263806043	1	0.17	402	67.00
0.1264034266	1	0.17	403	67.17
0.1270743432	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.127391749	1	0.17	405	67.50
0.1277198889	1	0.17	406	67.67
0.1278320691	1	0.17	407	67.83
0.1282254461	1	0.17	408	68.00
0.1288852498	1	0.17	409	68.17
0.1288952101	1	0.17	410	68.33
0.1291784006	1	0.17	411	68.50
0.1291875539	1	0.17	412	68.67
0.1302408244	1	0.17	413	68.83
0.1310610773	1	0.17	414	69.00
0.1318425658	1	0.17	415	69.17
0.1318476271	1	0.17	416	69.33
0.1320549047	1	0.17	417	69.50
0.1329004061	1	0.17	418	69.67
0.1329827332	1	0.17	419	69.83
0.1329978173	1	0.17	420	70.00
0.1337635054	1	0.17	421	70.17
0.1351967237	1	0.17	422	70.33
0.1357057431	1	0.17	423	70.50
0.1359978878	1	0.17	424	70.67
0.1366062999	1	0.17	425	70.83
0.136627388	1	0.17	426	71.00
0.1371778021	1	0.17	427	71.17
0.138242295	1	0.17	428	71.33
0.1392218581	1	0.17	429	71.50
0.139462071	1	0.17	430	71.67
0.1395703254	1	0.17	431	71.83
0.1401924803	1	0.17	432	72.00
0.1403670363	1	0.17	433	72.17
0.1405142873	1	0.17	434	72.33
0.1405558834	1	0.17	435	72.50
0.1406803022	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1410971302	1	0.17	437	72.83
0.1412675168	1	0.17	438	73.00
0.141560415	1	0.17	439	73.17
0.1417954315	1	0.17	440	73.33
0.1422616644	1	0.17	441	73.50
0.1433896029	1	0.17	442	73.67
0.144452007	1	0.17	443	73.83
0.1466487552	1	0.17	444	74.00
0.1472023155	1	0.17	445	74.17
0.1478964938	1	0.17	446	74.33
0.148285907	1	0.17	447	74.50
0.1491538749	1	0.17	448	74.67
0.1492116289	1	0.17	449	74.83
0.1496989627	1	0.17	450	75.00
0.1501706597	1	0.17	451	75.17
0.1504699128	1	0.17	452	75.33
0.150861845	1	0.17	453	75.50
0.1515410243	1	0.17	454	75.67
0.1525624666	1	0.17	455	75.83
0.1529516663	1	0.17	456	76.00
0.1535115864	1	0.17	457	76.17
0.1551414611	1	0.17	458	76.33
0.1571448647	1	0.17	459	76.50
0.1580231721	1	0.17	460	76.67
0.1584606158	1	0.17	461	76.83
0.1586283447	1	0.17	462	77.00
0.1588165621	1	0.17	463	77.17
0.1589451077	1	0.17	464	77.33
0.1590175946	1	0.17	465	77.50
0.1591741298	1	0.17	466	77.67
0.1604214042	1	0.17	467	77.83
0.1606857688	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1613541552	1	0.17	469	78.17
0.1626983456	1	0.17	470	78.33
0.1642690179	1	0.17	471	78.50
0.1643065008	1	0.17	472	78.67
0.1648229047	1	0.17	473	78.83
0.1648859807	1	0.17	474	79.00
0.1649399996	1	0.17	475	79.17
0.1661269832	1	0.17	476	79.33
0.1667537538	1	0.17	477	79.50
0.1683831549	1	0.17	478	79.67
0.1700134878	1	0.17	479	79.83
0.1705313831	1	0.17	480	80.00
0.1706247044	1	0.17	481	80.17
0.1711712292	1	0.17	482	80.33
0.1727778667	1	0.17	483	80.50
0.1733963671	1	0.17	484	80.67
0.1735006941	1	0.17	485	80.83
0.173627906	1	0.17	486	81.00
0.1741763322	1	0.17	487	81.17
0.1742369264	1	0.17	488	81.33
0.1748760233	1	0.17	489	81.50
0.1761239183	1	0.17	490	81.67
0.1765196213	1	0.17	491	81.83
0.1765911925	1	0.17	492	82.00
0.1771804576	1	0.17	493	82.17
0.177279531	1	0.17	494	82.33
0.1780174768	1	0.17	495	82.50
0.1807625506	1	0.17	496	82.67
0.1818192835	1	0.17	497	82.83
0.1819579026	1	0.17	498	83.00
0.1833834668	1	0.17	499	83.17
0.1851453915	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.185703984	1	0.17	501	83.50
0.1858114822	1	0.17	502	83.67
0.1859234765	1	0.17	503	83.83
0.1864193458	1	0.17	504	84.00
0.1875515698	1	0.17	505	84.17
0.1883180426	1	0.17	506	84.33
0.1894445447	1	0.17	507	84.50
0.1894881564	1	0.17	508	84.67
0.1904751475	1	0.17	509	84.83
0.1914996351	1	0.17	510	85.00
0.1915350218	1	0.17	511	85.17
0.1926241464	1	0.17	512	85.33
0.1926479194	1	0.17	513	85.50
0.1932116042	1	0.17	514	85.67
0.1933490253	1	0.17	515	85.83
0.193726864	1	0.17	516	86.00
0.193907233	1	0.17	517	86.17
0.194376399	1	0.17	518	86.33
0.194489538	1	0.17	519	86.50
0.1945934839	1	0.17	520	86.67
0.1946167247	1	0.17	521	86.83
0.1950304255	1	0.17	522	87.00
0.1955400115	1	0.17	523	87.17
0.196372435	1	0.17	524	87.33
0.1965641633	1	0.17	525	87.50
0.1976765035	1	0.17	526	87.67
0.1988512154	1	0.17	527	87.83
0.1989963043	1	0.17	528	88.00
0.1992754883	1	0.17	529	88.17
0.1994801257	1	0.17	530	88.33
0.2015084621	1	0.17	531	88.50
0.2023708175	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2026216371	1	0.17	533	88.83
0.2028725675	1	0.17	534	89.00
0.2041315923	1	0.17	535	89.17
0.2051942939	1	0.17	536	89.33
0.2053807354	1	0.17	537	89.50
0.2064005762	1	0.17	538	89.67
0.2072867772	1	0.17	539	89.83
0.2074259873	1	0.17	540	90.00
0.2082627504	1	0.17	541	90.17
0.2111339586	1	0.17	542	90.33
0.2112065982	1	0.17	543	90.50
0.2113307637	1	0.17	544	90.67
0.2123846273	1	0.17	545	90.83
0.2125952635	1	0.17	546	91.00
0.2154767991	1	0.17	547	91.17
0.2159162308	1	0.17	548	91.33
0.216081169	1	0.17	549	91.50
0.2164697146	1	0.17	550	91.67
0.2170559085	1	0.17	551	91.83
0.2171557793	1	0.17	552	92.00
0.2172676281	1	0.17	553	92.17
0.2186509373	1	0.17	554	92.33
0.221144023	1	0.17	555	92.50
0.2216617447	1	0.17	556	92.67
0.2219886452	1	0.17	557	92.83
0.2223647845	1	0.17	558	93.00
0.222428236	1	0.17	559	93.17
0.2229892802	1	0.17	560	93.33
0.2232141863	1	0.17	561	93.50
0.2248792737	1	0.17	562	93.67
0.225123379	1	0.17	563	93.83
0.2260867358	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.227658691	1	0.17	565	94.17
0.227688752	1	0.17	566	94.33
0.2279571814	1	0.17	567	94.50
0.2281066831	1	0.17	568	94.67
0.2281142179	1	0.17	569	94.83
0.2293023265	1	0.17	570	95.00
0.2294891366	1	0.17	571	95.17
0.2295239855	1	0.17	572	95.33
0.2302814532	1	0.17	573	95.50
0.2309521176	1	0.17	574	95.67
0.2310194376	1	0.17	575	95.83
0.2328071826	1	0.17	576	96.00
0.2332762363	1	0.17	577	96.17
0.2337238644	1	0.17	578	96.33
0.2365927028	1	0.17	579	96.50
0.2370763603	1	0.17	580	96.67
0.2379155961	1	0.17	581	96.83
0.2405073424	1	0.17	582	97.00
0.2438592016	1	0.17	583	97.17
0.2445446547	1	0.17	584	97.33
0.2452898922	1	0.17	585	97.50
0.2453223676	1	0.17	586	97.67
0.2477019732	1	0.17	587	97.83
0.2511670231	1	0.17	588	98.00
0.2512659862	1	0.17	589	98.17
0.252822999	1	0.17	590	98.33
0.2535328797	1	0.17	591	98.50
0.2536001553	1	0.17	592	98.67
0.2572427999	1	0.17	593	98.83
0.2721881633	1	0.17	594	99.00
0.2729669638	1	0.17	595	99.17
0.2830201027	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V00BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2893501683	1	0.17	597	99.50
0.2979243183	1	0.17	598	99.67
0.3061866407	1	0.17	599	99.83
0.3307279958	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
1.3662528487	1	0.17	22	3.67
1.989431567	1	0.17	23	3.83
2.0340288731	1	0.17	24	4.00
2.0929090519	1	0.17	25	4.17
2.1165392956	1	0.17	26	4.33
2.1214206507	1	0.17	27	4.50
2.1216099665	1	0.17	28	4.67
2.1288599515	1	0.17	29	4.83
2.1333413856	1	0.17	30	5.00
2.1340511615	1	0.17	31	5.17
2.1428870108	1	0.17	32	5.33
2.1459387008	1	0.17	33	5.50
2.1460160385	1	0.17	34	5.67
2.1461702227	1	0.17	35	5.83
2.1512754732	1	0.17	36	6.00
2.1569348743	1	0.17	37	6.17
2.1603322065	1	0.17	38	6.33
2.1677957182	1	0.17	39	6.50
2.1693364842	1	0.17	40	6.67
2.1702405453	1	0.17	41	6.83
2.1718756188	1	0.17	42	7.00
2.1747183222	1	0.17	43	7.17
2.1779049492	1	0.17	44	7.33
2.1795093105	1	0.17	45	7.50
2.1805172791	1	0.17	46	7.67
2.1813538201	1	0.17	47	7.83
2.1858475348	1	0.17	48	8.00
2.1993539257	1	0.17	49	8.17
2.2027641554	1	0.17	50	8.33
2.2057171764	1	0.17	51	8.50
2.2062741867	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2128722767	1	0.17	53	8.83
2.2129589424	1	0.17	54	9.00
2.2163548063	1	0.17	55	9.17
2.2246811796	1	0.17	56	9.33
2.227145369	1	0.17	57	9.50
2.237450588	1	0.17	58	9.67
2.2404452264	1	0.17	59	9.83
2.2406406171	1	0.17	60	10.00
2.2433112301	1	0.17	61	10.17
2.2457553716	1	0.17	62	10.33
2.2475957202	1	0.17	63	10.50
2.2488965429	1	0.17	64	10.67
2.248977485	1	0.17	65	10.83
2.2498221178	1	0.17	66	11.00
2.2548377744	1	0.17	67	11.17
2.2552396069	1	0.17	68	11.33
2.2573333277	1	0.17	69	11.50
2.2600120957	1	0.17	70	11.67
2.2604739508	1	0.17	71	11.83
2.2670581665	1	0.17	72	12.00
2.2695167319	1	0.17	73	12.17
2.2695285835	1	0.17	74	12.33
2.2705478004	1	0.17	75	12.50
2.2707696633	1	0.17	76	12.67
2.2747595251	1	0.17	77	12.83
2.2756775372	1	0.17	78	13.00
2.2759834581	1	0.17	79	13.17
2.2760862196	1	0.17	80	13.33
2.2790037471	1	0.17	81	13.50
2.2795919579	1	0.17	82	13.67
2.2806305873	1	0.17	83	13.83
2.283289293	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2836139987	1	0.17	85	14.17
2.2846098824	1	0.17	86	14.33
2.2847942534	1	0.17	87	14.50
2.2853810777	1	0.17	88	14.67
2.2865804975	1	0.17	89	14.83
2.2871025118	1	0.17	90	15.00
2.2893008731	1	0.17	91	15.17
2.2897020665	1	0.17	92	15.33
2.2900907595	1	0.17	93	15.50
2.2916148695	1	0.17	94	15.67
2.2933442243	1	0.17	95	15.83
2.2945387632	1	0.17	96	16.00
2.2951448387	1	0.17	97	16.17
2.2985608955	1	0.17	98	16.33
2.2994736623	1	0.17	99	16.50
2.2995758839	1	0.17	100	16.67
2.3000537897	1	0.17	101	16.83
2.3002852774	1	0.17	102	17.00
2.3024182988	1	0.17	103	17.17
2.3038381133	1	0.17	104	17.33
2.3039343557	1	0.17	105	17.50
2.3049748678	1	0.17	106	17.67
2.3082026022	1	0.17	107	17.83
2.308847737	1	0.17	108	18.00
2.3117205973	1	0.17	109	18.17
2.3132673313	1	0.17	110	18.33
2.3137317944	1	0.17	111	18.50
2.3138904101	1	0.17	112	18.67
2.314704745	1	0.17	113	18.83
2.3190881977	1	0.17	114	19.00
2.3199570794	1	0.17	115	19.17
2.3205931563	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3268148116	1	0.17	117	19.50
2.3283954447	1	0.17	118	19.67
2.3289336165	1	0.17	119	19.83
2.329866332	1	0.17	120	20.00
2.329938882	1	0.17	121	20.17
2.3299560087	1	0.17	122	20.33
2.3301129824	1	0.17	123	20.50
2.3311289013	1	0.17	124	20.67
2.3315808037	1	0.17	125	20.83
2.3317090499	1	0.17	126	21.00
2.3323420166	1	0.17	127	21.17
2.3361266066	1	0.17	128	21.33
2.3362420674	1	0.17	129	21.50
2.3365390011	1	0.17	130	21.67
2.3367889892	1	0.17	131	21.83
2.3373340658	1	0.17	132	22.00
2.3382316555	1	0.17	133	22.17
2.3388225877	1	0.17	134	22.33
2.3398773843	1	0.17	135	22.50
2.3405912996	1	0.17	136	22.67
2.3406079365	1	0.17	137	22.83
2.3416169668	1	0.17	138	23.00
2.3425502832	1	0.17	139	23.17
2.3451182512	1	0.17	140	23.33
2.345144941	1	0.17	141	23.50
2.3473853014	1	0.17	142	23.67
2.3477343133	1	0.17	143	23.83
2.3487489248	1	0.17	144	24.00
2.3499512059	1	0.17	145	24.17
2.3505067738	1	0.17	146	24.33
2.3506796126	1	0.17	147	24.50
2.3509347853	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3510944504	1	0.17	149	24.83
2.351573839	1	0.17	150	25.00
2.3524030783	1	0.17	151	25.17
2.3526659252	1	0.17	152	25.33
2.3531709488	1	0.17	153	25.50
2.355566613	1	0.17	154	25.67
2.3559925467	1	0.17	155	25.83
2.3567903134	1	0.17	156	26.00
2.3591739808	1	0.17	157	26.17
2.3593631443	1	0.17	158	26.33
2.3596701998	1	0.17	159	26.50
2.3604389613	1	0.17	160	26.67
2.361600736	1	0.17	161	26.83
2.3640888161	1	0.17	162	27.00
2.3642826344	1	0.17	163	27.17
2.3650624121	1	0.17	164	27.33
2.3654972722	1	0.17	165	27.50
2.366998598	1	0.17	166	27.67
2.3672603382	1	0.17	167	27.83
2.3686973153	1	0.17	168	28.00
2.3688353737	1	0.17	169	28.17
2.3690014931	1	0.17	170	28.33
2.3692382549	1	0.17	171	28.50
2.3694088724	1	0.17	172	28.67
2.3702531193	1	0.17	173	28.83
2.3708028991	1	0.17	174	29.00
2.3711778253	1	0.17	175	29.17
2.3720169927	1	0.17	176	29.33
2.3720545805	1	0.17	177	29.50
2.3747721289	1	0.17	178	29.67
2.3749023518	1	0.17	179	29.83
2.3751099005	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3756733248	1	0.17	181	30.17
2.3767888538	1	0.17	182	30.33
2.3786123996	1	0.17	183	30.50
2.3801985834	1	0.17	184	30.67
2.3805273944	1	0.17	185	30.83
2.3805424956	1	0.17	186	31.00
2.3812980116	1	0.17	187	31.17
2.3847077847	1	0.17	188	31.33
2.3853454748	1	0.17	189	31.50
2.3860445823	1	0.17	190	31.67
2.3869723182	1	0.17	191	31.83
2.3873211139	1	0.17	192	32.00
2.3878613386	1	0.17	193	32.17
2.3899573272	1	0.17	194	32.33
2.3912396904	1	0.17	195	32.50
2.3915092402	1	0.17	196	32.67
2.3916870502	1	0.17	197	32.83
2.3932997193	1	0.17	198	33.00
2.3933901709	1	0.17	199	33.17
2.3952165746	1	0.17	200	33.33
2.3958336884	1	0.17	201	33.50
2.3971999987	1	0.17	202	33.67
2.3974326986	1	0.17	203	33.83
2.3984505482	1	0.17	204	34.00
2.3994196565	1	0.17	205	34.17
2.3995279563	1	0.17	206	34.33
2.3997151238	1	0.17	207	34.50
2.4002598888	1	0.17	208	34.67
2.401223608	1	0.17	209	34.83
2.4025012421	1	0.17	210	35.00
2.4032762716	1	0.17	211	35.17
2.4039988964	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4044410644	1	0.17	213	35.50
2.4046420019	1	0.17	214	35.67
2.4051336323	1	0.17	215	35.83
2.4057977401	1	0.17	216	36.00
2.407237658	1	0.17	217	36.17
2.407705827	1	0.17	218	36.33
2.4093823319	1	0.17	219	36.50
2.4095132908	1	0.17	220	36.67
2.4097410373	1	0.17	221	36.83
2.4125795815	1	0.17	222	37.00
2.4137064549	1	0.17	223	37.17
2.4148464316	1	0.17	224	37.33
2.4149148964	1	0.17	225	37.50
2.4167999982	1	0.17	226	37.67
2.4173474721	1	0.17	227	37.83
2.4178747252	1	0.17	228	38.00
2.4186466509	1	0.17	229	38.17
2.418954811	1	0.17	230	38.33
2.4195424803	1	0.17	231	38.50
2.4220230645	1	0.17	232	38.67
2.4225884914	1	0.17	233	38.83
2.4229681081	1	0.17	234	39.00
2.4241642464	1	0.17	235	39.17
2.4250252133	1	0.17	236	39.33
2.4256738835	1	0.17	237	39.50
2.4259678092	1	0.17	238	39.67
2.4268775923	1	0.17	239	39.83
2.4272867491	1	0.17	240	40.00
2.4275034333	1	0.17	241	40.17
2.4278992078	1	0.17	242	40.33
2.4289724268	1	0.17	243	40.50
2.4293781031	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4296385956	1	0.17	245	40.83
2.4320873321	1	0.17	246	41.00
2.4337666016	1	0.17	247	41.17
2.4338158575	1	0.17	248	41.33
2.4348726021	1	0.17	249	41.50
2.4359294176	1	0.17	250	41.67
2.4359416236	1	0.17	251	41.83
2.4361832566	1	0.17	252	42.00
2.4375071193	1	0.17	253	42.17
2.4376395117	1	0.17	254	42.33
2.4378017936	1	0.17	255	42.50
2.4408024049	1	0.17	256	42.67
2.440892186	1	0.17	257	42.83
2.4411666455	1	0.17	258	43.00
2.4412890301	1	0.17	259	43.17
2.4415377855	1	0.17	260	43.33
2.4423462422	1	0.17	261	43.50
2.4436685133	1	0.17	262	43.67
2.4450357927	1	0.17	263	43.83
2.4453440591	1	0.17	264	44.00
2.4453497126	1	0.17	265	44.17
2.446351103	1	0.17	266	44.33
2.4466348423	1	0.17	267	44.50
2.4471096438	1	0.17	268	44.67
2.447222284	1	0.17	269	44.83
2.4472670774	1	0.17	270	45.00
2.4475207395	1	0.17	271	45.17
2.4479477237	1	0.17	272	45.33
2.4482089407	1	0.17	273	45.50
2.4487359657	1	0.17	274	45.67
2.4499035824	1	0.17	275	45.83
2.4510326103	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4510520339	1	0.17	277	46.17
2.4510617273	1	0.17	278	46.33
2.4511252386	1	0.17	279	46.50
2.4515737619	1	0.17	280	46.67
2.4523030439	1	0.17	281	46.83
2.4529015151	1	0.17	282	47.00
2.4530530196	1	0.17	283	47.17
2.4554390281	1	0.17	284	47.33
2.4554614426	1	0.17	285	47.50
2.4557190359	1	0.17	286	47.67
2.4558085399	1	0.17	287	47.83
2.4558287584	1	0.17	288	48.00
2.4560069211	1	0.17	289	48.17
2.4565422981	1	0.17	290	48.33
2.4574445042	1	0.17	291	48.50
2.4578445088	1	0.17	292	48.67
2.4586200159	1	0.17	293	48.83
2.459078365	1	0.17	294	49.00
2.4617171269	1	0.17	295	49.17
2.4617866566	1	0.17	296	49.33
2.4619260474	1	0.17	297	49.50
2.462197352	1	0.17	298	49.67
2.462956513	1	0.17	299	49.83
2.4636061672	1	0.17	300	50.00
2.4652656343	1	0.17	301	50.17
2.4653537451	1	0.17	302	50.33
2.4659103856	1	0.17	303	50.50
2.4661008774	1	0.17	304	50.67
2.4672641255	1	0.17	305	50.83
2.4676546571	1	0.17	306	51.00
2.4688437898	1	0.17	307	51.17
2.4694072421	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4703527916	1	0.17	309	51.50
2.470498132	1	0.17	310	51.67
2.4707752388	1	0.17	311	51.83
2.4717947026	1	0.17	312	52.00
2.4725704771	1	0.17	313	52.17
2.4730273449	1	0.17	314	52.33
2.4734521076	1	0.17	315	52.50
2.4746238448	1	0.17	316	52.67
2.4750569382	1	0.17	317	52.83
2.4772355054	1	0.17	318	53.00
2.4775999652	1	0.17	319	53.17
2.477741463	1	0.17	320	53.33
2.4779714051	1	0.17	321	53.50
2.4784506094	1	0.17	322	53.67
2.4785204056	1	0.17	323	53.83
2.4792745208	1	0.17	324	54.00
2.4793700157	1	0.17	325	54.17
2.4794742526	1	0.17	326	54.33
2.4797877988	1	0.17	327	54.50
2.4800101495	1	0.17	328	54.67
2.4806847788	1	0.17	329	54.83
2.4807196295	1	0.17	330	55.00
2.4817027745	1	0.17	331	55.17
2.482522005	1	0.17	332	55.33
2.4826490446	1	0.17	333	55.50
2.4836034654	1	0.17	334	55.67
2.484450419	1	0.17	335	55.83
2.4846479819	1	0.17	336	56.00
2.4851153026	1	0.17	337	56.17
2.4865490619	1	0.17	338	56.33
2.487487558	1	0.17	339	56.50
2.4876119108	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4882244109	1	0.17	341	56.83
2.4885426761	1	0.17	342	57.00
2.4886978961	1	0.17	343	57.17
2.4894010007	1	0.17	344	57.33
2.4897570233	1	0.17	345	57.50
2.4898167502	1	0.17	346	57.67
2.4904950113	1	0.17	347	57.83
2.4906864876	1	0.17	348	58.00
2.491119393	1	0.17	349	58.17
2.4914184513	1	0.17	350	58.33
2.4918490112	1	0.17	351	58.50
2.4940409776	1	0.17	352	58.67
2.4947518728	1	0.17	353	58.83
2.4958373914	1	0.17	354	59.00
2.4963876575	1	0.17	355	59.17
2.4965368288	1	0.17	356	59.33
2.4966550584	1	0.17	357	59.50
2.4970705658	1	0.17	358	59.67
2.4973010121	1	0.17	359	59.83
2.5003228142	1	0.17	360	60.00
2.500704411	1	0.17	361	60.17
2.5030231037	1	0.17	362	60.33
2.5045957083	1	0.17	363	60.50
2.5052473879	1	0.17	364	60.67
2.5064047197	1	0.17	365	60.83
2.5075747004	1	0.17	366	61.00
2.5076593278	1	0.17	367	61.17
2.5087006164	1	0.17	368	61.33
2.5087619697	1	0.17	369	61.50
2.5091834115	1	0.17	370	61.67
2.5094852066	1	0.17	371	61.83
2.5101710938	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5102082463	1	0.17	373	62.17
2.5107173322	1	0.17	374	62.33
2.5109816478	1	0.17	375	62.50
2.5117006443	1	0.17	376	62.67
2.5120494205	1	0.17	377	62.83
2.5127170371	1	0.17	378	63.00
2.5131022326	1	0.17	379	63.17
2.5134200679	1	0.17	380	63.33
2.514472379	1	0.17	381	63.50
2.5152216456	1	0.17	382	63.67
2.516311779	1	0.17	383	63.83
2.5164615991	1	0.17	384	64.00
2.5164885894	1	0.17	385	64.17
2.5198071195	1	0.17	386	64.33
2.519875647	1	0.17	387	64.50
2.5206380403	1	0.17	388	64.67
2.5210508164	1	0.17	389	64.83
2.5215086854	1	0.17	390	65.00
2.5221600779	1	0.17	391	65.17
2.5236587236	1	0.17	392	65.33
2.5252161064	1	0.17	393	65.50
2.5256037699	1	0.17	394	65.67
2.52579479	1	0.17	395	65.83
2.5258311438	1	0.17	396	66.00
2.5267823005	1	0.17	397	66.17
2.5270715773	1	0.17	398	66.33
2.5278909655	1	0.17	399	66.50
2.5295164962	1	0.17	400	66.67
2.5295292981	1	0.17	401	66.83
2.5296388501	1	0.17	402	67.00
2.5310919348	1	0.17	403	67.17
2.5352032854	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5352249457	1	0.17	405	67.50
2.5365251272	1	0.17	406	67.67
2.5371415414	1	0.17	407	67.83
2.5374990054	1	0.17	408	68.00
2.5383526122	1	0.17	409	68.17
2.5407744457	1	0.17	410	68.33
2.5409245835	1	0.17	411	68.50
2.5409761022	1	0.17	412	68.67
2.5414377714	1	0.17	413	68.83
2.5414905958	1	0.17	414	69.00
2.543012383	1	0.17	415	69.17
2.5432590918	1	0.17	416	69.33
2.5434566237	1	0.17	417	69.50
2.5436771977	1	0.17	418	69.67
2.544240722	1	0.17	419	69.83
2.5443847776	1	0.17	420	70.00
2.5452320904	1	0.17	421	70.17
2.5455325313	1	0.17	422	70.33
2.5458564185	1	0.17	423	70.50
2.5459726342	1	0.17	424	70.67
2.5468688382	1	0.17	425	70.83
2.5486284915	1	0.17	426	71.00
2.5490083311	1	0.17	427	71.17
2.5493355937	1	0.17	428	71.33
2.5499684544	1	0.17	429	71.50
2.550632841	1	0.17	430	71.67
2.5510009646	1	0.17	431	71.83
2.5515830184	1	0.17	432	72.00
2.552383797	1	0.17	433	72.17
2.5526705952	1	0.17	434	72.33
2.5534556144	1	0.17	435	72.50
2.55514063	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5569358583	1	0.17	437	72.83
2.5576099143	1	0.17	438	73.00
2.5601110155	1	0.17	439	73.17
2.5607580328	1	0.17	440	73.33
2.5610840133	1	0.17	441	73.50
2.5611202514	1	0.17	442	73.67
2.5618718134	1	0.17	443	73.83
2.5626188885	1	0.17	444	74.00
2.5631399903	1	0.17	445	74.17
2.5633126983	1	0.17	446	74.33
2.5636036397	1	0.17	447	74.50
2.5645874329	1	0.17	448	74.67
2.5648988196	1	0.17	449	74.83
2.5649173689	1	0.17	450	75.00
2.565754541	1	0.17	451	75.17
2.5659470186	1	0.17	452	75.33
2.5696078046	1	0.17	453	75.50
2.5696656183	1	0.17	454	75.67
2.5698166544	1	0.17	455	75.83
2.5698529474	1	0.17	456	76.00
2.5699004628	1	0.17	457	76.17
2.5703413817	1	0.17	458	76.33
2.5708427747	1	0.17	459	76.50
2.5709766014	1	0.17	460	76.67
2.5713065235	1	0.17	461	76.83
2.5713558681	1	0.17	462	77.00
2.5714321884	1	0.17	463	77.17
2.5719410215	1	0.17	464	77.33
2.5728361195	1	0.17	465	77.50
2.5733383182	1	0.17	466	77.67
2.5733425299	1	0.17	467	77.83
2.5745722162	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5745977962	1	0.17	469	78.17
2.5764595954	1	0.17	470	78.33
2.5772081791	1	0.17	471	78.50
2.577236051	1	0.17	472	78.67
2.5777092494	1	0.17	473	78.83
2.5779776482	1	0.17	474	79.00
2.5790055204	1	0.17	475	79.17
2.5808498788	1	0.17	476	79.33
2.5812857745	1	0.17	477	79.50
2.5818985395	1	0.17	478	79.67
2.5837492904	1	0.17	479	79.83
2.5858186448	1	0.17	480	80.00
2.5869639164	1	0.17	481	80.17
2.5878975386	1	0.17	482	80.33
2.5879404096	1	0.17	483	80.50
2.5890475707	1	0.17	484	80.67
2.5920998043	1	0.17	485	80.83
2.5930666892	1	0.17	486	81.00
2.5936636204	1	0.17	487	81.17
2.5946369138	1	0.17	488	81.33
2.5957839918	1	0.17	489	81.50
2.5960458224	1	0.17	490	81.67
2.596058407	1	0.17	491	81.83
2.5966318823	1	0.17	492	82.00
2.5977735898	1	0.17	493	82.17
2.5989069323	1	0.17	494	82.33
2.5989254026	1	0.17	495	82.50
2.5990091532	1	0.17	496	82.67
2.599351266	1	0.17	497	82.83
2.5994540275	1	0.17	498	83.00
2.6003186606	1	0.17	499	83.17
2.6006331892	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6008852193	1	0.17	501	83.50
2.6020370441	1	0.17	502	83.67
2.6052917296	1	0.17	503	83.83
2.6055181823	1	0.17	504	84.00
2.6058630735	1	0.17	505	84.17
2.6060487647	1	0.17	506	84.33
2.6063744128	1	0.17	507	84.50
2.6065649012	1	0.17	508	84.67
2.6072834476	1	0.17	509	84.83
2.6072872509	1	0.17	510	85.00
2.6083572158	1	0.17	511	85.17
2.608421768	1	0.17	512	85.33
2.6085206678	1	0.17	513	85.50
2.6087183057	1	0.17	514	85.67
2.6087833355	1	0.17	515	85.83
2.6107973255	1	0.17	516	86.00
2.6109173292	1	0.17	517	86.17
2.611650423	1	0.17	518	86.33
2.612232443	1	0.17	519	86.50
2.6139026788	1	0.17	520	86.67
2.6142453079	1	0.17	521	86.83
2.6150819451	1	0.17	522	87.00
2.6154785621	1	0.17	523	87.17
2.6162898674	1	0.17	524	87.33
2.6173617179	1	0.17	525	87.50
2.6183476239	1	0.17	526	87.67
2.6184488768	1	0.17	527	87.83
2.6188524173	1	0.17	528	88.00
2.6193327632	1	0.17	529	88.17
2.6198422604	1	0.17	530	88.33
2.6200852163	1	0.17	531	88.50
2.622417566	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6230294964	1	0.17	533	88.83
2.6238764788	1	0.17	534	89.00
2.6244993721	1	0.17	535	89.17
2.6249119033	1	0.17	536	89.33
2.6253005996	1	0.17	537	89.50
2.625455911	1	0.17	538	89.67
2.6263398242	1	0.17	539	89.83
2.6274148772	1	0.17	540	90.00
2.6296009869	1	0.17	541	90.17
2.6350473769	1	0.17	542	90.33
2.635339166	1	0.17	543	90.50
2.6369425956	1	0.17	544	90.67
2.6389970057	1	0.17	545	90.83
2.6393487679	1	0.17	546	91.00
2.6403140598	1	0.17	547	91.17
2.6406199236	1	0.17	548	91.33
2.6420755591	1	0.17	549	91.50
2.6432681394	1	0.17	550	91.67
2.6451274073	1	0.17	551	91.83
2.6453383416	1	0.17	552	92.00
2.6461559153	1	0.17	553	92.17
2.6480018668	1	0.17	554	92.33
2.6502156428	1	0.17	555	92.50
2.653516228	1	0.17	556	92.67
2.6536408107	1	0.17	557	92.83
2.6558564612	1	0.17	558	93.00
2.6568471795	1	0.17	559	93.17
2.6570631365	1	0.17	560	93.33
2.6591848391	1	0.17	561	93.50
2.6615338383	1	0.17	562	93.67
2.6617457859	1	0.17	563	93.83
2.6628429958	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6645037363	1	0.17	565	94.17
2.6670236536	1	0.17	566	94.33
2.6712793584	1	0.17	567	94.50
2.6724256501	1	0.17	568	94.67
2.6741354842	1	0.17	569	94.83
2.6771328593	1	0.17	570	95.00
2.6785949857	1	0.17	571	95.17
2.6800509166	1	0.17	572	95.33
2.6803632002	1	0.17	573	95.50
2.6813304929	1	0.17	574	95.67
2.6863152424	1	0.17	575	95.83
2.6868530561	1	0.17	576	96.00
2.6885184619	1	0.17	577	96.17
2.6916848896	1	0.17	578	96.33
2.6917510239	1	0.17	579	96.50
2.6922385431	1	0.17	580	96.67
2.707811291	1	0.17	581	96.83
2.7089574456	1	0.17	582	97.00
2.7094210924	1	0.17	583	97.17
2.7121425843	1	0.17	584	97.33
2.712644667	1	0.17	585	97.50
2.7135178775	1	0.17	586	97.67
2.7138189364	1	0.17	587	97.83
2.7154435788	1	0.17	588	98.00
2.7215235865	1	0.17	589	98.17
2.727065875	1	0.17	590	98.33
2.7285683743	1	0.17	591	98.50
2.7389217215	1	0.17	592	98.67
2.7522099176	1	0.17	593	98.83
2.75903128	1	0.17	594	99.00
2.7633303444	1	0.17	595	99.17
2.7634068471	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V00BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7820208311	1	0.17	597	99.50
2.7834856929	1	0.17	598	99.67
2.7964380291	1	0.17	599	99.83
2.7981713014	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
-0.266519245	1	0.17	22	3.67
-0.265563974	1	0.17	23	3.83
-0.244980066	1	0.17	24	4.00
-0.230696793	1	0.17	25	4.17
-0.227069686	1	0.17	26	4.33
-0.215614391	1	0.17	27	4.50
-0.213824469	1	0.17	28	4.67
-0.19448682	1	0.17	29	4.83
-0.187262511	1	0.17	30	5.00
-0.179544289	1	0.17	31	5.17
-0.162645573	1	0.17	32	5.33
-0.161041205	1	0.17	33	5.50
-0.15752689	1	0.17	34	5.67
-0.149400279	1	0.17	35	5.83
-0.143611367	1	0.17	36	6.00
-0.135952437	1	0.17	37	6.17
-0.132797048	1	0.17	38	6.33
-0.128834302	1	0.17	39	6.50
-0.120586476	1	0.17	40	6.67
-0.119221472	1	0.17	41	6.83
-0.113167685	1	0.17	42	7.00
-0.11070172	1	0.17	43	7.17
-0.110265216	1	0.17	44	7.33
-0.109120341	1	0.17	45	7.50
-0.10603825	1	0.17	46	7.67
-0.105034155	1	0.17	47	7.83
-0.103322546	1	0.17	48	8.00
-0.101545166	1	0.17	49	8.17
-0.098387492	1	0.17	50	8.33
-0.096789786	1	0.17	51	8.50
-0.095572027	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.094953344	1	0.17	53	8.83
-0.092401625	1	0.17	54	9.00
-0.092182611	1	0.17	55	9.17
-0.089777769	1	0.17	56	9.33
-0.085246985	1	0.17	57	9.50
-0.085076856	1	0.17	58	9.67
-0.083196428	1	0.17	59	9.83
-0.082929925	1	0.17	60	10.00
-0.080030121	1	0.17	61	10.17
-0.079488841	1	0.17	62	10.33
-0.079315381	1	0.17	63	10.50
-0.077819084	1	0.17	64	10.67
-0.07757552	1	0.17	65	10.83
-0.077300667	1	0.17	66	11.00
-0.074838014	1	0.17	67	11.17
-0.074200609	1	0.17	68	11.33
-0.073809892	1	0.17	69	11.50
-0.07360887	1	0.17	70	11.67
-0.073111297	1	0.17	71	11.83
-0.07292324	1	0.17	72	12.00
-0.071722898	1	0.17	73	12.17
-0.070867682	1	0.17	74	12.33
-0.06889235	1	0.17	75	12.50
-0.068692318	1	0.17	76	12.67
-0.067217178	1	0.17	77	12.83
-0.064746095	1	0.17	78	13.00
-0.062111439	1	0.17	79	13.17
-0.059892083	1	0.17	80	13.33
-0.059697661	1	0.17	81	13.50
-0.059461363	1	0.17	82	13.67
-0.057849655	1	0.17	83	13.83
-0.05669918	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.056349237	1	0.17	85	14.17
-0.05607764	1	0.17	86	14.33
-0.055335023	1	0.17	87	14.50
-0.054225315	1	0.17	88	14.67
-0.054070712	1	0.17	89	14.83
-0.053979531	1	0.17	90	15.00
-0.053725278	1	0.17	91	15.17
-0.053610297	1	0.17	92	15.33
-0.053232534	1	0.17	93	15.50
-0.053172309	1	0.17	94	15.67
-0.051429802	1	0.17	95	15.83
-0.050146798	1	0.17	96	16.00
-0.048795816	1	0.17	97	16.17
-0.048558359	1	0.17	98	16.33
-0.048150423	1	0.17	99	16.50
-0.047740876	1	0.17	100	16.67
-0.046392874	1	0.17	101	16.83
-0.046075249	1	0.17	102	17.00
-0.045645671	1	0.17	103	17.17
-0.044983464	1	0.17	104	17.33
-0.044855709	1	0.17	105	17.50
-0.044219208	1	0.17	106	17.67
-0.044190771	1	0.17	107	17.83
-0.044161348	1	0.17	108	18.00
-0.043575191	1	0.17	109	18.17
-0.042423532	1	0.17	110	18.33
-0.042392307	1	0.17	111	18.50
-0.042201584	1	0.17	112	18.67
-0.041581986	1	0.17	113	18.83
-0.040846473	1	0.17	114	19.00
-0.04038612	1	0.17	115	19.17
-0.038913093	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.036083592	1	0.17	117	19.50
-0.03595733	1	0.17	118	19.67
-0.035048161	1	0.17	119	19.83
-0.034712728	1	0.17	120	20.00
-0.034117901	1	0.17	121	20.17
-0.033612642	1	0.17	122	20.33
-0.033494991	1	0.17	123	20.50
-0.032131469	1	0.17	124	20.67
-0.03184892	1	0.17	125	20.83
-0.030752795	1	0.17	126	21.00
-0.030727085	1	0.17	127	21.17
-0.030166173	1	0.17	128	21.33
-0.02841596	1	0.17	129	21.50
-0.028115095	1	0.17	130	21.67
-0.027028955	1	0.17	131	21.83
-0.027011352	1	0.17	132	22.00
-0.026884118	1	0.17	133	22.17
-0.026742472	1	0.17	134	22.33
-0.02617926	1	0.17	135	22.50
-0.026068299	1	0.17	136	22.67
-0.02589597	1	0.17	137	22.83
-0.025620615	1	0.17	138	23.00
-0.025272746	1	0.17	139	23.17
-0.024941856	1	0.17	140	23.33
-0.024334332	1	0.17	141	23.50
-0.023272973	1	0.17	142	23.67
-0.020789715	1	0.17	143	23.83
-0.020006238	1	0.17	144	24.00
-0.017734132	1	0.17	145	24.17
-0.017618823	1	0.17	146	24.33
-0.017438456	1	0.17	147	24.50
-0.01704729	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.016253828	1	0.17	149	24.83
-0.016020973	1	0.17	150	25.00
-0.01594344	1	0.17	151	25.17
-0.015353902	1	0.17	152	25.33
-0.015133905	1	0.17	153	25.50
-0.014728611	1	0.17	154	25.67
-0.013071567	1	0.17	155	25.83
-0.012953178	1	0.17	156	26.00
-0.012716197	1	0.17	157	26.17
-0.011382505	1	0.17	158	26.33
-0.011033919	1	0.17	159	26.50
-0.010128614	1	0.17	160	26.67
-0.010121012	1	0.17	161	26.83
-0.008920586	1	0.17	162	27.00
-0.008862562	1	0.17	163	27.17
-0.008726356	1	0.17	164	27.33
-0.006665929	1	0.17	165	27.50
-0.006475508	1	0.17	166	27.67
-0.005798634	1	0.17	167	27.83
-0.005636865	1	0.17	168	28.00
-0.004713576	1	0.17	169	28.17
-0.004455972	1	0.17	170	28.33
-0.003917406	1	0.17	171	28.50
-0.003808418	1	0.17	172	28.67
-0.003586219	1	0.17	173	28.83
-0.003280272	1	0.17	174	29.00
-0.002112441	1	0.17	175	29.17
-0.000729989	1	0.17	176	29.33
-0.000260426	1	0.17	177	29.50
0.0001340373	1	0.17	178	29.67
0.0002121283	1	0.17	179	29.83
0.0010733262	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0019786958	1	0.17	181	30.17
0.0022207355	1	0.17	182	30.33
0.0025071479	1	0.17	183	30.50
0.0025893773	1	0.17	184	30.67
0.0029590595	1	0.17	185	30.83
0.0031889773	1	0.17	186	31.00
0.0032642694	1	0.17	187	31.17
0.0035708994	1	0.17	188	31.33
0.0039976332	1	0.17	189	31.50
0.0042684509	1	0.17	190	31.67
0.0046297863	1	0.17	191	31.83
0.0055664813	1	0.17	192	32.00
0.0059464146	1	0.17	193	32.17
0.0066138019	1	0.17	194	32.33
0.0066199998	1	0.17	195	32.50
0.0067489899	1	0.17	196	32.67
0.0068212761	1	0.17	197	32.83
0.0073229368	1	0.17	198	33.00
0.0084375206	1	0.17	199	33.17
0.0085642736	1	0.17	200	33.33
0.0087346195	1	0.17	201	33.50
0.0089649725	1	0.17	202	33.67
0.0091663977	1	0.17	203	33.83
0.0098891837	1	0.17	204	34.00
0.0107185583	1	0.17	205	34.17
0.0108039921	1	0.17	206	34.33
0.0111542242	1	0.17	207	34.50
0.0112746324	1	0.17	208	34.67
0.0121246422	1	0.17	209	34.83
0.0124511704	1	0.17	210	35.00
0.0125339143	1	0.17	211	35.17
0.0135770394	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0136276579	1	0.17	213	35.50
0.0142491468	1	0.17	214	35.67
0.014481608	1	0.17	215	35.83
0.0160649145	1	0.17	216	36.00
0.0173680676	1	0.17	217	36.17
0.0181627869	1	0.17	218	36.33
0.0181878496	1	0.17	219	36.50
0.0188766567	1	0.17	220	36.67
0.0194351932	1	0.17	221	36.83
0.0199757734	1	0.17	222	37.00
0.0203931641	1	0.17	223	37.17
0.0205060638	1	0.17	224	37.33
0.0207486014	1	0.17	225	37.50
0.0209553083	1	0.17	226	37.67
0.0214909795	1	0.17	227	37.83
0.0232542795	1	0.17	228	38.00
0.0237921258	1	0.17	229	38.17
0.0242190077	1	0.17	230	38.33
0.024232263	1	0.17	231	38.50
0.0244350925	1	0.17	232	38.67
0.0253856701	1	0.17	233	38.83
0.0254679512	1	0.17	234	39.00
0.0257468419	1	0.17	235	39.17
0.0259015582	1	0.17	236	39.33
0.0260666976	1	0.17	237	39.50
0.0260833905	1	0.17	238	39.67
0.0262048943	1	0.17	239	39.83
0.0266455534	1	0.17	240	40.00
0.0282029648	1	0.17	241	40.17
0.0283442067	1	0.17	242	40.33
0.0285145652	1	0.17	243	40.50
0.0285669045	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.028768881	1	0.17	245	40.83
0.0290475914	1	0.17	246	41.00
0.0298701772	1	0.17	247	41.17
0.0298802368	1	0.17	248	41.33
0.0301171422	1	0.17	249	41.50
0.030304142	1	0.17	250	41.67
0.0303137322	1	0.17	251	41.83
0.0307155596	1	0.17	252	42.00
0.0311991131	1	0.17	253	42.17
0.0314229262	1	0.17	254	42.33
0.0319293723	1	0.17	255	42.50
0.0320569373	1	0.17	256	42.67
0.0326440705	1	0.17	257	42.83
0.0329897955	1	0.17	258	43.00
0.0330144422	1	0.17	259	43.17
0.0333622811	1	0.17	260	43.33
0.033632196	1	0.17	261	43.50
0.0336394887	1	0.17	262	43.67
0.0336962213	1	0.17	263	43.83
0.033792599	1	0.17	264	44.00
0.0338948925	1	0.17	265	44.17
0.0339276716	1	0.17	266	44.33
0.0341344087	1	0.17	267	44.50
0.0341444264	1	0.17	268	44.67
0.0343234449	1	0.17	269	44.83
0.0369910041	1	0.17	270	45.00
0.0372566051	1	0.17	271	45.17
0.037420417	1	0.17	272	45.33
0.0385401095	1	0.17	273	45.50
0.0385960095	1	0.17	274	45.67
0.038723059	1	0.17	275	45.83
0.0392780901	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0402574017	1	0.17	277	46.17
0.0410474874	1	0.17	278	46.33
0.0418518243	1	0.17	279	46.50
0.0427378277	1	0.17	280	46.67
0.042853847	1	0.17	281	46.83
0.0437264628	1	0.17	282	47.00
0.0439130211	1	0.17	283	47.17
0.0442869335	1	0.17	284	47.33
0.0445165167	1	0.17	285	47.50
0.0447525081	1	0.17	286	47.67
0.0448413796	1	0.17	287	47.83
0.045634905	1	0.17	288	48.00
0.0465911114	1	0.17	289	48.17
0.0470337373	1	0.17	290	48.33
0.0470848672	1	0.17	291	48.50
0.0478239308	1	0.17	292	48.67
0.048630216	1	0.17	293	48.83
0.0488107319	1	0.17	294	49.00
0.0489705649	1	0.17	295	49.17
0.049009764	1	0.17	296	49.33
0.0495211555	1	0.17	297	49.50
0.0496547391	1	0.17	298	49.67
0.0498267216	1	0.17	299	49.83
0.0503304794	1	0.17	300	50.00
0.0504318816	1	0.17	301	50.17
0.0505047314	1	0.17	302	50.33
0.0510521683	1	0.17	303	50.50
0.0512425245	1	0.17	304	50.67
0.0513915869	1	0.17	305	50.83
0.0518784035	1	0.17	306	51.00
0.0521488158	1	0.17	307	51.17
0.0529025949	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0540058089	1	0.17	309	51.50
0.0545842376	1	0.17	310	51.67
0.0547096899	1	0.17	311	51.83
0.0549968225	1	0.17	312	52.00
0.0551561513	1	0.17	313	52.17
0.0555723358	1	0.17	314	52.33
0.0556977781	1	0.17	315	52.50
0.0557681834	1	0.17	316	52.67
0.056128036	1	0.17	317	52.83
0.0562973378	1	0.17	318	53.00
0.0566011107	1	0.17	319	53.17
0.0575320632	1	0.17	320	53.33
0.0575403528	1	0.17	321	53.50
0.0576717859	1	0.17	322	53.67
0.0577660602	1	0.17	323	53.83
0.0581252459	1	0.17	324	54.00
0.0583838694	1	0.17	325	54.17
0.0588874605	1	0.17	326	54.33
0.0591530718	1	0.17	327	54.50
0.0591549979	1	0.17	328	54.67
0.059893555	1	0.17	329	54.83
0.0605262326	1	0.17	330	55.00
0.0609115981	1	0.17	331	55.17
0.061321662	1	0.17	332	55.33
0.0616145957	1	0.17	333	55.50
0.0621502229	1	0.17	334	55.67
0.0621832952	1	0.17	335	55.83
0.0622914424	1	0.17	336	56.00
0.0624134246	1	0.17	337	56.17
0.0624381522	1	0.17	338	56.33
0.0627376035	1	0.17	339	56.50
0.0639778471	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0648647441	1	0.17	341	56.83
0.0652342572	1	0.17	342	57.00
0.0656046357	1	0.17	343	57.17
0.0656397614	1	0.17	344	57.33
0.0667177655	1	0.17	345	57.50
0.0679132893	1	0.17	346	57.67
0.0681925374	1	0.17	347	57.83
0.0697956438	1	0.17	348	58.00
0.0700688628	1	0.17	349	58.17
0.0701452832	1	0.17	350	58.33
0.0708693792	1	0.17	351	58.50
0.0708869073	1	0.17	352	58.67
0.0714166835	1	0.17	353	58.83
0.071472699	1	0.17	354	59.00
0.0721789056	1	0.17	355	59.17
0.0724592362	1	0.17	356	59.33
0.0725172193	1	0.17	357	59.50
0.0732573577	1	0.17	358	59.67
0.0734632443	1	0.17	359	59.83
0.0734898614	1	0.17	360	60.00
0.0739420035	1	0.17	361	60.17
0.0742183646	1	0.17	362	60.33
0.0746940888	1	0.17	363	60.50
0.0748868962	1	0.17	364	60.67
0.0767866961	1	0.17	365	60.83
0.0767912726	1	0.17	366	61.00
0.0772651973	1	0.17	367	61.17
0.0775003284	1	0.17	368	61.33
0.0775174601	1	0.17	369	61.50
0.0777939629	1	0.17	370	61.67
0.0779935523	1	0.17	371	61.83
0.078504867	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0787815646	1	0.17	373	62.17
0.0787822222	1	0.17	374	62.33
0.0791871401	1	0.17	375	62.50
0.0795629479	1	0.17	376	62.67
0.0795912287	1	0.17	377	62.83
0.0798382113	1	0.17	378	63.00
0.0800577576	1	0.17	379	63.17
0.0800984988	1	0.17	380	63.33
0.0801771136	1	0.17	381	63.50
0.0805244624	1	0.17	382	63.67
0.081077702	1	0.17	383	63.83
0.0811047565	1	0.17	384	64.00
0.0811052415	1	0.17	385	64.17
0.0815833787	1	0.17	386	64.33
0.0817472787	1	0.17	387	64.50
0.0829552731	1	0.17	388	64.67
0.0829930129	1	0.17	389	64.83
0.0833055632	1	0.17	390	65.00
0.0840360235	1	0.17	391	65.17
0.0842550753	1	0.17	392	65.33
0.0846006975	1	0.17	393	65.50
0.084632478	1	0.17	394	65.67
0.0849210933	1	0.17	395	65.83
0.0849925935	1	0.17	396	66.00
0.0854218414	1	0.17	397	66.17
0.0857695678	1	0.17	398	66.33
0.0859743899	1	0.17	399	66.50
0.0865302034	1	0.17	400	66.67
0.0868097318	1	0.17	401	66.83
0.0869201297	1	0.17	402	67.00
0.0881042305	1	0.17	403	67.17
0.0887671915	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0893694694	1	0.17	405	67.50
0.0894445091	1	0.17	406	67.67
0.0902400194	1	0.17	407	67.83
0.0903555419	1	0.17	408	68.00
0.0909502775	1	0.17	409	68.17
0.0911302058	1	0.17	410	68.33
0.0917234017	1	0.17	411	68.50
0.0917876483	1	0.17	412	68.67
0.0920201718	1	0.17	413	68.83
0.0921585962	1	0.17	414	69.00
0.0929186915	1	0.17	415	69.17
0.0931675793	1	0.17	416	69.33
0.0936832204	1	0.17	417	69.50
0.0939219588	1	0.17	418	69.67
0.0939950753	1	0.17	419	69.83
0.0943351853	1	0.17	420	70.00
0.0945601335	1	0.17	421	70.17
0.0950477257	1	0.17	422	70.33
0.0971134434	1	0.17	423	70.50
0.0974518928	1	0.17	424	70.67
0.097468441	1	0.17	425	70.83
0.098105883	1	0.17	426	71.00
0.0982529708	1	0.17	427	71.17
0.0983473795	1	0.17	428	71.33
0.0986155706	1	0.17	429	71.50
0.0986392885	1	0.17	430	71.67
0.0990055227	1	0.17	431	71.83
0.0990351046	1	0.17	432	72.00
0.0992177517	1	0.17	433	72.17
0.0992785006	1	0.17	434	72.33
0.0995827672	1	0.17	435	72.50
0.0997760715	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0997850031	1	0.17	437	72.83
0.099875733	1	0.17	438	73.00
0.1016914437	1	0.17	439	73.17
0.1022314924	1	0.17	440	73.33
0.1023858091	1	0.17	441	73.50
0.1028299124	1	0.17	442	73.67
0.1029858446	1	0.17	443	73.83
0.1033746358	1	0.17	444	74.00
0.1040385501	1	0.17	445	74.17
0.1042707881	1	0.17	446	74.33
0.1044239347	1	0.17	447	74.50
0.1048026856	1	0.17	448	74.67
0.1048971268	1	0.17	449	74.83
0.1052829873	1	0.17	450	75.00
0.1055358656	1	0.17	451	75.17
0.1057058954	1	0.17	452	75.33
0.1059347191	1	0.17	453	75.50
0.1060459761	1	0.17	454	75.67
0.1064038288	1	0.17	455	75.83
0.1066511514	1	0.17	456	76.00
0.1072597654	1	0.17	457	76.17
0.1078132606	1	0.17	458	76.33
0.1086196365	1	0.17	459	76.50
0.1089801236	1	0.17	460	76.67
0.1091139491	1	0.17	461	76.83
0.1094024466	1	0.17	462	77.00
0.1097993987	1	0.17	463	77.17
0.1098539505	1	0.17	464	77.33
0.1100061713	1	0.17	465	77.50
0.1103889216	1	0.17	466	77.67
0.1110447379	1	0.17	467	77.83
0.1116777906	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1122119576	1	0.17	469	78.17
0.1122651064	1	0.17	470	78.33
0.1123676542	1	0.17	471	78.50
0.1126519074	1	0.17	472	78.67
0.113633087	1	0.17	473	78.83
0.1140610573	1	0.17	474	79.00
0.1141968559	1	0.17	475	79.17
0.1144423594	1	0.17	476	79.33
0.1144780054	1	0.17	477	79.50
0.1147889977	1	0.17	478	79.67
0.1154347552	1	0.17	479	79.83
0.1154947079	1	0.17	480	80.00
0.1155055165	1	0.17	481	80.17
0.1167122629	1	0.17	482	80.33
0.1170575883	1	0.17	483	80.50
0.117102612	1	0.17	484	80.67
0.1172315949	1	0.17	485	80.83
0.1174733177	1	0.17	486	81.00
0.1176708529	1	0.17	487	81.17
0.1177793347	1	0.17	488	81.33
0.1179264743	1	0.17	489	81.50
0.1194558714	1	0.17	490	81.67
0.1195488026	1	0.17	491	81.83
0.1198135204	1	0.17	492	82.00
0.1198226517	1	0.17	493	82.17
0.119990665	1	0.17	494	82.33
0.1202401278	1	0.17	495	82.50
0.1204403569	1	0.17	496	82.67
0.1204524684	1	0.17	497	82.83
0.120693633	1	0.17	498	83.00
0.1209374056	1	0.17	499	83.17
0.1216333699	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1229659916	1	0.17	501	83.50
0.1231366159	1	0.17	502	83.67
0.1252412573	1	0.17	503	83.83
0.1256551608	1	0.17	504	84.00
0.1256819462	1	0.17	505	84.17
0.1272938926	1	0.17	506	84.33
0.1273172669	1	0.17	507	84.50
0.1273193962	1	0.17	508	84.67
0.1278222187	1	0.17	509	84.83
0.127841184	1	0.17	510	85.00
0.1296545205	1	0.17	511	85.17
0.1297538393	1	0.17	512	85.33
0.1302619152	1	0.17	513	85.50
0.1303216748	1	0.17	514	85.67
0.1304007641	1	0.17	515	85.83
0.1314177405	1	0.17	516	86.00
0.1316036277	1	0.17	517	86.17
0.1316339076	1	0.17	518	86.33
0.1320721872	1	0.17	519	86.50
0.1320856154	1	0.17	520	86.67
0.1322481512	1	0.17	521	86.83
0.1329472809	1	0.17	522	87.00
0.1330116598	1	0.17	523	87.17
0.1342090037	1	0.17	524	87.33
0.1345529239	1	0.17	525	87.50
0.134645822	1	0.17	526	87.67
0.1347999333	1	0.17	527	87.83
0.1349654518	1	0.17	528	88.00
0.1352789084	1	0.17	529	88.17
0.1360923829	1	0.17	530	88.33
0.1362630296	1	0.17	531	88.50
0.1363240273	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1370361532	1	0.17	533	88.83
0.1378075848	1	0.17	534	89.00
0.1380296044	1	0.17	535	89.17
0.1382281596	1	0.17	536	89.33
0.1383462809	1	0.17	537	89.50
0.138372267	1	0.17	538	89.67
0.1388778116	1	0.17	539	89.83
0.1388957425	1	0.17	540	90.00
0.1391509929	1	0.17	541	90.17
0.1404596529	1	0.17	542	90.33
0.1411463354	1	0.17	543	90.50
0.1415763769	1	0.17	544	90.67
0.1439421725	1	0.17	545	90.83
0.1439478238	1	0.17	546	91.00
0.1444336337	1	0.17	547	91.17
0.1444402648	1	0.17	548	91.33
0.1449772549	1	0.17	549	91.50
0.1454424144	1	0.17	550	91.67
0.1460990976	1	0.17	551	91.83
0.1471538185	1	0.17	552	92.00
0.1483826247	1	0.17	553	92.17
0.1488866596	1	0.17	554	92.33
0.1502041306	1	0.17	555	92.50
0.1511146428	1	0.17	556	92.67
0.1512479249	1	0.17	557	92.83
0.1536296936	1	0.17	558	93.00
0.1537794756	1	0.17	559	93.17
0.1538912085	1	0.17	560	93.33
0.154358239	1	0.17	561	93.50
0.1565554106	1	0.17	562	93.67
0.1569081932	1	0.17	563	93.83
0.1573117073	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1574423546	1	0.17	565	94.17
0.1591945403	1	0.17	566	94.33
0.1599512983	1	0.17	567	94.50
0.1602021029	1	0.17	568	94.67
0.1609092423	1	0.17	569	94.83
0.1609297668	1	0.17	570	95.00
0.1615137691	1	0.17	571	95.17
0.1642745644	1	0.17	572	95.33
0.1643165789	1	0.17	573	95.50
0.1652479444	1	0.17	574	95.67
0.1665662626	1	0.17	575	95.83
0.1669614155	1	0.17	576	96.00
0.1671350819	1	0.17	577	96.17
0.1691128451	1	0.17	578	96.33
0.1700840178	1	0.17	579	96.50
0.1701529222	1	0.17	580	96.67
0.1713683937	1	0.17	581	96.83
0.1744028593	1	0.17	582	97.00
0.1747879544	1	0.17	583	97.17
0.1753987813	1	0.17	584	97.33
0.1758201567	1	0.17	585	97.50
0.1764510649	1	0.17	586	97.67
0.1765265255	1	0.17	587	97.83
0.176819111	1	0.17	588	98.00
0.179223109	1	0.17	589	98.17
0.1799617328	1	0.17	590	98.33
0.1820497637	1	0.17	591	98.50
0.1842937968	1	0.17	592	98.67
0.184514234	1	0.17	593	98.83
0.1873120886	1	0.17	594	99.00
0.1913459498	1	0.17	595	99.17
0.1914931343	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V00BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1921107816	1	0.17	597	99.50
0.1927698137	1	0.17	598	99.67
0.1930345797	1	0.17	599	99.83
0.1940762298	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21	3.50	21	3.50
0.1279538827	1	0.17	22	3.67
0.1413952417	1	0.17	23	3.83
0.1504609271	1	0.17	24	4.00
0.1516784559	1	0.17	25	4.17
0.1580615841	1	0.17	26	4.33
0.158097219	1	0.17	27	4.50
0.1615382804	1	0.17	28	4.67
0.1632236082	1	0.17	29	4.83
0.1663898911	1	0.17	30	5.00
0.1679220733	1	0.17	31	5.17
0.1742236191	1	0.17	32	5.33
0.1746907927	1	0.17	33	5.50
0.1759102933	1	0.17	34	5.67
0.1766040395	1	0.17	35	5.83
0.1797868908	1	0.17	36	6.00
0.1844416328	1	0.17	37	6.17
0.1872933322	1	0.17	38	6.33
0.1876591071	1	0.17	39	6.50
0.188274892	1	0.17	40	6.67
0.1890432192	1	0.17	41	6.83
0.191098993	1	0.17	42	7.00
0.1984643345	1	0.17	43	7.17
0.1992026067	1	0.17	44	7.33
0.2011782586	1	0.17	45	7.50
0.2064207002	1	0.17	46	7.67
0.2071682131	1	0.17	47	7.83
0.2075926851	1	0.17	48	8.00
0.2093851497	1	0.17	49	8.17
0.2099070027	1	0.17	50	8.33
0.2123743523	1	0.17	51	8.50
0.2124144594	1	0.17	52	8.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2129722781	1	0.17	53	8.83
0.215202349	1	0.17	54	9.00
0.2155742258	1	0.17	55	9.17
0.2158311469	1	0.17	56	9.33
0.2166126246	1	0.17	57	9.50
0.2167250139	1	0.17	58	9.67
0.2177326087	1	0.17	59	9.83
0.2180779927	1	0.17	60	10.00
0.2181691133	1	0.17	61	10.17
0.2182304044	1	0.17	62	10.33
0.2194401974	1	0.17	63	10.50
0.2220811128	1	0.17	64	10.67
0.2225988224	1	0.17	65	10.83
0.2235252853	1	0.17	66	11.00
0.224759074	1	0.17	67	11.17
0.2248940169	1	0.17	68	11.33
0.2258354503	1	0.17	69	11.50
0.226012905	1	0.17	70	11.67
0.22681615	1	0.17	71	11.83
0.2273336587	1	0.17	72	12.00
0.2278644248	1	0.17	73	12.17
0.2292444501	1	0.17	74	12.33
0.2293975318	1	0.17	75	12.50
0.2302394789	1	0.17	76	12.67
0.2303504084	1	0.17	77	12.83
0.2308997016	1	0.17	78	13.00
0.2317107561	1	0.17	79	13.17
0.2320305092	1	0.17	80	13.33
0.2324817874	1	0.17	81	13.50
0.2333987705	1	0.17	82	13.67
0.2343679685	1	0.17	83	13.83
0.2355357026	1	0.17	84	14.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2358421048	1	0.17	85	14.17
0.2364753876	1	0.17	86	14.33
0.2368181561	1	0.17	87	14.50
0.2373323737	1	0.17	88	14.67
0.2380369671	1	0.17	89	14.83
0.238817101	1	0.17	90	15.00
0.239322184	1	0.17	91	15.17
0.2399183029	1	0.17	92	15.33
0.2400116536	1	0.17	93	15.50
0.241295263	1	0.17	94	15.67
0.2415745304	1	0.17	95	15.83
0.2419393652	1	0.17	96	16.00
0.2423845183	1	0.17	97	16.17
0.2428556424	1	0.17	98	16.33
0.2439186527	1	0.17	99	16.50
0.2440188604	1	0.17	100	16.67
0.2441198963	1	0.17	101	16.83
0.2443719614	1	0.17	102	17.00
0.2450244081	1	0.17	103	17.17
0.2461060002	1	0.17	104	17.33
0.2470590753	1	0.17	105	17.50
0.2473766573	1	0.17	106	17.67
0.2475333484	1	0.17	107	17.83
0.2480331518	1	0.17	108	18.00
0.2484339043	1	0.17	109	18.17
0.2487226063	1	0.17	110	18.33
0.2487241164	1	0.17	111	18.50
0.2497662152	1	0.17	112	18.67
0.2504766387	1	0.17	113	18.83
0.250939366	1	0.17	114	19.00
0.2512418395	1	0.17	115	19.17
0.2516028462	1	0.17	116	19.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2519561352	1	0.17	117	19.50
0.2523060583	1	0.17	118	19.67
0.2529461006	1	0.17	119	19.83
0.2531005994	1	0.17	120	20.00
0.253222712	1	0.17	121	20.17
0.2532344827	1	0.17	122	20.33
0.2539399922	1	0.17	123	20.50
0.2545114035	1	0.17	124	20.67
0.2548565211	1	0.17	125	20.83
0.2556899856	1	0.17	126	21.00
0.2558415516	1	0.17	127	21.17
0.2558655797	1	0.17	128	21.33
0.2566937387	1	0.17	129	21.50
0.2571834828	1	0.17	130	21.67
0.2578463965	1	0.17	131	21.83
0.2585960462	1	0.17	132	22.00
0.2586149023	1	0.17	133	22.17
0.2592728264	1	0.17	134	22.33
0.2598302443	1	0.17	135	22.50
0.259933405	1	0.17	136	22.67
0.2604720197	1	0.17	137	22.83
0.2605167784	1	0.17	138	23.00
0.2610696837	1	0.17	139	23.17
0.2621268367	1	0.17	140	23.33
0.2631470675	1	0.17	141	23.50
0.2638895415	1	0.17	142	23.67
0.2644730231	1	0.17	143	23.83
0.2647930277	1	0.17	144	24.00
0.2649184296	1	0.17	145	24.17
0.2655670009	1	0.17	146	24.33
0.2676378955	1	0.17	147	24.50
0.2678696649	1	0.17	148	24.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2681190787	1	0.17	149	24.83
0.2681637409	1	0.17	150	25.00
0.2682879549	1	0.17	151	25.17
0.268450764	1	0.17	152	25.33
0.2686957336	1	0.17	153	25.50
0.2690453176	1	0.17	154	25.67
0.2691063424	1	0.17	155	25.83
0.2694166748	1	0.17	156	26.00
0.2694778967	1	0.17	157	26.17
0.2705249984	1	0.17	158	26.33
0.2706932298	1	0.17	159	26.50
0.2707122665	1	0.17	160	26.67
0.2708953103	1	0.17	161	26.83
0.270993508	1	0.17	162	27.00
0.2712139818	1	0.17	163	27.17
0.2715046909	1	0.17	164	27.33
0.2715879518	1	0.17	165	27.50
0.2716223159	1	0.17	166	27.67
0.2720231473	1	0.17	167	27.83
0.27217199	1	0.17	168	28.00
0.2728657325	1	0.17	169	28.17
0.2728817955	1	0.17	170	28.33
0.2735662178	1	0.17	171	28.50
0.2742695183	1	0.17	172	28.67
0.2743841502	1	0.17	173	28.83
0.2749779619	1	0.17	174	29.00
0.2751676351	1	0.17	175	29.17
0.2765152498	1	0.17	176	29.33
0.2765885079	1	0.17	177	29.50
0.276891972	1	0.17	178	29.67
0.2776068973	1	0.17	179	29.83
0.2779198767	1	0.17	180	30.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2780694741	1	0.17	181	30.17
0.2787020059	1	0.17	182	30.33
0.2789920912	1	0.17	183	30.50
0.279605729	1	0.17	184	30.67
0.2802029658	1	0.17	185	30.83
0.2803342754	1	0.17	186	31.00
0.2804612974	1	0.17	187	31.17
0.2810251894	1	0.17	188	31.33
0.2810493953	1	0.17	189	31.50
0.2814055359	1	0.17	190	31.67
0.2819592515	1	0.17	191	31.83
0.2820574253	1	0.17	192	32.00
0.2822280056	1	0.17	193	32.17
0.2825852586	1	0.17	194	32.33
0.2827284736	1	0.17	195	32.50
0.2827987244	1	0.17	196	32.67
0.283038611	1	0.17	197	32.83
0.2832555253	1	0.17	198	33.00
0.2834616096	1	0.17	199	33.17
0.2837703021	1	0.17	200	33.33
0.283852128	1	0.17	201	33.50
0.2840899935	1	0.17	202	33.67
0.2851986327	1	0.17	203	33.83
0.2863126647	1	0.17	204	34.00
0.2870351555	1	0.17	205	34.17
0.287286043	1	0.17	206	34.33
0.28732143	1	0.17	207	34.50
0.2876440265	1	0.17	208	34.67
0.2876741863	1	0.17	209	34.83
0.2881010132	1	0.17	210	35.00
0.2884336053	1	0.17	211	35.17
0.2884440269	1	0.17	212	35.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.288742309	1	0.17	213	35.50
0.2890418006	1	0.17	214	35.67
0.289863326	1	0.17	215	35.83
0.290020071	1	0.17	216	36.00
0.2907196169	1	0.17	217	36.17
0.290801845	1	0.17	218	36.33
0.291277875	1	0.17	219	36.50
0.2916984316	1	0.17	220	36.67
0.2918491091	1	0.17	221	36.83
0.2919989957	1	0.17	222	37.00
0.2921262315	1	0.17	223	37.17
0.2927933984	1	0.17	224	37.33
0.2928736625	1	0.17	225	37.50
0.2935543528	1	0.17	226	37.67
0.293854403	1	0.17	227	37.83
0.2942335118	1	0.17	228	38.00
0.2947376895	1	0.17	229	38.17
0.2949945651	1	0.17	230	38.33
0.2952564734	1	0.17	231	38.50
0.2954164531	1	0.17	232	38.67
0.296691226	1	0.17	233	38.83
0.2974689969	1	0.17	234	39.00
0.2974912844	1	0.17	235	39.17
0.297544234	1	0.17	236	39.33
0.2992585469	1	0.17	237	39.50
0.2995463272	1	0.17	238	39.67
0.299677393	1	0.17	239	39.83
0.3001345563	1	0.17	240	40.00
0.3004513967	1	0.17	241	40.17
0.3007665312	1	0.17	242	40.33
0.3011749506	1	0.17	243	40.50
0.3026026761	1	0.17	244	40.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3028221575	1	0.17	245	40.83
0.3032037984	1	0.17	246	41.00
0.3032814506	1	0.17	247	41.17
0.3034162191	1	0.17	248	41.33
0.303686766	1	0.17	249	41.50
0.3039391854	1	0.17	250	41.67
0.3042674644	1	0.17	251	41.83
0.3043227378	1	0.17	252	42.00
0.3044247563	1	0.17	253	42.17
0.3046457547	1	0.17	254	42.33
0.3047266078	1	0.17	255	42.50
0.3052891154	1	0.17	256	42.67
0.3056023176	1	0.17	257	42.83
0.3057045648	1	0.17	258	43.00
0.3060527884	1	0.17	259	43.17
0.3061187126	1	0.17	260	43.33
0.3063327034	1	0.17	261	43.50
0.3067154294	1	0.17	262	43.67
0.3068670038	1	0.17	263	43.83
0.3069948454	1	0.17	264	44.00
0.3070319336	1	0.17	265	44.17
0.3070974031	1	0.17	266	44.33
0.307779512	1	0.17	267	44.50
0.307805562	1	0.17	268	44.67
0.3078121738	1	0.17	269	44.83
0.3078813568	1	0.17	270	45.00
0.3078823463	1	0.17	271	45.17
0.3080499394	1	0.17	272	45.33
0.3083607601	1	0.17	273	45.50
0.3084039818	1	0.17	274	45.67
0.3086483958	1	0.17	275	45.83
0.3091167259	1	0.17	276	46.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3094553655	1	0.17	277	46.17
0.3099107542	1	0.17	278	46.33
0.3106784881	1	0.17	279	46.50
0.3117774547	1	0.17	280	46.67
0.3119962042	1	0.17	281	46.83
0.3122137483	1	0.17	282	47.00
0.3127045571	1	0.17	283	47.17
0.3141977095	1	0.17	284	47.33
0.3149832262	1	0.17	285	47.50
0.3150043719	1	0.17	286	47.67
0.3151521919	1	0.17	287	47.83
0.3151766812	1	0.17	288	48.00
0.3153748318	1	0.17	289	48.17
0.3169145208	1	0.17	290	48.33
0.3173348744	1	0.17	291	48.50
0.3174192835	1	0.17	292	48.67
0.3177496263	1	0.17	293	48.83
0.318128922	1	0.17	294	49.00
0.3183969451	1	0.17	295	49.17
0.3188249249	1	0.17	296	49.33
0.3191693969	1	0.17	297	49.50
0.3191940946	1	0.17	298	49.67
0.3193272541	1	0.17	299	49.83
0.3196053319	1	0.17	300	50.00
0.3198470596	1	0.17	301	50.17
0.3200307474	1	0.17	302	50.33
0.3201256991	1	0.17	303	50.50
0.320393182	1	0.17	304	50.67
0.3206703048	1	0.17	305	50.83
0.3210752335	1	0.17	306	51.00
0.3211487671	1	0.17	307	51.17
0.321466181	1	0.17	308	51.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3215168627	1	0.17	309	51.50
0.3218710967	1	0.17	310	51.67
0.3219601809	1	0.17	311	51.83
0.3220428284	1	0.17	312	52.00
0.3222719029	1	0.17	313	52.17
0.3222753847	1	0.17	314	52.33
0.3223578628	1	0.17	315	52.50
0.3226486962	1	0.17	316	52.67
0.3228707598	1	0.17	317	52.83
0.3231783409	1	0.17	318	53.00
0.3236791905	1	0.17	319	53.17
0.3241327569	1	0.17	320	53.33
0.3249411825	1	0.17	321	53.50
0.3253961678	1	0.17	322	53.67
0.3255212224	1	0.17	323	53.83
0.3256018947	1	0.17	324	54.00
0.3256368294	1	0.17	325	54.17
0.3258998167	1	0.17	326	54.33
0.3259161741	1	0.17	327	54.50
0.3268829259	1	0.17	328	54.67
0.3269162104	1	0.17	329	54.83
0.3269327215	1	0.17	330	55.00
0.3274367514	1	0.17	331	55.17
0.327723928	1	0.17	332	55.33
0.3280867516	1	0.17	333	55.50
0.3281594066	1	0.17	334	55.67
0.3291443742	1	0.17	335	55.83
0.3291451638	1	0.17	336	56.00
0.3297534571	1	0.17	337	56.17
0.3301751772	1	0.17	338	56.33
0.3304844375	1	0.17	339	56.50
0.3305194997	1	0.17	340	56.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3307189985	1	0.17	341	56.83
0.3309247787	1	0.17	342	57.00
0.3312640982	1	0.17	343	57.17
0.3319751004	1	0.17	344	57.33
0.3320927365	1	0.17	345	57.50
0.3324851705	1	0.17	346	57.67
0.3328420582	1	0.17	347	57.83
0.3329335142	1	0.17	348	58.00
0.3331772391	1	0.17	349	58.17
0.3335759288	1	0.17	350	58.33
0.3336210175	1	0.17	351	58.50
0.3345735373	1	0.17	352	58.67
0.3348079081	1	0.17	353	58.83
0.3354022086	1	0.17	354	59.00
0.3354330869	1	0.17	355	59.17
0.3360129223	1	0.17	356	59.33
0.3362395093	1	0.17	357	59.50
0.3368323239	1	0.17	358	59.67
0.3369046579	1	0.17	359	59.83
0.3370036669	1	0.17	360	60.00
0.3389143144	1	0.17	361	60.17
0.3390263521	1	0.17	362	60.33
0.3394034143	1	0.17	363	60.50
0.3399098491	1	0.17	364	60.67
0.3402783684	1	0.17	365	60.83
0.3403766699	1	0.17	366	61.00
0.3407959357	1	0.17	367	61.17
0.3415231584	1	0.17	368	61.33
0.3415467842	1	0.17	369	61.50
0.3416946742	1	0.17	370	61.67
0.3419596787	1	0.17	371	61.83
0.3423069465	1	0.17	372	62.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3428328136	1	0.17	373	62.17
0.3428624094	1	0.17	374	62.33
0.3447442499	1	0.17	375	62.50
0.3453250765	1	0.17	376	62.67
0.3457111087	1	0.17	377	62.83
0.3471054688	1	0.17	378	63.00
0.3476244155	1	0.17	379	63.17
0.3477715574	1	0.17	380	63.33
0.3478633133	1	0.17	381	63.50
0.3480413952	1	0.17	382	63.67
0.3483203756	1	0.17	383	63.83
0.3485534434	1	0.17	384	64.00
0.3487401575	1	0.17	385	64.17
0.3490637523	1	0.17	386	64.33
0.3493258588	1	0.17	387	64.50
0.3495249441	1	0.17	388	64.67
0.3498964668	1	0.17	389	64.83
0.3501760253	1	0.17	390	65.00
0.3501824238	1	0.17	391	65.17
0.352191156	1	0.17	392	65.33
0.3523769116	1	0.17	393	65.50
0.3524201654	1	0.17	394	65.67
0.3530732564	1	0.17	395	65.83
0.3537817127	1	0.17	396	66.00
0.3539351995	1	0.17	397	66.17
0.3539615247	1	0.17	398	66.33
0.3540177059	1	0.17	399	66.50
0.355360042	1	0.17	400	66.67
0.3554449775	1	0.17	401	66.83
0.3555054844	1	0.17	402	67.00
0.3562380359	1	0.17	403	67.17
0.3582242947	1	0.17	404	67.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3591113111	1	0.17	405	67.50
0.3595543495	1	0.17	406	67.67
0.3597582223	1	0.17	407	67.83
0.3600020717	1	0.17	408	68.00
0.3607397016	1	0.17	409	68.17
0.3610100069	1	0.17	410	68.33
0.3619018142	1	0.17	411	68.50
0.3620096711	1	0.17	412	68.67
0.3633120827	1	0.17	413	68.83
0.3634558002	1	0.17	414	69.00
0.3637720297	1	0.17	415	69.17
0.3638970175	1	0.17	416	69.33
0.3640830946	1	0.17	417	69.50
0.3644131227	1	0.17	418	69.67
0.364909791	1	0.17	419	69.83
0.3657200129	1	0.17	420	70.00
0.3662727335	1	0.17	421	70.17
0.3669609595	1	0.17	422	70.33
0.3674945927	1	0.17	423	70.50
0.3679801477	1	0.17	424	70.67
0.3683852807	1	0.17	425	70.83
0.3687649777	1	0.17	426	71.00
0.3694809442	1	0.17	427	71.17
0.3701060491	1	0.17	428	71.33
0.3701739115	1	0.17	429	71.50
0.3712916183	1	0.17	430	71.67
0.371432113	1	0.17	431	71.83
0.3714560005	1	0.17	432	72.00
0.3715842696	1	0.17	433	72.17
0.3716577927	1	0.17	434	72.33
0.3729669763	1	0.17	435	72.50
0.374234014	1	0.17	436	72.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3742973084	1	0.17	437	72.83
0.3743030937	1	0.17	438	73.00
0.3743350446	1	0.17	439	73.17
0.375430204	1	0.17	440	73.33
0.3757061201	1	0.17	441	73.50
0.3759224781	1	0.17	442	73.67
0.3762635254	1	0.17	443	73.83
0.3766767729	1	0.17	444	74.00
0.3768687118	1	0.17	445	74.17
0.3774685483	1	0.17	446	74.33
0.3779056248	1	0.17	447	74.50
0.378095014	1	0.17	448	74.67
0.3782476183	1	0.17	449	74.83
0.3783347591	1	0.17	450	75.00
0.3783694801	1	0.17	451	75.17
0.3795522356	1	0.17	452	75.33
0.3802426288	1	0.17	453	75.50
0.3802516561	1	0.17	454	75.67
0.3810678615	1	0.17	455	75.83
0.3812985792	1	0.17	456	76.00
0.3814167896	1	0.17	457	76.17
0.3819204996	1	0.17	458	76.33
0.3836683148	1	0.17	459	76.50
0.3852876793	1	0.17	460	76.67
0.3870699194	1	0.17	461	76.83
0.3872123491	1	0.17	462	77.00
0.3873973006	1	0.17	463	77.17
0.3878395458	1	0.17	464	77.33
0.3878672713	1	0.17	465	77.50
0.3881826885	1	0.17	466	77.67
0.3881940002	1	0.17	467	77.83
0.389077193	1	0.17	468	78.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3896177606	1	0.17	469	78.17
0.3903016411	1	0.17	470	78.33
0.3910759403	1	0.17	471	78.50
0.3914843648	1	0.17	472	78.67
0.3918738917	1	0.17	473	78.83
0.3919232951	1	0.17	474	79.00
0.3930633847	1	0.17	475	79.17
0.3933960313	1	0.17	476	79.33
0.3946522425	1	0.17	477	79.50
0.3946806321	1	0.17	478	79.67
0.3948784048	1	0.17	479	79.83
0.3950661225	1	0.17	480	80.00
0.3950675388	1	0.17	481	80.17
0.3954898468	1	0.17	482	80.33
0.3960039329	1	0.17	483	80.50
0.3971442775	1	0.17	484	80.67
0.3975652182	1	0.17	485	80.83
0.3998779818	1	0.17	486	81.00
0.4000780854	1	0.17	487	81.17
0.4002221915	1	0.17	488	81.33
0.4010305266	1	0.17	489	81.50
0.4020981752	1	0.17	490	81.67
0.4024195312	1	0.17	491	81.83
0.4034737932	1	0.17	492	82.00
0.4039050684	1	0.17	493	82.17
0.4043544885	1	0.17	494	82.33
0.4047306846	1	0.17	495	82.50
0.4051758262	1	0.17	496	82.67
0.4053338598	1	0.17	497	82.83
0.4056819759	1	0.17	498	83.00
0.4058233189	1	0.17	499	83.17
0.4061261394	1	0.17	500	83.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4061274056	1	0.17	501	83.50
0.4067829314	1	0.17	502	83.67
0.407291114	1	0.17	503	83.83
0.4094010329	1	0.17	504	84.00
0.4098520171	1	0.17	505	84.17
0.4126890544	1	0.17	506	84.33
0.4129127398	1	0.17	507	84.50
0.4129677145	1	0.17	508	84.67
0.4137235705	1	0.17	509	84.83
0.4145661765	1	0.17	510	85.00
0.4147271689	1	0.17	511	85.17
0.415025605	1	0.17	512	85.33
0.4156554565	1	0.17	513	85.50
0.416877385	1	0.17	514	85.67
0.4178022694	1	0.17	515	85.83
0.4179954936	1	0.17	516	86.00
0.4180154107	1	0.17	517	86.17
0.4185297402	1	0.17	518	86.33
0.4187027255	1	0.17	519	86.50
0.4197049075	1	0.17	520	86.67
0.4201596255	1	0.17	521	86.83
0.4203315963	1	0.17	522	87.00
0.4210358224	1	0.17	523	87.17
0.4210723307	1	0.17	524	87.33
0.4221406553	1	0.17	525	87.50
0.4225801897	1	0.17	526	87.67
0.4228830592	1	0.17	527	87.83
0.4229072959	1	0.17	528	88.00
0.4242227592	1	0.17	529	88.17
0.4244533362	1	0.17	530	88.33
0.4244758845	1	0.17	531	88.50
0.4248077822	1	0.17	532	88.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4250406946	1	0.17	533	88.83
0.4254539335	1	0.17	534	89.00
0.4255936041	1	0.17	535	89.17
0.4267080506	1	0.17	536	89.33
0.4273643104	1	0.17	537	89.50
0.4280808348	1	0.17	538	89.67
0.4288713744	1	0.17	539	89.83
0.4302900802	1	0.17	540	90.00
0.4311955469	1	0.17	541	90.17
0.4312600685	1	0.17	542	90.33
0.4313067982	1	0.17	543	90.50
0.4338173914	1	0.17	544	90.67
0.4352531911	1	0.17	545	90.83
0.436368912	1	0.17	546	91.00
0.4365434405	1	0.17	547	91.17
0.4371668471	1	0.17	548	91.33
0.4371763531	1	0.17	549	91.50
0.4398441731	1	0.17	550	91.67
0.4398805208	1	0.17	551	91.83
0.443196457	1	0.17	552	92.00
0.4476327797	1	0.17	553	92.17
0.448133142	1	0.17	554	92.33
0.4490406602	1	0.17	555	92.50
0.4494734521	1	0.17	556	92.67
0.4496285457	1	0.17	557	92.83
0.4507799379	1	0.17	558	93.00
0.4517552077	1	0.17	559	93.17
0.4542249014	1	0.17	560	93.33
0.4560694442	1	0.17	561	93.50
0.4567807581	1	0.17	562	93.67
0.4576490622	1	0.17	563	93.83
0.4600020037	1	0.17	564	94.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4646771668	1	0.17	565	94.17
0.4650270947	1	0.17	566	94.33
0.467584302	1	0.17	567	94.50
0.4682253997	1	0.17	568	94.67
0.4688302019	1	0.17	569	94.83
0.4753333471	1	0.17	570	95.00
0.475741637	1	0.17	571	95.17
0.4785771929	1	0.17	572	95.33
0.4788828917	1	0.17	573	95.50
0.4790193345	1	0.17	574	95.67
0.4796273848	1	0.17	575	95.83
0.4830326992	1	0.17	576	96.00
0.4842747748	1	0.17	577	96.17
0.4858397597	1	0.17	578	96.33
0.4865828103	1	0.17	579	96.50
0.4891226256	1	0.17	580	96.67
0.4897835622	1	0.17	581	96.83
0.4939747491	1	0.17	582	97.00
0.4954069727	1	0.17	583	97.17
0.4961081306	1	0.17	584	97.33
0.5005573882	1	0.17	585	97.50
0.5034452863	1	0.17	586	97.67
0.5071948839	1	0.17	587	97.83
0.5106096496	1	0.17	588	98.00
0.5160117315	1	0.17	589	98.17
0.5209866171	1	0.17	590	98.33
0.5461766281	1	0.17	591	98.50
0.5497224409	1	0.17	592	98.67
0.5545852186	1	0.17	593	98.83
0.5557886307	1	0.17	594	99.00
0.5590700525	1	0.17	595	99.17
0.5615720626	1	0.17	596	99.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V00BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.5630227335	1	0.17	597	99.50
0.5682063419	1	0.17	598	99.67
0.6407892824	1	0.17	599	99.83
1.0079507841	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600000404	1	0.17	1	0.17
016600000804	1	0.17	2	0.33
016600001804	1	0.17	3	0.50
016600002005	1	0.17	4	0.67
016600003204	1	0.17	5	0.83
016600004504	1	0.17	6	1.00
016600005001	1	0.17	7	1.17
016600006604	1	0.17	8	1.33
016600008004	1	0.17	9	1.50
016600010004	1	0.17	10	1.67
016600010904	1	0.17	11	1.83
016600013004	1	0.17	12	2.00
016600013404	1	0.17	13	2.17
016600013504	1	0.17	14	2.33
016600016404	1	0.17	15	2.50
016600016704	1	0.17	16	2.67
016600021604	1	0.17	17	2.83
016600022104	1	0.17	18	3.00
016600023604	1	0.17	19	3.17
016600024104	1	0.17	20	3.33
016600027603	1	0.17	21	3.50
016600029104	1	0.17	22	3.67
016600029304	1	0.17	23	3.83
016600033703	1	0.17	24	4.00
016600035004	1	0.17	25	4.17
016600037504	1	0.17	26	4.33
016600037704	1	0.17	27	4.50
016600038804	1	0.17	28	4.67
016600044004	1	0.17	29	4.83
016600044704	1	0.17	30	5.00
016600047203	1	0.17	31	5.17
016600050504	1	0.17	32	5.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600055303	1	0.17	33	5.50
016600055703	1	0.17	34	5.67
016600055903	1	0.17	35	5.83
016600057304	1	0.17	36	6.00
016600057404	1	0.17	37	6.17
016600057804	1	0.17	38	6.33
016600061304	1	0.17	39	6.50
016600061904	1	0.17	40	6.67
016600062804	1	0.17	41	6.83
016600063404	1	0.17	42	7.00
016600063904	1	0.17	43	7.17
016600065404	1	0.17	44	7.33
016600065704	1	0.17	45	7.50
016600067403	1	0.17	46	7.67
016600068703	1	0.17	47	7.83
016600068804	1	0.17	48	8.00
016600070804	1	0.17	49	8.17
016600071504	1	0.17	50	8.33
016600074303	1	0.17	51	8.50
016600074603	1	0.17	52	8.67
016600074803	1	0.17	53	8.83
016600080004	1	0.17	54	9.00
016600080604	1	0.17	55	9.17
016600081504	1	0.17	56	9.33
016600083104	1	0.17	57	9.50
016600083604	1	0.17	58	9.67
016600084404	1	0.17	59	9.83
016600085904	1	0.17	60	10.00
016600087404	1	0.17	61	10.17
016600093803	1	0.17	62	10.33
016600095403	1	0.17	63	10.50
016600096003	1	0.17	64	10.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600099004	1	0.17	65	10.83
016600100404	1	0.17	66	11.00
016600101604	1	0.17	67	11.17
016600101804	1	0.17	68	11.33
016600103503	1	0.17	69	11.50
016600104503	1	0.17	70	11.67
016600106604	1	0.17	71	11.83
016600107304	1	0.17	72	12.00
016600112804	1	0.17	73	12.17
016600113303	1	0.17	74	12.33
016600115504	1	0.17	75	12.50
016600118304	1	0.17	76	12.67
016600121004	1	0.17	77	12.83
016600121403	1	0.17	78	13.00
016600127204	1	0.17	79	13.17
016600127604	1	0.17	80	13.33
016600129804	1	0.17	81	13.50
016600131704	1	0.17	82	13.67
016600132804	1	0.17	83	13.83
016600135004	1	0.17	84	14.00
016600135104	1	0.17	85	14.17
016600138804	1	0.17	86	14.33
016600139304	1	0.17	87	14.50
016600139804	1	0.17	88	14.67
016600140804	1	0.17	89	14.83
016600141304	1	0.17	90	15.00
016600141404	1	0.17	91	15.17
016600142304	1	0.17	92	15.33
016600142403	1	0.17	93	15.50
016600143203	1	0.17	94	15.67
016600151104	1	0.17	95	15.83
016600151804	1	0.17	96	16.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600151904	1	0.17	97	16.17
016600154103	1	0.17	98	16.33
016600154203	1	0.17	99	16.50
016600154403	1	0.17	100	16.67
016600154703	1	0.17	101	16.83
016600155304	1	0.17	102	17.00
016600155504	1	0.17	103	17.17
016600159304	1	0.17	104	17.33
016600160603	1	0.17	105	17.50
016600160903	1	0.17	106	17.67
016600162003	1	0.17	107	17.83
016600162203	1	0.17	108	18.00
016600165804	1	0.17	109	18.17
016600167804	1	0.17	110	18.33
016600168804	1	0.17	111	18.50
016600169405	1	0.17	112	18.67
016600171103	1	0.17	113	18.83
016600171503	1	0.17	114	19.00
016600172303	1	0.17	115	19.17
016600174404	1	0.17	116	19.33
016600176704	1	0.17	117	19.50
016600178104	1	0.17	118	19.67
016600180604	1	0.17	119	19.83
016600180904	1	0.17	120	20.00
016600185203	1	0.17	121	20.17
016600185803	1	0.17	122	20.33
016600186604	1	0.17	123	20.50
016600187104	1	0.17	124	20.67
016600187304	1	0.17	125	20.83
016600188703	1	0.17	126	21.00
016600192504	1	0.17	127	21.17
016600210304	1	0.17	128	21.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600211103	1	0.17	129	21.50
016600211303	1	0.17	130	21.67
016600211903	1	0.17	131	21.83
016600212103	1	0.17	132	22.00
016600217303	1	0.17	133	22.17
016600217503	1	0.17	134	22.33
016600217703	1	0.17	135	22.50
016600217803	1	0.17	136	22.67
016600220504	1	0.17	137	22.83
016600224204	1	0.17	138	23.00
016600225203	1	0.17	139	23.17
016600226003	1	0.17	140	23.33
016600230004	1	0.17	141	23.50
016600234803	1	0.17	142	23.67
016600235703	1	0.17	143	23.83
016600236004	1	0.17	144	24.00
016600237403	1	0.17	145	24.17
016600237803	1	0.17	146	24.33
016600240504	1	0.17	147	24.50
016600240704	1	0.17	148	24.67
016600240804	1	0.17	149	24.83
016600241704	1	0.17	150	25.00
016600242304	1	0.17	151	25.17
016600246104	1	0.17	152	25.33
016600251804	1	0.17	153	25.50
016600258104	1	0.17	154	25.67
016600261604	1	0.17	155	25.83
016600263703	1	0.17	156	26.00
016600264203	1	0.17	157	26.17
016600269704	1	0.17	158	26.33
016600271404	1	0.17	159	26.50
016600272204	1	0.17	160	26.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600277604	1	0.17	161	26.83
016600278404	1	0.17	162	27.00
016600280704	1	0.17	163	27.17
016600281004	1	0.17	164	27.33
016600281504	1	0.17	165	27.50
016600285404	1	0.17	166	27.67
016600291904	1	0.17	167	27.83
016600292604	1	0.17	168	28.00
016600296904	1	0.17	169	28.17
016600300604	1	0.17	170	28.33
016600301104	1	0.17	171	28.50
016600302203	1	0.17	172	28.67
016600302703	1	0.17	173	28.83
016600302903	1	0.17	174	29.00
016600307604	1	0.17	175	29.17
016600307904	1	0.17	176	29.33
016600310104	1	0.17	177	29.50
016600322404	1	0.17	178	29.67
016600323004	1	0.17	179	29.83
016600327605	1	0.17	180	30.00
016600331104	1	0.17	181	30.17
016600333304	1	0.17	182	30.33
016600334304	1	0.17	183	30.50
016600334404	1	0.17	184	30.67
016600336203	1	0.17	185	30.83
016600336603	1	0.17	186	31.00
016600338104	1	0.17	187	31.17
016600341203	1	0.17	188	31.33
016600347204	1	0.17	189	31.50
016600357204	1	0.17	190	31.67
016600359304	1	0.17	191	31.83
016600361704	1	0.17	192	32.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600362604	1	0.17	193	32.17
016600373704	1	0.17	194	32.33
016600374703	1	0.17	195	32.50
016600378904	1	0.17	196	32.67
016600379903	1	0.17	197	32.83
016600381904	1	0.17	198	33.00
016600391103	1	0.17	199	33.17
016600393104	1	0.17	200	33.33
016600393504	1	0.17	201	33.50
016600399103	1	0.17	202	33.67
016600401304	1	0.17	203	33.83
016600402104	1	0.17	204	34.00
016600403604	1	0.17	205	34.17
016600404703	1	0.17	206	34.33
016600404803	1	0.17	207	34.50
016600406104	1	0.17	208	34.67
016600407904	1	0.17	209	34.83
016600410104	1	0.17	210	35.00
016600410304	1	0.17	211	35.17
016600414504	1	0.17	212	35.33
016600415004	1	0.17	213	35.50
016600416804	1	0.17	214	35.67
016600422803	1	0.17	215	35.83
016600428304	1	0.17	216	36.00
016600429603	1	0.17	217	36.17
016600430803	1	0.17	218	36.33
016600430903	1	0.17	219	36.50
016600432404	1	0.17	220	36.67
016600433904	1	0.17	221	36.83
016600434104	1	0.17	222	37.00
016600434204	1	0.17	223	37.17
016600434504	1	0.17	224	37.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600434804	1	0.17	225	37.50
016600435504	1	0.17	226	37.67
016600436004	1	0.17	227	37.83
016600437404	1	0.17	228	38.00
016600439004	1	0.17	229	38.17
016600439104	1	0.17	230	38.33
016600439404	1	0.17	231	38.50
016600439704	1	0.17	232	38.67
016600440104	1	0.17	233	38.83
016600440604	1	0.17	234	39.00
016600444403	1	0.17	235	39.17
016600447604	1	0.17	236	39.33
016600448204	1	0.17	237	39.50
016600448404	1	0.17	238	39.67
016600450803	1	0.17	239	39.83
016600450903	1	0.17	240	40.00
016600457704	1	0.17	241	40.17
016600458304	1	0.17	242	40.33
016600459104	1	0.17	243	40.50
016600459304	1	0.17	244	40.67
016600462604	1	0.17	245	40.83
016600463604	1	0.17	246	41.00
016600464904	1	0.17	247	41.17
016600465204	1	0.17	248	41.33
016600465304	1	0.17	249	41.50
016600467304	1	0.17	250	41.67
016600469804	1	0.17	251	41.83
016600472004	1	0.17	252	42.00
016600475003	1	0.17	253	42.17
016600475203	1	0.17	254	42.33
016600478103	1	0.17	255	42.50
016600478604	1	0.17	256	42.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600504704	1	0.17	257	42.83
016600506904	1	0.17	258	43.00
016600507604	1	0.17	259	43.17
016600507704	1	0.17	260	43.33
016600514004	1	0.17	261	43.50
016600516103	1	0.17	262	43.67
016600516403	1	0.17	263	43.83
016600516603	1	0.17	264	44.00
016600524304	1	0.17	265	44.17
016600525104	1	0.17	266	44.33
016600528404	1	0.17	267	44.50
016600531804	1	0.17	268	44.67
016600534903	1	0.17	269	44.83
016600535803	1	0.17	270	45.00
016600538904	1	0.17	271	45.17
016600543403	1	0.17	272	45.33
016600543803	1	0.17	273	45.50
016600544303	1	0.17	274	45.67
016600544803	1	0.17	275	45.83
016600544903	1	0.17	276	46.00
016600545703	1	0.17	277	46.17
016600547704	1	0.17	278	46.33
016600548004	1	0.17	279	46.50
016600556703	1	0.17	280	46.67
016600561704	1	0.17	281	46.83
016600562204	1	0.17	282	47.00
016600566104	1	0.17	283	47.17
016600567004	1	0.17	284	47.33
016600567404	1	0.17	285	47.50
016600573404	1	0.17	286	47.67
016600574404	1	0.17	287	47.83
016600580203	1	0.17	288	48.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600582604	1	0.17	289	48.17
016600583304	1	0.17	290	48.33
016600583404	1	0.17	291	48.50
016600587904	1	0.17	292	48.67
016600590004	1	0.17	293	48.83
016600591703	1	0.17	294	49.00
016600593903	1	0.17	295	49.17
016600595503	1	0.17	296	49.33
016600600404	1	0.17	297	49.50
016600602304	1	0.17	298	49.67
016600602604	1	0.17	299	49.83
016600603404	1	0.17	300	50.00
016600605204	1	0.17	301	50.17
016600607904	1	0.17	302	50.33
016600608604	1	0.17	303	50.50
016600609204	1	0.17	304	50.67
016600613703	1	0.17	305	50.83
016600613803	1	0.17	306	51.00
016600615903	1	0.17	307	51.17
016600616803	1	0.17	308	51.33
016600616903	1	0.17	309	51.50
016600617003	1	0.17	310	51.67
016600617303	1	0.17	311	51.83
016600617603	1	0.17	312	52.00
016600618303	1	0.17	313	52.17
016600622804	1	0.17	314	52.33
016600624104	1	0.17	315	52.50
016600624903	1	0.17	316	52.67
016600629903	1	0.17	317	52.83
016600631103	1	0.17	318	53.00
016600632603	1	0.17	319	53.17
016600634904	1	0.17	320	53.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600638504	1	0.17	321	53.50
016600641104	1	0.17	322	53.67
016600642204	1	0.17	323	53.83
016600647604	1	0.17	324	54.00
016600648404	1	0.17	325	54.17
016600648904	1	0.17	326	54.33
016600650704	1	0.17	327	54.50
016600650904	1	0.17	328	54.67
016600651204	1	0.17	329	54.83
016600652903	1	0.17	330	55.00
016600653503	1	0.17	331	55.17
016600654603	1	0.17	332	55.33
016600656003	1	0.17	333	55.50
016600661304	1	0.17	334	55.67
016600662204	1	0.17	335	55.83
016600662404	1	0.17	336	56.00
016600664703	1	0.17	337	56.17
016600665303	1	0.17	338	56.33
016600666303	1	0.17	339	56.50
016600670004	1	0.17	340	56.67
016600672604	1	0.17	341	56.83
016600682203	1	0.17	342	57.00
016600682303	1	0.17	343	57.17
016600682403	1	0.17	344	57.33
016600685501	1	0.17	345	57.50
016600685704	1	0.17	346	57.67
016600688704	1	0.17	347	57.83
016600690504	1	0.17	348	58.00
016600690704	1	0.17	349	58.17
016600699004	1	0.17	350	58.33
016600704104	1	0.17	351	58.50
016600708103	1	0.17	352	58.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600708403	1	0.17	353	58.83
016600708903	1	0.17	354	59.00
016600709603	1	0.17	355	59.17
016600710104	1	0.17	356	59.33
016600712104	1	0.17	357	59.50
016600713704	1	0.17	358	59.67
016600714404	1	0.17	359	59.83
016600715104	1	0.17	360	60.00
016600722804	1	0.17	361	60.17
016600729003	1	0.17	362	60.33
016600729203	1	0.17	363	60.50
016600730503	1	0.17	364	60.67
016600732003	1	0.17	365	60.83
016600732703	1	0.17	366	61.00
016600738803	1	0.17	367	61.17
016600739303	1	0.17	368	61.33
016600740803	1	0.17	369	61.50
016600744204	1	0.17	370	61.67
016600744804	1	0.17	371	61.83
016600746304	1	0.17	372	62.00
016600748104	1	0.17	373	62.17
016600748504	1	0.17	374	62.33
016600748604	1	0.17	375	62.50
016600750504	1	0.17	376	62.67
016600750904	1	0.17	377	62.83
016600752504	1	0.17	378	63.00
016600755003	1	0.17	379	63.17
016600755403	1	0.17	380	63.33
016600755603	1	0.17	381	63.50
016600755803	1	0.17	382	63.67
016600755903	1	0.17	383	63.83
016600764204	1	0.17	384	64.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600764304	1	0.17	385	64.17
016600765904	1	0.17	386	64.33
016600766104	1	0.17	387	64.50
016600772004	1	0.17	388	64.67
016600778703	1	0.17	389	64.83
016600779203	1	0.17	390	65.00
016600780403	1	0.17	391	65.17
016600780903	1	0.17	392	65.33
016600781503	1	0.17	393	65.50
016600783104	1	0.17	394	65.67
016600783904	1	0.17	395	65.83
016600786704	1	0.17	396	66.00
016600787104	1	0.17	397	66.17
016600789204	1	0.17	398	66.33
016600792104	1	0.17	399	66.50
016600796603	1	0.17	400	66.67
016600797104	1	0.17	401	66.83
016600798503	1	0.17	402	67.00
016600799303	1	0.17	403	67.17
016600803404	1	0.17	404	67.33
016600804004	1	0.17	405	67.50
016600804204	1	0.17	406	67.67
016600805204	1	0.17	407	67.83
016600805404	1	0.17	408	68.00
016600813303	1	0.17	409	68.17
016600813403	1	0.17	410	68.33
016600813903	1	0.17	411	68.50
016600815203	1	0.17	412	68.67
016600825504	1	0.17	413	68.83
016600827004	1	0.17	414	69.00
016600828504	1	0.17	415	69.17
016600829503	1	0.17	416	69.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600829603	1	0.17	417	69.50
016600830403	1	0.17	418	69.67
016600846304	1	0.17	419	69.83
016600846904	1	0.17	420	70.00
016600852204	1	0.17	421	70.17
016600854004	1	0.17	422	70.33
016600860104	1	0.17	423	70.50
016600860204	1	0.17	424	70.67
016600862204	1	0.17	425	70.83
016600863504	1	0.17	426	71.00
016600863804	1	0.17	427	71.17
016600866304	1	0.17	428	71.33
016600872704	1	0.17	429	71.50
016600872904	1	0.17	430	71.67
016600879404	1	0.17	431	71.83
016600883604	1	0.17	432	72.00
016600889804	1	0.17	433	72.17
016600890104	1	0.17	434	72.33
016600898103	1	0.17	435	72.50
016600907303	1	0.17	436	72.67
016600907403	1	0.17	437	72.83
016600908403	1	0.17	438	73.00
016600908503	1	0.17	439	73.17
016600912803	1	0.17	440	73.33
016600914504	1	0.17	441	73.50
016600918304	1	0.17	442	73.67
016600929204	1	0.17	443	73.83
016600931604	1	0.17	444	74.00
016600932404	1	0.17	445	74.17
016600932604	1	0.17	446	74.33
016600933404	1	0.17	447	74.50
016600944803	1	0.17	448	74.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600946603	1	0.17	449	74.83
016600954203	1	0.17	450	75.00
016600954904	1	0.17	451	75.17
016600962304	1	0.17	452	75.33
016600962704	1	0.17	453	75.50
016600963904	1	0.17	454	75.67
016600965603	1	0.17	455	75.83
016600965703	1	0.17	456	76.00
016600965803	1	0.17	457	76.17
016600966003	1	0.17	458	76.33
016600966103	1	0.17	459	76.50
016600968803	1	0.17	460	76.67
016600972004	1	0.17	461	76.83
016600974404	1	0.17	462	77.00
016600976904	1	0.17	463	77.17
016600978404	1	0.17	464	77.33
016600981003	1	0.17	465	77.50
016600981103	1	0.17	466	77.67
016600982604	1	0.17	467	77.83
016600984704	1	0.17	468	78.00
016600985504	1	0.17	469	78.17
016600993803	1	0.17	470	78.33
016600995503	1	0.17	471	78.50
016600996503	1	0.17	472	78.67
016601003404	1	0.17	473	78.83
016601006404	1	0.17	474	79.00
016601010504	1	0.17	475	79.17
016601021704	1	0.17	476	79.33
016601025903	1	0.17	477	79.50
016601032404	1	0.17	478	79.67
016601042604	1	0.17	479	79.83
016601048703	1	0.17	480	80.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601049804	1	0.17	481	80.17
016601050104	1	0.17	482	80.33
016601060603	1	0.17	483	80.50
016601065104	1	0.17	484	80.67
016601065201	1	0.17	485	80.83
016601065704	1	0.17	486	81.00
016601073404	1	0.17	487	81.17
016601073604	1	0.17	488	81.33
016601075204	1	0.17	489	81.50
016601075404	1	0.17	490	81.67
016601075604	1	0.17	491	81.83
016601077004	1	0.17	492	82.00
016601077604	1	0.17	493	82.17
016601078004	1	0.17	494	82.33
016601083103	1	0.17	495	82.50
016601083403	1	0.17	496	82.67
016601083603	1	0.17	497	82.83
016601083803	1	0.17	498	83.00
016601084103	1	0.17	499	83.17
016601084303	1	0.17	500	83.33
016601087503	1	0.17	501	83.50
016601087703	1	0.17	502	83.67
016601088603	1	0.17	503	83.83
016601097004	1	0.17	504	84.00
016601103304	1	0.17	505	84.17
016601103504	1	0.17	506	84.33
016601103604	1	0.17	507	84.50
016601110204	1	0.17	508	84.67
016601115904	1	0.17	509	84.83
016601127304	1	0.17	510	85.00
016601131604	1	0.17	511	85.17
016601134604	1	0.17	512	85.33

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601139004	1	0.17	513	85.50
016601139404	1	0.17	514	85.67
016601148103	1	0.17	515	85.83
016601150103	1	0.17	516	86.00
016601156703	1	0.17	517	86.17
016601160003	1	0.17	518	86.33
016601160504	1	0.17	519	86.50
016601161104	1	0.17	520	86.67
016601161904	1	0.17	521	86.83
016601163303	1	0.17	522	87.00
016601164003	1	0.17	523	87.17
016601169703	1	0.17	524	87.33
016601173403	1	0.17	525	87.50
016601173803	1	0.17	526	87.67
016601176603	1	0.17	527	87.83
016601176703	1	0.17	528	88.00
016601178903	1	0.17	529	88.17
016601179803	1	0.17	530	88.33
016601180103	1	0.17	531	88.50
016601180303	1	0.17	532	88.67
016601187004	1	0.17	533	88.83
016601191303	1	0.17	534	89.00
016601198804	1	0.17	535	89.17
016601199104	1	0.17	536	89.33
016601199704	1	0.17	537	89.50
016601219204	1	0.17	538	89.67
016601221404	1	0.17	539	89.83
016601221804	1	0.17	540	90.00
016601225603	1	0.17	541	90.17
016601227103	1	0.17	542	90.33
016601227503	1	0.17	543	90.50
016601227903	1	0.17	544	90.67

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601235803	1	0.17	545	90.83
016601243803	1	0.17	546	91.00
016601247803	1	0.17	547	91.17
016601247903	1	0.17	548	91.33
016601253103	1	0.17	549	91.50
016601254504	1	0.17	550	91.67
016601279804	1	0.17	551	91.83
016601279904	1	0.17	552	92.00
016601280004	1	0.17	553	92.17
016601280204	1	0.17	554	92.33
016601282104	1	0.17	555	92.50
016601312804	1	0.17	556	92.67
016601315203	1	0.17	557	92.83
016601335404	1	0.17	558	93.00
016601335904	1	0.17	559	93.17
016601342004	1	0.17	560	93.33
016601351904	1	0.17	561	93.50
016601352204	1	0.17	562	93.67
016601353903	1	0.17	563	93.83
016601356104	1	0.17	564	94.00
016601387204	1	0.17	565	94.17
016601387304	1	0.17	566	94.33
016601398704	1	0.17	567	94.50
016601401504	1	0.17	568	94.67
016601401604	1	0.17	569	94.83
016601402004	1	0.17	570	95.00
016601417804	1	0.17	571	95.17
016601441604	1	0.17	572	95.33
016601442004	1	0.17	573	95.50
016601442204	1	0.17	574	95.67
016601446904	1	0.17	575	95.83
016601451904	1	0.17	576	96.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The FREQ Procedure**

Barcode of image analyzed				
V00BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601452904	1	0.17	577	96.17
016601453304	1	0.17	578	96.33
016601476104	1	0.17	579	96.50
016601483204	1	0.17	580	96.67
016601483404	1	0.17	581	96.83
016601483604	1	0.17	582	97.00
016601484004	1	0.17	583	97.17
016601501604	1	0.17	584	97.33
016601502704	1	0.17	585	97.50
016601502804	1	0.17	586	97.67
016601510304	1	0.17	587	97.83
016601554604	1	0.17	588	98.00
016602412801	1	0.17	589	98.17
016602414901	1	0.17	590	98.33
016602415801	1	0.17	591	98.50
016602417201	1	0.17	592	98.67
016602437001	1	0.17	593	98.83
016602544301	1	0.17	594	99.00
016602545001	1	0.17	595	99.17
016602706101	1	0.17	596	99.33
016602749301	1	0.17	597	99.50
016602757301	1	0.17	598	99.67
016602758201	1	0.17	599	99.83
016603157901	1	0.17	600	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure**
Variable: SIDE (SIDE)

Moments			
N	600	Sum Weights	600
Mean	1.46333333	Sum Observations	878
Std Deviation	0.49906981	Variance	0.24907067
Skewness	0.14743147	Kurtosis	-1.9848914
Uncorrected SS	1434	Corrected SS	149.193333
Coeff Variation	34.1049983	Std Error Mean	0.02037444

Basic Statistical Measures			
Location		Variability	
Mean	1.463333	Std Deviation	0.49907
Median	1.000000	Variance	0.24907
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	71.82202	Pr > t	<.0001
Sign	M	300	Pr >= M	<.0001
Signed Rank	S	90150	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure**
Variable: SIDE (SIDE)

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	600	2	591
1	599	2	593
1	597	2	595
1	594	2	596
1	592	2	598

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)**

Moments			
N	579	Sum Weights	579
Mean	2.68471577	Sum Observations	1554.45043
Std Deviation	0.21326413	Variance	0.04548159
Skewness	-0.6132427	Kurtosis	-0.7909688
Uncorrected SS	4199.54593	Corrected SS	26.2883576
Coeff Variation	7.94363891	Std Error Mean	0.00886295

Basic Statistical Measures			
Location		Variability	
Mean	2.684716	Std Deviation	0.21326
Median	2.746674	Variance	0.04548
Mode	.	Range	0.90590
		Interquartile Range	0.36615

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	302.9143	Pr > t	<.0001
Sign	M	289.5	Pr >= M	<.0001
Signed Rank	S	83955	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.04604
99%	2.99989
95%	2.95163
90%	2.91650
75% Q3	2.85625
50% Median	2.74667
25% Q1	2.49010
10%	2.34586
5%	2.30553

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)**

Quantiles (Definition 5)	
Level	Quantile
1%	2.21916
0% Min	2.14014

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.14014	131	3.00637	196
2.14157	277	3.01711	200
2.16164	115	3.01974	555
2.17803	117	3.03524	8
2.18524	291	3.04604	126

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
.	21	3.50	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Moments			
N	579	Sum Weights	579
Mean	-0.2166198	Sum Observations	-125.42286
Std Deviation	0.03779625	Variance	0.00142856
Skewness	0.29138065	Kurtosis	0.24981331
Uncorrected SS	27.9947787	Corrected SS	0.82570556
Coeff Variation	-17.448197	Std Error Mean	0.00157076

Basic Statistical Measures			
Location		Variability	
Mean	-0.21662	Std Deviation	0.03780
Median	-0.21881	Variance	0.00143
Mode	.	Range	0.26461
		Interquartile Range	0.04931

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-137.908	Pr > t	<.0001
Sign	M	-289.5	Pr >= M	<.0001
Signed Rank	S	-83955	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	-0.0762564
99%	-0.1226665
95%	-0.1489212
90%	-0.1661429
75% Q3	-0.1928115
50% Median	-0.2188067
25% Q1	-0.2421217
10%	-0.2642591
5%	-0.2752542

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.2971078
0% Min	-0.3408676

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.340868	131	-0.1169815	558
-0.308744	117	-0.1164262	307
-0.301557	395	-0.1099314	525
-0.300857	75	-0.0870653	555
-0.297992	184	-0.0762564	242

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	21	3.50	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)**

Moments			
N	579	Sum Weights	579
Mean	0.11026324	Sum Observations	63.8424148
Std Deviation	0.06431786	Variance	0.00413679
Skewness	0.73593446	Kurtosis	-0.2455854
Uncorrected SS	9.43053399	Corrected SS	2.39106261
Coeff Variation	58.3311869	Std Error Mean	0.00267296

Basic Statistical Measures			
Location		Variability	
Mean	0.110263	Std Deviation	0.06432
Median	0.093177	Variance	0.00414
Mode	.	Range	0.34935
		Interquartile Range	0.09215

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	41.25138	Pr > t	<.0001
Sign	M	287.5	Pr >= M	<.0001
Signed Rank	S	83946	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.3307280
99%	0.2729670
95%	0.2295240
90%	0.2112066
75% Q3	0.1529517
50% Median	0.0931773
25% Q1	0.0608053
10%	0.0399465
5%	0.0290893

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.0167995
0% Min	-0.0186222

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.01862217	328	0.283020	115
-0.01134767	29	0.289350	474
0.00143815	240	0.297924	117
0.00490253	106	0.306187	417
0.01445728	592	0.330728	131

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	21	3.50	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)**

Moments			
N	579	Sum Weights	579
Mean	2.46114957	Sum Observations	1425.0056
Std Deviation	0.14885262	Variance	0.0221571
Skewness	-0.9239268	Kurtosis	4.43929292
Uncorrected SS	3519.95873	Corrected SS	12.8068044
Coeff Variation	6.04809301	Std Error Mean	0.0061861

Basic Statistical Measures			
Location		Variability	
Mean	2.461150	Std Deviation	0.14885
Median	2.470775	Variance	0.02216
Mode	.	Range	1.43192
		Interquartile Range	0.20285

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	397.8513	Pr > t	<.0001
Sign	M	289.5	Pr >= M	<.0001
Signed Rank	S	83955	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2.79817
99%	2.76333
95%	2.68005
90%	2.63534
75% Q3	2.56985
50% Median	2.47078
25% Q1	2.36700
10%	2.27598
5%	2.20276

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)**

Quantiles (Definition 5)	
Level	Quantile
1%	2.12142
0% Min	1.36625

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.36625	34	2.76341	97
1.98943	486	2.78202	153
2.03403	566	2.78349	459
2.09291	158	2.79644	541
2.11654	357	2.79817	215

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	21	3.50	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Moments			
N	579	Sum Weights	579
Mean	0.04463913	Sum Observations	25.8460542
Std Deviation	0.08315638	Variance	0.00691498
Skewness	-0.7213237	Kurtosis	0.65516252
Uncorrected SS	5.15060617	Corrected SS	3.99686089
Coeff Variation	186.285869	Std Error Mean	0.00345586

Basic Statistical Measures			
Location		Variability	
Mean	0.044639	Std Deviation	0.08316
Median	0.054710	Variance	0.00691
Mode	.	Range	0.46060
		Interquartile Range	0.11313

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.91693	Pr > t	<.0001
Sign	M	133.5	Pr >= M	<.0001
Signed Rank	S	48485	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.19407623
99%	0.19134595
95%	0.16427456
90%	0.14114634
75% Q3	0.10665115
50% Median	0.05470969
25% Q1	-0.00647551
10%	-0.06211144
5%	-0.09838749

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.21561439
0% Min	-0.26651925

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.266519	212	0.191493	197
-0.265564	192	0.192111	13
-0.244980	395	0.192770	582
-0.230697	157	0.193035	296
-0.227070	292	0.194076	482

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	21	3.50	100.00

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)**

Moments			
N	579	Sum Weights	579
Mean	0.3303802	Sum Observations	191.290135
Std Deviation	0.08569779	Variance	0.00734411
Skewness	1.1751154	Kurtosis	6.40338342
Uncorrected SS	67.4433695	Corrected SS	4.2448965
Coeff Variation	25.939143	Std Error Mean	0.00356148

Basic Statistical Measures			
Location		Variability	
Mean	0.330380	Std Deviation	0.08570
Median	0.321960	Variance	0.00734
Mode	.	Range	0.88000
		Interquartile Range	0.10968

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	92.7649	Pr > t	<.0001
Sign	M	289.5	Pr >= M	<.0001
Signed Rank	S	83955	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1.007951
99%	0.559070
95%	0.478577
90%	0.431307
75% Q3	0.381299
50% Median	0.321960
25% Q1	0.271622
10%	0.231711
5%	0.209907

OAI 0.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke00**The UNIVARIATE Procedure****Variable: V00BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.158097
0% Min	0.127954

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.127954	74	0.561572	201
0.141395	558	0.563023	361
0.150461	395	0.568206	571
0.151678	417	0.640789	46
0.158062	560	1.007951	34

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	21	3.50	100.00