

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	322	53.67	322	53.67
2: Left	278	46.33	600	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22	600	100.00	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
2.1982464015	1	0.17	50	8.33
2.2354150131	1	0.17	51	8.50
2.2449356402	1	0.17	52	8.67
2.2475885094	1	0.17	53	8.83
2.249345772	1	0.17	54	9.00
2.2580138126	1	0.17	55	9.17
2.2651739785	1	0.17	56	9.33
2.2655255949	1	0.17	57	9.50
2.2688306391	1	0.17	58	9.67
2.2738925756	1	0.17	59	9.83
2.2805352514	1	0.17	60	10.00
2.2862395882	1	0.17	61	10.17
2.2865648809	1	0.17	62	10.33
2.2901615891	1	0.17	63	10.50
2.2911791012	1	0.17	64	10.67
2.2926822358	1	0.17	65	10.83
2.2987295003	1	0.17	66	11.00
2.3002545966	1	0.17	67	11.17
2.3008387559	1	0.17	68	11.33
2.3012206462	1	0.17	69	11.50
2.3015155814	1	0.17	70	11.67
2.3016742344	1	0.17	71	11.83
2.3083885718	1	0.17	72	12.00
2.3089813976	1	0.17	73	12.17
2.3093186173	1	0.17	74	12.33
2.310546599	1	0.17	75	12.50
2.310844742	1	0.17	76	12.67
2.3120813975	1	0.17	77	12.83
2.3135718158	1	0.17	78	13.00
2.3155401312	1	0.17	79	13.17
2.3159610493	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3162583053	1	0.17	81	13.50
2.3166614089	1	0.17	82	13.67
2.3181552872	1	0.17	83	13.83
2.3184959481	1	0.17	84	14.00
2.318775523	1	0.17	85	14.17
2.3204584331	1	0.17	86	14.33
2.3216182805	1	0.17	87	14.50
2.326926997	1	0.17	88	14.67
2.329202728	1	0.17	89	14.83
2.33075317	1	0.17	90	15.00
2.3356611035	1	0.17	91	15.17
2.3369308289	1	0.17	92	15.33
2.337910245	1	0.17	93	15.50
2.3391558985	1	0.17	94	15.67
2.3396738161	1	0.17	95	15.83
2.3408658331	1	0.17	96	16.00
2.3410870823	1	0.17	97	16.17
2.3424285897	1	0.17	98	16.33
2.3465646056	1	0.17	99	16.50
2.3525823552	1	0.17	100	16.67
2.3531137116	1	0.17	101	16.83
2.3540158226	1	0.17	102	17.00
2.3569964427	1	0.17	103	17.17
2.3606199372	1	0.17	104	17.33
2.3610460815	1	0.17	105	17.50
2.3631858108	1	0.17	106	17.67
2.3634536194	1	0.17	107	17.83
2.3647504765	1	0.17	108	18.00
2.3667091889	1	0.17	109	18.17
2.3668330748	1	0.17	110	18.33
2.3681950205	1	0.17	111	18.50
2.3701707779	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.375819054	1	0.17	113	18.83
2.3774480948	1	0.17	114	19.00
2.3785325392	1	0.17	115	19.17
2.3791909437	1	0.17	116	19.33
2.3832673646	1	0.17	117	19.50
2.3849004939	1	0.17	118	19.67
2.3855613411	1	0.17	119	19.83
2.3866827616	1	0.17	120	20.00
2.3878662619	1	0.17	121	20.17
2.3882663109	1	0.17	122	20.33
2.3884920831	1	0.17	123	20.50
2.3895313839	1	0.17	124	20.67
2.3914051285	1	0.17	125	20.83
2.3921143906	1	0.17	126	21.00
2.3941360313	1	0.17	127	21.17
2.3961411725	1	0.17	128	21.33
2.3970375031	1	0.17	129	21.50
2.3974499505	1	0.17	130	21.67
2.4000238523	1	0.17	131	21.83
2.4007182415	1	0.17	132	22.00
2.4008653539	1	0.17	133	22.17
2.4011024781	1	0.17	134	22.33
2.4025204845	1	0.17	135	22.50
2.4034747464	1	0.17	136	22.67
2.4056643312	1	0.17	137	22.83
2.4057522889	1	0.17	138	23.00
2.4063740079	1	0.17	139	23.17
2.4072603748	1	0.17	140	23.33
2.4084634383	1	0.17	141	23.50
2.4093436373	1	0.17	142	23.67
2.409902549	1	0.17	143	23.83
2.4193220068	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4195301422	1	0.17	145	24.17
2.422697835	1	0.17	146	24.33
2.428508839	1	0.17	147	24.50
2.4287548633	1	0.17	148	24.67
2.4322765125	1	0.17	149	24.83
2.4336063715	1	0.17	150	25.00
2.4339302759	1	0.17	151	25.17
2.4349643833	1	0.17	152	25.33
2.4350686193	1	0.17	153	25.50
2.4362128861	1	0.17	154	25.67
2.4389841956	1	0.17	155	25.83
2.4408591113	1	0.17	156	26.00
2.4410080438	1	0.17	157	26.17
2.4412079356	1	0.17	158	26.33
2.4439900578	1	0.17	159	26.50
2.4444277922	1	0.17	160	26.67
2.4495852521	1	0.17	161	26.83
2.4557909569	1	0.17	162	27.00
2.4559800167	1	0.17	163	27.17
2.4584798693	1	0.17	164	27.33
2.460975108	1	0.17	165	27.50
2.4622567924	1	0.17	166	27.67
2.4648934923	1	0.17	167	27.83
2.4649208834	1	0.17	168	28.00
2.4649888723	1	0.17	169	28.17
2.4671083826	1	0.17	170	28.33
2.4725722932	1	0.17	171	28.50
2.474778787	1	0.17	172	28.67
2.4759686094	1	0.17	173	28.83
2.47670658	1	0.17	174	29.00
2.4782242935	1	0.17	175	29.17
2.4821568418	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4837533423	1	0.17	177	29.50
2.4946321034	1	0.17	178	29.67
2.4947540379	1	0.17	179	29.83
2.4961034418	1	0.17	180	30.00
2.4969382722	1	0.17	181	30.17
2.4975865706	1	0.17	182	30.33
2.499519477	1	0.17	183	30.50
2.5035900894	1	0.17	184	30.67
2.5044069693	1	0.17	185	30.83
2.504661522	1	0.17	186	31.00
2.5163309761	1	0.17	187	31.17
2.525582627	1	0.17	188	31.33
2.526765312	1	0.17	189	31.50
2.535286406	1	0.17	190	31.67
2.5370715295	1	0.17	191	31.83
2.5378243386	1	0.17	192	32.00
2.5426763541	1	0.17	193	32.17
2.5480296262	1	0.17	194	32.33
2.5491771907	1	0.17	195	32.50
2.5497521595	1	0.17	196	32.67
2.5551095424	1	0.17	197	32.83
2.5601957766	1	0.17	198	33.00
2.5631188792	1	0.17	199	33.17
2.5644697891	1	0.17	200	33.33
2.5703545431	1	0.17	201	33.50
2.5842165052	1	0.17	202	33.67
2.6066829071	1	0.17	203	33.83
2.6121528873	1	0.17	204	34.00
2.6177743971	1	0.17	205	34.17
2.6190427979	1	0.17	206	34.33
2.6212892786	1	0.17	207	34.50
2.6225591011	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6384503143	1	0.17	209	34.83
2.6406808042	1	0.17	210	35.00
2.6438518299	1	0.17	211	35.17
2.6443271262	1	0.17	212	35.33
2.6456688767	1	0.17	213	35.50
2.6475142373	1	0.17	214	35.67
2.6479930687	1	0.17	215	35.83
2.6484150506	1	0.17	216	36.00
2.6521625479	1	0.17	217	36.17
2.6524942206	1	0.17	218	36.33
2.6550980458	1	0.17	219	36.50
2.664861317	1	0.17	220	36.67
2.6651453579	1	0.17	221	36.83
2.6656195893	1	0.17	222	37.00
2.6669424918	1	0.17	223	37.17
2.6692893836	1	0.17	224	37.33
2.6696062876	1	0.17	225	37.50
2.6731179556	1	0.17	226	37.67
2.6751343643	1	0.17	227	37.83
2.6830061908	1	0.17	228	38.00
2.6830666696	1	0.17	229	38.17
2.6848299727	1	0.17	230	38.33
2.6848831949	1	0.17	231	38.50
2.6849846284	1	0.17	232	38.67
2.6854937832	1	0.17	233	38.83
2.6860805199	1	0.17	234	39.00
2.6874492364	1	0.17	235	39.17
2.6875698347	1	0.17	236	39.33
2.6880268457	1	0.17	237	39.50
2.6882393311	1	0.17	238	39.67
2.6902892029	1	0.17	239	39.83
2.6910042765	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6913323976	1	0.17	241	40.17
2.6915382508	1	0.17	242	40.33
2.6919841149	1	0.17	243	40.50
2.6925031913	1	0.17	244	40.67
2.6953626237	1	0.17	245	40.83
2.6966551216	1	0.17	246	41.00
2.6967360376	1	0.17	247	41.17
2.6981824687	1	0.17	248	41.33
2.6987411822	1	0.17	249	41.50
2.7048260387	1	0.17	250	41.67
2.704885479	1	0.17	251	41.83
2.706763018	1	0.17	252	42.00
2.7069487061	1	0.17	253	42.17
2.7081677706	1	0.17	254	42.33
2.7086288315	1	0.17	255	42.50
2.7088830692	1	0.17	256	42.67
2.7090417934	1	0.17	257	42.83
2.7110932069	1	0.17	258	43.00
2.7123705597	1	0.17	259	43.17
2.7126556191	1	0.17	260	43.33
2.7126835312	1	0.17	261	43.50
2.7145838801	1	0.17	262	43.67
2.716125439	1	0.17	263	43.83
2.7163243605	1	0.17	264	44.00
2.718140276	1	0.17	265	44.17
2.7182009706	1	0.17	266	44.33
2.7198751453	1	0.17	267	44.50
2.7205143065	1	0.17	268	44.67
2.7206427322	1	0.17	269	44.83
2.721339199	1	0.17	270	45.00
2.7231707133	1	0.17	271	45.17
2.723611872	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7255690856	1	0.17	273	45.50
2.7270879569	1	0.17	274	45.67
2.7273090358	1	0.17	275	45.83
2.7278334596	1	0.17	276	46.00
2.7281998546	1	0.17	277	46.17
2.7305508637	1	0.17	278	46.33
2.7318502008	1	0.17	279	46.50
2.7319676333	1	0.17	280	46.67
2.7323110626	1	0.17	281	46.83
2.7323879781	1	0.17	282	47.00
2.7340158811	1	0.17	283	47.17
2.7341554573	1	0.17	284	47.33
2.7347997271	1	0.17	285	47.50
2.7352996663	1	0.17	286	47.67
2.7366810354	1	0.17	287	47.83
2.7373638933	1	0.17	288	48.00
2.739273216	1	0.17	289	48.17
2.7397336137	1	0.17	290	48.33
2.7405314961	1	0.17	291	48.50
2.740578403	1	0.17	292	48.67
2.7411694607	1	0.17	293	48.83
2.7414004426	1	0.17	294	49.00
2.7414822833	1	0.17	295	49.17
2.7418566814	1	0.17	296	49.33
2.7428086704	1	0.17	297	49.50
2.7437609854	1	0.17	298	49.67
2.7444201339	1	0.17	299	49.83
2.7461198134	1	0.17	300	50.00
2.7461990176	1	0.17	301	50.17
2.7469104512	1	0.17	302	50.33
2.7477013719	1	0.17	303	50.50
2.7478361157	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7480518362	1	0.17	305	50.83
2.7501340459	1	0.17	306	51.00
2.7505699658	1	0.17	307	51.17
2.7512813139	1	0.17	308	51.33
2.7519021544	1	0.17	309	51.50
2.7540576525	1	0.17	310	51.67
2.754202506	1	0.17	311	51.83
2.7546700989	1	0.17	312	52.00
2.7558192686	1	0.17	313	52.17
2.7566276899	1	0.17	314	52.33
2.7570964399	1	0.17	315	52.50
2.7573020536	1	0.17	316	52.67
2.7575707854	1	0.17	317	52.83
2.7587852788	1	0.17	318	53.00
2.7588589084	1	0.17	319	53.17
2.7603009765	1	0.17	320	53.33
2.7623218435	1	0.17	321	53.50
2.7629184147	1	0.17	322	53.67
2.7633092002	1	0.17	323	53.83
2.7639294755	1	0.17	324	54.00
2.7640047808	1	0.17	325	54.17
2.7646821192	1	0.17	326	54.33
2.7657065804	1	0.17	327	54.50
2.7658053617	1	0.17	328	54.67
2.7659105455	1	0.17	329	54.83
2.7663032259	1	0.17	330	55.00
2.7670903541	1	0.17	331	55.17
2.7684411553	1	0.17	332	55.33
2.7687306242	1	0.17	333	55.50
2.7695548828	1	0.17	334	55.67
2.771360655	1	0.17	335	55.83
2.7713818732	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.772179415	1	0.17	337	56.17
2.7733112454	1	0.17	338	56.33
2.7733867238	1	0.17	339	56.50
2.7746367381	1	0.17	340	56.67
2.7750465176	1	0.17	341	56.83
2.775170248	1	0.17	342	57.00
2.7777077501	1	0.17	343	57.17
2.7777947125	1	0.17	344	57.33
2.7784659837	1	0.17	345	57.50
2.7785795535	1	0.17	346	57.67
2.7789134446	1	0.17	347	57.83
2.7792281371	1	0.17	348	58.00
2.7803716644	1	0.17	349	58.17
2.7804994841	1	0.17	350	58.33
2.7810580766	1	0.17	351	58.50
2.7824544854	1	0.17	352	58.67
2.7825236487	1	0.17	353	58.83
2.7839513702	1	0.17	354	59.00
2.7857890691	1	0.17	355	59.17
2.7860643956	1	0.17	356	59.33
2.7862843092	1	0.17	357	59.50
2.7864708835	1	0.17	358	59.67
2.7871606655	1	0.17	359	59.83
2.7875604334	1	0.17	360	60.00
2.7877645836	1	0.17	361	60.17
2.7879357725	1	0.17	362	60.33
2.7885076573	1	0.17	363	60.50
2.7885202819	1	0.17	364	60.67
2.7893355332	1	0.17	365	60.83
2.7901271766	1	0.17	366	61.00
2.7913852677	1	0.17	367	61.17
2.7915648425	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7916782052	1	0.17	369	61.50
2.791863096	1	0.17	370	61.67
2.7922270285	1	0.17	371	61.83
2.7923507247	1	0.17	372	62.00
2.7925936497	1	0.17	373	62.17
2.7930908632	1	0.17	374	62.33
2.7937565177	1	0.17	375	62.50
2.7941544738	1	0.17	376	62.67
2.7943482974	1	0.17	377	62.83
2.7948296376	1	0.17	378	63.00
2.7957590686	1	0.17	379	63.17
2.7966437332	1	0.17	380	63.33
2.79790626	1	0.17	381	63.50
2.7979232689	1	0.17	382	63.67
2.7985634726	1	0.17	383	63.83
2.7990834539	1	0.17	384	64.00
2.800389254	1	0.17	385	64.17
2.803102712	1	0.17	386	64.33
2.8035247932	1	0.17	387	64.50
2.8060019052	1	0.17	388	64.67
2.8060441294	1	0.17	389	64.83
2.8061160107	1	0.17	390	65.00
2.8066035221	1	0.17	391	65.17
2.8070020444	1	0.17	392	65.33
2.8078936139	1	0.17	393	65.50
2.8089013103	1	0.17	394	65.67
2.8093331433	1	0.17	395	65.83
2.8094681234	1	0.17	396	66.00
2.8100910151	1	0.17	397	66.17
2.8107593835	1	0.17	398	66.33
2.8110644208	1	0.17	399	66.50
2.8113599447	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8115635522	1	0.17	401	66.83
2.8131258057	1	0.17	402	67.00
2.8131511017	1	0.17	403	67.17
2.8150973899	1	0.17	404	67.33
2.8164109507	1	0.17	405	67.50
2.8168275092	1	0.17	406	67.67
2.8173120204	1	0.17	407	67.83
2.8178980384	1	0.17	408	68.00
2.8186771751	1	0.17	409	68.17
2.8188475106	1	0.17	410	68.33
2.8216339887	1	0.17	411	68.50
2.8239724308	1	0.17	412	68.67
2.8247329427	1	0.17	413	68.83
2.8251504155	1	0.17	414	69.00
2.827529871	1	0.17	415	69.17
2.8294511145	1	0.17	416	69.33
2.8313934975	1	0.17	417	69.50
2.8317074973	1	0.17	418	69.67
2.8319451385	1	0.17	419	69.83
2.8324482053	1	0.17	420	70.00
2.8324731042	1	0.17	421	70.17
2.8328974579	1	0.17	422	70.33
2.8337666924	1	0.17	423	70.50
2.8341499171	1	0.17	424	70.67
2.8343066047	1	0.17	425	70.83
2.8343930622	1	0.17	426	71.00
2.8346215057	1	0.17	427	71.17
2.835015242	1	0.17	428	71.33
2.8351582894	1	0.17	429	71.50
2.8371350158	1	0.17	430	71.67
2.8386785104	1	0.17	431	71.83
2.8397506159	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8402413046	1	0.17	433	72.17
2.8405954882	1	0.17	434	72.33
2.8407459147	1	0.17	435	72.50
2.8407478625	1	0.17	436	72.67
2.8410889066	1	0.17	437	72.83
2.8414774847	1	0.17	438	73.00
2.8415811609	1	0.17	439	73.17
2.8416656502	1	0.17	440	73.33
2.8424013205	1	0.17	441	73.50
2.8434388133	1	0.17	442	73.67
2.8439005805	1	0.17	443	73.83
2.8439913182	1	0.17	444	74.00
2.8444644827	1	0.17	445	74.17
2.8447602702	1	0.17	446	74.33
2.845224823	1	0.17	447	74.50
2.845454418	1	0.17	448	74.67
2.8458764488	1	0.17	449	74.83
2.8460832769	1	0.17	450	75.00
2.8462455856	1	0.17	451	75.17
2.8471913281	1	0.17	452	75.33
2.8473560955	1	0.17	453	75.50
2.8475437469	1	0.17	454	75.67
2.8499951174	1	0.17	455	75.83
2.8500537903	1	0.17	456	76.00
2.8505051152	1	0.17	457	76.17
2.8514443636	1	0.17	458	76.33
2.8517087065	1	0.17	459	76.50
2.8517902811	1	0.17	460	76.67
2.8517954581	1	0.17	461	76.83
2.8536037468	1	0.17	462	77.00
2.8545875745	1	0.17	463	77.17
2.8552981728	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8579030135	1	0.17	465	77.50
2.8581321572	1	0.17	466	77.67
2.8586122209	1	0.17	467	77.83
2.8586792788	1	0.17	468	78.00
2.8591428275	1	0.17	469	78.17
2.8595669057	1	0.17	470	78.33
2.8596692172	1	0.17	471	78.50
2.8602559863	1	0.17	472	78.67
2.8606756083	1	0.17	473	78.83
2.8613690336	1	0.17	474	79.00
2.8627745127	1	0.17	475	79.17
2.8639083619	1	0.17	476	79.33
2.864319876	1	0.17	477	79.50
2.8660263555	1	0.17	478	79.67
2.8661648503	1	0.17	479	79.83
2.8667705323	1	0.17	480	80.00
2.8671521584	1	0.17	481	80.17
2.8672013306	1	0.17	482	80.33
2.8677887603	1	0.17	483	80.50
2.8679501508	1	0.17	484	80.67
2.8690411866	1	0.17	485	80.83
2.8691973658	1	0.17	486	81.00
2.8693946403	1	0.17	487	81.17
2.8699071904	1	0.17	488	81.33
2.8707525547	1	0.17	489	81.50
2.8721030655	1	0.17	490	81.67
2.8722373886	1	0.17	491	81.83
2.8728071037	1	0.17	492	82.00
2.8735100866	1	0.17	493	82.17
2.8740105476	1	0.17	494	82.33
2.8763812886	1	0.17	495	82.50
2.8772704095	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8777786717	1	0.17	497	82.83
2.8783025347	1	0.17	498	83.00
2.8786078429	1	0.17	499	83.17
2.8795373026	1	0.17	500	83.33
2.8824907895	1	0.17	501	83.50
2.8826111437	1	0.17	502	83.67
2.8843372926	1	0.17	503	83.83
2.8848116626	1	0.17	504	84.00
2.8852183502	1	0.17	505	84.17
2.8873491671	1	0.17	506	84.33
2.8873761667	1	0.17	507	84.50
2.8879090679	1	0.17	508	84.67
2.8901837697	1	0.17	509	84.83
2.8911108074	1	0.17	510	85.00
2.8911152757	1	0.17	511	85.17
2.8912447524	1	0.17	512	85.33
2.8946136138	1	0.17	513	85.50
2.8950722045	1	0.17	514	85.67
2.8951951416	1	0.17	515	85.83
2.8955322248	1	0.17	516	86.00
2.8960115799	1	0.17	517	86.17
2.8966793276	1	0.17	518	86.33
2.8972455939	1	0.17	519	86.50
2.8987112438	1	0.17	520	86.67
2.8999743752	1	0.17	521	86.83
2.9003108457	1	0.17	522	87.00
2.9012583235	1	0.17	523	87.17
2.901552046	1	0.17	524	87.33
2.9028945411	1	0.17	525	87.50
2.9029030709	1	0.17	526	87.67
2.9034813919	1	0.17	527	87.83
2.9042495487	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9046344682	1	0.17	529	88.17
2.9048156661	1	0.17	530	88.33
2.9056063948	1	0.17	531	88.50
2.9074820872	1	0.17	532	88.67
2.9085674675	1	0.17	533	88.83
2.9090772033	1	0.17	534	89.00
2.9103061714	1	0.17	535	89.17
2.9105874053	1	0.17	536	89.33
2.9118092072	1	0.17	537	89.50
2.9119052261	1	0.17	538	89.67
2.9137361011	1	0.17	539	89.83
2.9166655165	1	0.17	540	90.00
2.9167803139	1	0.17	541	90.17
2.9171831948	1	0.17	542	90.33
2.9178559549	1	0.17	543	90.50
2.9184777832	1	0.17	544	90.67
2.9187248041	1	0.17	545	90.83
2.9191976536	1	0.17	546	91.00
2.9200838799	1	0.17	547	91.17
2.9222676416	1	0.17	548	91.33
2.922525278	1	0.17	549	91.50
2.9226064999	1	0.17	550	91.67
2.9251323053	1	0.17	551	91.83
2.925211631	1	0.17	552	92.00
2.9267301481	1	0.17	553	92.17
2.9283889453	1	0.17	554	92.33
2.9288864128	1	0.17	555	92.50
2.9297345205	1	0.17	556	92.67
2.9317156873	1	0.17	557	92.83
2.9317649642	1	0.17	558	93.00
2.9332880721	1	0.17	559	93.17
2.93581371	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9373369536	1	0.17	561	93.50
2.9375416367	1	0.17	562	93.67
2.9376124008	1	0.17	563	93.83
2.9379189056	1	0.17	564	94.00
2.9401608801	1	0.17	565	94.17
2.9401611595	1	0.17	566	94.33
2.9410289769	1	0.17	567	94.50
2.9420022273	1	0.17	568	94.67
2.9430664966	1	0.17	569	94.83
2.9439606899	1	0.17	570	95.00
2.9445812422	1	0.17	571	95.17
2.9467065389	1	0.17	572	95.33
2.9474481602	1	0.17	573	95.50
2.9540720723	1	0.17	574	95.67
2.9550307391	1	0.17	575	95.83
2.9583584366	1	0.17	576	96.00
2.9593259337	1	0.17	577	96.17
2.9627629132	1	0.17	578	96.33
2.9629004354	1	0.17	579	96.50
2.9649396172	1	0.17	580	96.67
2.9654667013	1	0.17	581	96.83
2.966543789	1	0.17	582	97.00
2.9724099395	1	0.17	583	97.17
2.9733267417	1	0.17	584	97.33
2.9736592546	1	0.17	585	97.50
2.9783644279	1	0.17	586	97.67
2.981237247	1	0.17	587	97.83
2.9834791453	1	0.17	588	98.00
2.9866660972	1	0.17	589	98.17
2.987776954	1	0.17	590	98.33
2.9889038308	1	0.17	591	98.50
2.9955330079	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V01BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9988237089	1	0.17	593	98.83
3.0141107033	1	0.17	594	99.00
3.0149541297	1	0.17	595	99.17
3.0271544884	1	0.17	596	99.33
3.0629170179	1	0.17	597	99.50
3.0638687219	1	0.17	598	99.67
3.0829588046	1	0.17	599	99.83
3.0902178438	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
-0.321945211	1	0.17	50	8.33
-0.314929381	1	0.17	51	8.50
-0.314677665	1	0.17	52	8.67
-0.309586574	1	0.17	53	8.83
-0.303609522	1	0.17	54	9.00
-0.298643808	1	0.17	55	9.17
-0.297202214	1	0.17	56	9.33
-0.295205618	1	0.17	57	9.50
-0.289659941	1	0.17	58	9.67
-0.288821164	1	0.17	59	9.83
-0.287937277	1	0.17	60	10.00
-0.287885083	1	0.17	61	10.17
-0.287697283	1	0.17	62	10.33
-0.287450936	1	0.17	63	10.50
-0.287361568	1	0.17	64	10.67
-0.286740097	1	0.17	65	10.83
-0.283308148	1	0.17	66	11.00
-0.282792374	1	0.17	67	11.17
-0.281316781	1	0.17	68	11.33
-0.278239152	1	0.17	69	11.50
-0.27672129	1	0.17	70	11.67
-0.276644916	1	0.17	71	11.83
-0.276270781	1	0.17	72	12.00
-0.276184643	1	0.17	73	12.17
-0.275425503	1	0.17	74	12.33
-0.273836497	1	0.17	75	12.50
-0.273725173	1	0.17	76	12.67
-0.272888478	1	0.17	77	12.83
-0.27280828	1	0.17	78	13.00
-0.272693308	1	0.17	79	13.17
-0.272433106	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.270208468	1	0.17	81	13.50
-0.27014703	1	0.17	82	13.67
-0.26963356	1	0.17	83	13.83
-0.269336384	1	0.17	84	14.00
-0.2689774	1	0.17	85	14.17
-0.268673935	1	0.17	86	14.33
-0.26832081	1	0.17	87	14.50
-0.267385007	1	0.17	88	14.67
-0.266992614	1	0.17	89	14.83
-0.266382655	1	0.17	90	15.00
-0.265999445	1	0.17	91	15.17
-0.265916858	1	0.17	92	15.33
-0.265572094	1	0.17	93	15.50
-0.265353807	1	0.17	94	15.67
-0.264787182	1	0.17	95	15.83
-0.264697091	1	0.17	96	16.00
-0.264395158	1	0.17	97	16.17
-0.264365963	1	0.17	98	16.33
-0.264062411	1	0.17	99	16.50
-0.262925667	1	0.17	100	16.67
-0.262652052	1	0.17	101	16.83
-0.262480614	1	0.17	102	17.00
-0.26217057	1	0.17	103	17.17
-0.261982927	1	0.17	104	17.33
-0.261789449	1	0.17	105	17.50
-0.261541394	1	0.17	106	17.67
-0.260667343	1	0.17	107	17.83
-0.260615787	1	0.17	108	18.00
-0.260421843	1	0.17	109	18.17
-0.259735773	1	0.17	110	18.33
-0.259660699	1	0.17	111	18.50
-0.259579486	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.258871561	1	0.17	113	18.83
-0.258495051	1	0.17	114	19.00
-0.258451332	1	0.17	115	19.17
-0.258070241	1	0.17	116	19.33
-0.257579023	1	0.17	117	19.50
-0.257350798	1	0.17	118	19.67
-0.256831237	1	0.17	119	19.83
-0.256749794	1	0.17	120	20.00
-0.256619719	1	0.17	121	20.17
-0.256514148	1	0.17	122	20.33
-0.256218153	1	0.17	123	20.50
-0.256025131	1	0.17	124	20.67
-0.255333026	1	0.17	125	20.83
-0.255300607	1	0.17	126	21.00
-0.255068314	1	0.17	127	21.17
-0.254918611	1	0.17	128	21.33
-0.254636839	1	0.17	129	21.50
-0.25420667	1	0.17	130	21.67
-0.254039429	1	0.17	131	21.83
-0.253998733	1	0.17	132	22.00
-0.253829673	1	0.17	133	22.17
-0.252378115	1	0.17	134	22.33
-0.252285241	1	0.17	135	22.50
-0.252173379	1	0.17	136	22.67
-0.252156767	1	0.17	137	22.83
-0.252081894	1	0.17	138	23.00
-0.251593521	1	0.17	139	23.17
-0.251049714	1	0.17	140	23.33
-0.250974041	1	0.17	141	23.50
-0.250929791	1	0.17	142	23.67
-0.250562977	1	0.17	143	23.83
-0.250067178	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.249921304	1	0.17	145	24.17
-0.249747392	1	0.17	146	24.33
-0.249718973	1	0.17	147	24.50
-0.249637522	1	0.17	148	24.67
-0.249527251	1	0.17	149	24.83
-0.249492013	1	0.17	150	25.00
-0.249475692	1	0.17	151	25.17
-0.249348933	1	0.17	152	25.33
-0.24885918	1	0.17	153	25.50
-0.248798279	1	0.17	154	25.67
-0.248515568	1	0.17	155	25.83
-0.248372959	1	0.17	156	26.00
-0.248354084	1	0.17	157	26.17
-0.248123269	1	0.17	158	26.33
-0.247912331	1	0.17	159	26.50
-0.246639991	1	0.17	160	26.67
-0.246535851	1	0.17	161	26.83
-0.246510953	1	0.17	162	27.00
-0.246179609	1	0.17	163	27.17
-0.246027661	1	0.17	164	27.33
-0.245920994	1	0.17	165	27.50
-0.24585139	1	0.17	166	27.67
-0.245534932	1	0.17	167	27.83
-0.245124534	1	0.17	168	28.00
-0.245046432	1	0.17	169	28.17
-0.244938791	1	0.17	170	28.33
-0.244798279	1	0.17	171	28.50
-0.244781023	1	0.17	172	28.67
-0.244741647	1	0.17	173	28.83
-0.243994508	1	0.17	174	29.00
-0.243985829	1	0.17	175	29.17
-0.243978135	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.243691344	1	0.17	177	29.50
-0.243663263	1	0.17	178	29.67
-0.243632875	1	0.17	179	29.83
-0.243077399	1	0.17	180	30.00
-0.243004552	1	0.17	181	30.17
-0.242937814	1	0.17	182	30.33
-0.242634943	1	0.17	183	30.50
-0.242634282	1	0.17	184	30.67
-0.242547841	1	0.17	185	30.83
-0.242267872	1	0.17	186	31.00
-0.241907551	1	0.17	187	31.17
-0.24180651	1	0.17	188	31.33
-0.241550441	1	0.17	189	31.50
-0.241435575	1	0.17	190	31.67
-0.241144149	1	0.17	191	31.83
-0.240868104	1	0.17	192	32.00
-0.240369008	1	0.17	193	32.17
-0.240341058	1	0.17	194	32.33
-0.240333903	1	0.17	195	32.50
-0.240033113	1	0.17	196	32.67
-0.239970138	1	0.17	197	32.83
-0.239863514	1	0.17	198	33.00
-0.239538967	1	0.17	199	33.17
-0.239154256	1	0.17	200	33.33
-0.239057235	1	0.17	201	33.50
-0.238955515	1	0.17	202	33.67
-0.238924301	1	0.17	203	33.83
-0.238922702	1	0.17	204	34.00
-0.238762765	1	0.17	205	34.17
-0.238749358	1	0.17	206	34.33
-0.238507621	1	0.17	207	34.50
-0.238199032	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.238196405	1	0.17	209	34.83
-0.237961396	1	0.17	210	35.00
-0.237718978	1	0.17	211	35.17
-0.23768883	1	0.17	212	35.33
-0.237440555	1	0.17	213	35.50
-0.237404208	1	0.17	214	35.67
-0.237040957	1	0.17	215	35.83
-0.236882049	1	0.17	216	36.00
-0.236809871	1	0.17	217	36.17
-0.236697123	1	0.17	218	36.33
-0.236414486	1	0.17	219	36.50
-0.236296236	1	0.17	220	36.67
-0.236241952	1	0.17	221	36.83
-0.236006126	1	0.17	222	37.00
-0.235921727	1	0.17	223	37.17
-0.235863301	1	0.17	224	37.33
-0.235688719	1	0.17	225	37.50
-0.235483478	1	0.17	226	37.67
-0.235465578	1	0.17	227	37.83
-0.235318411	1	0.17	228	38.00
-0.235248923	1	0.17	229	38.17
-0.235208041	1	0.17	230	38.33
-0.234846487	1	0.17	231	38.50
-0.234544148	1	0.17	232	38.67
-0.23429469	1	0.17	233	38.83
-0.234271965	1	0.17	234	39.00
-0.233423826	1	0.17	235	39.17
-0.233305866	1	0.17	236	39.33
-0.233247346	1	0.17	237	39.50
-0.23311393	1	0.17	238	39.67
-0.233113874	1	0.17	239	39.83
-0.23309889	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.232846786	1	0.17	241	40.17
-0.232728338	1	0.17	242	40.33
-0.232720806	1	0.17	243	40.50
-0.232631589	1	0.17	244	40.67
-0.232612722	1	0.17	245	40.83
-0.232343503	1	0.17	246	41.00
-0.232208205	1	0.17	247	41.17
-0.232122799	1	0.17	248	41.33
-0.232114385	1	0.17	249	41.50
-0.231970159	1	0.17	250	41.67
-0.231950619	1	0.17	251	41.83
-0.231889681	1	0.17	252	42.00
-0.231527874	1	0.17	253	42.17
-0.231519865	1	0.17	254	42.33
-0.231457152	1	0.17	255	42.50
-0.231114424	1	0.17	256	42.67
-0.230925696	1	0.17	257	42.83
-0.230893475	1	0.17	258	43.00
-0.230875883	1	0.17	259	43.17
-0.230701484	1	0.17	260	43.33
-0.23048465	1	0.17	261	43.50
-0.230411898	1	0.17	262	43.67
-0.230143966	1	0.17	263	43.83
-0.229840982	1	0.17	264	44.00
-0.229766703	1	0.17	265	44.17
-0.229475797	1	0.17	266	44.33
-0.229413966	1	0.17	267	44.50
-0.229185402	1	0.17	268	44.67
-0.228740106	1	0.17	269	44.83
-0.228723729	1	0.17	270	45.00
-0.228543003	1	0.17	271	45.17
-0.228531585	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.228529532	1	0.17	273	45.50
-0.228461814	1	0.17	274	45.67
-0.228367142	1	0.17	275	45.83
-0.228348932	1	0.17	276	46.00
-0.228137098	1	0.17	277	46.17
-0.228029273	1	0.17	278	46.33
-0.228017995	1	0.17	279	46.50
-0.2276848	1	0.17	280	46.67
-0.227561233	1	0.17	281	46.83
-0.227471245	1	0.17	282	47.00
-0.227348596	1	0.17	283	47.17
-0.226971508	1	0.17	284	47.33
-0.226947011	1	0.17	285	47.50
-0.226680637	1	0.17	286	47.67
-0.226643225	1	0.17	287	47.83
-0.225955028	1	0.17	288	48.00
-0.225946472	1	0.17	289	48.17
-0.22589923	1	0.17	290	48.33
-0.225655719	1	0.17	291	48.50
-0.225480367	1	0.17	292	48.67
-0.225251051	1	0.17	293	48.83
-0.225233713	1	0.17	294	49.00
-0.225088749	1	0.17	295	49.17
-0.225055884	1	0.17	296	49.33
-0.224959833	1	0.17	297	49.50
-0.224839506	1	0.17	298	49.67
-0.22457739	1	0.17	299	49.83
-0.22435045	1	0.17	300	50.00
-0.224245443	1	0.17	301	50.17
-0.224138035	1	0.17	302	50.33
-0.224012714	1	0.17	303	50.50
-0.224005428	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.223846053	1	0.17	305	50.83
-0.223796976	1	0.17	306	51.00
-0.223754156	1	0.17	307	51.17
-0.223728994	1	0.17	308	51.33
-0.223484944	1	0.17	309	51.50
-0.223403741	1	0.17	310	51.67
-0.223354886	1	0.17	311	51.83
-0.22310123	1	0.17	312	52.00
-0.223044559	1	0.17	313	52.17
-0.222778705	1	0.17	314	52.33
-0.222505011	1	0.17	315	52.50
-0.222504005	1	0.17	316	52.67
-0.221823444	1	0.17	317	52.83
-0.221207096	1	0.17	318	53.00
-0.221161915	1	0.17	319	53.17
-0.221037953	1	0.17	320	53.33
-0.221017882	1	0.17	321	53.50
-0.220653711	1	0.17	322	53.67
-0.22058179	1	0.17	323	53.83
-0.220497257	1	0.17	324	54.00
-0.220203849	1	0.17	325	54.17
-0.22012052	1	0.17	326	54.33
-0.220048628	1	0.17	327	54.50
-0.219799459	1	0.17	328	54.67
-0.219726851	1	0.17	329	54.83
-0.21918497	1	0.17	330	55.00
-0.218948249	1	0.17	331	55.17
-0.218923113	1	0.17	332	55.33
-0.218882544	1	0.17	333	55.50
-0.218792656	1	0.17	334	55.67
-0.218734971	1	0.17	335	55.83
-0.218420787	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.218400285	1	0.17	337	56.17
-0.218202569	1	0.17	338	56.33
-0.218123299	1	0.17	339	56.50
-0.21807635	1	0.17	340	56.67
-0.218038307	1	0.17	341	56.83
-0.217547965	1	0.17	342	57.00
-0.217385835	1	0.17	343	57.17
-0.217010245	1	0.17	344	57.33
-0.216933581	1	0.17	345	57.50
-0.216822725	1	0.17	346	57.67
-0.216321739	1	0.17	347	57.83
-0.215441934	1	0.17	348	58.00
-0.215228633	1	0.17	349	58.17
-0.21472597	1	0.17	350	58.33
-0.214686747	1	0.17	351	58.50
-0.214574182	1	0.17	352	58.67
-0.214473987	1	0.17	353	58.83
-0.214298855	1	0.17	354	59.00
-0.214236653	1	0.17	355	59.17
-0.214118101	1	0.17	356	59.33
-0.214000421	1	0.17	357	59.50
-0.213923331	1	0.17	358	59.67
-0.213883824	1	0.17	359	59.83
-0.213812545	1	0.17	360	60.00
-0.21377143	1	0.17	361	60.17
-0.213751201	1	0.17	362	60.33
-0.213308681	1	0.17	363	60.50
-0.212833775	1	0.17	364	60.67
-0.212658276	1	0.17	365	60.83
-0.212627544	1	0.17	366	61.00
-0.212523829	1	0.17	367	61.17
-0.212421981	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.211668493	1	0.17	369	61.50
-0.211101021	1	0.17	370	61.67
-0.210973953	1	0.17	371	61.83
-0.210907505	1	0.17	372	62.00
-0.210887172	1	0.17	373	62.17
-0.21047185	1	0.17	374	62.33
-0.210284344	1	0.17	375	62.50
-0.210231279	1	0.17	376	62.67
-0.210229715	1	0.17	377	62.83
-0.209932893	1	0.17	378	63.00
-0.209873349	1	0.17	379	63.17
-0.209768835	1	0.17	380	63.33
-0.209704549	1	0.17	381	63.50
-0.209405669	1	0.17	382	63.67
-0.20919119	1	0.17	383	63.83
-0.208673796	1	0.17	384	64.00
-0.208531452	1	0.17	385	64.17
-0.208427934	1	0.17	386	64.33
-0.208399572	1	0.17	387	64.50
-0.208368143	1	0.17	388	64.67
-0.208113081	1	0.17	389	64.83
-0.20807381	1	0.17	390	65.00
-0.207281625	1	0.17	391	65.17
-0.207108009	1	0.17	392	65.33
-0.206631842	1	0.17	393	65.50
-0.206036199	1	0.17	394	65.67
-0.205942197	1	0.17	395	65.83
-0.205854554	1	0.17	396	66.00
-0.205550425	1	0.17	397	66.17
-0.205462518	1	0.17	398	66.33
-0.204889085	1	0.17	399	66.50
-0.204877997	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.2047027	1	0.17	401	66.83
-0.20459491	1	0.17	402	67.00
-0.204458152	1	0.17	403	67.17
-0.203879099	1	0.17	404	67.33
-0.20380116	1	0.17	405	67.50
-0.203614489	1	0.17	406	67.67
-0.203585311	1	0.17	407	67.83
-0.203239804	1	0.17	408	68.00
-0.20323902	1	0.17	409	68.17
-0.203160907	1	0.17	410	68.33
-0.202976367	1	0.17	411	68.50
-0.202789821	1	0.17	412	68.67
-0.202675412	1	0.17	413	68.83
-0.202341632	1	0.17	414	69.00
-0.202262858	1	0.17	415	69.17
-0.202262182	1	0.17	416	69.33
-0.202255458	1	0.17	417	69.50
-0.20206815	1	0.17	418	69.67
-0.20195585	1	0.17	419	69.83
-0.201812677	1	0.17	420	70.00
-0.201776249	1	0.17	421	70.17
-0.201418523	1	0.17	422	70.33
-0.201414931	1	0.17	423	70.50
-0.201164043	1	0.17	424	70.67
-0.201061284	1	0.17	425	70.83
-0.201045025	1	0.17	426	71.00
-0.201018418	1	0.17	427	71.17
-0.200831042	1	0.17	428	71.33
-0.200772523	1	0.17	429	71.50
-0.200767037	1	0.17	430	71.67
-0.200749109	1	0.17	431	71.83
-0.200342408	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.200269878	1	0.17	433	72.17
-0.200248263	1	0.17	434	72.33
-0.199936771	1	0.17	435	72.50
-0.19992899	1	0.17	436	72.67
-0.199893055	1	0.17	437	72.83
-0.199497361	1	0.17	438	73.00
-0.199362142	1	0.17	439	73.17
-0.198697725	1	0.17	440	73.33
-0.198462692	1	0.17	441	73.50
-0.198458709	1	0.17	442	73.67
-0.198401885	1	0.17	443	73.83
-0.197902133	1	0.17	444	74.00
-0.197576279	1	0.17	445	74.17
-0.196873946	1	0.17	446	74.33
-0.196173876	1	0.17	447	74.50
-0.195932839	1	0.17	448	74.67
-0.195775541	1	0.17	449	74.83
-0.195561603	1	0.17	450	75.00
-0.194875329	1	0.17	451	75.17
-0.194860488	1	0.17	452	75.33
-0.194844549	1	0.17	453	75.50
-0.194599397	1	0.17	454	75.67
-0.194487313	1	0.17	455	75.83
-0.194329544	1	0.17	456	76.00
-0.193587949	1	0.17	457	76.17
-0.193569913	1	0.17	458	76.33
-0.193555469	1	0.17	459	76.50
-0.193554806	1	0.17	460	76.67
-0.193274007	1	0.17	461	76.83
-0.193048149	1	0.17	462	77.00
-0.192945427	1	0.17	463	77.17
-0.192886249	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.192684166	1	0.17	465	77.50
-0.192543266	1	0.17	466	77.67
-0.192539442	1	0.17	467	77.83
-0.19245936	1	0.17	468	78.00
-0.192199813	1	0.17	469	78.17
-0.191405096	1	0.17	470	78.33
-0.191363312	1	0.17	471	78.50
-0.191076059	1	0.17	472	78.67
-0.19106997	1	0.17	473	78.83
-0.191063112	1	0.17	474	79.00
-0.190884951	1	0.17	475	79.17
-0.19068088	1	0.17	476	79.33
-0.190079081	1	0.17	477	79.50
-0.189685261	1	0.17	478	79.67
-0.189454609	1	0.17	479	79.83
-0.189107049	1	0.17	480	80.00
-0.188954768	1	0.17	481	80.17
-0.188610378	1	0.17	482	80.33
-0.188468979	1	0.17	483	80.50
-0.187975343	1	0.17	484	80.67
-0.187921158	1	0.17	485	80.83
-0.187884457	1	0.17	486	81.00
-0.187763172	1	0.17	487	81.17
-0.187593061	1	0.17	488	81.33
-0.187414747	1	0.17	489	81.50
-0.187337735	1	0.17	490	81.67
-0.187215935	1	0.17	491	81.83
-0.187052313	1	0.17	492	82.00
-0.186843729	1	0.17	493	82.17
-0.186772848	1	0.17	494	82.33
-0.186669976	1	0.17	495	82.50
-0.186408924	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.186363315	1	0.17	497	82.83
-0.186085358	1	0.17	498	83.00
-0.185967528	1	0.17	499	83.17
-0.185847765	1	0.17	500	83.33
-0.185294364	1	0.17	501	83.50
-0.184927813	1	0.17	502	83.67
-0.184168006	1	0.17	503	83.83
-0.184162231	1	0.17	504	84.00
-0.184082895	1	0.17	505	84.17
-0.183747194	1	0.17	506	84.33
-0.182980198	1	0.17	507	84.50
-0.182582223	1	0.17	508	84.67
-0.182373246	1	0.17	509	84.83
-0.182281864	1	0.17	510	85.00
-0.181760527	1	0.17	511	85.17
-0.181674827	1	0.17	512	85.33
-0.181263652	1	0.17	513	85.50
-0.180274761	1	0.17	514	85.67
-0.180187454	1	0.17	515	85.83
-0.179773365	1	0.17	516	86.00
-0.179694443	1	0.17	517	86.17
-0.179562683	1	0.17	518	86.33
-0.179203179	1	0.17	519	86.50
-0.179110221	1	0.17	520	86.67
-0.178448436	1	0.17	521	86.83
-0.177350277	1	0.17	522	87.00
-0.176942533	1	0.17	523	87.17
-0.176900958	1	0.17	524	87.33
-0.17625839	1	0.17	525	87.50
-0.1760654	1	0.17	526	87.67
-0.175938454	1	0.17	527	87.83
-0.175714178	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.175632754	1	0.17	529	88.17
-0.175482444	1	0.17	530	88.33
-0.17521431	1	0.17	531	88.50
-0.17513339	1	0.17	532	88.67
-0.175031779	1	0.17	533	88.83
-0.174936277	1	0.17	534	89.00
-0.174695028	1	0.17	535	89.17
-0.174648172	1	0.17	536	89.33
-0.17443696	1	0.17	537	89.50
-0.174301245	1	0.17	538	89.67
-0.173959334	1	0.17	539	89.83
-0.173293134	1	0.17	540	90.00
-0.173056854	1	0.17	541	90.17
-0.172016604	1	0.17	542	90.33
-0.16939403	1	0.17	543	90.50
-0.16923745	1	0.17	544	90.67
-0.169017321	1	0.17	545	90.83
-0.168645419	1	0.17	546	91.00
-0.16832227	1	0.17	547	91.17
-0.16791347	1	0.17	548	91.33
-0.167449225	1	0.17	549	91.50
-0.16738861	1	0.17	550	91.67
-0.167320174	1	0.17	551	91.83
-0.166003325	1	0.17	552	92.00
-0.165999085	1	0.17	553	92.17
-0.165326155	1	0.17	554	92.33
-0.16435058	1	0.17	555	92.50
-0.164178708	1	0.17	556	92.67
-0.163300935	1	0.17	557	92.83
-0.16237171	1	0.17	558	93.00
-0.161785112	1	0.17	559	93.17
-0.161399388	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.161347743	1	0.17	561	93.50
-0.16126903	1	0.17	562	93.67
-0.161085892	1	0.17	563	93.83
-0.160449027	1	0.17	564	94.00
-0.159122883	1	0.17	565	94.17
-0.157529372	1	0.17	566	94.33
-0.156895975	1	0.17	567	94.50
-0.156854489	1	0.17	568	94.67
-0.156672887	1	0.17	569	94.83
-0.155977831	1	0.17	570	95.00
-0.154892023	1	0.17	571	95.17
-0.154524796	1	0.17	572	95.33
-0.154238907	1	0.17	573	95.50
-0.153672594	1	0.17	574	95.67
-0.152522877	1	0.17	575	95.83
-0.152337694	1	0.17	576	96.00
-0.15229275	1	0.17	577	96.17
-0.152177339	1	0.17	578	96.33
-0.150655711	1	0.17	579	96.50
-0.149246021	1	0.17	580	96.67
-0.149224878	1	0.17	581	96.83
-0.145650867	1	0.17	582	97.00
-0.145011947	1	0.17	583	97.17
-0.143510374	1	0.17	584	97.33
-0.142139069	1	0.17	585	97.50
-0.137101772	1	0.17	586	97.67
-0.137033182	1	0.17	587	97.83
-0.136483947	1	0.17	588	98.00
-0.136356982	1	0.17	589	98.17
-0.135050051	1	0.17	590	98.33
-0.130857148	1	0.17	591	98.50
-0.128291939	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V01BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.12658477	1	0.17	593	98.83
-0.117891567	1	0.17	594	99.00
-0.113053051	1	0.17	595	99.17
-0.111133278	1	0.17	596	99.33
-0.106723542	1	0.17	597	99.50
-0.097719934	1	0.17	598	99.67
-0.097039317	1	0.17	599	99.83
-0.095241225	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
-0.016299843	1	0.17	50	8.33
0.0011172434	1	0.17	51	8.50
0.0021111244	1	0.17	52	8.67
0.0041325739	1	0.17	53	8.83
0.0043957847	1	0.17	54	9.00
0.0045516945	1	0.17	55	9.17
0.0100940765	1	0.17	56	9.33
0.0102594136	1	0.17	57	9.50
0.0116601871	1	0.17	58	9.67
0.0133440854	1	0.17	59	9.83
0.0136420712	1	0.17	60	10.00
0.0140562112	1	0.17	61	10.17
0.014542332	1	0.17	62	10.33
0.0182231488	1	0.17	63	10.50
0.0197274212	1	0.17	64	10.67
0.0207369681	1	0.17	65	10.83
0.0214905257	1	0.17	66	11.00
0.022330671	1	0.17	67	11.17
0.0223978933	1	0.17	68	11.33
0.0237401805	1	0.17	69	11.50
0.0238239396	1	0.17	70	11.67
0.0240192315	1	0.17	71	11.83
0.0240655928	1	0.17	72	12.00
0.0249643527	1	0.17	73	12.17
0.0261438141	1	0.17	74	12.33
0.0261923111	1	0.17	75	12.50
0.0264523254	1	0.17	76	12.67
0.0268180461	1	0.17	77	12.83
0.0269845841	1	0.17	78	13.00
0.0272964325	1	0.17	79	13.17
0.0277944611	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0281517859	1	0.17	81	13.50
0.0287758078	1	0.17	82	13.67
0.0291514242	1	0.17	83	13.83
0.0297921415	1	0.17	84	14.00
0.0303124112	1	0.17	85	14.17
0.0307629487	1	0.17	86	14.33
0.0315311194	1	0.17	87	14.50
0.0318974826	1	0.17	88	14.67
0.0323109865	1	0.17	89	14.83
0.0337252839	1	0.17	90	15.00
0.0340096519	1	0.17	91	15.17
0.0340773152	1	0.17	92	15.33
0.0343905051	1	0.17	93	15.50
0.0344324911	1	0.17	94	15.67
0.0346878791	1	0.17	95	15.83
0.0350286716	1	0.17	96	16.00
0.0353678994	1	0.17	97	16.17
0.035540945	1	0.17	98	16.33
0.0359082012	1	0.17	99	16.50
0.035992833	1	0.17	100	16.67
0.0360235802	1	0.17	101	16.83
0.0360842963	1	0.17	102	17.00
0.0362245949	1	0.17	103	17.17
0.0362509726	1	0.17	104	17.33
0.0366152475	1	0.17	105	17.50
0.037215066	1	0.17	106	17.67
0.0372921033	1	0.17	107	17.83
0.0378759128	1	0.17	108	18.00
0.0390984329	1	0.17	109	18.17
0.0392669807	1	0.17	110	18.33
0.0394382392	1	0.17	111	18.50
0.0394831312	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.040007087	1	0.17	113	18.83
0.0402001768	1	0.17	114	19.00
0.0404523051	1	0.17	115	19.17
0.0406431212	1	0.17	116	19.33
0.0421224605	1	0.17	117	19.50
0.0422314601	1	0.17	118	19.67
0.0424610956	1	0.17	119	19.83
0.0428121518	1	0.17	120	20.00
0.0430045648	1	0.17	121	20.17
0.043010729	1	0.17	122	20.33
0.0430841025	1	0.17	123	20.50
0.0433351909	1	0.17	124	20.67
0.0434964059	1	0.17	125	20.83
0.0439752921	1	0.17	126	21.00
0.0442429278	1	0.17	127	21.17
0.0443975014	1	0.17	128	21.33
0.0444312771	1	0.17	129	21.50
0.0446439093	1	0.17	130	21.67
0.0446765728	1	0.17	131	21.83
0.044850864	1	0.17	132	22.00
0.0450280459	1	0.17	133	22.17
0.0453878589	1	0.17	134	22.33
0.0463910326	1	0.17	135	22.50
0.0467120304	1	0.17	136	22.67
0.0467527514	1	0.17	137	22.83
0.0468436302	1	0.17	138	23.00
0.0468652331	1	0.17	139	23.17
0.0470925137	1	0.17	140	23.33
0.0471137426	1	0.17	141	23.50
0.0472090813	1	0.17	142	23.67
0.0472688956	1	0.17	143	23.83
0.0473090767	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0477239915	1	0.17	145	24.17
0.0478096409	1	0.17	146	24.33
0.0478381682	1	0.17	147	24.50
0.0479706134	1	0.17	148	24.67
0.0482209725	1	0.17	149	24.83
0.0483794122	1	0.17	150	25.00
0.0485066557	1	0.17	151	25.17
0.0485748144	1	0.17	152	25.33
0.0487731966	1	0.17	153	25.50
0.0489276711	1	0.17	154	25.67
0.0489764365	1	0.17	155	25.83
0.0492478393	1	0.17	156	26.00
0.0498498236	1	0.17	157	26.17
0.0499191974	1	0.17	158	26.33
0.0499568809	1	0.17	159	26.50
0.0508513443	1	0.17	160	26.67
0.0509533619	1	0.17	161	26.83
0.0513221305	1	0.17	162	27.00
0.0517089677	1	0.17	163	27.17
0.0519559273	1	0.17	164	27.33
0.0522115688	1	0.17	165	27.50
0.0523165653	1	0.17	166	27.67
0.0523460109	1	0.17	167	27.83
0.0525072247	1	0.17	168	28.00
0.0527692451	1	0.17	169	28.17
0.0529346195	1	0.17	170	28.33
0.0529874981	1	0.17	171	28.50
0.0532454012	1	0.17	172	28.67
0.0534102597	1	0.17	173	28.83
0.0534737806	1	0.17	174	29.00
0.0535123049	1	0.17	175	29.17
0.0537813155	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0539054266	1	0.17	177	29.50
0.0539538005	1	0.17	178	29.67
0.0539762773	1	0.17	179	29.83
0.0543714409	1	0.17	180	30.00
0.0544191859	1	0.17	181	30.17
0.0545320695	1	0.17	182	30.33
0.0546024929	1	0.17	183	30.50
0.0546578302	1	0.17	184	30.67
0.0549987104	1	0.17	185	30.83
0.0550213642	1	0.17	186	31.00
0.0551036049	1	0.17	187	31.17
0.0551248203	1	0.17	188	31.33
0.0553255914	1	0.17	189	31.50
0.0555852586	1	0.17	190	31.67
0.0557616569	1	0.17	191	31.83
0.0564679268	1	0.17	192	32.00
0.0567627451	1	0.17	193	32.17
0.0581480417	1	0.17	194	32.33
0.0581657987	1	0.17	195	32.50
0.0584832139	1	0.17	196	32.67
0.058531444	1	0.17	197	32.83
0.058810687	1	0.17	198	33.00
0.058833354	1	0.17	199	33.17
0.0589922298	1	0.17	200	33.33
0.0602948764	1	0.17	201	33.50
0.0611054541	1	0.17	202	33.67
0.0611892481	1	0.17	203	33.83
0.0616780829	1	0.17	204	34.00
0.0617236001	1	0.17	205	34.17
0.061810691	1	0.17	206	34.33
0.0625085171	1	0.17	207	34.50
0.0627047839	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0628413244	1	0.17	209	34.83
0.0628638624	1	0.17	210	35.00
0.0629424614	1	0.17	211	35.17
0.0630036142	1	0.17	212	35.33
0.063179677	1	0.17	213	35.50
0.0632618184	1	0.17	214	35.67
0.0636128448	1	0.17	215	35.83
0.0646375888	1	0.17	216	36.00
0.064780173	1	0.17	217	36.17
0.064865992	1	0.17	218	36.33
0.0650647454	1	0.17	219	36.50
0.0653148835	1	0.17	220	36.67
0.0655907172	1	0.17	221	36.83
0.0660646835	1	0.17	222	37.00
0.0661320039	1	0.17	223	37.17
0.066150895	1	0.17	224	37.33
0.0669294992	1	0.17	225	37.50
0.0670240876	1	0.17	226	37.67
0.0671771672	1	0.17	227	37.83
0.0674146145	1	0.17	228	38.00
0.0677073077	1	0.17	229	38.17
0.0679730691	1	0.17	230	38.33
0.0682734937	1	0.17	231	38.50
0.0686384167	1	0.17	232	38.67
0.068686141	1	0.17	233	38.83
0.0687333941	1	0.17	234	39.00
0.0690766319	1	0.17	235	39.17
0.0692078014	1	0.17	236	39.33
0.0697728732	1	0.17	237	39.50
0.0699455185	1	0.17	238	39.67
0.0700809845	1	0.17	239	39.83
0.0701883308	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0702831764	1	0.17	241	40.17
0.0703404396	1	0.17	242	40.33
0.0705056311	1	0.17	243	40.50
0.0709538693	1	0.17	244	40.67
0.0709592953	1	0.17	245	40.83
0.0710449953	1	0.17	246	41.00
0.0711839628	1	0.17	247	41.17
0.0713792014	1	0.17	248	41.33
0.071457257	1	0.17	249	41.50
0.0715851258	1	0.17	250	41.67
0.0716461785	1	0.17	251	41.83
0.0718380706	1	0.17	252	42.00
0.0721026558	1	0.17	253	42.17
0.0726351518	1	0.17	254	42.33
0.0730287574	1	0.17	255	42.50
0.0741810529	1	0.17	256	42.67
0.0744601195	1	0.17	257	42.83
0.0744601598	1	0.17	258	43.00
0.0745553616	1	0.17	259	43.17
0.0752618663	1	0.17	260	43.33
0.0760891689	1	0.17	261	43.50
0.0761799689	1	0.17	262	43.67
0.0764546665	1	0.17	263	43.83
0.0766279037	1	0.17	264	44.00
0.0768774248	1	0.17	265	44.17
0.0773301539	1	0.17	266	44.33
0.0776009677	1	0.17	267	44.50
0.0777918328	1	0.17	268	44.67
0.0781030168	1	0.17	269	44.83
0.0789653055	1	0.17	270	45.00
0.0796071989	1	0.17	271	45.17
0.0797261598	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0800636863	1	0.17	273	45.50
0.0801731772	1	0.17	274	45.67
0.080335235	1	0.17	275	45.83
0.0812653049	1	0.17	276	46.00
0.0813107406	1	0.17	277	46.17
0.0815132735	1	0.17	278	46.33
0.081781817	1	0.17	279	46.50
0.0820243544	1	0.17	280	46.67
0.0825584711	1	0.17	281	46.83
0.082580984	1	0.17	282	47.00
0.0828555168	1	0.17	283	47.17
0.0829139265	1	0.17	284	47.33
0.0830675579	1	0.17	285	47.50
0.0834112765	1	0.17	286	47.67
0.083426547	1	0.17	287	47.83
0.0836856057	1	0.17	288	48.00
0.0839617325	1	0.17	289	48.17
0.0841069512	1	0.17	290	48.33
0.0842037144	1	0.17	291	48.50
0.0842834872	1	0.17	292	48.67
0.0843602336	1	0.17	293	48.83
0.0853018292	1	0.17	294	49.00
0.0855721525	1	0.17	295	49.17
0.085965499	1	0.17	296	49.33
0.0862482905	1	0.17	297	49.50
0.0867735327	1	0.17	298	49.67
0.0874357794	1	0.17	299	49.83
0.0875059283	1	0.17	300	50.00
0.088069889	1	0.17	301	50.17
0.0881445537	1	0.17	302	50.33
0.0885849751	1	0.17	303	50.50
0.0888600737	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0893316547	1	0.17	305	50.83
0.0893619105	1	0.17	306	51.00
0.089973176	1	0.17	307	51.17
0.0901283023	1	0.17	308	51.33
0.0903306143	1	0.17	309	51.50
0.0903803571	1	0.17	310	51.67
0.0907862661	1	0.17	311	51.83
0.0908236694	1	0.17	312	52.00
0.0914336055	1	0.17	313	52.17
0.0914394935	1	0.17	314	52.33
0.0915604033	1	0.17	315	52.50
0.0919003401	1	0.17	316	52.67
0.0920132267	1	0.17	317	52.83
0.0920692625	1	0.17	318	53.00
0.0927639555	1	0.17	319	53.17
0.0928109073	1	0.17	320	53.33
0.0934535495	1	0.17	321	53.50
0.0937496042	1	0.17	322	53.67
0.0947838858	1	0.17	323	53.83
0.0948437916	1	0.17	324	54.00
0.0948925448	1	0.17	325	54.17
0.0950568357	1	0.17	326	54.33
0.0950769177	1	0.17	327	54.50
0.0958344871	1	0.17	328	54.67
0.0960737799	1	0.17	329	54.83
0.0962369206	1	0.17	330	55.00
0.0962674986	1	0.17	331	55.17
0.0965728363	1	0.17	332	55.33
0.097206083	1	0.17	333	55.50
0.0972594044	1	0.17	334	55.67
0.097585327	1	0.17	335	55.83
0.0977718034	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0979203551	1	0.17	337	56.17
0.0980683715	1	0.17	338	56.33
0.098555077	1	0.17	339	56.50
0.0986278977	1	0.17	340	56.67
0.0990799221	1	0.17	341	56.83
0.0993413714	1	0.17	342	57.00
0.0997987705	1	0.17	343	57.17
0.0999876517	1	0.17	344	57.33
0.1000065162	1	0.17	345	57.50
0.1000239469	1	0.17	346	57.67
0.1000739203	1	0.17	347	57.83
0.1001008153	1	0.17	348	58.00
0.1014654792	1	0.17	349	58.17
0.1014662261	1	0.17	350	58.33
0.1022841003	1	0.17	351	58.50
0.102414375	1	0.17	352	58.67
0.1025991034	1	0.17	353	58.83
0.1029122231	1	0.17	354	59.00
0.1030923651	1	0.17	355	59.17
0.1032583678	1	0.17	356	59.33
0.1033215912	1	0.17	357	59.50
0.1036443503	1	0.17	358	59.67
0.1039279297	1	0.17	359	59.83
0.1045913139	1	0.17	360	60.00
0.1047231684	1	0.17	361	60.17
0.1057786188	1	0.17	362	60.33
0.1064319657	1	0.17	363	60.50
0.106710694	1	0.17	364	60.67
0.106713704	1	0.17	365	60.83
0.106913512	1	0.17	366	61.00
0.1075955808	1	0.17	367	61.17
0.1078850399	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1080075209	1	0.17	369	61.50
0.1085534601	1	0.17	370	61.67
0.1086429856	1	0.17	371	61.83
0.1088625486	1	0.17	372	62.00
0.1090417422	1	0.17	373	62.17
0.1102184674	1	0.17	374	62.33
0.1103384944	1	0.17	375	62.50
0.1108834666	1	0.17	376	62.67
0.1109807116	1	0.17	377	62.83
0.111036115	1	0.17	378	63.00
0.112124312	1	0.17	379	63.17
0.1124542033	1	0.17	380	63.33
0.1125840187	1	0.17	381	63.50
0.1126986091	1	0.17	382	63.67
0.1131365195	1	0.17	383	63.83
0.1136436205	1	0.17	384	64.00
0.1139010872	1	0.17	385	64.17
0.1144054912	1	0.17	386	64.33
0.1145229314	1	0.17	387	64.50
0.1146294535	1	0.17	388	64.67
0.1150147315	1	0.17	389	64.83
0.1154978565	1	0.17	390	65.00
0.1156188477	1	0.17	391	65.17
0.1159214559	1	0.17	392	65.33
0.116237113	1	0.17	393	65.50
0.1164295915	1	0.17	394	65.67
0.1175600288	1	0.17	395	65.83
0.1184559767	1	0.17	396	66.00
0.1185346733	1	0.17	397	66.17
0.1189561986	1	0.17	398	66.33
0.1191217975	1	0.17	399	66.50
0.1194703847	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1194818484	1	0.17	401	66.83
0.1194919081	1	0.17	402	67.00
0.1196369724	1	0.17	403	67.17
0.1197180566	1	0.17	404	67.33
0.1200050732	1	0.17	405	67.50
0.1202828999	1	0.17	406	67.67
0.1208969054	1	0.17	407	67.83
0.1211826199	1	0.17	408	68.00
0.1214072024	1	0.17	409	68.17
0.1219979654	1	0.17	410	68.33
0.1221664076	1	0.17	411	68.50
0.1222867853	1	0.17	412	68.67
0.1225989587	1	0.17	413	68.83
0.1232222632	1	0.17	414	69.00
0.1234009969	1	0.17	415	69.17
0.1239121578	1	0.17	416	69.33
0.1244509957	1	0.17	417	69.50
0.1246082106	1	0.17	418	69.67
0.1263255168	1	0.17	419	69.83
0.1264252812	1	0.17	420	70.00
0.1277779232	1	0.17	421	70.17
0.1281829645	1	0.17	422	70.33
0.1282650308	1	0.17	423	70.50
0.1290359078	1	0.17	424	70.67
0.1292651582	1	0.17	425	70.83
0.1297899037	1	0.17	426	71.00
0.1321398038	1	0.17	427	71.17
0.1323477476	1	0.17	428	71.33
0.1324150733	1	0.17	429	71.50
0.1327921117	1	0.17	430	71.67
0.1336719941	1	0.17	431	71.83
0.133744071	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1347931823	1	0.17	433	72.17
0.1348565447	1	0.17	434	72.33
0.1348598071	1	0.17	435	72.50
0.1360378656	1	0.17	436	72.67
0.1369541557	1	0.17	437	72.83
0.1371453717	1	0.17	438	73.00
0.138171202	1	0.17	439	73.17
0.1394196335	1	0.17	440	73.33
0.1402831676	1	0.17	441	73.50
0.1404235545	1	0.17	442	73.67
0.1411960592	1	0.17	443	73.83
0.1412076476	1	0.17	444	74.00
0.1416147477	1	0.17	445	74.17
0.1418206038	1	0.17	446	74.33
0.1421206628	1	0.17	447	74.50
0.1439028317	1	0.17	448	74.67
0.1439856526	1	0.17	449	74.83
0.1447292179	1	0.17	450	75.00
0.1448175138	1	0.17	451	75.17
0.1449161073	1	0.17	452	75.33
0.1450456286	1	0.17	453	75.50
0.1452209092	1	0.17	454	75.67
0.146012956	1	0.17	455	75.83
0.1467139493	1	0.17	456	76.00
0.1468318392	1	0.17	457	76.17
0.146975687	1	0.17	458	76.33
0.1482093685	1	0.17	459	76.50
0.1489768825	1	0.17	460	76.67
0.1492676619	1	0.17	461	76.83
0.1495109484	1	0.17	462	77.00
0.1507104999	1	0.17	463	77.17
0.1536365416	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1549779831	1	0.17	465	77.50
0.1553484311	1	0.17	466	77.67
0.1555044306	1	0.17	467	77.83
0.1565619931	1	0.17	468	78.00
0.1571587039	1	0.17	469	78.17
0.160187804	1	0.17	470	78.33
0.1607301086	1	0.17	471	78.50
0.1614092822	1	0.17	472	78.67
0.1625242602	1	0.17	473	78.83
0.1625915552	1	0.17	474	79.00
0.1638185139	1	0.17	475	79.17
0.1639602737	1	0.17	476	79.33
0.1655044424	1	0.17	477	79.50
0.1660253478	1	0.17	478	79.67
0.1661894687	1	0.17	479	79.83
0.1665943614	1	0.17	480	80.00
0.1684789333	1	0.17	481	80.17
0.1688277528	1	0.17	482	80.33
0.1693544728	1	0.17	483	80.50
0.1697942582	1	0.17	484	80.67
0.1700024872	1	0.17	485	80.83
0.171668359	1	0.17	486	81.00
0.1717015107	1	0.17	487	81.17
0.17182351	1	0.17	488	81.33
0.1720370397	1	0.17	489	81.50
0.1727065552	1	0.17	490	81.67
0.1729567837	1	0.17	491	81.83
0.173347917	1	0.17	492	82.00
0.173825851	1	0.17	493	82.17
0.1742553875	1	0.17	494	82.33
0.1749644571	1	0.17	495	82.50
0.1752110923	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1752794068	1	0.17	497	82.83
0.1759319344	1	0.17	498	83.00
0.1760068139	1	0.17	499	83.17
0.1761362294	1	0.17	500	83.33
0.1768470306	1	0.17	501	83.50
0.1782008257	1	0.17	502	83.67
0.1787533628	1	0.17	503	83.83
0.1787965313	1	0.17	504	84.00
0.1791899046	1	0.17	505	84.17
0.1800254879	1	0.17	506	84.33
0.1802154947	1	0.17	507	84.50
0.181728396	1	0.17	508	84.67
0.1840188693	1	0.17	509	84.83
0.1841067722	1	0.17	510	85.00
0.1841467159	1	0.17	511	85.17
0.1844342358	1	0.17	512	85.33
0.1852721506	1	0.17	513	85.50
0.1856548049	1	0.17	514	85.67
0.1865907082	1	0.17	515	85.83
0.1866143297	1	0.17	516	86.00
0.1871434755	1	0.17	517	86.17
0.1875996853	1	0.17	518	86.33
0.1880921043	1	0.17	519	86.50
0.1885223319	1	0.17	520	86.67
0.1890560053	1	0.17	521	86.83
0.1898047124	1	0.17	522	87.00
0.1899422589	1	0.17	523	87.17
0.1902100685	1	0.17	524	87.33
0.192293174	1	0.17	525	87.50
0.1926610947	1	0.17	526	87.67
0.1928055597	1	0.17	527	87.83
0.1931320361	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1938275716	1	0.17	529	88.17
0.1943212507	1	0.17	530	88.33
0.1967923414	1	0.17	531	88.50
0.1970672759	1	0.17	532	88.67
0.2000454403	1	0.17	533	88.83
0.2003978816	1	0.17	534	89.00
0.2006079304	1	0.17	535	89.17
0.2007564	1	0.17	536	89.33
0.2012186852	1	0.17	537	89.50
0.2013930615	1	0.17	538	89.67
0.2021145978	1	0.17	539	89.83
0.2028629024	1	0.17	540	90.00
0.2048170941	1	0.17	541	90.17
0.2058788394	1	0.17	542	90.33
0.2066855879	1	0.17	543	90.50
0.2070631025	1	0.17	544	90.67
0.2082724778	1	0.17	545	90.83
0.2085249287	1	0.17	546	91.00
0.2089264468	1	0.17	547	91.17
0.2089501109	1	0.17	548	91.33
0.2090977585	1	0.17	549	91.50
0.2106217216	1	0.17	550	91.67
0.2115632065	1	0.17	551	91.83
0.2119749284	1	0.17	552	92.00
0.2120199424	1	0.17	553	92.17
0.2122811307	1	0.17	554	92.33
0.2128305892	1	0.17	555	92.50
0.21285655	1	0.17	556	92.67
0.2136256848	1	0.17	557	92.83
0.2143129468	1	0.17	558	93.00
0.2151247482	1	0.17	559	93.17
0.2151893744	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2167318215	1	0.17	561	93.50
0.2171192455	1	0.17	562	93.67
0.2172620712	1	0.17	563	93.83
0.2175361808	1	0.17	564	94.00
0.2183825736	1	0.17	565	94.17
0.2191476306	1	0.17	566	94.33
0.2201955887	1	0.17	567	94.50
0.2211182392	1	0.17	568	94.67
0.2211764763	1	0.17	569	94.83
0.2212573273	1	0.17	570	95.00
0.2217960103	1	0.17	571	95.17
0.2221380258	1	0.17	572	95.33
0.2241563511	1	0.17	573	95.50
0.2243880226	1	0.17	574	95.67
0.2265619299	1	0.17	575	95.83
0.2266981073	1	0.17	576	96.00
0.2279891092	1	0.17	577	96.17
0.2282881378	1	0.17	578	96.33
0.2291251331	1	0.17	579	96.50
0.2296271722	1	0.17	580	96.67
0.2316862835	1	0.17	581	96.83
0.231732609	1	0.17	582	97.00
0.2320806326	1	0.17	583	97.17
0.239670068	1	0.17	584	97.33
0.2406861625	1	0.17	585	97.50
0.2412683547	1	0.17	586	97.67
0.2421737839	1	0.17	587	97.83
0.2424267524	1	0.17	588	98.00
0.2427427792	1	0.17	589	98.17
0.2437668899	1	0.17	590	98.33
0.2469684971	1	0.17	591	98.50
0.2471127447	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V01BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2485848977	1	0.17	593	98.83
0.2495729901	1	0.17	594	99.00
0.2503333275	1	0.17	595	99.17
0.2528718773	1	0.17	596	99.33
0.2534926199	1	0.17	597	99.50
0.2549032932	1	0.17	598	99.67
0.2585389435	1	0.17	599	99.83
0.2628011682	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
1.4829897796	1	0.17	50	8.33
1.6563778832	1	0.17	51	8.50
1.7364283431	1	0.17	52	8.67
1.9690590385	1	0.17	53	8.83
2.0221712922	1	0.17	54	9.00
2.0417542711	1	0.17	55	9.17
2.0517462132	1	0.17	56	9.33
2.0561408581	1	0.17	57	9.50
2.0653812959	1	0.17	58	9.67
2.0957434911	1	0.17	59	9.83
2.1114501113	1	0.17	60	10.00
2.1234211673	1	0.17	61	10.17
2.1241477416	1	0.17	62	10.33
2.137892816	1	0.17	63	10.50
2.1428526625	1	0.17	64	10.67
2.1448870788	1	0.17	65	10.83
2.1467557424	1	0.17	66	11.00
2.1592202922	1	0.17	67	11.17
2.1655843809	1	0.17	68	11.33
2.1685262044	1	0.17	69	11.50
2.1724800311	1	0.17	70	11.67
2.1740703387	1	0.17	71	11.83
2.1742533315	1	0.17	72	12.00
2.1756853646	1	0.17	73	12.17
2.1919355634	1	0.17	74	12.33
2.1930245209	1	0.17	75	12.50
2.1966496408	1	0.17	76	12.67
2.2028976402	1	0.17	77	12.83
2.2056066923	1	0.17	78	13.00
2.2067736073	1	0.17	79	13.17
2.2075853385	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2079512619	1	0.17	81	13.50
2.2089942168	1	0.17	82	13.67
2.2152754203	1	0.17	83	13.83
2.2177904372	1	0.17	84	14.00
2.2179163104	1	0.17	85	14.17
2.2185080161	1	0.17	86	14.33
2.2220924175	1	0.17	87	14.50
2.2248657835	1	0.17	88	14.67
2.2249949271	1	0.17	89	14.83
2.2293689863	1	0.17	90	15.00
2.2300108742	1	0.17	91	15.17
2.2315729362	1	0.17	92	15.33
2.235192103	1	0.17	93	15.50
2.2354703335	1	0.17	94	15.67
2.2386581213	1	0.17	95	15.83
2.2442036084	1	0.17	96	16.00
2.2453557889	1	0.17	97	16.17
2.2481795059	1	0.17	98	16.33
2.2495164366	1	0.17	99	16.50
2.2540015911	1	0.17	100	16.67
2.2560557001	1	0.17	101	16.83
2.2565146596	1	0.17	102	17.00
2.2645628015	1	0.17	103	17.17
2.2654193506	1	0.17	104	17.33
2.2657411499	1	0.17	105	17.50
2.2675614399	1	0.17	106	17.67
2.2703799532	1	0.17	107	17.83
2.276715434	1	0.17	108	18.00
2.2771542707	1	0.17	109	18.17
2.2775392757	1	0.17	110	18.33
2.2787418183	1	0.17	111	18.50
2.2789348172	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2814461439	1	0.17	113	18.83
2.284073346	1	0.17	114	19.00
2.2844173917	1	0.17	115	19.17
2.2847030792	1	0.17	116	19.33
2.2848369019	1	0.17	117	19.50
2.285302909	1	0.17	118	19.67
2.2853663212	1	0.17	119	19.83
2.2860365951	1	0.17	120	20.00
2.2869725606	1	0.17	121	20.17
2.2875607245	1	0.17	122	20.33
2.2877797436	1	0.17	123	20.50
2.2893248314	1	0.17	124	20.67
2.2916701631	1	0.17	125	20.83
2.2936286615	1	0.17	126	21.00
2.2942131883	1	0.17	127	21.17
2.296921503	1	0.17	128	21.33
2.2971154718	1	0.17	129	21.50
2.2972772548	1	0.17	130	21.67
2.297780478	1	0.17	131	21.83
2.3001905998	1	0.17	132	22.00
2.3020561591	1	0.17	133	22.17
2.3037649773	1	0.17	134	22.33
2.3053201596	1	0.17	135	22.50
2.3055742	1	0.17	136	22.67
2.3083824458	1	0.17	137	22.83
2.3090915283	1	0.17	138	23.00
2.3123950375	1	0.17	139	23.17
2.3132846059	1	0.17	140	23.33
2.3139242211	1	0.17	141	23.50
2.3152711721	1	0.17	142	23.67
2.3167240326	1	0.17	143	23.83
2.3169337583	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3174046874	1	0.17	145	24.17
2.317475869	1	0.17	146	24.33
2.3187942016	1	0.17	147	24.50
2.3194940487	1	0.17	148	24.67
2.3198246212	1	0.17	149	24.83
2.3199766333	1	0.17	150	25.00
2.3205549073	1	0.17	151	25.17
2.3208264002	1	0.17	152	25.33
2.3208385584	1	0.17	153	25.50
2.3210805659	1	0.17	154	25.67
2.3219195888	1	0.17	155	25.83
2.323226154	1	0.17	156	26.00
2.3263452246	1	0.17	157	26.17
2.3275988723	1	0.17	158	26.33
2.3282623095	1	0.17	159	26.50
2.3290895967	1	0.17	160	26.67
2.3308942928	1	0.17	161	26.83
2.3328375229	1	0.17	162	27.00
2.3331105633	1	0.17	163	27.17
2.3337896359	1	0.17	164	27.33
2.3346536769	1	0.17	165	27.50
2.3348627424	1	0.17	166	27.67
2.3348835134	1	0.17	167	27.83
2.3350728811	1	0.17	168	28.00
2.3352814968	1	0.17	169	28.17
2.3358885396	1	0.17	170	28.33
2.337101717	1	0.17	171	28.50
2.3376315493	1	0.17	172	28.67
2.3376965278	1	0.17	173	28.83
2.3383793558	1	0.17	174	29.00
2.3385315157	1	0.17	175	29.17
2.3389512336	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3396490024	1	0.17	177	29.50
2.3397027772	1	0.17	178	29.67
2.3402650559	1	0.17	179	29.83
2.3410013671	1	0.17	180	30.00
2.341347812	1	0.17	181	30.17
2.3413904278	1	0.17	182	30.33
2.3418187829	1	0.17	183	30.50
2.3423171785	1	0.17	184	30.67
2.3430069258	1	0.17	185	30.83
2.3469239008	1	0.17	186	31.00
2.3481858899	1	0.17	187	31.17
2.3488976743	1	0.17	188	31.33
2.3489829332	1	0.17	189	31.50
2.3497352272	1	0.17	190	31.67
2.3497963724	1	0.17	191	31.83
2.350946675	1	0.17	192	32.00
2.3538006146	1	0.17	193	32.17
2.3538243071	1	0.17	194	32.33
2.3542620509	1	0.17	195	32.50
2.3543570723	1	0.17	196	32.67
2.3548985767	1	0.17	197	32.83
2.3557577565	1	0.17	198	33.00
2.3572304378	1	0.17	199	33.17
2.3583254435	1	0.17	200	33.33
2.359892598	1	0.17	201	33.50
2.3611800114	1	0.17	202	33.67
2.3620768731	1	0.17	203	33.83
2.3626287446	1	0.17	204	34.00
2.363293925	1	0.17	205	34.17
2.3633037451	1	0.17	206	34.33
2.3636741916	1	0.17	207	34.50
2.3653659745	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3655980529	1	0.17	209	34.83
2.3656190061	1	0.17	210	35.00
2.3667872475	1	0.17	211	35.17
2.3670762669	1	0.17	212	35.33
2.3683608192	1	0.17	213	35.50
2.3696980244	1	0.17	214	35.67
2.3698138236	1	0.17	215	35.83
2.3700943548	1	0.17	216	36.00
2.3707283938	1	0.17	217	36.17
2.3708120866	1	0.17	218	36.33
2.3726801861	1	0.17	219	36.50
2.3736640175	1	0.17	220	36.67
2.3755492215	1	0.17	221	36.83
2.376331199	1	0.17	222	37.00
2.3779006995	1	0.17	223	37.17
2.3782971041	1	0.17	224	37.33
2.3792458656	1	0.17	225	37.50
2.3793489512	1	0.17	226	37.67
2.3807571721	1	0.17	227	37.83
2.3817732207	1	0.17	228	38.00
2.3824547232	1	0.17	229	38.17
2.3829635397	1	0.17	230	38.33
2.3853785098	1	0.17	231	38.50
2.3854680551	1	0.17	232	38.67
2.3882240248	1	0.17	233	38.83
2.3891919662	1	0.17	234	39.00
2.3901553097	1	0.17	235	39.17
2.390844827	1	0.17	236	39.33
2.3934269692	1	0.17	237	39.50
2.3942115202	1	0.17	238	39.67
2.3946641063	1	0.17	239	39.83
2.3954092501	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3965947296	1	0.17	241	40.17
2.3967429146	1	0.17	242	40.33
2.3968367904	1	0.17	243	40.50
2.3976687559	1	0.17	244	40.67
2.3982350912	1	0.17	245	40.83
2.3986495117	1	0.17	246	41.00
2.3988693841	1	0.17	247	41.17
2.3990547167	1	0.17	248	41.33
2.4021690988	1	0.17	249	41.50
2.402976803	1	0.17	250	41.67
2.4036248315	1	0.17	251	41.83
2.4046238404	1	0.17	252	42.00
2.4051010871	1	0.17	253	42.17
2.4058441351	1	0.17	254	42.33
2.406287495	1	0.17	255	42.50
2.4081719529	1	0.17	256	42.67
2.4094776287	1	0.17	257	42.83
2.409717541	1	0.17	258	43.00
2.4097876494	1	0.17	259	43.17
2.4119530343	1	0.17	260	43.33
2.4122424239	1	0.17	261	43.50
2.4136180932	1	0.17	262	43.67
2.4144749974	1	0.17	263	43.83
2.4157586475	1	0.17	264	44.00
2.4163337994	1	0.17	265	44.17
2.4163951065	1	0.17	266	44.33
2.4165337033	1	0.17	267	44.50
2.4174479649	1	0.17	268	44.67
2.4186397284	1	0.17	269	44.83
2.4188043633	1	0.17	270	45.00
2.4202395963	1	0.17	271	45.17
2.4203256841	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4218473958	1	0.17	273	45.50
2.4246930199	1	0.17	274	45.67
2.4273531873	1	0.17	275	45.83
2.4277620871	1	0.17	276	46.00
2.428215033	1	0.17	277	46.17
2.4285847564	1	0.17	278	46.33
2.4313462256	1	0.17	279	46.50
2.4315251694	1	0.17	280	46.67
2.4329846514	1	0.17	281	46.83
2.4333270401	1	0.17	282	47.00
2.4335105691	1	0.17	283	47.17
2.4337660705	1	0.17	284	47.33
2.4338823791	1	0.17	285	47.50
2.4342889045	1	0.17	286	47.67
2.4355703256	1	0.17	287	47.83
2.437706688	1	0.17	288	48.00
2.4382014545	1	0.17	289	48.17
2.4394235566	1	0.17	290	48.33
2.4396530392	1	0.17	291	48.50
2.439786638	1	0.17	292	48.67
2.4404803846	1	0.17	293	48.83
2.4406470781	1	0.17	294	49.00
2.4418072085	1	0.17	295	49.17
2.44193143	1	0.17	296	49.33
2.4422311823	1	0.17	297	49.50
2.4436373181	1	0.17	298	49.67
2.44399457	1	0.17	299	49.83
2.4440384254	1	0.17	300	50.00
2.4453221187	1	0.17	301	50.17
2.4456764639	1	0.17	302	50.33
2.445817577	1	0.17	303	50.50
2.4461903596	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4471928927	1	0.17	305	50.83
2.448259586	1	0.17	306	51.00
2.4492119377	1	0.17	307	51.17
2.4525611831	1	0.17	308	51.33
2.4534219077	1	0.17	309	51.50
2.4548277525	1	0.17	310	51.67
2.4556686922	1	0.17	311	51.83
2.456126262	1	0.17	312	52.00
2.4564973735	1	0.17	313	52.17
2.4565940916	1	0.17	314	52.33
2.457260519	1	0.17	315	52.50
2.4577738763	1	0.17	316	52.67
2.4583700261	1	0.17	317	52.83
2.4589914539	1	0.17	318	53.00
2.4595881022	1	0.17	319	53.17
2.4599511544	1	0.17	320	53.33
2.4613550237	1	0.17	321	53.50
2.4621785337	1	0.17	322	53.67
2.4622029303	1	0.17	323	53.83
2.4624876005	1	0.17	324	54.00
2.463640532	1	0.17	325	54.17
2.4639674923	1	0.17	326	54.33
2.4660561403	1	0.17	327	54.50
2.4661793624	1	0.17	328	54.67
2.4663324617	1	0.17	329	54.83
2.4667110171	1	0.17	330	55.00
2.4667656956	1	0.17	331	55.17
2.4682507365	1	0.17	332	55.33
2.4691461087	1	0.17	333	55.50
2.4692729092	1	0.17	334	55.67
2.4693629893	1	0.17	335	55.83
2.4704461351	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4710244295	1	0.17	337	56.17
2.4711175759	1	0.17	338	56.33
2.4715365774	1	0.17	339	56.50
2.4741636391	1	0.17	340	56.67
2.474671871	1	0.17	341	56.83
2.4759512294	1	0.17	342	57.00
2.4772131911	1	0.17	343	57.17
2.4777924893	1	0.17	344	57.33
2.4779243708	1	0.17	345	57.50
2.4787499572	1	0.17	346	57.67
2.4790136542	1	0.17	347	57.83
2.4803610873	1	0.17	348	58.00
2.4803868205	1	0.17	349	58.17
2.4804583838	1	0.17	350	58.33
2.4805109231	1	0.17	351	58.50
2.4809164587	1	0.17	352	58.67
2.4810713565	1	0.17	353	58.83
2.4813021162	1	0.17	354	59.00
2.4830656054	1	0.17	355	59.17
2.4830969643	1	0.17	356	59.33
2.4835038131	1	0.17	357	59.50
2.4839388295	1	0.17	358	59.67
2.4841062765	1	0.17	359	59.83
2.4850673703	1	0.17	360	60.00
2.4851284629	1	0.17	361	60.17
2.4853173152	1	0.17	362	60.33
2.485439715	1	0.17	363	60.50
2.4874911476	1	0.17	364	60.67
2.4880928342	1	0.17	365	60.83
2.4886243322	1	0.17	366	61.00
2.4886975275	1	0.17	367	61.17
2.4898909773	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4899280313	1	0.17	369	61.50
2.4899418883	1	0.17	370	61.67
2.4908789676	1	0.17	371	61.83
2.4918778622	1	0.17	372	62.00
2.4922849148	1	0.17	373	62.17
2.4922939415	1	0.17	374	62.33
2.4927755501	1	0.17	375	62.50
2.4944006257	1	0.17	376	62.67
2.4948277053	1	0.17	377	62.83
2.4953486825	1	0.17	378	63.00
2.4955870884	1	0.17	379	63.17
2.4956439633	1	0.17	380	63.33
2.4962380025	1	0.17	381	63.50
2.4968272011	1	0.17	382	63.67
2.4970582986	1	0.17	383	63.83
2.4976356085	1	0.17	384	64.00
2.4979135347	1	0.17	385	64.17
2.498187798	1	0.17	386	64.33
2.4988024618	1	0.17	387	64.50
2.4988270993	1	0.17	388	64.67
2.500149158	1	0.17	389	64.83
2.500671099	1	0.17	390	65.00
2.5011058189	1	0.17	391	65.17
2.5015940791	1	0.17	392	65.33
2.503712695	1	0.17	393	65.50
2.5037454393	1	0.17	394	65.67
2.5039686198	1	0.17	395	65.83
2.5043687708	1	0.17	396	66.00
2.5044274572	1	0.17	397	66.17
2.5048207323	1	0.17	398	66.33
2.5050543247	1	0.17	399	66.50
2.5058014013	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5061526404	1	0.17	401	66.83
2.5063371133	1	0.17	402	67.00
2.5069799649	1	0.17	403	67.17
2.5094866864	1	0.17	404	67.33
2.510797649	1	0.17	405	67.50
2.511308367	1	0.17	406	67.67
2.5117772124	1	0.17	407	67.83
2.5117772738	1	0.17	408	68.00
2.5132739318	1	0.17	409	68.17
2.5134663702	1	0.17	410	68.33
2.5135234435	1	0.17	411	68.50
2.5136708821	1	0.17	412	68.67
2.5142586585	1	0.17	413	68.83
2.5149746907	1	0.17	414	69.00
2.5152306042	1	0.17	415	69.17
2.5156184258	1	0.17	416	69.33
2.5157398182	1	0.17	417	69.50
2.5159081361	1	0.17	418	69.67
2.5166732963	1	0.17	419	69.83
2.5177101874	1	0.17	420	70.00
2.5182127365	1	0.17	421	70.17
2.518349461	1	0.17	422	70.33
2.5197275878	1	0.17	423	70.50
2.5197285472	1	0.17	424	70.67
2.5199777311	1	0.17	425	70.83
2.5214486084	1	0.17	426	71.00
2.5218886858	1	0.17	427	71.17
2.5221916614	1	0.17	428	71.33
2.5229985781	1	0.17	429	71.50
2.5267742851	1	0.17	430	71.67
2.5306744562	1	0.17	431	71.83
2.5321528081	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5334762493	1	0.17	433	72.17
2.5346170638	1	0.17	434	72.33
2.5354096125	1	0.17	435	72.50
2.5367969691	1	0.17	436	72.67
2.5372423694	1	0.17	437	72.83
2.537256858	1	0.17	438	73.00
2.5374811776	1	0.17	439	73.17
2.5393479104	1	0.17	440	73.33
2.5411462875	1	0.17	441	73.50
2.5412579921	1	0.17	442	73.67
2.5412747149	1	0.17	443	73.83
2.5428541534	1	0.17	444	74.00
2.5435662022	1	0.17	445	74.17
2.5458669918	1	0.17	446	74.33
2.5459876518	1	0.17	447	74.50
2.5464358376	1	0.17	448	74.67
2.5470336082	1	0.17	449	74.83
2.5475817225	1	0.17	450	75.00
2.5493413454	1	0.17	451	75.17
2.5498531423	1	0.17	452	75.33
2.5500703692	1	0.17	453	75.50
2.5503039588	1	0.17	454	75.67
2.5526962726	1	0.17	455	75.83
2.5536112943	1	0.17	456	76.00
2.5538012105	1	0.17	457	76.17
2.5543983218	1	0.17	458	76.33
2.5545944428	1	0.17	459	76.50
2.5548158941	1	0.17	460	76.67
2.5551463291	1	0.17	461	76.83
2.5555192657	1	0.17	462	77.00
2.5569178996	1	0.17	463	77.17
2.5583703802	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5588330085	1	0.17	465	77.50
2.5589057576	1	0.17	466	77.67
2.5590598842	1	0.17	467	77.83
2.5592886618	1	0.17	468	78.00
2.5608234583	1	0.17	469	78.17
2.562374494	1	0.17	470	78.33
2.5626133861	1	0.17	471	78.50
2.5627709636	1	0.17	472	78.67
2.5630384224	1	0.17	473	78.83
2.5655750097	1	0.17	474	79.00
2.5656019551	1	0.17	475	79.17
2.5663458769	1	0.17	476	79.33
2.5672134553	1	0.17	477	79.50
2.5680819859	1	0.17	478	79.67
2.5694740084	1	0.17	479	79.83
2.5699071161	1	0.17	480	80.00
2.570492757	1	0.17	481	80.17
2.5707200701	1	0.17	482	80.33
2.5720697795	1	0.17	483	80.50
2.5728111135	1	0.17	484	80.67
2.5733481882	1	0.17	485	80.83
2.5761576228	1	0.17	486	81.00
2.5767932976	1	0.17	487	81.17
2.5771018723	1	0.17	488	81.33
2.5779847455	1	0.17	489	81.50
2.5786553437	1	0.17	490	81.67
2.5787234512	1	0.17	491	81.83
2.5799277965	1	0.17	492	82.00
2.580264694	1	0.17	493	82.17
2.5811254638	1	0.17	494	82.33
2.58147796	1	0.17	495	82.50
2.5820278793	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5829932593	1	0.17	497	82.83
2.587046887	1	0.17	498	83.00
2.5872954279	1	0.17	499	83.17
2.5882437886	1	0.17	500	83.33
2.588601304	1	0.17	501	83.50
2.5897469713	1	0.17	502	83.67
2.5903528274	1	0.17	503	83.83
2.5907759731	1	0.17	504	84.00
2.5908608772	1	0.17	505	84.17
2.5909059455	1	0.17	506	84.33
2.5917113749	1	0.17	507	84.50
2.5924837758	1	0.17	508	84.67
2.5926301378	1	0.17	509	84.83
2.5937527143	1	0.17	510	85.00
2.594046222	1	0.17	511	85.17
2.5946080577	1	0.17	512	85.33
2.5953837551	1	0.17	513	85.50
2.5954932114	1	0.17	514	85.67
2.5970328241	1	0.17	515	85.83
2.5975354077	1	0.17	516	86.00
2.6005384266	1	0.17	517	86.17
2.6006934463	1	0.17	518	86.33
2.6022668688	1	0.17	519	86.50
2.6023644787	1	0.17	520	86.67
2.6045344373	1	0.17	521	86.83
2.6098208356	1	0.17	522	87.00
2.6106337343	1	0.17	523	87.17
2.6108117142	1	0.17	524	87.33
2.6108686524	1	0.17	525	87.50
2.6116196545	1	0.17	526	87.67
2.612620571	1	0.17	527	87.83
2.6132617587	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6181675766	1	0.17	529	88.17
2.6196089056	1	0.17	530	88.33
2.6207004934	1	0.17	531	88.50
2.6249019651	1	0.17	532	88.67
2.6271831295	1	0.17	533	88.83
2.6281131719	1	0.17	534	89.00
2.6282701706	1	0.17	535	89.17
2.6300222231	1	0.17	536	89.33
2.6303609164	1	0.17	537	89.50
2.6316484455	1	0.17	538	89.67
2.6352755769	1	0.17	539	89.83
2.6356488966	1	0.17	540	90.00
2.6358408727	1	0.17	541	90.17
2.6370553788	1	0.17	542	90.33
2.6380064887	1	0.17	543	90.50
2.6392693344	1	0.17	544	90.67
2.6405325473	1	0.17	545	90.83
2.6405998929	1	0.17	546	91.00
2.6418064306	1	0.17	547	91.17
2.6437391189	1	0.17	548	91.33
2.6487335851	1	0.17	549	91.50
2.6508019987	1	0.17	550	91.67
2.6508887437	1	0.17	551	91.83
2.6514060207	1	0.17	552	92.00
2.6518170078	1	0.17	553	92.17
2.6518198102	1	0.17	554	92.33
2.6532119326	1	0.17	555	92.50
2.65370442	1	0.17	556	92.67
2.6539657833	1	0.17	557	92.83
2.6543749341	1	0.17	558	93.00
2.6545444835	1	0.17	559	93.17
2.6547000755	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6556058254	1	0.17	561	93.50
2.6585561897	1	0.17	562	93.67
2.6651432256	1	0.17	563	93.83
2.6657383374	1	0.17	564	94.00
2.6671133964	1	0.17	565	94.17
2.6727321471	1	0.17	566	94.33
2.6771554769	1	0.17	567	94.50
2.6771901209	1	0.17	568	94.67
2.6775732265	1	0.17	569	94.83
2.6790188039	1	0.17	570	95.00
2.6797714268	1	0.17	571	95.17
2.6803436734	1	0.17	572	95.33
2.6813997927	1	0.17	573	95.50
2.6883013003	1	0.17	574	95.67
2.688894847	1	0.17	575	95.83
2.6911037748	1	0.17	576	96.00
2.6912930781	1	0.17	577	96.17
2.692153152	1	0.17	578	96.33
2.6959206892	1	0.17	579	96.50
2.6976790346	1	0.17	580	96.67
2.7011693179	1	0.17	581	96.83
2.7126739344	1	0.17	582	97.00
2.714370759	1	0.17	583	97.17
2.7146533073	1	0.17	584	97.33
2.7148799199	1	0.17	585	97.50
2.723265994	1	0.17	586	97.67
2.7269339269	1	0.17	587	97.83
2.7299653478	1	0.17	588	98.00
2.7349855535	1	0.17	589	98.17
2.7363264267	1	0.17	590	98.33
2.7405555371	1	0.17	591	98.50
2.7583918202	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V01BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7604608231	1	0.17	593	98.83
2.7612435861	1	0.17	594	99.00
2.7633395595	1	0.17	595	99.17
2.7927494656	1	0.17	596	99.33
2.8017919531	1	0.17	597	99.50
2.8049958702	1	0.17	598	99.67
2.8060404511	1	0.17	599	99.83
2.8254112537	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
-0.439272678	1	0.17	50	8.33
-0.328919612	1	0.17	51	8.50
-0.296484105	1	0.17	52	8.67
-0.277569854	1	0.17	53	8.83
-0.2694445	1	0.17	54	9.00
-0.257589127	1	0.17	55	9.17
-0.250150654	1	0.17	56	9.33
-0.218605569	1	0.17	57	9.50
-0.218600173	1	0.17	58	9.67
-0.208525247	1	0.17	59	9.83
-0.20660952	1	0.17	60	10.00
-0.199756462	1	0.17	61	10.17
-0.187876455	1	0.17	62	10.33
-0.174899234	1	0.17	63	10.50
-0.165257581	1	0.17	64	10.67
-0.16271821	1	0.17	65	10.83
-0.16099588	1	0.17	66	11.00
-0.154801355	1	0.17	67	11.17
-0.154019824	1	0.17	68	11.33
-0.150002996	1	0.17	69	11.50
-0.149908302	1	0.17	70	11.67
-0.146197251	1	0.17	71	11.83
-0.14528985	1	0.17	72	12.00
-0.142802392	1	0.17	73	12.17
-0.141344996	1	0.17	74	12.33
-0.132667584	1	0.17	75	12.50
-0.131694434	1	0.17	76	12.67
-0.127268882	1	0.17	77	12.83
-0.126514692	1	0.17	78	13.00
-0.122190372	1	0.17	79	13.17
-0.118657014	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.11696236	1	0.17	81	13.50
-0.116070973	1	0.17	82	13.67
-0.115646528	1	0.17	83	13.83
-0.114692115	1	0.17	84	14.00
-0.112643646	1	0.17	85	14.17
-0.110119917	1	0.17	86	14.33
-0.108903546	1	0.17	87	14.50
-0.107366548	1	0.17	88	14.67
-0.106819141	1	0.17	89	14.83
-0.106452018	1	0.17	90	15.00
-0.105101526	1	0.17	91	15.17
-0.10462185	1	0.17	92	15.33
-0.103249701	1	0.17	93	15.50
-0.102634413	1	0.17	94	15.67
-0.1016921	1	0.17	95	15.83
-0.099652574	1	0.17	96	16.00
-0.097346099	1	0.17	97	16.17
-0.095798725	1	0.17	98	16.33
-0.093064623	1	0.17	99	16.50
-0.090381851	1	0.17	100	16.67
-0.090055577	1	0.17	101	16.83
-0.088841056	1	0.17	102	17.00
-0.088297731	1	0.17	103	17.17
-0.086241548	1	0.17	104	17.33
-0.085639015	1	0.17	105	17.50
-0.08555201	1	0.17	106	17.67
-0.085451738	1	0.17	107	17.83
-0.084378175	1	0.17	108	18.00
-0.08343197	1	0.17	109	18.17
-0.082506823	1	0.17	110	18.33
-0.081712458	1	0.17	111	18.50
-0.076716358	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.074576799	1	0.17	113	18.83
-0.070988634	1	0.17	114	19.00
-0.07026177	1	0.17	115	19.17
-0.070004798	1	0.17	116	19.33
-0.068753171	1	0.17	117	19.50
-0.067551676	1	0.17	118	19.67
-0.066220457	1	0.17	119	19.83
-0.065601599	1	0.17	120	20.00
-0.06501286	1	0.17	121	20.17
-0.064233338	1	0.17	122	20.33
-0.064030615	1	0.17	123	20.50
-0.06390474	1	0.17	124	20.67
-0.063621534	1	0.17	125	20.83
-0.062285515	1	0.17	126	21.00
-0.062238703	1	0.17	127	21.17
-0.060148602	1	0.17	128	21.33
-0.058707771	1	0.17	129	21.50
-0.058219165	1	0.17	130	21.67
-0.056406818	1	0.17	131	21.83
-0.053470587	1	0.17	132	22.00
-0.051939045	1	0.17	133	22.17
-0.051823944	1	0.17	134	22.33
-0.051558949	1	0.17	135	22.50
-0.0490842	1	0.17	136	22.67
-0.048961663	1	0.17	137	22.83
-0.048092586	1	0.17	138	23.00
-0.047576026	1	0.17	139	23.17
-0.04627096	1	0.17	140	23.33
-0.045856929	1	0.17	141	23.50
-0.045851364	1	0.17	142	23.67
-0.045715635	1	0.17	143	23.83
-0.045676111	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.045242017	1	0.17	145	24.17
-0.0444497831	1	0.17	146	24.33
-0.044343217	1	0.17	147	24.50
-0.042873063	1	0.17	148	24.67
-0.040481436	1	0.17	149	24.83
-0.040474291	1	0.17	150	25.00
-0.039419919	1	0.17	151	25.17
-0.039282657	1	0.17	152	25.33
-0.039268502	1	0.17	153	25.50
-0.038894811	1	0.17	154	25.67
-0.03808501	1	0.17	155	25.83
-0.037846972	1	0.17	156	26.00
-0.036519739	1	0.17	157	26.17
-0.036054962	1	0.17	158	26.33
-0.035851539	1	0.17	159	26.50
-0.035541291	1	0.17	160	26.67
-0.034889918	1	0.17	161	26.83
-0.033633333	1	0.17	162	27.00
-0.033564826	1	0.17	163	27.17
-0.03207989	1	0.17	164	27.33
-0.031740363	1	0.17	165	27.50
-0.03139195	1	0.17	166	27.67
-0.028409173	1	0.17	167	27.83
-0.026767498	1	0.17	168	28.00
-0.026744569	1	0.17	169	28.17
-0.026584182	1	0.17	170	28.33
-0.026010452	1	0.17	171	28.50
-0.025651209	1	0.17	172	28.67
-0.025346208	1	0.17	173	28.83
-0.025277632	1	0.17	174	29.00
-0.024602438	1	0.17	175	29.17
-0.02292969	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.02279025	1	0.17	177	29.50
-0.02215515	1	0.17	178	29.67
-0.022040345	1	0.17	179	29.83
-0.021842042	1	0.17	180	30.00
-0.020996538	1	0.17	181	30.17
-0.020382034	1	0.17	182	30.33
-0.019951021	1	0.17	183	30.50
-0.019712819	1	0.17	184	30.67
-0.018941922	1	0.17	185	30.83
-0.018877629	1	0.17	186	31.00
-0.018105969	1	0.17	187	31.17
-0.018028322	1	0.17	188	31.33
-0.016032641	1	0.17	189	31.50
-0.012462604	1	0.17	190	31.67
-0.012275073	1	0.17	191	31.83
-0.011988286	1	0.17	192	32.00
-0.011779463	1	0.17	193	32.17
-0.01128077	1	0.17	194	32.33
-0.010612223	1	0.17	195	32.50
-0.01032146	1	0.17	196	32.67
-0.009946336	1	0.17	197	32.83
-0.009597191	1	0.17	198	33.00
-0.009449764	1	0.17	199	33.17
-0.009032009	1	0.17	200	33.33
-0.008972386	1	0.17	201	33.50
-0.007711273	1	0.17	202	33.67
-0.007245114	1	0.17	203	33.83
-0.006023106	1	0.17	204	34.00
-0.00601966	1	0.17	205	34.17
-0.005943149	1	0.17	206	34.33
-0.004885026	1	0.17	207	34.50
-0.004712175	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.004624782	1	0.17	209	34.83
-0.004248836	1	0.17	210	35.00
-0.003834799	1	0.17	211	35.17
-0.002623622	1	0.17	212	35.33
-0.002402638	1	0.17	213	35.50
-0.002251532	1	0.17	214	35.67
-0.00168763	1	0.17	215	35.83
-0.001523159	1	0.17	216	36.00
-0.001509886	1	0.17	217	36.17
-0.001183134	1	0.17	218	36.33
-0.000260477	1	0.17	219	36.50
-0.000081329	1	0.17	220	36.67
-0.00004459	1	0.17	221	36.83
0.001825014	1	0.17	222	37.00
0.0022723714	1	0.17	223	37.17
0.002272768	1	0.17	224	37.33
0.0026553857	1	0.17	225	37.50
0.002677274	1	0.17	226	37.67
0.00344725	1	0.17	227	37.83
0.0047582546	1	0.17	228	38.00
0.0049573733	1	0.17	229	38.17
0.0050535976	1	0.17	230	38.33
0.0054005735	1	0.17	231	38.50
0.0063637207	1	0.17	232	38.67
0.0070293814	1	0.17	233	38.83
0.0070811594	1	0.17	234	39.00
0.0071812573	1	0.17	235	39.17
0.0073448274	1	0.17	236	39.33
0.0088823815	1	0.17	237	39.50
0.0095713318	1	0.17	238	39.67
0.0098560072	1	0.17	239	39.83
0.0099985397	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0103617419	1	0.17	241	40.17
0.0108625476	1	0.17	242	40.33
0.0110920333	1	0.17	243	40.50
0.0116792367	1	0.17	244	40.67
0.0117686837	1	0.17	245	40.83
0.0118093608	1	0.17	246	41.00
0.0118269276	1	0.17	247	41.17
0.0137215016	1	0.17	248	41.33
0.01408924	1	0.17	249	41.50
0.0149025364	1	0.17	250	41.67
0.0149837778	1	0.17	251	41.83
0.0152721829	1	0.17	252	42.00
0.0190583996	1	0.17	253	42.17
0.0190632006	1	0.17	254	42.33
0.0190781602	1	0.17	255	42.50
0.0193375332	1	0.17	256	42.67
0.0194285803	1	0.17	257	42.83
0.0197206583	1	0.17	258	43.00
0.0200048993	1	0.17	259	43.17
0.0204913463	1	0.17	260	43.33
0.0205079614	1	0.17	261	43.50
0.0210849081	1	0.17	262	43.67
0.0216396291	1	0.17	263	43.83
0.0225913815	1	0.17	264	44.00
0.0230522977	1	0.17	265	44.17
0.0230693722	1	0.17	266	44.33
0.0247491652	1	0.17	267	44.50
0.0248441287	1	0.17	268	44.67
0.0251524345	1	0.17	269	44.83
0.0253405965	1	0.17	270	45.00
0.0264701429	1	0.17	271	45.17
0.0269066967	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0279658299	1	0.17	273	45.50
0.0281560734	1	0.17	274	45.67
0.0281575002	1	0.17	275	45.83
0.0285189185	1	0.17	276	46.00
0.0291768226	1	0.17	277	46.17
0.0313828249	1	0.17	278	46.33
0.0321610312	1	0.17	279	46.50
0.0330234282	1	0.17	280	46.67
0.0340044946	1	0.17	281	46.83
0.0345264288	1	0.17	282	47.00
0.0345609913	1	0.17	283	47.17
0.0347097924	1	0.17	284	47.33
0.0353414888	1	0.17	285	47.50
0.0362078308	1	0.17	286	47.67
0.0363643327	1	0.17	287	47.83
0.0365441144	1	0.17	288	48.00
0.0366003187	1	0.17	289	48.17
0.0372964898	1	0.17	290	48.33
0.0373431033	1	0.17	291	48.50
0.0376957342	1	0.17	292	48.67
0.0378451228	1	0.17	293	48.83
0.0385295488	1	0.17	294	49.00
0.0385819208	1	0.17	295	49.17
0.038668367	1	0.17	296	49.33
0.0390751133	1	0.17	297	49.50
0.0399301835	1	0.17	298	49.67
0.0425285934	1	0.17	299	49.83
0.0441030786	1	0.17	300	50.00
0.044786062	1	0.17	301	50.17
0.0454788374	1	0.17	302	50.33
0.0455897785	1	0.17	303	50.50
0.0459485489	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.046155215	1	0.17	305	50.83
0.0461967792	1	0.17	306	51.00
0.0471573088	1	0.17	307	51.17
0.0474589135	1	0.17	308	51.33
0.0483393987	1	0.17	309	51.50
0.0488343226	1	0.17	310	51.67
0.0489648754	1	0.17	311	51.83
0.0495684073	1	0.17	312	52.00
0.0498190186	1	0.17	313	52.17
0.0502874058	1	0.17	314	52.33
0.051172067	1	0.17	315	52.50
0.0517873065	1	0.17	316	52.67
0.0521286956	1	0.17	317	52.83
0.0526354427	1	0.17	318	53.00
0.0528042199	1	0.17	319	53.17
0.0529838268	1	0.17	320	53.33
0.0535417373	1	0.17	321	53.50
0.0538807388	1	0.17	322	53.67
0.0546316568	1	0.17	323	53.83
0.0554381364	1	0.17	324	54.00
0.0554441125	1	0.17	325	54.17
0.0559947672	1	0.17	326	54.33
0.0561182935	1	0.17	327	54.50
0.0563984223	1	0.17	328	54.67
0.0564149982	1	0.17	329	54.83
0.0566262692	1	0.17	330	55.00
0.0567475956	1	0.17	331	55.17
0.0570337978	1	0.17	332	55.33
0.0582002552	1	0.17	333	55.50
0.0588457707	1	0.17	334	55.67
0.0589571689	1	0.17	335	55.83
0.0591684687	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0593887019	1	0.17	337	56.17
0.0597634887	1	0.17	338	56.33
0.0597759211	1	0.17	339	56.50
0.0599474733	1	0.17	340	56.67
0.0604609724	1	0.17	341	56.83
0.0612755159	1	0.17	342	57.00
0.0617964984	1	0.17	343	57.17
0.0618717293	1	0.17	344	57.33
0.0624217212	1	0.17	345	57.50
0.0625129981	1	0.17	346	57.67
0.0625494671	1	0.17	347	57.83
0.0627632183	1	0.17	348	58.00
0.0629012384	1	0.17	349	58.17
0.0629203848	1	0.17	350	58.33
0.0634082906	1	0.17	351	58.50
0.0634903473	1	0.17	352	58.67
0.0636829856	1	0.17	353	58.83
0.0638255003	1	0.17	354	59.00
0.0638991324	1	0.17	355	59.17
0.0642204512	1	0.17	356	59.33
0.0645359976	1	0.17	357	59.50
0.0648040798	1	0.17	358	59.67
0.0650763497	1	0.17	359	59.83
0.0651904503	1	0.17	360	60.00
0.0655083292	1	0.17	361	60.17
0.0658806829	1	0.17	362	60.33
0.066211873	1	0.17	363	60.50
0.0665734369	1	0.17	364	60.67
0.066727465	1	0.17	365	60.83
0.0671259385	1	0.17	366	61.00
0.0671520961	1	0.17	367	61.17
0.0672736901	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0675339945	1	0.17	369	61.50
0.0680447106	1	0.17	370	61.67
0.0685194478	1	0.17	371	61.83
0.0689693601	1	0.17	372	62.00
0.0694255153	1	0.17	373	62.17
0.0696857691	1	0.17	374	62.33
0.0705546125	1	0.17	375	62.50
0.0707043152	1	0.17	376	62.67
0.0707471856	1	0.17	377	62.83
0.0708574419	1	0.17	378	63.00
0.0712696603	1	0.17	379	63.17
0.0715350515	1	0.17	380	63.33
0.0715645796	1	0.17	381	63.50
0.0717280295	1	0.17	382	63.67
0.072243208	1	0.17	383	63.83
0.0723583088	1	0.17	384	64.00
0.0724829987	1	0.17	385	64.17
0.072863348	1	0.17	386	64.33
0.0728899226	1	0.17	387	64.50
0.0734731024	1	0.17	388	64.67
0.0739094962	1	0.17	389	64.83
0.0740482984	1	0.17	390	65.00
0.0742633649	1	0.17	391	65.17
0.0743823222	1	0.17	392	65.33
0.0747555831	1	0.17	393	65.50
0.0748732036	1	0.17	394	65.67
0.0757307207	1	0.17	395	65.83
0.0764446358	1	0.17	396	66.00
0.0768546584	1	0.17	397	66.17
0.076939025	1	0.17	398	66.33
0.0769870328	1	0.17	399	66.50
0.0770217484	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0770665429	1	0.17	401	66.83
0.0771137478	1	0.17	402	67.00
0.0772366223	1	0.17	403	67.17
0.0779151995	1	0.17	404	67.33
0.0782945727	1	0.17	405	67.50
0.0800259485	1	0.17	406	67.67
0.0800311769	1	0.17	407	67.83
0.0800758445	1	0.17	408	68.00
0.0801622983	1	0.17	409	68.17
0.0810828485	1	0.17	410	68.33
0.081465572	1	0.17	411	68.50
0.0814890923	1	0.17	412	68.67
0.0815706383	1	0.17	413	68.83
0.0821563103	1	0.17	414	69.00
0.0825594228	1	0.17	415	69.17
0.083138777	1	0.17	416	69.33
0.0848914019	1	0.17	417	69.50
0.0854047671	1	0.17	418	69.67
0.0859784894	1	0.17	419	69.83
0.0861940495	1	0.17	420	70.00
0.0866784897	1	0.17	421	70.17
0.0869548996	1	0.17	422	70.33
0.0876823716	1	0.17	423	70.50
0.0880495149	1	0.17	424	70.67
0.0883943312	1	0.17	425	70.83
0.0885907971	1	0.17	426	71.00
0.0902388502	1	0.17	427	71.17
0.0907118623	1	0.17	428	71.33
0.0908010565	1	0.17	429	71.50
0.0908504876	1	0.17	430	71.67
0.0910503046	1	0.17	431	71.83
0.0915952348	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0916638385	1	0.17	433	72.17
0.0918925407	1	0.17	434	72.33
0.0934206057	1	0.17	435	72.50
0.0937595831	1	0.17	436	72.67
0.0941867782	1	0.17	437	72.83
0.094723126	1	0.17	438	73.00
0.0947759144	1	0.17	439	73.17
0.0950563291	1	0.17	440	73.33
0.0952795664	1	0.17	441	73.50
0.0954901941	1	0.17	442	73.67
0.0957690433	1	0.17	443	73.83
0.0960741075	1	0.17	444	74.00
0.0964246761	1	0.17	445	74.17
0.0965091238	1	0.17	446	74.33
0.0966189385	1	0.17	447	74.50
0.0967757218	1	0.17	448	74.67
0.0968494879	1	0.17	449	74.83
0.0968573747	1	0.17	450	75.00
0.0974558986	1	0.17	451	75.17
0.0979638957	1	0.17	452	75.33
0.0980216298	1	0.17	453	75.50
0.0981514174	1	0.17	454	75.67
0.0987751347	1	0.17	455	75.83
0.0991230916	1	0.17	456	76.00
0.0996183943	1	0.17	457	76.17
0.1002718787	1	0.17	458	76.33
0.1004000516	1	0.17	459	76.50
0.100418535	1	0.17	460	76.67
0.1005974839	1	0.17	461	76.83
0.1010722922	1	0.17	462	77.00
0.1011208878	1	0.17	463	77.17
0.1018183392	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.102101344	1	0.17	465	77.50
0.1029961261	1	0.17	466	77.67
0.1035806891	1	0.17	467	77.83
0.1036365089	1	0.17	468	78.00
0.1039598797	1	0.17	469	78.17
0.1041173676	1	0.17	470	78.33
0.1042270492	1	0.17	471	78.50
0.1044517467	1	0.17	472	78.67
0.104992307	1	0.17	473	78.83
0.1049977717	1	0.17	474	79.00
0.1053869233	1	0.17	475	79.17
0.1059796075	1	0.17	476	79.33
0.10610972	1	0.17	477	79.50
0.1061292768	1	0.17	478	79.67
0.1061788373	1	0.17	479	79.83
0.1066578802	1	0.17	480	80.00
0.1074985043	1	0.17	481	80.17
0.1080194457	1	0.17	482	80.33
0.1081205147	1	0.17	483	80.50
0.1086618125	1	0.17	484	80.67
0.1088157416	1	0.17	485	80.83
0.1094611263	1	0.17	486	81.00
0.1104257446	1	0.17	487	81.17
0.1106406872	1	0.17	488	81.33
0.1110779344	1	0.17	489	81.50
0.111960193	1	0.17	490	81.67
0.1120732901	1	0.17	491	81.83
0.1122593805	1	0.17	492	82.00
0.1127042855	1	0.17	493	82.17
0.1127064801	1	0.17	494	82.33
0.1132436265	1	0.17	495	82.50
0.1135794877	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1137029163	1	0.17	497	82.83
0.1138448321	1	0.17	498	83.00
0.1143113751	1	0.17	499	83.17
0.1144249878	1	0.17	500	83.33
0.1150864603	1	0.17	501	83.50
0.1153327444	1	0.17	502	83.67
0.1156226001	1	0.17	503	83.83
0.1157503062	1	0.17	504	84.00
0.1159338724	1	0.17	505	84.17
0.1161609984	1	0.17	506	84.33
0.1172773799	1	0.17	507	84.50
0.1183025824	1	0.17	508	84.67
0.1190766415	1	0.17	509	84.83
0.1197606502	1	0.17	510	85.00
0.1198243925	1	0.17	511	85.17
0.1199637724	1	0.17	512	85.33
0.1208885187	1	0.17	513	85.50
0.1210490291	1	0.17	514	85.67
0.121075673	1	0.17	515	85.83
0.1211407863	1	0.17	516	86.00
0.1222312285	1	0.17	517	86.17
0.1225451862	1	0.17	518	86.33
0.1236358682	1	0.17	519	86.50
0.1237184211	1	0.17	520	86.67
0.123782268	1	0.17	521	86.83
0.1239130074	1	0.17	522	87.00
0.1246403291	1	0.17	523	87.17
0.1247793723	1	0.17	524	87.33
0.1252661072	1	0.17	525	87.50
0.1255376723	1	0.17	526	87.67
0.1264992357	1	0.17	527	87.83
0.1269762718	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1275998552	1	0.17	529	88.17
0.1298723161	1	0.17	530	88.33
0.1300777752	1	0.17	531	88.50
0.130286813	1	0.17	532	88.67
0.131644469	1	0.17	533	88.83
0.131880687	1	0.17	534	89.00
0.1319051803	1	0.17	535	89.17
0.1326578144	1	0.17	536	89.33
0.1330541228	1	0.17	537	89.50
0.1331755163	1	0.17	538	89.67
0.133258104	1	0.17	539	89.83
0.1336806243	1	0.17	540	90.00
0.1339244963	1	0.17	541	90.17
0.133977005	1	0.17	542	90.33
0.1340395807	1	0.17	543	90.50
0.1340780743	1	0.17	544	90.67
0.134977769	1	0.17	545	90.83
0.1354884446	1	0.17	546	91.00
0.1356312775	1	0.17	547	91.17
0.1363129966	1	0.17	548	91.33
0.1363932766	1	0.17	549	91.50
0.1364027875	1	0.17	550	91.67
0.1364663424	1	0.17	551	91.83
0.1367787687	1	0.17	552	92.00
0.1378380579	1	0.17	553	92.17
0.1390023888	1	0.17	554	92.33
0.139821489	1	0.17	555	92.50
0.1402029731	1	0.17	556	92.67
0.140307657	1	0.17	557	92.83
0.1413992522	1	0.17	558	93.00
0.1418133352	1	0.17	559	93.17
0.14188638	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1421340181	1	0.17	561	93.50
0.1430077033	1	0.17	562	93.67
0.1433420984	1	0.17	563	93.83
0.1434153071	1	0.17	564	94.00
0.1434734872	1	0.17	565	94.17
0.1446973126	1	0.17	566	94.33
0.1457724847	1	0.17	567	94.50
0.1458924279	1	0.17	568	94.67
0.148406688	1	0.17	569	94.83
0.1493717833	1	0.17	570	95.00
0.1513271101	1	0.17	571	95.17
0.1515350185	1	0.17	572	95.33
0.1527350826	1	0.17	573	95.50
0.1529061941	1	0.17	574	95.67
0.1555855715	1	0.17	575	95.83
0.155611899	1	0.17	576	96.00
0.1564889692	1	0.17	577	96.17
0.160510195	1	0.17	578	96.33
0.1612594775	1	0.17	579	96.50
0.1615751815	1	0.17	580	96.67
0.1645541585	1	0.17	581	96.83
0.1652386383	1	0.17	582	97.00
0.1652392111	1	0.17	583	97.17
0.1655141174	1	0.17	584	97.33
0.1681382748	1	0.17	585	97.50
0.170372206	1	0.17	586	97.67
0.1721602517	1	0.17	587	97.83
0.1744840265	1	0.17	588	98.00
0.1767123555	1	0.17	589	98.17
0.1807349064	1	0.17	590	98.33
0.1831965727	1	0.17	591	98.50
0.1834343898	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V01BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1854143925	1	0.17	593	98.83
0.188232584	1	0.17	594	99.00
0.1884691883	1	0.17	595	99.17
0.191885242	1	0.17	596	99.33
0.1968696079	1	0.17	597	99.50
0.1980667024	1	0.17	598	99.67
0.2016112086	1	0.17	599	99.83
0.2139518178	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49	8.17	49	8.17
0.1012816044	1	0.17	50	8.33
0.1362679038	1	0.17	51	8.50
0.1589173615	1	0.17	52	8.67
0.1667397774	1	0.17	53	8.83
0.1669025851	1	0.17	54	9.00
0.1746087023	1	0.17	55	9.17
0.1769115908	1	0.17	56	9.33
0.179016753	1	0.17	57	9.50
0.1793755107	1	0.17	58	9.67
0.1797167199	1	0.17	59	9.83
0.1799434745	1	0.17	60	10.00
0.1811458055	1	0.17	61	10.17
0.1814908999	1	0.17	62	10.33
0.1834177498	1	0.17	63	10.50
0.1857003959	1	0.17	64	10.67
0.1891562247	1	0.17	65	10.83
0.1899763183	1	0.17	66	11.00
0.1915746676	1	0.17	67	11.17
0.1917455348	1	0.17	68	11.33
0.1954939702	1	0.17	69	11.50
0.1969417332	1	0.17	70	11.67
0.2029522085	1	0.17	71	11.83
0.2033722871	1	0.17	72	12.00
0.2037635458	1	0.17	73	12.17
0.2044199716	1	0.17	74	12.33
0.2045116987	1	0.17	75	12.50
0.2048108768	1	0.17	76	12.67
0.2069247019	1	0.17	77	12.83
0.2070773931	1	0.17	78	13.00
0.2075416697	1	0.17	79	13.17
0.2079585966	1	0.17	80	13.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2110072324	1	0.17	81	13.50
0.2122330846	1	0.17	82	13.67
0.2133409421	1	0.17	83	13.83
0.2136640794	1	0.17	84	14.00
0.2138482307	1	0.17	85	14.17
0.2149818758	1	0.17	86	14.33
0.2155664359	1	0.17	87	14.50
0.2177987274	1	0.17	88	14.67
0.2186149088	1	0.17	89	14.83
0.2203759294	1	0.17	90	15.00
0.2211813603	1	0.17	91	15.17
0.2212333539	1	0.17	92	15.33
0.221329648	1	0.17	93	15.50
0.2213395368	1	0.17	94	15.67
0.2215110841	1	0.17	95	15.83
0.2224307692	1	0.17	96	16.00
0.2233416467	1	0.17	97	16.17
0.2263782205	1	0.17	98	16.33
0.2267240153	1	0.17	99	16.50
0.2276291604	1	0.17	100	16.67
0.2279350886	1	0.17	101	16.83
0.2291695381	1	0.17	102	17.00
0.2292695661	1	0.17	103	17.17
0.2304762884	1	0.17	104	17.33
0.2306510345	1	0.17	105	17.50
0.2321404053	1	0.17	106	17.67
0.2336836074	1	0.17	107	17.83
0.2342592407	1	0.17	108	18.00
0.2352308206	1	0.17	109	18.17
0.2366048224	1	0.17	110	18.33
0.2373877106	1	0.17	111	18.50
0.2383685919	1	0.17	112	18.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2385593229	1	0.17	113	18.83
0.239802859	1	0.17	114	19.00
0.2415969011	1	0.17	115	19.17
0.2436888597	1	0.17	116	19.33
0.2443682055	1	0.17	117	19.50
0.244651199	1	0.17	118	19.67
0.2448152324	1	0.17	119	19.83
0.244839762	1	0.17	120	20.00
0.2459271547	1	0.17	121	20.17
0.2473384207	1	0.17	122	20.33
0.2480883245	1	0.17	123	20.50
0.2484572492	1	0.17	124	20.67
0.2486396167	1	0.17	125	20.83
0.24899336	1	0.17	126	21.00
0.249012012	1	0.17	127	21.17
0.2491356711	1	0.17	128	21.33
0.2492778317	1	0.17	129	21.50
0.2494729707	1	0.17	130	21.67
0.2497189859	1	0.17	131	21.83
0.250561091	1	0.17	132	22.00
0.2509264041	1	0.17	133	22.17
0.2510997102	1	0.17	134	22.33
0.2513449518	1	0.17	135	22.50
0.2515377137	1	0.17	136	22.67
0.2524964105	1	0.17	137	22.83
0.2525817868	1	0.17	138	23.00
0.2530713561	1	0.17	139	23.17
0.2538454479	1	0.17	140	23.33
0.254606864	1	0.17	141	23.50
0.2562819316	1	0.17	142	23.67
0.2569617099	1	0.17	143	23.83
0.2569753474	1	0.17	144	24.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2571331034	1	0.17	145	24.17
0.2572920917	1	0.17	146	24.33
0.2576062996	1	0.17	147	24.50
0.2580215174	1	0.17	148	24.67
0.2583217253	1	0.17	149	24.83
0.2588275318	1	0.17	150	25.00
0.2590896671	1	0.17	151	25.17
0.2598121513	1	0.17	152	25.33
0.2601322611	1	0.17	153	25.50
0.2606420412	1	0.17	154	25.67
0.2612240676	1	0.17	155	25.83
0.2613570059	1	0.17	156	26.00
0.2613713401	1	0.17	157	26.17
0.2633508736	1	0.17	158	26.33
0.2634377209	1	0.17	159	26.50
0.2636136733	1	0.17	160	26.67
0.2636857056	1	0.17	161	26.83
0.2638500374	1	0.17	162	27.00
0.2643430597	1	0.17	163	27.17
0.2644935578	1	0.17	164	27.33
0.2653317185	1	0.17	165	27.50
0.2659530306	1	0.17	166	27.67
0.2661623339	1	0.17	167	27.83
0.2665457126	1	0.17	168	28.00
0.2666910903	1	0.17	169	28.17
0.2668535414	1	0.17	170	28.33
0.2673371409	1	0.17	171	28.50
0.267813417	1	0.17	172	28.67
0.268332295	1	0.17	173	28.83
0.2693622614	1	0.17	174	29.00
0.2696578972	1	0.17	175	29.17
0.2715994595	1	0.17	176	29.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2719135591	1	0.17	177	29.50
0.2728121682	1	0.17	178	29.67
0.272846719	1	0.17	179	29.83
0.2732155198	1	0.17	180	30.00
0.27332299	1	0.17	181	30.17
0.2733727344	1	0.17	182	30.33
0.2741971411	1	0.17	183	30.50
0.275103591	1	0.17	184	30.67
0.2752692676	1	0.17	185	30.83
0.2757733688	1	0.17	186	31.00
0.2759700207	1	0.17	187	31.17
0.2761249942	1	0.17	188	31.33
0.2763772918	1	0.17	189	31.50
0.2764428261	1	0.17	190	31.67
0.2767374159	1	0.17	191	31.83
0.2767880866	1	0.17	192	32.00
0.277994941	1	0.17	193	32.17
0.2780640754	1	0.17	194	32.33
0.2783294508	1	0.17	195	32.50
0.2784712676	1	0.17	196	32.67
0.2788353024	1	0.17	197	32.83
0.2788929897	1	0.17	198	33.00
0.2795221877	1	0.17	199	33.17
0.279530021	1	0.17	200	33.33
0.2795941015	1	0.17	201	33.50
0.2795942586	1	0.17	202	33.67
0.2797080385	1	0.17	203	33.83
0.2805547656	1	0.17	204	34.00
0.280771695	1	0.17	205	34.17
0.2808395195	1	0.17	206	34.33
0.2814548909	1	0.17	207	34.50
0.2815743591	1	0.17	208	34.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2822877721	1	0.17	209	34.83
0.2830940875	1	0.17	210	35.00
0.2832769906	1	0.17	211	35.17
0.2835490537	1	0.17	212	35.33
0.2847534415	1	0.17	213	35.50
0.2848758226	1	0.17	214	35.67
0.2853116005	1	0.17	215	35.83
0.2859500081	1	0.17	216	36.00
0.2867756352	1	0.17	217	36.17
0.2867907394	1	0.17	218	36.33
0.286893277	1	0.17	219	36.50
0.2883128852	1	0.17	220	36.67
0.2883534003	1	0.17	221	36.83
0.2889329332	1	0.17	222	37.00
0.2893030059	1	0.17	223	37.17
0.2893660599	1	0.17	224	37.33
0.2895183542	1	0.17	225	37.50
0.2897129706	1	0.17	226	37.67
0.2901166367	1	0.17	227	37.83
0.2912983717	1	0.17	228	38.00
0.291618782	1	0.17	229	38.17
0.2917118691	1	0.17	230	38.33
0.2918810895	1	0.17	231	38.50
0.2919128723	1	0.17	232	38.67
0.2919287437	1	0.17	233	38.83
0.2920583569	1	0.17	234	39.00
0.2924248436	1	0.17	235	39.17
0.2930317909	1	0.17	236	39.33
0.2931697461	1	0.17	237	39.50
0.2935933673	1	0.17	238	39.67
0.2937174094	1	0.17	239	39.83
0.2938585116	1	0.17	240	40.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2945672443	1	0.17	241	40.17
0.2951920276	1	0.17	242	40.33
0.2956302695	1	0.17	243	40.50
0.2957969931	1	0.17	244	40.67
0.2960347575	1	0.17	245	40.83
0.2962276692	1	0.17	246	41.00
0.296285419	1	0.17	247	41.17
0.2966673265	1	0.17	248	41.33
0.2970755078	1	0.17	249	41.50
0.2975454528	1	0.17	250	41.67
0.2978364888	1	0.17	251	41.83
0.2982859121	1	0.17	252	42.00
0.298494466	1	0.17	253	42.17
0.2986381956	1	0.17	254	42.33
0.2987276507	1	0.17	255	42.50
0.2989823681	1	0.17	256	42.67
0.3000167346	1	0.17	257	42.83
0.300388568	1	0.17	258	43.00
0.3005003423	1	0.17	259	43.17
0.3006088947	1	0.17	260	43.33
0.301384982	1	0.17	261	43.50
0.3015625603	1	0.17	262	43.67
0.3016650172	1	0.17	263	43.83
0.3024503513	1	0.17	264	44.00
0.3037800996	1	0.17	265	44.17
0.3038107323	1	0.17	266	44.33
0.3040413556	1	0.17	267	44.50
0.3041744109	1	0.17	268	44.67
0.3050009407	1	0.17	269	44.83
0.3051641885	1	0.17	270	45.00
0.3054578854	1	0.17	271	45.17
0.3055226778	1	0.17	272	45.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.30567489	1	0.17	273	45.50
0.3056776174	1	0.17	274	45.67
0.3058893423	1	0.17	275	45.83
0.3061329325	1	0.17	276	46.00
0.3065207597	1	0.17	277	46.17
0.3067247963	1	0.17	278	46.33
0.3070037508	1	0.17	279	46.50
0.3081313375	1	0.17	280	46.67
0.3083616297	1	0.17	281	46.83
0.3085136159	1	0.17	282	47.00
0.3091105168	1	0.17	283	47.17
0.3092504266	1	0.17	284	47.33
0.3096935938	1	0.17	285	47.50
0.3100674925	1	0.17	286	47.67
0.3105307708	1	0.17	287	47.83
0.310741535	1	0.17	288	48.00
0.3111747966	1	0.17	289	48.17
0.3114481803	1	0.17	290	48.33
0.3127067161	1	0.17	291	48.50
0.3128384039	1	0.17	292	48.67
0.3136513751	1	0.17	293	48.83
0.3140655556	1	0.17	294	49.00
0.3145132398	1	0.17	295	49.17
0.3147267272	1	0.17	296	49.33
0.3153602044	1	0.17	297	49.50
0.3165582216	1	0.17	298	49.67
0.3167909212	1	0.17	299	49.83
0.3175358469	1	0.17	300	50.00
0.3182303959	1	0.17	301	50.17
0.318374847	1	0.17	302	50.33
0.3184366235	1	0.17	303	50.50
0.3187022524	1	0.17	304	50.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.319096645	1	0.17	305	50.83
0.319281442	1	0.17	306	51.00
0.3195257659	1	0.17	307	51.17
0.320258542	1	0.17	308	51.33
0.3207263113	1	0.17	309	51.50
0.3214493766	1	0.17	310	51.67
0.3216892089	1	0.17	311	51.83
0.3218688891	1	0.17	312	52.00
0.32193873	1	0.17	313	52.17
0.3226758437	1	0.17	314	52.33
0.3228316481	1	0.17	315	52.50
0.323473402	1	0.17	316	52.67
0.3235678086	1	0.17	317	52.83
0.3241659351	1	0.17	318	53.00
0.3242542153	1	0.17	319	53.17
0.3245945476	1	0.17	320	53.33
0.3251789174	1	0.17	321	53.50
0.3257676467	1	0.17	322	53.67
0.3264763634	1	0.17	323	53.83
0.3265684645	1	0.17	324	54.00
0.3268997787	1	0.17	325	54.17
0.3271321813	1	0.17	326	54.33
0.3274950511	1	0.17	327	54.50
0.3276816758	1	0.17	328	54.67
0.3278630308	1	0.17	329	54.83
0.328247274	1	0.17	330	55.00
0.3284914173	1	0.17	331	55.17
0.3288755569	1	0.17	332	55.33
0.3296125833	1	0.17	333	55.50
0.3297882487	1	0.17	334	55.67
0.3300326791	1	0.17	335	55.83
0.3302873169	1	0.17	336	56.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3305713119	1	0.17	337	56.17
0.3309417023	1	0.17	338	56.33
0.3309645121	1	0.17	339	56.50
0.3309960258	1	0.17	340	56.67
0.3311774652	1	0.17	341	56.83
0.3314998841	1	0.17	342	57.00
0.3333332136	1	0.17	343	57.17
0.3334519326	1	0.17	344	57.33
0.3336268425	1	0.17	345	57.50
0.3337662788	1	0.17	346	57.67
0.3344966859	1	0.17	347	57.83
0.3349332733	1	0.17	348	58.00
0.3354903716	1	0.17	349	58.17
0.3359461321	1	0.17	350	58.33
0.3359684859	1	0.17	351	58.50
0.3364324332	1	0.17	352	58.67
0.3364564988	1	0.17	353	58.83
0.337183758	1	0.17	354	59.00
0.3372583591	1	0.17	355	59.17
0.3375093726	1	0.17	356	59.33
0.3376262315	1	0.17	357	59.50
0.3392451449	1	0.17	358	59.67
0.3393794152	1	0.17	359	59.83
0.3402522635	1	0.17	360	60.00
0.3407106411	1	0.17	361	60.17
0.3413347398	1	0.17	362	60.33
0.3420622793	1	0.17	363	60.50
0.342181178	1	0.17	364	60.67
0.342241473	1	0.17	365	60.83
0.3423980343	1	0.17	366	61.00
0.3424771785	1	0.17	367	61.17
0.3437584438	1	0.17	368	61.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3443840495	1	0.17	369	61.50
0.3445232136	1	0.17	370	61.67
0.345170164	1	0.17	371	61.83
0.3453649694	1	0.17	372	62.00
0.3461809451	1	0.17	373	62.17
0.3462037066	1	0.17	374	62.33
0.3462398832	1	0.17	375	62.50
0.3463528679	1	0.17	376	62.67
0.3464447822	1	0.17	377	62.83
0.3465754915	1	0.17	378	63.00
0.3469700332	1	0.17	379	63.17
0.3471368248	1	0.17	380	63.33
0.3473495013	1	0.17	381	63.50
0.3473782804	1	0.17	382	63.67
0.347417673	1	0.17	383	63.83
0.3479336112	1	0.17	384	64.00
0.3480038445	1	0.17	385	64.17
0.3481283807	1	0.17	386	64.33
0.3488883471	1	0.17	387	64.50
0.3496390894	1	0.17	388	64.67
0.3501655235	1	0.17	389	64.83
0.3502765899	1	0.17	390	65.00
0.3506245693	1	0.17	391	65.17
0.3506802731	1	0.17	392	65.33
0.3516161661	1	0.17	393	65.50
0.3520598065	1	0.17	394	65.67
0.3521719007	1	0.17	395	65.83
0.352344693	1	0.17	396	66.00
0.3525773317	1	0.17	397	66.17
0.3533971755	1	0.17	398	66.33
0.3539557818	1	0.17	399	66.50
0.3545489548	1	0.17	400	66.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3548386825	1	0.17	401	66.83
0.3555179275	1	0.17	402	67.00
0.3555529914	1	0.17	403	67.17
0.3558921121	1	0.17	404	67.33
0.356433927	1	0.17	405	67.50
0.3565051263	1	0.17	406	67.67
0.3573956851	1	0.17	407	67.83
0.3583590189	1	0.17	408	68.00
0.3587154343	1	0.17	409	68.17
0.3601724572	1	0.17	410	68.33
0.3605408066	1	0.17	411	68.50
0.3606470537	1	0.17	412	68.67
0.3608276	1	0.17	413	68.83
0.3609070816	1	0.17	414	69.00
0.3611895744	1	0.17	415	69.17
0.3616582433	1	0.17	416	69.33
0.3618222104	1	0.17	417	69.50
0.3619714515	1	0.17	418	69.67
0.3621483844	1	0.17	419	69.83
0.3621795753	1	0.17	420	70.00
0.3636775877	1	0.17	421	70.17
0.3639075768	1	0.17	422	70.33
0.3647916392	1	0.17	423	70.50
0.3655312483	1	0.17	424	70.67
0.365684422	1	0.17	425	70.83
0.3658769573	1	0.17	426	71.00
0.366281788	1	0.17	427	71.17
0.3662861484	1	0.17	428	71.33
0.3663256806	1	0.17	429	71.50
0.3666645615	1	0.17	430	71.67
0.3690632901	1	0.17	431	71.83
0.3695267475	1	0.17	432	72.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3697569997	1	0.17	433	72.17
0.3697978434	1	0.17	434	72.33
0.3698985798	1	0.17	435	72.50
0.3701171555	1	0.17	436	72.67
0.3707693471	1	0.17	437	72.83
0.3718159436	1	0.17	438	73.00
0.372017116	1	0.17	439	73.17
0.3726340178	1	0.17	440	73.33
0.3726559825	1	0.17	441	73.50
0.3733732148	1	0.17	442	73.67
0.3737499549	1	0.17	443	73.83
0.374103313	1	0.17	444	74.00
0.3752988067	1	0.17	445	74.17
0.375477697	1	0.17	446	74.33
0.3761165297	1	0.17	447	74.50
0.3769848239	1	0.17	448	74.67
0.3772390532	1	0.17	449	74.83
0.3776591617	1	0.17	450	75.00
0.3776874805	1	0.17	451	75.17
0.3791474353	1	0.17	452	75.33
0.3793418284	1	0.17	453	75.50
0.3793984901	1	0.17	454	75.67
0.3795598612	1	0.17	455	75.83
0.3804127249	1	0.17	456	76.00
0.3808002627	1	0.17	457	76.17
0.3817070491	1	0.17	458	76.33
0.3819670805	1	0.17	459	76.50
0.3823393591	1	0.17	460	76.67
0.3834075846	1	0.17	461	76.83
0.3841409885	1	0.17	462	77.00
0.3843116185	1	0.17	463	77.17
0.3845821315	1	0.17	464	77.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3847620173	1	0.17	465	77.50
0.3848245308	1	0.17	466	77.67
0.3851819437	1	0.17	467	77.83
0.3855755948	1	0.17	468	78.00
0.3861599894	1	0.17	469	78.17
0.3868813798	1	0.17	470	78.33
0.3891470882	1	0.17	471	78.50
0.3893084523	1	0.17	472	78.67
0.3900705405	1	0.17	473	78.83
0.3901098712	1	0.17	474	79.00
0.3903527973	1	0.17	475	79.17
0.3905393774	1	0.17	476	79.33
0.3911422535	1	0.17	477	79.50
0.3912965924	1	0.17	478	79.67
0.3913076672	1	0.17	479	79.83
0.3915454818	1	0.17	480	80.00
0.3929921243	1	0.17	481	80.17
0.3932436474	1	0.17	482	80.33
0.3937353283	1	0.17	483	80.50
0.3943020155	1	0.17	484	80.67
0.395071467	1	0.17	485	80.83
0.3953696877	1	0.17	486	81.00
0.3967573849	1	0.17	487	81.17
0.397271978	1	0.17	488	81.33
0.397641283	1	0.17	489	81.50
0.3987422734	1	0.17	490	81.67
0.3990249206	1	0.17	491	81.83
0.3995155168	1	0.17	492	82.00
0.400207569	1	0.17	493	82.17
0.4002144795	1	0.17	494	82.33
0.4016694986	1	0.17	495	82.50
0.4020279288	1	0.17	496	82.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4023412221	1	0.17	497	82.83
0.4028396036	1	0.17	498	83.00
0.4031669024	1	0.17	499	83.17
0.4037703339	1	0.17	500	83.33
0.4038031914	1	0.17	501	83.50
0.4039140586	1	0.17	502	83.67
0.4066401654	1	0.17	503	83.83
0.4068605772	1	0.17	504	84.00
0.4068859943	1	0.17	505	84.17
0.4069620023	1	0.17	506	84.33
0.4083380373	1	0.17	507	84.50
0.4117782706	1	0.17	508	84.67
0.4124067378	1	0.17	509	84.83
0.4131622027	1	0.17	510	85.00
0.413514739	1	0.17	511	85.17
0.4135320803	1	0.17	512	85.33
0.4138754151	1	0.17	513	85.50
0.4143198384	1	0.17	514	85.67
0.4147366914	1	0.17	515	85.83
0.4151857013	1	0.17	516	86.00
0.4158841255	1	0.17	517	86.17
0.4167745489	1	0.17	518	86.33
0.4169907084	1	0.17	519	86.50
0.4170953316	1	0.17	520	86.67
0.4187748801	1	0.17	521	86.83
0.4191572605	1	0.17	522	87.00
0.4193207379	1	0.17	523	87.17
0.4193786562	1	0.17	524	87.33
0.4196449124	1	0.17	525	87.50
0.419799075	1	0.17	526	87.67
0.4198564036	1	0.17	527	87.83
0.4211335289	1	0.17	528	88.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4211794233	1	0.17	529	88.17
0.4220385816	1	0.17	530	88.33
0.4224975018	1	0.17	531	88.50
0.4225359346	1	0.17	532	88.67
0.4230915891	1	0.17	533	88.83
0.4232459842	1	0.17	534	89.00
0.4233728547	1	0.17	535	89.17
0.4254665016	1	0.17	536	89.33
0.4281755937	1	0.17	537	89.50
0.4296019539	1	0.17	538	89.67
0.4304498891	1	0.17	539	89.83
0.4307972576	1	0.17	540	90.00
0.4329973036	1	0.17	541	90.17
0.4330734829	1	0.17	542	90.33
0.435129259	1	0.17	543	90.50
0.437664551	1	0.17	544	90.67
0.4376748455	1	0.17	545	90.83
0.4415051276	1	0.17	546	91.00
0.4418869341	1	0.17	547	91.17
0.4419861508	1	0.17	548	91.33
0.4434013106	1	0.17	549	91.50
0.443942811	1	0.17	550	91.67
0.4446118461	1	0.17	551	91.83
0.4466062281	1	0.17	552	92.00
0.450229642	1	0.17	553	92.17
0.4511778743	1	0.17	554	92.33
0.4517314778	1	0.17	555	92.50
0.4537162913	1	0.17	556	92.67
0.4544621379	1	0.17	557	92.83
0.4564787073	1	0.17	558	93.00
0.4566505877	1	0.17	559	93.17
0.4574064182	1	0.17	560	93.33

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4634525888	1	0.17	561	93.50
0.4636071157	1	0.17	562	93.67
0.4647689433	1	0.17	563	93.83
0.4694694966	1	0.17	564	94.00
0.4697248972	1	0.17	565	94.17
0.4700339039	1	0.17	566	94.33
0.4744420445	1	0.17	567	94.50
0.4781266135	1	0.17	568	94.67
0.4795444793	1	0.17	569	94.83
0.4797138708	1	0.17	570	95.00
0.480981581	1	0.17	571	95.17
0.481192507	1	0.17	572	95.33
0.4823483623	1	0.17	573	95.50
0.4847816187	1	0.17	574	95.67
0.4877608896	1	0.17	575	95.83
0.4892705554	1	0.17	576	96.00
0.4900839259	1	0.17	577	96.17
0.4905555294	1	0.17	578	96.33
0.4920618604	1	0.17	579	96.50
0.4934498128	1	0.17	580	96.67
0.4938079677	1	0.17	581	96.83
0.4945212981	1	0.17	582	97.00
0.4988873743	1	0.17	583	97.17
0.5008993485	1	0.17	584	97.33
0.509818259	1	0.17	585	97.50
0.5102425285	1	0.17	586	97.67
0.5124983797	1	0.17	587	97.83
0.5226743162	1	0.17	588	98.00
0.5246353271	1	0.17	589	98.17
0.5279153356	1	0.17	590	98.33
0.5310978905	1	0.17	591	98.50
0.5322013274	1	0.17	592	98.67

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V01BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.5323028482	1	0.17	593	98.83
0.5325823798	1	0.17	594	99.00
0.5513798075	1	0.17	595	99.17
0.5578707797	1	0.17	596	99.33
0.5641969099	1	0.17	597	99.50
0.5689721002	1	0.17	598	99.67
0.6048815873	1	0.17	599	99.83
0.6177780694	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0166	16	2.67	16	2.67
016600375404	1	0.17	17	2.83
016600660004	1	0.17	18	3.00
016600660104	1	0.17	19	3.17
016600697204	1	0.17	20	3.33
016600700506	1	0.17	21	3.50
016600718704	1	0.17	22	3.67
016600719004	1	0.17	23	3.83
016600719404	1	0.17	24	4.00
016600720604	1	0.17	25	4.17
016600723604	1	0.17	26	4.33
016600731503	1	0.17	27	4.50
016600747004	1	0.17	28	4.67
016600749804	1	0.17	29	4.83
016600761904	1	0.17	30	5.00
016600762004	1	0.17	31	5.17
016600767504	1	0.17	32	5.33
016600774503	1	0.17	33	5.50
016600807904	1	0.17	34	5.67
016600809806	1	0.17	35	5.83
016600811104	1	0.17	36	6.00
016600813703	1	0.17	37	6.17
016600819203	1	0.17	38	6.33
016600820103	1	0.17	39	6.50
016600824004	1	0.17	40	6.67
016600824204	1	0.17	41	6.83
016600830803	1	0.17	42	7.00
016600830903	1	0.17	43	7.17
016600835504	1	0.17	44	7.33
016600837304	1	0.17	45	7.50
016600842404	1	0.17	46	7.67
016600848606	1	0.17	47	7.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600864704	1	0.17	48	8.00
016600873803	1	0.17	49	8.17
016600878503	1	0.17	50	8.33
016600878603	1	0.17	51	8.50
016600883804	1	0.17	52	8.67
016600889104	1	0.17	53	8.83
016600891501	1	0.17	54	9.00
016600892206	1	0.17	55	9.17
016600899603	1	0.17	56	9.33
016600905205	1	0.17	57	9.50
016600915706	1	0.17	58	9.67
016600922304	1	0.17	59	9.83
016600922404	1	0.17	60	10.00
016600923805	1	0.17	61	10.17
016600923907	1	0.17	62	10.33
016600927704	1	0.17	63	10.50
016600927904	1	0.17	64	10.67
016600940504	1	0.17	65	10.83
016600942204	1	0.17	66	11.00
016600945403	1	0.17	67	11.17
016600945803	1	0.17	68	11.33
016600948403	1	0.17	69	11.50
016600949301	1	0.17	70	11.67
016600949404	1	0.17	71	11.83
016600956507	1	0.17	72	12.00
016600958804	1	0.17	73	12.17
016600961006	1	0.17	74	12.33
016600962006	1	0.17	75	12.50
016600967303	1	0.17	76	12.67
016600970803	1	0.17	77	12.83
016600971003	1	0.17	78	13.00
016600975904	1	0.17	79	13.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600978006	1	0.17	80	13.33
016600983606	1	0.17	81	13.50
016600991503	1	0.17	82	13.67
016600994303	1	0.17	83	13.83
016600996603	1	0.17	84	14.00
016600999004	1	0.17	85	14.17
016601002304	1	0.17	86	14.33
016601005304	1	0.17	87	14.50
016601011504	1	0.17	88	14.67
016601013704	1	0.17	89	14.83
016601016706	1	0.17	90	15.00
016601017004	1	0.17	91	15.17
016601019403	1	0.17	92	15.33
016601019503	1	0.17	93	15.50
016601019803	1	0.17	94	15.67
016601022906	1	0.17	95	15.83
016601026503	1	0.17	96	16.00
016601039604	1	0.17	97	16.17
016601040204	1	0.17	98	16.33
016601040304	1	0.17	99	16.50
016601042804	1	0.17	100	16.67
016601046303	1	0.17	101	16.83
016601046503	1	0.17	102	17.00
016601047103	1	0.17	103	17.17
016601048103	1	0.17	104	17.33
016601052103	1	0.17	105	17.50
016601054004	1	0.17	106	17.67
016601056004	1	0.17	107	17.83
016601066004	1	0.17	108	18.00
016601066104	1	0.17	109	18.17
016601067406	1	0.17	110	18.33
016601068404	1	0.17	111	18.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601071404	1	0.17	112	18.67
016601074404	1	0.17	113	18.83
016601080206	1	0.17	114	19.00
016601085503	1	0.17	115	19.17
016601085703	1	0.17	116	19.33
016601086003	1	0.17	117	19.50
016601089503	1	0.17	118	19.67
016601089603	1	0.17	119	19.83
016601089803	1	0.17	120	20.00
016601090103	1	0.17	121	20.17
016601090503	1	0.17	122	20.33
016601092504	1	0.17	123	20.50
016601094704	1	0.17	124	20.67
016601099004	1	0.17	125	20.83
016601106912	1	0.17	126	21.00
016601107401	1	0.17	127	21.17
016601113704	1	0.17	128	21.33
016601115005	1	0.17	129	21.50
016601115106	1	0.17	130	21.67
016601115306	1	0.17	131	21.83
016601121803	1	0.17	132	22.00
016601123303	1	0.17	133	22.17
016601124903	1	0.17	134	22.33
016601125803	1	0.17	135	22.50
016601126506	1	0.17	136	22.67
016601126804	1	0.17	137	22.83
016601127004	1	0.17	138	23.00
016601128604	1	0.17	139	23.17
016601128704	1	0.17	140	23.33
016601136804	1	0.17	141	23.50
016601137904	1	0.17	142	23.67
016601138906	1	0.17	143	23.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601141004	1	0.17	144	24.00
016601142604	1	0.17	145	24.17
016601151903	1	0.17	146	24.33
016601153203	1	0.17	147	24.50
016601154403	1	0.17	148	24.67
016601154504	1	0.17	149	24.83
016601154804	1	0.17	150	25.00
016601155004	1	0.17	151	25.17
016601158603	1	0.17	152	25.33
016601167104	1	0.17	153	25.50
016601171704	1	0.17	154	25.67
016601174503	1	0.17	155	25.83
016601182504	1	0.17	156	26.00
016601182804	1	0.17	157	26.17
016601183004	1	0.17	158	26.33
016601183404	1	0.17	159	26.50
016601183604	1	0.17	160	26.67
016601185804	1	0.17	161	26.83
016601188204	1	0.17	162	27.00
016601188404	1	0.17	163	27.17
016601188504	1	0.17	164	27.33
016601190204	1	0.17	165	27.50
016601190804	1	0.17	166	27.67
016601200604	1	0.17	167	27.83
016601211206	1	0.17	168	28.00
016601211404	1	0.17	169	28.17
016601211506	1	0.17	170	28.33
016601214504	1	0.17	171	28.50
016601219604	1	0.17	172	28.67
016601226303	1	0.17	173	28.83
016601234304	1	0.17	174	29.00
016601234604	1	0.17	175	29.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601234804	1	0.17	176	29.33
016601235004	1	0.17	177	29.50
016601236603	1	0.17	178	29.67
016601239506	1	0.17	179	29.83
016601242104	1	0.17	180	30.00
016601243104	1	0.17	181	30.17
016601243604	1	0.17	182	30.33
016601247307	1	0.17	183	30.50
016601249804	1	0.17	184	30.67
016601253403	1	0.17	185	30.83
016601259405	1	0.17	186	31.00
016601259604	1	0.17	187	31.17
016601267504	1	0.17	188	31.33
016601271603	1	0.17	189	31.50
016601273204	1	0.17	190	31.67
016601273704	1	0.17	191	31.83
016601274704	1	0.17	192	32.00
016601276007	1	0.17	193	32.17
016601278604	1	0.17	194	32.33
016601278904	1	0.17	195	32.50
016601284103	1	0.17	196	32.67
016601295907	1	0.17	197	32.83
016601296107	1	0.17	198	33.00
016601296407	1	0.17	199	33.17
016601296604	1	0.17	200	33.33
016601297307	1	0.17	201	33.50
016601302504	1	0.17	202	33.67
016601302704	1	0.17	203	33.83
016601303104	1	0.17	204	34.00
016601304004	1	0.17	205	34.17
016601305504	1	0.17	206	34.33
016601314903	1	0.17	207	34.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601317004	1	0.17	208	34.67
016601317704	1	0.17	209	34.83
016601318804	1	0.17	210	35.00
016601318904	1	0.17	211	35.17
016601319804	1	0.17	212	35.33
016601320303	1	0.17	213	35.50
016601320403	1	0.17	214	35.67
016601325204	1	0.17	215	35.83
016601326104	1	0.17	216	36.00
016601326406	1	0.17	217	36.17
016601327504	1	0.17	218	36.33
016601327604	1	0.17	219	36.50
016601327804	1	0.17	220	36.67
016601328104	1	0.17	221	36.83
016601328404	1	0.17	222	37.00
016601332904	1	0.17	223	37.17
016601333004	1	0.17	224	37.33
016601333506	1	0.17	225	37.50
016601333604	1	0.17	226	37.67
016601338303	1	0.17	227	37.83
016601338403	1	0.17	228	38.00
016601338603	1	0.17	229	38.17
016601338903	1	0.17	230	38.33
016601341604	1	0.17	231	38.50
016601344203	1	0.17	232	38.67
016601344903	1	0.17	233	38.83
016601347304	1	0.17	234	39.00
016601350304	1	0.17	235	39.17
016601350504	1	0.17	236	39.33
016601350604	1	0.17	237	39.50
016601353004	1	0.17	238	39.67
016601356704	1	0.17	239	39.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601358403	1	0.17	240	40.00
016601359304	1	0.17	241	40.17
016601362403	1	0.17	242	40.33
016601362503	1	0.17	243	40.50
016601366507	1	0.17	244	40.67
016601370304	1	0.17	245	40.83
016601370403	1	0.17	246	41.00
016601373904	1	0.17	247	41.17
016601374004	1	0.17	248	41.33
016601374904	1	0.17	249	41.50
016601377104	1	0.17	250	41.67
016601384704	1	0.17	251	41.83
016601384806	1	0.17	252	42.00
016601385204	1	0.17	253	42.17
016601387004	1	0.17	254	42.33
016601389204	1	0.17	255	42.50
016601390704	1	0.17	256	42.67
016601391904	1	0.17	257	42.83
016601396207	1	0.17	258	43.00
016601397404	1	0.17	259	43.17
016601397804	1	0.17	260	43.33
016601403104	1	0.17	261	43.50
016601406004	1	0.17	262	43.67
016601408804	1	0.17	263	43.83
016601409001	1	0.17	264	44.00
016601409904	1	0.17	265	44.17
016601411604	1	0.17	266	44.33
016601411904	1	0.17	267	44.50
016601412203	1	0.17	268	44.67
016601412703	1	0.17	269	44.83
016601413203	1	0.17	270	45.00
016601413403	1	0.17	271	45.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601413503	1	0.17	272	45.33
016601414404	1	0.17	273	45.50
016601414604	1	0.17	274	45.67
016601416607	1	0.17	275	45.83
016601416704	1	0.17	276	46.00
016601418603	1	0.17	277	46.17
016601418703	1	0.17	278	46.33
016601419303	1	0.17	279	46.50
016601419403	1	0.17	280	46.67
016601420604	1	0.17	281	46.83
016601422903	1	0.17	282	47.00
016601423703	1	0.17	283	47.17
016601427104	1	0.17	284	47.33
016601428104	1	0.17	285	47.50
016601432704	1	0.17	286	47.67
016601433204	1	0.17	287	47.83
016601435304	1	0.17	288	48.00
016601435404	1	0.17	289	48.17
016601436303	1	0.17	290	48.33
016601437003	1	0.17	291	48.50
016601440104	1	0.17	292	48.67
016601448004	1	0.17	293	48.83
016601450006	1	0.17	294	49.00
016601456204	1	0.17	295	49.17
016601456404	1	0.17	296	49.33
016601456807	1	0.17	297	49.50
016601457804	1	0.17	298	49.67
016601458603	1	0.17	299	49.83
016601459303	1	0.17	300	50.00
016601459503	1	0.17	301	50.17
016601459803	1	0.17	302	50.33
016601459903	1	0.17	303	50.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601460604	1	0.17	304	50.67
016601460804	1	0.17	305	50.83
016601467904	1	0.17	306	51.00
016601468904	1	0.17	307	51.17
016601469704	1	0.17	308	51.33
016601469903	1	0.17	309	51.50
016601471104	1	0.17	310	51.67
016601471504	1	0.17	311	51.83
016601471905	1	0.17	312	52.00
016601472008	1	0.17	313	52.17
016601473804	1	0.17	314	52.33
016601474803	1	0.17	315	52.50
016601475303	1	0.17	316	52.67
016601475403	1	0.17	317	52.83
016601476003	1	0.17	318	53.00
016601476804	1	0.17	319	53.17
016601481304	1	0.17	320	53.33
016601485101	1	0.17	321	53.50
016601486604	1	0.17	322	53.67
016601496806	1	0.17	323	53.83
016601498504	1	0.17	324	54.00
016601503904	1	0.17	325	54.17
016601504904	1	0.17	326	54.33
016601505904	1	0.17	327	54.50
016601506204	1	0.17	328	54.67
016601509104	1	0.17	329	54.83
016601510904	1	0.17	330	55.00
016601512307	1	0.17	331	55.17
016601513008	1	0.17	332	55.33
016601513703	1	0.17	333	55.50
016601513803	1	0.17	334	55.67
016601514203	1	0.17	335	55.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601514403	1	0.17	336	56.00
016601518707	1	0.17	337	56.17
016601519004	1	0.17	338	56.33
016601522604	1	0.17	339	56.50
016601522804	1	0.17	340	56.67
016601525606	1	0.17	341	56.83
016601527003	1	0.17	342	57.00
016601529904	1	0.17	343	57.17
016601530104	1	0.17	344	57.33
016601530604	1	0.17	345	57.50
016601531303	1	0.17	346	57.67
016601532503	1	0.17	347	57.83
016601533003	1	0.17	348	58.00
016601533604	1	0.17	349	58.17
016601536303	1	0.17	350	58.33
016601537203	1	0.17	351	58.50
016601537403	1	0.17	352	58.67
016601538604	1	0.17	353	58.83
016601542504	1	0.17	354	59.00
016601542704	1	0.17	355	59.17
016601547603	1	0.17	356	59.33
016601549803	1	0.17	357	59.50
016601550103	1	0.17	358	59.67
016601550403	1	0.17	359	59.83
016601550604	1	0.17	360	60.00
016601553803	1	0.17	361	60.17
016601555504	1	0.17	362	60.33
016601555804	1	0.17	363	60.50
016601561804	1	0.17	364	60.67
016601562704	1	0.17	365	60.83
016601565003	1	0.17	366	61.00
016601566904	1	0.17	367	61.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601568104	1	0.17	368	61.33
016601578404	1	0.17	369	61.50
016601580804	1	0.17	370	61.67
016601581604	1	0.17	371	61.83
016601581704	1	0.17	372	62.00
016601583504	1	0.17	373	62.17
016601583604	1	0.17	374	62.33
016601585805	1	0.17	375	62.50
016601585904	1	0.17	376	62.67
016601586204	1	0.17	377	62.83
016601588104	1	0.17	378	63.00
016601588204	1	0.17	379	63.17
016601590204	1	0.17	380	63.33
016601592604	1	0.17	381	63.50
016601593804	1	0.17	382	63.67
016601595504	1	0.17	383	63.83
016601596503	1	0.17	384	64.00
016601596603	1	0.17	385	64.17
016601597403	1	0.17	386	64.33
016601598404	1	0.17	387	64.50
016601600403	1	0.17	388	64.67
016601600703	1	0.17	389	64.83
016601602004	1	0.17	390	65.00
016601607604	1	0.17	391	65.17
016601607904	1	0.17	392	65.33
016601608004	1	0.17	393	65.50
016601608104	1	0.17	394	65.67
016601608504	1	0.17	395	65.83
016601609204	1	0.17	396	66.00
016601611004	1	0.17	397	66.17
016601611104	1	0.17	398	66.33
016601611704	1	0.17	399	66.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601613704	1	0.17	400	66.67
016601614904	1	0.17	401	66.83
016601618003	1	0.17	402	67.00
016601620904	1	0.17	403	67.17
016601623104	1	0.17	404	67.33
016601623404	1	0.17	405	67.50
016601624504	1	0.17	406	67.67
016601624604	1	0.17	407	67.83
016601624804	1	0.17	408	68.00
016601629804	1	0.17	409	68.17
016601632204	1	0.17	410	68.33
016601634803	1	0.17	411	68.50
016601638104	1	0.17	412	68.67
016601638204	1	0.17	413	68.83
016601641803	1	0.17	414	69.00
016601642103	1	0.17	415	69.17
016601642303	1	0.17	416	69.33
016601643603	1	0.17	417	69.50
016601643703	1	0.17	418	69.67
016601644403	1	0.17	419	69.83
016601644603	1	0.17	420	70.00
016601645003	1	0.17	421	70.17
016601648604	1	0.17	422	70.33
016601649104	1	0.17	423	70.50
016601649204	1	0.17	424	70.67
016601649504	1	0.17	425	70.83
016601651104	1	0.17	426	71.00
016601652603	1	0.17	427	71.17
016601652803	1	0.17	428	71.33
016601654103	1	0.17	429	71.50
016601658404	1	0.17	430	71.67
016601659504	1	0.17	431	71.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601663004	1	0.17	432	72.00
016601664603	1	0.17	433	72.17
016601666403	1	0.17	434	72.33
016601670205	1	0.17	435	72.50
016601670304	1	0.17	436	72.67
016601674503	1	0.17	437	72.83
016601674603	1	0.17	438	73.00
016601677304	1	0.17	439	73.17
016601684303	1	0.17	440	73.33
016601693103	1	0.17	441	73.50
016601693603	1	0.17	442	73.67
016601696804	1	0.17	443	73.83
016601701201	1	0.17	444	74.00
016601703704	1	0.17	445	74.17
016601704304	1	0.17	446	74.33
016601704804	1	0.17	447	74.50
016601705205	1	0.17	448	74.67
016601707201	1	0.17	449	74.83
016601710104	1	0.17	450	75.00
016601712001	1	0.17	451	75.17
016601713104	1	0.17	452	75.33
016601714704	1	0.17	453	75.50
016601717504	1	0.17	454	75.67
016601717604	1	0.17	455	75.83
016601718603	1	0.17	456	76.00
016601719203	1	0.17	457	76.17
016601719703	1	0.17	458	76.33
016601720103	1	0.17	459	76.50
016601724708	1	0.17	460	76.67
016601725204	1	0.17	461	76.83
016601726304	1	0.17	462	77.00
016601727704	1	0.17	463	77.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601727804	1	0.17	464	77.33
016601729403	1	0.17	465	77.50
016601732104	1	0.17	466	77.67
016601732204	1	0.17	467	77.83
016601735204	1	0.17	468	78.00
016601735304	1	0.17	469	78.17
016601738104	1	0.17	470	78.33
016601740403	1	0.17	471	78.50
016601741103	1	0.17	472	78.67
016601741503	1	0.17	473	78.83
016601742103	1	0.17	474	79.00
016601746604	1	0.17	475	79.17
016601748704	1	0.17	476	79.33
016601748804	1	0.17	477	79.50
016601749105	1	0.17	478	79.67
016601750603	1	0.17	479	79.83
016601751504	1	0.17	480	80.00
016601751804	1	0.17	481	80.17
016601755604	1	0.17	482	80.33
016601756504	1	0.17	483	80.50
016601760504	1	0.17	484	80.67
016601767303	1	0.17	485	80.83
016601767703	1	0.17	486	81.00
016601768003	1	0.17	487	81.17
016601768103	1	0.17	488	81.33
016601768803	1	0.17	489	81.50
016601770004	1	0.17	490	81.67
016601770404	1	0.17	491	81.83
016601772104	1	0.17	492	82.00
016601778105	1	0.17	493	82.17
016601779808	1	0.17	494	82.33
016601781703	1	0.17	495	82.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601781903	1	0.17	496	82.67
016601782503	1	0.17	497	82.83
016601782703	1	0.17	498	83.00
016601791904	1	0.17	499	83.17
016601794204	1	0.17	500	83.33
016601796804	1	0.17	501	83.50
016601799203	1	0.17	502	83.67
016601800903	1	0.17	503	83.83
016601801704	1	0.17	504	84.00
016601803104	1	0.17	505	84.17
016601803508	1	0.17	506	84.33
016601806103	1	0.17	507	84.50
016601811004	1	0.17	508	84.67
016601811805	1	0.17	509	84.83
016601815804	1	0.17	510	85.00
016601817004	1	0.17	511	85.17
016601817104	1	0.17	512	85.33
016601820703	1	0.17	513	85.50
016601822103	1	0.17	514	85.67
016601826204	1	0.17	515	85.83
016601832303	1	0.17	516	86.00
016601832403	1	0.17	517	86.17
016601833103	1	0.17	518	86.33
016601839404	1	0.17	519	86.50
016601843004	1	0.17	520	86.67
016601843404	1	0.17	521	86.83
016601845502	1	0.17	522	87.00
016601845604	1	0.17	523	87.17
016601846703	1	0.17	524	87.33
016601846803	1	0.17	525	87.50
016601847403	1	0.17	526	87.67
016601847703	1	0.17	527	87.83

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601848103	1	0.17	528	88.00
016601854703	1	0.17	529	88.17
016601855803	1	0.17	530	88.33
016601856003	1	0.17	531	88.50
016601857005	1	0.17	532	88.67
016601859103	1	0.17	533	88.83
016601859403	1	0.17	534	89.00
016601862506	1	0.17	535	89.17
016601862604	1	0.17	536	89.33
016601867204	1	0.17	537	89.50
016601867804	1	0.17	538	89.67
016601870103	1	0.17	539	89.83
016601875404	1	0.17	540	90.00
016601885404	1	0.17	541	90.17
016601888003	1	0.17	542	90.33
016601888203	1	0.17	543	90.50
016601895104	1	0.17	544	90.67
016601896903	1	0.17	545	90.83
016601897203	1	0.17	546	91.00
016601899804	1	0.17	547	91.17
016601900703	1	0.17	548	91.33
016601901004	1	0.17	549	91.50
016601907704	1	0.17	550	91.67
016601913404	1	0.17	551	91.83
016601915504	1	0.17	552	92.00
016601915704	1	0.17	553	92.17
016601921104	1	0.17	554	92.33
016601926404	1	0.17	555	92.50
016601937605	1	0.17	556	92.67
016601941104	1	0.17	557	92.83
016601944904	1	0.17	558	93.00
016601946004	1	0.17	559	93.17

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601953703	1	0.17	560	93.33
016601967701	1	0.17	561	93.50
016601967805	1	0.17	562	93.67
016601976604	1	0.17	563	93.83
016601976804	1	0.17	564	94.00
016601987004	1	0.17	565	94.17
016601992404	1	0.17	566	94.33
016602003704	1	0.17	567	94.50
016602008606	1	0.17	568	94.67
016602009906	1	0.17	569	94.83
016602014506	1	0.17	570	95.00
016602026104	1	0.17	571	95.17
016602027704	1	0.17	572	95.33
016602028004	1	0.17	573	95.50
016602033904	1	0.17	574	95.67
016602034704	1	0.17	575	95.83
016602035405	1	0.17	576	96.00
016602049105	1	0.17	577	96.17
016602052404	1	0.17	578	96.33
016602056604	1	0.17	579	96.50
016602061404	1	0.17	580	96.67
016602075504	1	0.17	581	96.83
016602084505	1	0.17	582	97.00
016602097401	1	0.17	583	97.17
016602098701	1	0.17	584	97.33
016602100201	1	0.17	585	97.50
016602104801	1	0.17	586	97.67
016602112207	1	0.17	587	97.83
016602115701	1	0.17	588	98.00
016602118801	1	0.17	589	98.17
016602120301	1	0.17	590	98.33
016602130701	1	0.17	591	98.50

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The FREQ Procedure**

Barcode of image analyzed				
V01BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602136101	1	0.17	592	98.67
016602141701	1	0.17	593	98.83
016602175701	1	0.17	594	99.00
016602201501	1	0.17	595	99.17
016602274702	1	0.17	596	99.33
016602340101	1	0.17	597	99.50
016602340301	1	0.17	598	99.67
016602477901	1	0.17	599	99.83
016602479201	1	0.17	600	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure**
Variable: SIDE (SIDE)

Moments			
N	600	Sum Weights	600
Mean	1.46333333	Sum Observations	878
Std Deviation	0.49906981	Variance	0.24907067
Skewness	0.14743147	Kurtosis	-1.9848914
Uncorrected SS	1434	Corrected SS	149.193333
Coeff Variation	34.1049983	Std Error Mean	0.02037444

Basic Statistical Measures			
Location		Variability	
Mean	1.463333	Std Deviation	0.49907
Median	1.000000	Variance	0.24907
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	71.82202	Pr > t	<.0001
Sign	M	300	Pr >= M	<.0001
Signed Rank	S	90150	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure**
Variable: SIDE (SIDE)

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	600	2	591
1	599	2	593
1	597	2	595
1	594	2	596
1	592	2	598

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01

The UNIVARIATE Procedure

Variable: V01BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)

Moments			
N	551	Sum Weights	551
Mean	2.69927336	Sum Observations	1487.29962
Std Deviation	0.20860455	Variance	0.04351586
Skewness	-0.6771047	Kurtosis	-0.7531003
Uncorrected SS	4038.56196	Corrected SS	23.9337213
Coeff Variation	7.72817419	Std Error Mean	0.00888685

Basic Statistical Measures			
Location		Variability	
Mean	2.699273	Std Deviation	0.20860
Median	2.764005	Variance	0.04352
Mode	.	Range	0.89197
		Interquartile Range	0.33826

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	303.7378	Pr > t	<.0001
Sign	M	275.5	Pr >= M	<.0001
Signed Rank	S	76038	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.09022
99%	3.01495
95%	2.94745
90%	2.91872
75% Q3	2.85459
50% Median	2.76400
25% Q1	2.51633
10%	2.36105
5%	2.31208

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)**

Quantiles (Definition 5)	
Level	Quantile
1%	2.25801
0% Min	2.19825

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.19825	277	3.02715	256
2.23542	391	3.06292	54
2.24494	226	3.06387	491
2.24759	60	3.08296	577
2.24935	131	3.09022	484

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	49	8.17	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Moments			
N	551	Sum Weights	551
Mean	-0.2171137	Sum Observations	-119.62966
Std Deviation	0.036969	Variance	0.00136671
Skewness	0.30731207	Kurtosis	0.34666262
Uncorrected SS	26.7249304	Corrected SS	0.7516889
Coeff Variation	-17.027483	Std Error Mean	0.00157493

Basic Statistical Measures			
Location		Variability	
Mean	-0.21711	Std Deviation	0.03697
Median	-0.22020	Variance	0.00137
Mode	.	Range	0.22670
		Interquartile Range	0.04896

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-137.856	Pr > t	<.0001
Sign	M	-275.5	Pr >= M	<.0001
Signed Rank	S	-76038	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	-0.0952412
99%	-0.1130531
95%	-0.1542389
90%	-0.1690173
75% Q3	-0.1929454
50% Median	-0.2202038
25% Q1	-0.2419076
10%	-0.2617894
5%	-0.2728885

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.2986438
0% Min	-0.3219452

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.321945	250	-0.1111333	558
-0.314929	151	-0.1067235	495
-0.314678	341	-0.0977199	590
-0.309587	518	-0.0970393	105
-0.303610	527	-0.0952412	484

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	49	8.17	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)**

Moments			
N	551	Sum Weights	551
Mean	0.10779681	Sum Observations	59.3960446
Std Deviation	0.06287377	Variance	0.00395311
Skewness	0.5725954	Kurtosis	-0.6609364
Uncorrected SS	8.57691564	Corrected SS	2.17421126
Coeff Variation	58.3261888	Std Error Mean	0.00267851

Basic Statistical Measures			
Location		Variability	
Mean	0.107797	Std Deviation	0.06287
Median	0.094893	Variance	0.00395
Mode	.	Range	0.27910
		Interquartile Range	0.09561

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.24502	Pr > t	<.0001
Sign	M	274.5	Pr >= M	<.0001
Signed Rank	S	76025	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.26280117
99%	0.25033333
95%	0.22415635
90%	0.20827248
75% Q3	0.15071050
50% Median	0.09489254
25% Q1	0.05510360
10%	0.03661525
5%	0.02681805

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01

The UNIVARIATE Procedure

Variable: V01BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)

Quantiles (Definition 5)	
Level	Quantile
1%	0.00455169
0% Min	-0.01629984

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.01629984	127	0.252872	6
0.00111724	33	0.253493	186
0.00211112	561	0.254903	289
0.00413257	538	0.258539	311
0.00439578	493	0.262801	124

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	49	8.17	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01

The UNIVARIATE Procedure

Variable: V01BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)

Moments			
N	551	Sum Weights	551
Mean	2.44926625	Sum Observations	1349.5457
Std Deviation	0.15852661	Variance	0.02513069
Skewness	-0.9035282	Kurtosis	3.56701125
Uncorrected SS	3319.21862	Corrected SS	13.821877
Coeff Variation	6.47241221	Std Error Mean	0.00675346

Basic Statistical Measures			
Location		Variability	
Mean	2.449266	Std Deviation	0.15853
Median	2.463641	Variance	0.02513
Mode	.	Range	1.34242
		Interquartile Range	0.20873

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	362.6683	Pr > t	<.0001
Sign	M	275.5	Pr >= M	<.0001
Signed Rank	S	76038	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2.82541
99%	2.76334
95%	2.68140
90%	2.64053
75% Q3	2.55692
50% Median	2.46364
25% Q1	2.34819
10%	2.26574
5%	2.20290

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01

The UNIVARIATE Procedure

Variable: V01BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)

Quantiles (Definition 5)	
Level	Quantile
1%	2.04175
0% Min	1.48299

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.48299	538	2.79275	350
1.65638	380	2.80179	102
1.73643	266	2.80500	275
1.96906	511	2.80604	466
2.02217	462	2.82541	144

Missing Values			
Percent Of			
Missing Value	Count	Missing Value	Count
.	49	.	49

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Moments			
N	551	Sum Weights	551
Mean	0.03536491	Sum Observations	19.4860657
Std Deviation	0.09141145	Variance	0.00835605
Skewness	-1.05132	Kurtosis	1.91364828
Uncorrected SS	5.28495247	Corrected SS	4.5958295
Coeff Variation	258.480655	Std Error Mean	0.00389426

Basic Statistical Measures			
Location		Variability	
Mean	0.035365	Std Deviation	0.09141
Median	0.055444	Variance	0.00836
Mode	.	Range	0.65322
		Interquartile Range	0.11923

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.081294	Pr > t	<.0001
Sign	M	103.5	Pr >= M	<.0001
Signed Rank	S	36243	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.2139518
99%	0.1884692
95%	0.1527351
90%	0.1349778
75% Q3	0.1011209
50% Median	0.0554441
25% Q1	-0.0181060
10%	-0.0856390
5%	-0.1272689

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.2575891
0% Min	-0.4392727

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.439273	538	0.191885	165
-0.328920	266	0.196870	318
-0.296484	484	0.198067	391
-0.277570	378	0.201611	537
-0.269445	380	0.213952	296

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	49	8.17	100.00

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01**The UNIVARIATE Procedure****Variable: V01BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)**

Moments			
N	551	Sum Weights	551
Mean	0.33220293	Sum Observations	183.043814
Std Deviation	0.08211356	Variance	0.00674264
Skewness	0.41631179	Kurtosis	0.20776797
Uncorrected SS	64.5161417	Corrected SS	3.70845054
Coeff Variation	24.7178927	Std Error Mean	0.00349816

Basic Statistical Measures			
Location		Variability	
Mean	0.332203	Std Deviation	0.08211
Median	0.326900	Variance	0.00674
Mode	.	Range	0.51650
		Interquartile Range	0.10834

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.96517	Pr > t	<.0001
Sign	M	275.5	Pr >= M	<.0001
Signed Rank	S	76038	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.617778
99%	0.551380
95%	0.482348
90%	0.437675
75% Q3	0.384312
50% Median	0.326900
25% Q1	0.275970
10%	0.230651
5%	0.206925

OAI 1.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke01

The UNIVARIATE Procedure

Variable: V01BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)

Quantiles (Definition 5)	
Level	Quantile
1%	0.174609
0% Min	0.101282

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.101282	558	0.557871	537
0.136268	378	0.564197	383
0.158917	350	0.568972	538
0.166740	144	0.604882	380
0.166903	153	0.617778	236

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	49	8.17	100.00