

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	322	53.67	322	53.67
2: Left	278	46.33	600	100.00

Project				
READPRJ	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22	600	100.00	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
2.2332088745	1	0.17	32	5.33
2.254971517	1	0.17	33	5.50
2.2616208561	1	0.17	34	5.67
2.2750070924	1	0.17	35	5.83
2.2875016374	1	0.17	36	6.00
2.3043212443	1	0.17	37	6.17
2.3065646131	1	0.17	38	6.33
2.309702545	1	0.17	39	6.50
2.3112308171	1	0.17	40	6.67
2.3115862006	1	0.17	41	6.83
2.3160322163	1	0.17	42	7.00
2.3199885587	1	0.17	43	7.17
2.3297993564	1	0.17	44	7.33
2.3313258635	1	0.17	45	7.50
2.3342489428	1	0.17	46	7.67
2.3352767851	1	0.17	47	7.83
2.3354389941	1	0.17	48	8.00
2.3431339485	1	0.17	49	8.17
2.3476870653	1	0.17	50	8.33
2.3511002151	1	0.17	51	8.50
2.3518093822	1	0.17	52	8.67
2.3522903585	1	0.17	53	8.83
2.3528107984	1	0.17	54	9.00
2.3555866681	1	0.17	55	9.17
2.3564926101	1	0.17	56	9.33
2.3611104896	1	0.17	57	9.50
2.3656887461	1	0.17	58	9.67
2.3672830983	1	0.17	59	9.83
2.3676675841	1	0.17	60	10.00
2.3697489308	1	0.17	61	10.17
2.3704141928	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3709042334	1	0.17	63	10.50
2.3734351086	1	0.17	64	10.67
2.3791508027	1	0.17	65	10.83
2.37943557	1	0.17	66	11.00
2.3821585561	1	0.17	67	11.17
2.3831719472	1	0.17	68	11.33
2.3847902615	1	0.17	69	11.50
2.3849535424	1	0.17	70	11.67
2.3858154672	1	0.17	71	11.83
2.3858272559	1	0.17	72	12.00
2.3865510353	1	0.17	73	12.17
2.387296219	1	0.17	74	12.33
2.3884506259	1	0.17	75	12.50
2.3907106443	1	0.17	76	12.67
2.3925045606	1	0.17	77	12.83
2.3925626773	1	0.17	78	13.00
2.3928068493	1	0.17	79	13.17
2.3997386218	1	0.17	80	13.33
2.4006724819	1	0.17	81	13.50
2.4009141116	1	0.17	82	13.67
2.4020444159	1	0.17	83	13.83
2.4061346731	1	0.17	84	14.00
2.4073833504	1	0.17	85	14.17
2.4074808828	1	0.17	86	14.33
2.4078081916	1	0.17	87	14.50
2.4087918723	1	0.17	88	14.67
2.4125050723	1	0.17	89	14.83
2.4133084092	1	0.17	90	15.00
2.4138845904	1	0.17	91	15.17
2.4155902516	1	0.17	92	15.33
2.4164410411	1	0.17	93	15.50
2.4182166071	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4216114556	1	0.17	95	15.83
2.4224886987	1	0.17	96	16.00
2.4226362074	1	0.17	97	16.17
2.4229182162	1	0.17	98	16.33
2.4231827672	1	0.17	99	16.50
2.4278551566	1	0.17	100	16.67
2.4343554203	1	0.17	101	16.83
2.438972385	1	0.17	102	17.00
2.4439242302	1	0.17	103	17.17
2.4444914873	1	0.17	104	17.33
2.4448855187	1	0.17	105	17.50
2.4466458293	1	0.17	106	17.67
2.4481597311	1	0.17	107	17.83
2.4506663669	1	0.17	108	18.00
2.4524836751	1	0.17	109	18.17
2.4525691128	1	0.17	110	18.33
2.4526760627	1	0.17	111	18.50
2.4560021241	1	0.17	112	18.67
2.4617808064	1	0.17	113	18.83
2.4626666122	1	0.17	114	19.00
2.4626910938	1	0.17	115	19.17
2.4654126619	1	0.17	116	19.33
2.4676660825	1	0.17	117	19.50
2.4687554838	1	0.17	118	19.67
2.4695107171	1	0.17	119	19.83
2.4698217215	1	0.17	120	20.00
2.4726793988	1	0.17	121	20.17
2.4732239633	1	0.17	122	20.33
2.4746035513	1	0.17	123	20.50
2.4800288767	1	0.17	124	20.67
2.4832609579	1	0.17	125	20.83
2.4833876297	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4835358476	1	0.17	127	21.17
2.4837061702	1	0.17	128	21.33
2.4847144977	1	0.17	129	21.50
2.4847176721	1	0.17	130	21.67
2.4941469625	1	0.17	131	21.83
2.4959489368	1	0.17	132	22.00
2.4969945875	1	0.17	133	22.17
2.497085587	1	0.17	134	22.33
2.500113517	1	0.17	135	22.50
2.5010135943	1	0.17	136	22.67
2.5026433963	1	0.17	137	22.83
2.5032798721	1	0.17	138	23.00
2.506212402	1	0.17	139	23.17
2.5092079088	1	0.17	140	23.33
2.510843645	1	0.17	141	23.50
2.5109726288	1	0.17	142	23.67
2.5149026061	1	0.17	143	23.83
2.515267683	1	0.17	144	24.00
2.5176096243	1	0.17	145	24.17
2.5183443518	1	0.17	146	24.33
2.5195924039	1	0.17	147	24.50
2.5201230233	1	0.17	148	24.67
2.5208670156	1	0.17	149	24.83
2.5291001278	1	0.17	150	25.00
2.5299778849	1	0.17	151	25.17
2.530575919	1	0.17	152	25.33
2.5305985554	1	0.17	153	25.50
2.5347641912	1	0.17	154	25.67
2.5392108461	1	0.17	155	25.83
2.5397590399	1	0.17	156	26.00
2.5401267975	1	0.17	157	26.17
2.5402242387	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5413513241	1	0.17	159	26.50
2.5449535302	1	0.17	160	26.67
2.5479888957	1	0.17	161	26.83
2.5516120622	1	0.17	162	27.00
2.5524656386	1	0.17	163	27.17
2.5596390531	1	0.17	164	27.33
2.5617599765	1	0.17	165	27.50
2.5672673797	1	0.17	166	27.67
2.5778266109	1	0.17	167	27.83
2.5785444316	1	0.17	168	28.00
2.582060859	1	0.17	169	28.17
2.5899832543	1	0.17	170	28.33
2.5927590994	1	0.17	171	28.50
2.5951141739	1	0.17	172	28.67
2.5953038882	1	0.17	173	28.83
2.5985103462	1	0.17	174	29.00
2.5999130021	1	0.17	175	29.17
2.6010604569	1	0.17	176	29.33
2.6012540792	1	0.17	177	29.50
2.6031295254	1	0.17	178	29.67
2.605857547	1	0.17	179	29.83
2.6131683651	1	0.17	180	30.00
2.6134247287	1	0.17	181	30.17
2.6189262585	1	0.17	182	30.33
2.6191803282	1	0.17	183	30.50
2.6216700027	1	0.17	184	30.67
2.6235357254	1	0.17	185	30.83
2.6239427604	1	0.17	186	31.00
2.62524741	1	0.17	187	31.17
2.6258252164	1	0.17	188	31.33
2.6259357911	1	0.17	189	31.50
2.6271776305	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6325506754	1	0.17	191	31.83
2.6353177656	1	0.17	192	32.00
2.6375747488	1	0.17	193	32.17
2.637822775	1	0.17	194	32.33
2.6404188577	1	0.17	195	32.50
2.6454220438	1	0.17	196	32.67
2.6471727476	1	0.17	197	32.83
2.6523448253	1	0.17	198	33.00
2.6527397121	1	0.17	199	33.17
2.6528306086	1	0.17	200	33.33
2.654708978	1	0.17	201	33.50
2.6576362227	1	0.17	202	33.67
2.6580708179	1	0.17	203	33.83
2.6594464975	1	0.17	204	34.00
2.6598489768	1	0.17	205	34.17
2.6600512187	1	0.17	206	34.33
2.6615583823	1	0.17	207	34.50
2.6635647443	1	0.17	208	34.67
2.6638502396	1	0.17	209	34.83
2.6639858459	1	0.17	210	35.00
2.6660592593	1	0.17	211	35.17
2.6666793627	1	0.17	212	35.33
2.6727657321	1	0.17	213	35.50
2.6731189448	1	0.17	214	35.67
2.6755467566	1	0.17	215	35.83
2.6763705604	1	0.17	216	36.00
2.6809237051	1	0.17	217	36.17
2.6817579081	1	0.17	218	36.33
2.6846538339	1	0.17	219	36.50
2.6848695	1	0.17	220	36.67
2.6872984059	1	0.17	221	36.83
2.6909309226	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6929107898	1	0.17	223	37.17
2.6933761546	1	0.17	224	37.33
2.6934511198	1	0.17	225	37.50
2.6949234613	1	0.17	226	37.67
2.696924994	1	0.17	227	37.83
2.6976752706	1	0.17	228	38.00
2.6979176404	1	0.17	229	38.17
2.6988695692	1	0.17	230	38.33
2.6992852984	1	0.17	231	38.50
2.7004258152	1	0.17	232	38.67
2.7007845805	1	0.17	233	38.83
2.7009387127	1	0.17	234	39.00
2.7022986543	1	0.17	235	39.17
2.7026228637	1	0.17	236	39.33
2.7029408946	1	0.17	237	39.50
2.7038128151	1	0.17	238	39.67
2.7045108586	1	0.17	239	39.83
2.7045793464	1	0.17	240	40.00
2.7053079095	1	0.17	241	40.17
2.7057554255	1	0.17	242	40.33
2.7072974112	1	0.17	243	40.50
2.7089132001	1	0.17	244	40.67
2.7118511263	1	0.17	245	40.83
2.7118771203	1	0.17	246	41.00
2.7144393007	1	0.17	247	41.17
2.7145856918	1	0.17	248	41.33
2.7156423209	1	0.17	249	41.50
2.7167036465	1	0.17	250	41.67
2.7168084603	1	0.17	251	41.83
2.716958424	1	0.17	252	42.00
2.7175722591	1	0.17	253	42.17
2.7180205523	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7181733366	1	0.17	255	42.50
2.7186923383	1	0.17	256	42.67
2.7190033424	1	0.17	257	42.83
2.7199040675	1	0.17	258	43.00
2.7205544173	1	0.17	259	43.17
2.7228350883	1	0.17	260	43.33
2.7233519132	1	0.17	261	43.50
2.7241089323	1	0.17	262	43.67
2.724588831	1	0.17	263	43.83
2.7247296854	1	0.17	264	44.00
2.7249699847	1	0.17	265	44.17
2.7265351736	1	0.17	266	44.33
2.7272624658	1	0.17	267	44.50
2.7280732122	1	0.17	268	44.67
2.7297831394	1	0.17	269	44.83
2.7313851334	1	0.17	270	45.00
2.731647413	1	0.17	271	45.17
2.7336457194	1	0.17	272	45.33
2.733886406	1	0.17	273	45.50
2.7342019695	1	0.17	274	45.67
2.7342655167	1	0.17	275	45.83
2.7348119679	1	0.17	276	46.00
2.7353227574	1	0.17	277	46.17
2.7376052849	1	0.17	278	46.33
2.7383851629	1	0.17	279	46.50
2.7386570064	1	0.17	280	46.67
2.7406994107	1	0.17	281	46.83
2.7409460847	1	0.17	282	47.00
2.7417863294	1	0.17	283	47.17
2.7434764917	1	0.17	284	47.33
2.7439258446	1	0.17	285	47.50
2.7455769341	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7468695198	1	0.17	287	47.83
2.7471874347	1	0.17	288	48.00
2.7474396184	1	0.17	289	48.17
2.7477612011	1	0.17	290	48.33
2.7479387037	1	0.17	291	48.50
2.749251645	1	0.17	292	48.67
2.7494766928	1	0.17	293	48.83
2.7502979197	1	0.17	294	49.00
2.7507479636	1	0.17	295	49.17
2.7519979501	1	0.17	296	49.33
2.7521817592	1	0.17	297	49.50
2.7523300063	1	0.17	298	49.67
2.7526484352	1	0.17	299	49.83
2.752811355	1	0.17	300	50.00
2.7536826777	1	0.17	301	50.17
2.7541870281	1	0.17	302	50.33
2.7542162454	1	0.17	303	50.50
2.754679751	1	0.17	304	50.67
2.7553505754	1	0.17	305	50.83
2.7553507668	1	0.17	306	51.00
2.7555848818	1	0.17	307	51.17
2.7557702032	1	0.17	308	51.33
2.7559636451	1	0.17	309	51.50
2.7570567052	1	0.17	310	51.67
2.758004732	1	0.17	311	51.83
2.758065407	1	0.17	312	52.00
2.7581463586	1	0.17	313	52.17
2.7584228704	1	0.17	314	52.33
2.7592073827	1	0.17	315	52.50
2.7609362574	1	0.17	316	52.67
2.7621845336	1	0.17	317	52.83
2.7622392859	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.763272267	1	0.17	319	53.17
2.764490623	1	0.17	320	53.33
2.7648321092	1	0.17	321	53.50
2.7657567472	1	0.17	322	53.67
2.7659348679	1	0.17	323	53.83
2.7659471906	1	0.17	324	54.00
2.7661542888	1	0.17	325	54.17
2.766845271	1	0.17	326	54.33
2.7676275065	1	0.17	327	54.50
2.7677331454	1	0.17	328	54.67
2.7702309959	1	0.17	329	54.83
2.771439901	1	0.17	330	55.00
2.7719054711	1	0.17	331	55.17
2.7742120249	1	0.17	332	55.33
2.7749157286	1	0.17	333	55.50
2.7753749711	1	0.17	334	55.67
2.7760092162	1	0.17	335	55.83
2.7780914412	1	0.17	336	56.00
2.7796615736	1	0.17	337	56.17
2.7820060178	1	0.17	338	56.33
2.782445558	1	0.17	339	56.50
2.7832806082	1	0.17	340	56.67
2.7839184441	1	0.17	341	56.83
2.7849397483	1	0.17	342	57.00
2.7851374874	1	0.17	343	57.17
2.785366904	1	0.17	344	57.33
2.7859529672	1	0.17	345	57.50
2.7873428396	1	0.17	346	57.67
2.7893461774	1	0.17	347	57.83
2.78948427	1	0.17	348	58.00
2.7909074562	1	0.17	349	58.17
2.7923079986	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.7940058505	1	0.17	351	58.50
2.7952923297	1	0.17	352	58.67
2.7955578305	1	0.17	353	58.83
2.7959721646	1	0.17	354	59.00
2.796005573	1	0.17	355	59.17
2.7961780302	1	0.17	356	59.33
2.7979942198	1	0.17	357	59.50
2.798255039	1	0.17	358	59.67
2.7984560594	1	0.17	359	59.83
2.7988782485	1	0.17	360	60.00
2.7989258858	1	0.17	361	60.17
2.7998741493	1	0.17	362	60.33
2.7998918789	1	0.17	363	60.50
2.8010031589	1	0.17	364	60.67
2.802054774	1	0.17	365	60.83
2.8024408997	1	0.17	366	61.00
2.8029541803	1	0.17	367	61.17
2.8035917656	1	0.17	368	61.33
2.8041972757	1	0.17	369	61.50
2.8043909133	1	0.17	370	61.67
2.8051668679	1	0.17	371	61.83
2.80558502	1	0.17	372	62.00
2.8065130125	1	0.17	373	62.17
2.8068977986	1	0.17	374	62.33
2.8075412532	1	0.17	375	62.50
2.8080336901	1	0.17	376	62.67
2.8095897747	1	0.17	377	62.83
2.8103602182	1	0.17	378	63.00
2.8106810026	1	0.17	379	63.17
2.8115307785	1	0.17	380	63.33
2.8121649329	1	0.17	381	63.50
2.8129544606	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.814891946	1	0.17	383	63.83
2.8150342833	1	0.17	384	64.00
2.8151393252	1	0.17	385	64.17
2.815234871	1	0.17	386	64.33
2.816600477	1	0.17	387	64.50
2.8166242625	1	0.17	388	64.67
2.8176517913	1	0.17	389	64.83
2.8185191406	1	0.17	390	65.00
2.8187897603	1	0.17	391	65.17
2.8201288964	1	0.17	392	65.33
2.820434923	1	0.17	393	65.50
2.8214502612	1	0.17	394	65.67
2.8221589817	1	0.17	395	65.83
2.8225166583	1	0.17	396	66.00
2.8226039822	1	0.17	397	66.17
2.8229955438	1	0.17	398	66.33
2.8238847895	1	0.17	399	66.50
2.8239435507	1	0.17	400	66.67
2.82411111991	1	0.17	401	66.83
2.8243676866	1	0.17	402	67.00
2.8247976256	1	0.17	403	67.17
2.8253349935	1	0.17	404	67.33
2.825700679	1	0.17	405	67.50
2.826215239	1	0.17	406	67.67
2.8268376805	1	0.17	407	67.83
2.827212216	1	0.17	408	68.00
2.8272403529	1	0.17	409	68.17
2.827959106	1	0.17	410	68.33
2.8282794892	1	0.17	411	68.50
2.8282826373	1	0.17	412	68.67
2.8289692845	1	0.17	413	68.83
2.8300053881	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8304649144	1	0.17	415	69.17
2.8308088662	1	0.17	416	69.33
2.8308088759	1	0.17	417	69.50
2.8308302164	1	0.17	418	69.67
2.8312540458	1	0.17	419	69.83
2.832537698	1	0.17	420	70.00
2.8337596351	1	0.17	421	70.17
2.8339383994	1	0.17	422	70.33
2.8340559056	1	0.17	423	70.50
2.834634782	1	0.17	424	70.67
2.835154703	1	0.17	425	70.83
2.8361594611	1	0.17	426	71.00
2.8363454877	1	0.17	427	71.17
2.8365515361	1	0.17	428	71.33
2.8374543817	1	0.17	429	71.50
2.8374877322	1	0.17	430	71.67
2.8375811745	1	0.17	431	71.83
2.8381721102	1	0.17	432	72.00
2.8383550108	1	0.17	433	72.17
2.8394632581	1	0.17	434	72.33
2.8403542443	1	0.17	435	72.50
2.8409298766	1	0.17	436	72.67
2.8411665384	1	0.17	437	72.83
2.8413584769	1	0.17	438	73.00
2.8419785412	1	0.17	439	73.17
2.8422396454	1	0.17	440	73.33
2.8436459709	1	0.17	441	73.50
2.8436911569	1	0.17	442	73.67
2.8446454133	1	0.17	443	73.83
2.8446765421	1	0.17	444	74.00
2.8449923614	1	0.17	445	74.17
2.845278736	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8460334893	1	0.17	447	74.50
2.8480006428	1	0.17	448	74.67
2.8480428071	1	0.17	449	74.83
2.8492049041	1	0.17	450	75.00
2.8513365294	1	0.17	451	75.17
2.8519073196	1	0.17	452	75.33
2.8527834022	1	0.17	453	75.50
2.8527930281	1	0.17	454	75.67
2.8541010799	1	0.17	455	75.83
2.8547242585	1	0.17	456	76.00
2.8565365551	1	0.17	457	76.17
2.8568988911	1	0.17	458	76.33
2.8569151395	1	0.17	459	76.50
2.8571103678	1	0.17	460	76.67
2.8571177203	1	0.17	461	76.83
2.8579219024	1	0.17	462	77.00
2.8592399591	1	0.17	463	77.17
2.860115582	1	0.17	464	77.33
2.8609424763	1	0.17	465	77.50
2.8616869958	1	0.17	466	77.67
2.8620133189	1	0.17	467	77.83
2.8622920559	1	0.17	468	78.00
2.865271562	1	0.17	469	78.17
2.8683011545	1	0.17	470	78.33
2.8684114694	1	0.17	471	78.50
2.8684349388	1	0.17	472	78.67
2.8701368944	1	0.17	473	78.83
2.8703894697	1	0.17	474	79.00
2.8704658663	1	0.17	475	79.17
2.8721703937	1	0.17	476	79.33
2.8723141247	1	0.17	477	79.50
2.872739071	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.873799498	1	0.17	479	79.83
2.8748873543	1	0.17	480	80.00
2.8760565399	1	0.17	481	80.17
2.8760932507	1	0.17	482	80.33
2.8774536568	1	0.17	483	80.50
2.8779817435	1	0.17	484	80.67
2.8785424899	1	0.17	485	80.83
2.8786513685	1	0.17	486	81.00
2.8791387282	1	0.17	487	81.17
2.8805642676	1	0.17	488	81.33
2.8813208395	1	0.17	489	81.50
2.8830454383	1	0.17	490	81.67
2.8831019187	1	0.17	491	81.83
2.8837589753	1	0.17	492	82.00
2.8841345204	1	0.17	493	82.17
2.8847316776	1	0.17	494	82.33
2.8848366379	1	0.17	495	82.50
2.8852096313	1	0.17	496	82.67
2.8854597516	1	0.17	497	82.83
2.8864556483	1	0.17	498	83.00
2.8870255951	1	0.17	499	83.17
2.8880741434	1	0.17	500	83.33
2.888499904	1	0.17	501	83.50
2.890044118	1	0.17	502	83.67
2.890407064	1	0.17	503	83.83
2.8904217815	1	0.17	504	84.00
2.891134975	1	0.17	505	84.17
2.8912234556	1	0.17	506	84.33
2.8916259841	1	0.17	507	84.50
2.8917130567	1	0.17	508	84.67
2.8928434647	1	0.17	509	84.83
2.89288366	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.8934855428	1	0.17	511	85.17
2.8946249838	1	0.17	512	85.33
2.8949261688	1	0.17	513	85.50
2.8967680439	1	0.17	514	85.67
2.8967857661	1	0.17	515	85.83
2.8981193252	1	0.17	516	86.00
2.8983554567	1	0.17	517	86.17
2.9002491507	1	0.17	518	86.33
2.9024173445	1	0.17	519	86.50
2.9032294053	1	0.17	520	86.67
2.9041506984	1	0.17	521	86.83
2.9042801077	1	0.17	522	87.00
2.9049605082	1	0.17	523	87.17
2.9057533238	1	0.17	524	87.33
2.9086719815	1	0.17	525	87.50
2.9087560755	1	0.17	526	87.67
2.9087905529	1	0.17	527	87.83
2.9090944016	1	0.17	528	88.00
2.909131203	1	0.17	529	88.17
2.9101380442	1	0.17	530	88.33
2.9115777557	1	0.17	531	88.50
2.9136002295	1	0.17	532	88.67
2.913692154	1	0.17	533	88.83
2.9139649277	1	0.17	534	89.00
2.9142867072	1	0.17	535	89.17
2.9150230498	1	0.17	536	89.33
2.9150292931	1	0.17	537	89.50
2.915704497	1	0.17	538	89.67
2.9158145817	1	0.17	539	89.83
2.9159706625	1	0.17	540	90.00
2.9165393373	1	0.17	541	90.17
2.9167157125	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9202466825	1	0.17	543	90.50
2.9202713966	1	0.17	544	90.67
2.9216473805	1	0.17	545	90.83
2.9242932756	1	0.17	546	91.00
2.9277988322	1	0.17	547	91.17
2.9291417378	1	0.17	548	91.33
2.9304697042	1	0.17	549	91.50
2.9320032575	1	0.17	550	91.67
2.9340786929	1	0.17	551	91.83
2.935279852	1	0.17	552	92.00
2.9353859279	1	0.17	553	92.17
2.9375056383	1	0.17	554	92.33
2.9387295277	1	0.17	555	92.50
2.9399269315	1	0.17	556	92.67
2.9427145737	1	0.17	557	92.83
2.9439671299	1	0.17	558	93.00
2.9449213635	1	0.17	559	93.17
2.946078998	1	0.17	560	93.33
2.9464393892	1	0.17	561	93.50
2.9492947849	1	0.17	562	93.67
2.949638872	1	0.17	563	93.83
2.9504799827	1	0.17	564	94.00
2.9542473228	1	0.17	565	94.17
2.9556097939	1	0.17	566	94.33
2.9578065893	1	0.17	567	94.50
2.9585067706	1	0.17	568	94.67
2.9598390944	1	0.17	569	94.83
2.9604701925	1	0.17	570	95.00
2.9607498456	1	0.17	571	95.17
2.9617626775	1	0.17	572	95.33
2.962017855	1	0.17	573	95.50
2.9620920238	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - constant				
V03BTI_H0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.9623397538	1	0.17	575	95.83
2.9650709118	1	0.17	576	96.00
2.9673807592	1	0.17	577	96.17
2.9691752974	1	0.17	578	96.33
2.9703469605	1	0.17	579	96.50
2.9744763542	1	0.17	580	96.67
2.9765561216	1	0.17	581	96.83
2.9771459086	1	0.17	582	97.00
2.9776613401	1	0.17	583	97.17
2.9782021561	1	0.17	584	97.33
2.9862335915	1	0.17	585	97.50
2.9883533807	1	0.17	586	97.67
2.9883799342	1	0.17	587	97.83
2.9886823465	1	0.17	588	98.00
2.9940368903	1	0.17	589	98.17
2.9973642667	1	0.17	590	98.33
2.9979759269	1	0.17	591	98.50
3.003217079	1	0.17	592	98.67
3.0084432908	1	0.17	593	98.83
3.0100623704	1	0.17	594	99.00
3.0135935848	1	0.17	595	99.17
3.0311784412	1	0.17	596	99.33
3.0404426769	1	0.17	597	99.50
3.053328998	1	0.17	598	99.67
3.0561465315	1	0.17	599	99.83
3.1017107822	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
-0.385846944	1	0.17	32	5.33
-0.307099888	1	0.17	33	5.50
-0.305273693	1	0.17	34	5.67
-0.295497718	1	0.17	35	5.83
-0.295447474	1	0.17	36	6.00
-0.294911701	1	0.17	37	6.17
-0.293783011	1	0.17	38	6.33
-0.290813499	1	0.17	39	6.50
-0.290758737	1	0.17	40	6.67
-0.289645022	1	0.17	41	6.83
-0.286412564	1	0.17	42	7.00
-0.285624914	1	0.17	43	7.17
-0.285215716	1	0.17	44	7.33
-0.280280124	1	0.17	45	7.50
-0.279767461	1	0.17	46	7.67
-0.279659931	1	0.17	47	7.83
-0.278610307	1	0.17	48	8.00
-0.274391773	1	0.17	49	8.17
-0.273609488	1	0.17	50	8.33
-0.273465003	1	0.17	51	8.50
-0.27246294	1	0.17	52	8.67
-0.271820889	1	0.17	53	8.83
-0.271739446	1	0.17	54	9.00
-0.271021973	1	0.17	55	9.17
-0.271011466	1	0.17	56	9.33
-0.270808428	1	0.17	57	9.50
-0.270773434	1	0.17	58	9.67
-0.270361754	1	0.17	59	9.83
-0.270015619	1	0.17	60	10.00
-0.269476933	1	0.17	61	10.17
-0.268426165	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.268314256	1	0.17	63	10.50
-0.268166047	1	0.17	64	10.67
-0.268053437	1	0.17	65	10.83
-0.26763767	1	0.17	66	11.00
-0.267624601	1	0.17	67	11.17
-0.265665752	1	0.17	68	11.33
-0.264987921	1	0.17	69	11.50
-0.263714051	1	0.17	70	11.67
-0.263447654	1	0.17	71	11.83
-0.26312716	1	0.17	72	12.00
-0.262525509	1	0.17	73	12.17
-0.262444862	1	0.17	74	12.33
-0.260634219	1	0.17	75	12.50
-0.260511105	1	0.17	76	12.67
-0.260331388	1	0.17	77	12.83
-0.260247701	1	0.17	78	13.00
-0.260020816	1	0.17	79	13.17
-0.259925481	1	0.17	80	13.33
-0.259585346	1	0.17	81	13.50
-0.259513872	1	0.17	82	13.67
-0.259318462	1	0.17	83	13.83
-0.259052057	1	0.17	84	14.00
-0.258833629	1	0.17	85	14.17
-0.258613054	1	0.17	86	14.33
-0.258544455	1	0.17	87	14.50
-0.258452961	1	0.17	88	14.67
-0.25810381	1	0.17	89	14.83
-0.257992051	1	0.17	90	15.00
-0.257951155	1	0.17	91	15.17
-0.257559381	1	0.17	92	15.33
-0.257466469	1	0.17	93	15.50
-0.257168823	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.257102108	1	0.17	95	15.83
-0.256924675	1	0.17	96	16.00
-0.256915499	1	0.17	97	16.17
-0.256643056	1	0.17	98	16.33
-0.256541531	1	0.17	99	16.50
-0.256211524	1	0.17	100	16.67
-0.255919256	1	0.17	101	16.83
-0.255352882	1	0.17	102	17.00
-0.254361713	1	0.17	103	17.17
-0.254347906	1	0.17	104	17.33
-0.254306041	1	0.17	105	17.50
-0.253067185	1	0.17	106	17.67
-0.252593238	1	0.17	107	17.83
-0.252522534	1	0.17	108	18.00
-0.25234391	1	0.17	109	18.17
-0.252306694	1	0.17	110	18.33
-0.251950061	1	0.17	111	18.50
-0.251572902	1	0.17	112	18.67
-0.25145246	1	0.17	113	18.83
-0.251452443	1	0.17	114	19.00
-0.251311879	1	0.17	115	19.17
-0.251178431	1	0.17	116	19.33
-0.250684978	1	0.17	117	19.50
-0.250646449	1	0.17	118	19.67
-0.250568035	1	0.17	119	19.83
-0.25014613	1	0.17	120	20.00
-0.249624062	1	0.17	121	20.17
-0.24958879	1	0.17	122	20.33
-0.249562064	1	0.17	123	20.50
-0.249106655	1	0.17	124	20.67
-0.248940586	1	0.17	125	20.83
-0.248916699	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.248186073	1	0.17	127	21.17
-0.247873154	1	0.17	128	21.33
-0.247646937	1	0.17	129	21.50
-0.247584972	1	0.17	130	21.67
-0.246165641	1	0.17	131	21.83
-0.245905834	1	0.17	132	22.00
-0.24580722	1	0.17	133	22.17
-0.245799713	1	0.17	134	22.33
-0.245522603	1	0.17	135	22.50
-0.245494399	1	0.17	136	22.67
-0.245472814	1	0.17	137	22.83
-0.245360948	1	0.17	138	23.00
-0.245310769	1	0.17	139	23.17
-0.245305751	1	0.17	140	23.33
-0.244860791	1	0.17	141	23.50
-0.244518291	1	0.17	142	23.67
-0.244317687	1	0.17	143	23.83
-0.243965809	1	0.17	144	24.00
-0.243957629	1	0.17	145	24.17
-0.243763356	1	0.17	146	24.33
-0.243232751	1	0.17	147	24.50
-0.243196697	1	0.17	148	24.67
-0.243120607	1	0.17	149	24.83
-0.242723394	1	0.17	150	25.00
-0.242332057	1	0.17	151	25.17
-0.242098405	1	0.17	152	25.33
-0.241905597	1	0.17	153	25.50
-0.241864714	1	0.17	154	25.67
-0.24183261	1	0.17	155	25.83
-0.241746086	1	0.17	156	26.00
-0.24159168	1	0.17	157	26.17
-0.241546996	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.24153836	1	0.17	159	26.50
-0.241393631	1	0.17	160	26.67
-0.241080215	1	0.17	161	26.83
-0.241036016	1	0.17	162	27.00
-0.24087471	1	0.17	163	27.17
-0.24082517	1	0.17	164	27.33
-0.240693269	1	0.17	165	27.50
-0.240681327	1	0.17	166	27.67
-0.240417932	1	0.17	167	27.83
-0.240348552	1	0.17	168	28.00
-0.240331745	1	0.17	169	28.17
-0.240181909	1	0.17	170	28.33
-0.239684427	1	0.17	171	28.50
-0.239479685	1	0.17	172	28.67
-0.239454683	1	0.17	173	28.83
-0.239366319	1	0.17	174	29.00
-0.239175973	1	0.17	175	29.17
-0.239143147	1	0.17	176	29.33
-0.239034027	1	0.17	177	29.50
-0.238309298	1	0.17	178	29.67
-0.237985835	1	0.17	179	29.83
-0.237947747	1	0.17	180	30.00
-0.237901432	1	0.17	181	30.17
-0.237705065	1	0.17	182	30.33
-0.237492832	1	0.17	183	30.50
-0.23727371	1	0.17	184	30.67
-0.236710114	1	0.17	185	30.83
-0.23656005	1	0.17	186	31.00
-0.235964991	1	0.17	187	31.17
-0.235556549	1	0.17	188	31.33
-0.235542925	1	0.17	189	31.50
-0.235420357	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.235294573	1	0.17	191	31.83
-0.235267258	1	0.17	192	32.00
-0.235082129	1	0.17	193	32.17
-0.234921412	1	0.17	194	32.33
-0.234303481	1	0.17	195	32.50
-0.23429466	1	0.17	196	32.67
-0.234208784	1	0.17	197	32.83
-0.234156915	1	0.17	198	33.00
-0.234059639	1	0.17	199	33.17
-0.233931345	1	0.17	200	33.33
-0.233312061	1	0.17	201	33.50
-0.233030878	1	0.17	202	33.67
-0.232856067	1	0.17	203	33.83
-0.232505368	1	0.17	204	34.00
-0.23248626	1	0.17	205	34.17
-0.232449655	1	0.17	206	34.33
-0.23235217	1	0.17	207	34.50
-0.232249623	1	0.17	208	34.67
-0.232154015	1	0.17	209	34.83
-0.231970037	1	0.17	210	35.00
-0.231895187	1	0.17	211	35.17
-0.231681383	1	0.17	212	35.33
-0.231363988	1	0.17	213	35.50
-0.230819901	1	0.17	214	35.67
-0.230733185	1	0.17	215	35.83
-0.230589658	1	0.17	216	36.00
-0.23053849	1	0.17	217	36.17
-0.230490319	1	0.17	218	36.33
-0.230416371	1	0.17	219	36.50
-0.230350703	1	0.17	220	36.67
-0.230254201	1	0.17	221	36.83
-0.230246846	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.230199482	1	0.17	223	37.17
-0.230161039	1	0.17	224	37.33
-0.229918128	1	0.17	225	37.50
-0.229787978	1	0.17	226	37.67
-0.2295749	1	0.17	227	37.83
-0.229472041	1	0.17	228	38.00
-0.229074798	1	0.17	229	38.17
-0.228987399	1	0.17	230	38.33
-0.228538341	1	0.17	231	38.50
-0.228523662	1	0.17	232	38.67
-0.228483524	1	0.17	233	38.83
-0.227982541	1	0.17	234	39.00
-0.227972707	1	0.17	235	39.17
-0.22795578	1	0.17	236	39.33
-0.227632807	1	0.17	237	39.50
-0.227524831	1	0.17	238	39.67
-0.227080356	1	0.17	239	39.83
-0.226978901	1	0.17	240	40.00
-0.22688733	1	0.17	241	40.17
-0.22676646	1	0.17	242	40.33
-0.226669158	1	0.17	243	40.50
-0.226610319	1	0.17	244	40.67
-0.226600936	1	0.17	245	40.83
-0.226579541	1	0.17	246	41.00
-0.225969308	1	0.17	247	41.17
-0.225959501	1	0.17	248	41.33
-0.225948016	1	0.17	249	41.50
-0.225943121	1	0.17	250	41.67
-0.225802944	1	0.17	251	41.83
-0.225670932	1	0.17	252	42.00
-0.225619972	1	0.17	253	42.17
-0.225279971	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.225144146	1	0.17	255	42.50
-0.225135112	1	0.17	256	42.67
-0.225105178	1	0.17	257	42.83
-0.224995682	1	0.17	258	43.00
-0.224833565	1	0.17	259	43.17
-0.224671157	1	0.17	260	43.33
-0.224582292	1	0.17	261	43.50
-0.224523627	1	0.17	262	43.67
-0.224440953	1	0.17	263	43.83
-0.224121604	1	0.17	264	44.00
-0.224053474	1	0.17	265	44.17
-0.223923803	1	0.17	266	44.33
-0.223560691	1	0.17	267	44.50
-0.223470833	1	0.17	268	44.67
-0.223239805	1	0.17	269	44.83
-0.222909974	1	0.17	270	45.00
-0.222759556	1	0.17	271	45.17
-0.222690323	1	0.17	272	45.33
-0.222538952	1	0.17	273	45.50
-0.222133161	1	0.17	274	45.67
-0.222090198	1	0.17	275	45.83
-0.221296646	1	0.17	276	46.00
-0.221274302	1	0.17	277	46.17
-0.221081958	1	0.17	278	46.33
-0.220966834	1	0.17	279	46.50
-0.220948218	1	0.17	280	46.67
-0.220811981	1	0.17	281	46.83
-0.220716899	1	0.17	282	47.00
-0.220430454	1	0.17	283	47.17
-0.220124046	1	0.17	284	47.33
-0.220091676	1	0.17	285	47.50
-0.220041288	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.220009061	1	0.17	287	47.83
-0.219919645	1	0.17	288	48.00
-0.219796586	1	0.17	289	48.17
-0.219727855	1	0.17	290	48.33
-0.219672283	1	0.17	291	48.50
-0.219478556	1	0.17	292	48.67
-0.219326047	1	0.17	293	48.83
-0.219251319	1	0.17	294	49.00
-0.218761452	1	0.17	295	49.17
-0.218550116	1	0.17	296	49.33
-0.218117127	1	0.17	297	49.50
-0.218074679	1	0.17	298	49.67
-0.218017588	1	0.17	299	49.83
-0.217946718	1	0.17	300	50.00
-0.217912591	1	0.17	301	50.17
-0.217908322	1	0.17	302	50.33
-0.217862552	1	0.17	303	50.50
-0.217547994	1	0.17	304	50.67
-0.217370441	1	0.17	305	50.83
-0.217349689	1	0.17	306	51.00
-0.217164692	1	0.17	307	51.17
-0.217087296	1	0.17	308	51.33
-0.217047952	1	0.17	309	51.50
-0.217041154	1	0.17	310	51.67
-0.216955814	1	0.17	311	51.83
-0.216363724	1	0.17	312	52.00
-0.215981386	1	0.17	313	52.17
-0.215836134	1	0.17	314	52.33
-0.215827385	1	0.17	315	52.50
-0.215739525	1	0.17	316	52.67
-0.215726484	1	0.17	317	52.83
-0.215621969	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.215397262	1	0.17	319	53.17
-0.215308467	1	0.17	320	53.33
-0.215275865	1	0.17	321	53.50
-0.214838573	1	0.17	322	53.67
-0.214838335	1	0.17	323	53.83
-0.214831439	1	0.17	324	54.00
-0.214484228	1	0.17	325	54.17
-0.214315146	1	0.17	326	54.33
-0.214310242	1	0.17	327	54.50
-0.213975353	1	0.17	328	54.67
-0.213921357	1	0.17	329	54.83
-0.21389804	1	0.17	330	55.00
-0.213896425	1	0.17	331	55.17
-0.21373099	1	0.17	332	55.33
-0.213662446	1	0.17	333	55.50
-0.213338839	1	0.17	334	55.67
-0.213279978	1	0.17	335	55.83
-0.213103282	1	0.17	336	56.00
-0.212865032	1	0.17	337	56.17
-0.212698221	1	0.17	338	56.33
-0.212567291	1	0.17	339	56.50
-0.212370105	1	0.17	340	56.67
-0.212308957	1	0.17	341	56.83
-0.212298513	1	0.17	342	57.00
-0.212079486	1	0.17	343	57.17
-0.211967199	1	0.17	344	57.33
-0.211597623	1	0.17	345	57.50
-0.211295461	1	0.17	346	57.67
-0.211226459	1	0.17	347	57.83
-0.211185795	1	0.17	348	58.00
-0.211079284	1	0.17	349	58.17
-0.210926125	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.210706013	1	0.17	351	58.50
-0.210496154	1	0.17	352	58.67
-0.210468753	1	0.17	353	58.83
-0.210374375	1	0.17	354	59.00
-0.210146487	1	0.17	355	59.17
-0.210080273	1	0.17	356	59.33
-0.210075811	1	0.17	357	59.50
-0.210005944	1	0.17	358	59.67
-0.209792683	1	0.17	359	59.83
-0.209359271	1	0.17	360	60.00
-0.2093239	1	0.17	361	60.17
-0.209265102	1	0.17	362	60.33
-0.209240669	1	0.17	363	60.50
-0.209096674	1	0.17	364	60.67
-0.208950863	1	0.17	365	60.83
-0.208850305	1	0.17	366	61.00
-0.208788729	1	0.17	367	61.17
-0.208766777	1	0.17	368	61.33
-0.208384695	1	0.17	369	61.50
-0.208212295	1	0.17	370	61.67
-0.208012764	1	0.17	371	61.83
-0.207915075	1	0.17	372	62.00
-0.207670692	1	0.17	373	62.17
-0.207607358	1	0.17	374	62.33
-0.207584475	1	0.17	375	62.50
-0.207545811	1	0.17	376	62.67
-0.207500895	1	0.17	377	62.83
-0.207432477	1	0.17	378	63.00
-0.207387024	1	0.17	379	63.17
-0.207324716	1	0.17	380	63.33
-0.207324191	1	0.17	381	63.50
-0.207216118	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.207041695	1	0.17	383	63.83
-0.206896416	1	0.17	384	64.00
-0.206852981	1	0.17	385	64.17
-0.206845484	1	0.17	386	64.33
-0.206687144	1	0.17	387	64.50
-0.206687117	1	0.17	388	64.67
-0.206563117	1	0.17	389	64.83
-0.20651422	1	0.17	390	65.00
-0.206511155	1	0.17	391	65.17
-0.206440328	1	0.17	392	65.33
-0.206265094	1	0.17	393	65.50
-0.206116171	1	0.17	394	65.67
-0.206076849	1	0.17	395	65.83
-0.205961626	1	0.17	396	66.00
-0.205867037	1	0.17	397	66.17
-0.205701909	1	0.17	398	66.33
-0.205700956	1	0.17	399	66.50
-0.205677844	1	0.17	400	66.67
-0.205616926	1	0.17	401	66.83
-0.205544779	1	0.17	402	67.00
-0.205473114	1	0.17	403	67.17
-0.20540372	1	0.17	404	67.33
-0.205150008	1	0.17	405	67.50
-0.205025955	1	0.17	406	67.67
-0.204428532	1	0.17	407	67.83
-0.204401897	1	0.17	408	68.00
-0.204285543	1	0.17	409	68.17
-0.204232103	1	0.17	410	68.33
-0.204187267	1	0.17	411	68.50
-0.204164477	1	0.17	412	68.67
-0.203844331	1	0.17	413	68.83
-0.203822528	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.203205987	1	0.17	415	69.17
-0.203098391	1	0.17	416	69.33
-0.202792524	1	0.17	417	69.50
-0.202763551	1	0.17	418	69.67
-0.20264662	1	0.17	419	69.83
-0.202354986	1	0.17	420	70.00
-0.202286466	1	0.17	421	70.17
-0.202157022	1	0.17	422	70.33
-0.201762913	1	0.17	423	70.50
-0.20123956	1	0.17	424	70.67
-0.200970433	1	0.17	425	70.83
-0.200830776	1	0.17	426	71.00
-0.200728592	1	0.17	427	71.17
-0.200535303	1	0.17	428	71.33
-0.200264975	1	0.17	429	71.50
-0.200232691	1	0.17	430	71.67
-0.199981703	1	0.17	431	71.83
-0.199772699	1	0.17	432	72.00
-0.199608504	1	0.17	433	72.17
-0.199481287	1	0.17	434	72.33
-0.199121608	1	0.17	435	72.50
-0.198927807	1	0.17	436	72.67
-0.198801865	1	0.17	437	72.83
-0.19877026	1	0.17	438	73.00
-0.198731847	1	0.17	439	73.17
-0.198559747	1	0.17	440	73.33
-0.198559556	1	0.17	441	73.50
-0.19830819	1	0.17	442	73.67
-0.198153579	1	0.17	443	73.83
-0.197961626	1	0.17	444	74.00
-0.197296452	1	0.17	445	74.17
-0.197295766	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.196813021	1	0.17	447	74.50
-0.196400109	1	0.17	448	74.67
-0.196380275	1	0.17	449	74.83
-0.196037306	1	0.17	450	75.00
-0.195948883	1	0.17	451	75.17
-0.195578678	1	0.17	452	75.33
-0.195485289	1	0.17	453	75.50
-0.195373715	1	0.17	454	75.67
-0.195166696	1	0.17	455	75.83
-0.194986241	1	0.17	456	76.00
-0.194769147	1	0.17	457	76.17
-0.19467012	1	0.17	458	76.33
-0.194555645	1	0.17	459	76.50
-0.194497341	1	0.17	460	76.67
-0.194365236	1	0.17	461	76.83
-0.194299146	1	0.17	462	77.00
-0.1941277	1	0.17	463	77.17
-0.194050022	1	0.17	464	77.33
-0.193981654	1	0.17	465	77.50
-0.193751946	1	0.17	466	77.67
-0.193515094	1	0.17	467	77.83
-0.192864289	1	0.17	468	78.00
-0.192603336	1	0.17	469	78.17
-0.192509011	1	0.17	470	78.33
-0.192383992	1	0.17	471	78.50
-0.192305252	1	0.17	472	78.67
-0.19221208	1	0.17	473	78.83
-0.192086369	1	0.17	474	79.00
-0.192041705	1	0.17	475	79.17
-0.191474629	1	0.17	476	79.33
-0.191400527	1	0.17	477	79.50
-0.191365706	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.19125908	1	0.17	479	79.83
-0.190650783	1	0.17	480	80.00
-0.190640606	1	0.17	481	80.17
-0.19024837	1	0.17	482	80.33
-0.189981894	1	0.17	483	80.50
-0.189892015	1	0.17	484	80.67
-0.189366038	1	0.17	485	80.83
-0.189263606	1	0.17	486	81.00
-0.189186213	1	0.17	487	81.17
-0.189125097	1	0.17	488	81.33
-0.188523013	1	0.17	489	81.50
-0.188449251	1	0.17	490	81.67
-0.18802141	1	0.17	491	81.83
-0.187308066	1	0.17	492	82.00
-0.186528732	1	0.17	493	82.17
-0.186229682	1	0.17	494	82.33
-0.185936761	1	0.17	495	82.50
-0.18584616	1	0.17	496	82.67
-0.185736241	1	0.17	497	82.83
-0.185699185	1	0.17	498	83.00
-0.185564711	1	0.17	499	83.17
-0.185175854	1	0.17	500	83.33
-0.185119781	1	0.17	501	83.50
-0.183783763	1	0.17	502	83.67
-0.182920455	1	0.17	503	83.83
-0.182862287	1	0.17	504	84.00
-0.182669561	1	0.17	505	84.17
-0.182587892	1	0.17	506	84.33
-0.182352443	1	0.17	507	84.50
-0.182135128	1	0.17	508	84.67
-0.182000086	1	0.17	509	84.83
-0.181560555	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.181358338	1	0.17	511	85.17
-0.181219251	1	0.17	512	85.33
-0.181110491	1	0.17	513	85.50
-0.180727467	1	0.17	514	85.67
-0.18072127	1	0.17	515	85.83
-0.180198848	1	0.17	516	86.00
-0.180129918	1	0.17	517	86.17
-0.180107234	1	0.17	518	86.33
-0.17992402	1	0.17	519	86.50
-0.179864302	1	0.17	520	86.67
-0.179825504	1	0.17	521	86.83
-0.179264221	1	0.17	522	87.00
-0.179127479	1	0.17	523	87.17
-0.179043795	1	0.17	524	87.33
-0.17897906	1	0.17	525	87.50
-0.178728015	1	0.17	526	87.67
-0.178487748	1	0.17	527	87.83
-0.177975586	1	0.17	528	88.00
-0.177869036	1	0.17	529	88.17
-0.177509601	1	0.17	530	88.33
-0.177113357	1	0.17	531	88.50
-0.176378118	1	0.17	532	88.67
-0.176263911	1	0.17	533	88.83
-0.176029359	1	0.17	534	89.00
-0.175347234	1	0.17	535	89.17
-0.175059105	1	0.17	536	89.33
-0.174991052	1	0.17	537	89.50
-0.174725537	1	0.17	538	89.67
-0.174435052	1	0.17	539	89.83
-0.173377168	1	0.17	540	90.00
-0.173290427	1	0.17	541	90.17
-0.173276248	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.172306054	1	0.17	543	90.50
-0.171709036	1	0.17	544	90.67
-0.171626089	1	0.17	545	90.83
-0.170796029	1	0.17	546	91.00
-0.17052265	1	0.17	547	91.17
-0.170265208	1	0.17	548	91.33
-0.16842035	1	0.17	549	91.50
-0.168394923	1	0.17	550	91.67
-0.168303099	1	0.17	551	91.83
-0.168109896	1	0.17	552	92.00
-0.167179068	1	0.17	553	92.17
-0.166905094	1	0.17	554	92.33
-0.16622437	1	0.17	555	92.50
-0.165719655	1	0.17	556	92.67
-0.164305211	1	0.17	557	92.83
-0.163875255	1	0.17	558	93.00
-0.162998498	1	0.17	559	93.17
-0.162550581	1	0.17	560	93.33
-0.160772609	1	0.17	561	93.50
-0.160726759	1	0.17	562	93.67
-0.15966515	1	0.17	563	93.83
-0.159646121	1	0.17	564	94.00
-0.159394785	1	0.17	565	94.17
-0.159342364	1	0.17	566	94.33
-0.158495924	1	0.17	567	94.50
-0.157959441	1	0.17	568	94.67
-0.155456721	1	0.17	569	94.83
-0.154799498	1	0.17	570	95.00
-0.1534535	1	0.17	571	95.17
-0.153165686	1	0.17	572	95.33
-0.152891289	1	0.17	573	95.50
-0.152266056	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - slope				
V03BTI_H1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.152221436	1	0.17	575	95.83
-0.152037084	1	0.17	576	96.00
-0.151647683	1	0.17	577	96.17
-0.150138865	1	0.17	578	96.33
-0.149923996	1	0.17	579	96.50
-0.149291502	1	0.17	580	96.67
-0.149136042	1	0.17	581	96.83
-0.146806525	1	0.17	582	97.00
-0.146392482	1	0.17	583	97.17
-0.145742499	1	0.17	584	97.33
-0.145373132	1	0.17	585	97.50
-0.141165351	1	0.17	586	97.67
-0.140723075	1	0.17	587	97.83
-0.139935618	1	0.17	588	98.00
-0.139871019	1	0.17	589	98.17
-0.13180709	1	0.17	590	98.33
-0.131062501	1	0.17	591	98.50
-0.12898053	1	0.17	592	98.67
-0.128896587	1	0.17	593	98.83
-0.121883869	1	0.17	594	99.00
-0.114759439	1	0.17	595	99.17
-0.103305008	1	0.17	596	99.33
-0.099417969	1	0.17	597	99.50
-0.092392491	1	0.17	598	99.67
-0.084247936	1	0.17	599	99.83
-0.068849497	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
-0.006799444	1	0.17	32	5.33
0.0038546498	1	0.17	33	5.50
0.0071503569	1	0.17	34	5.67
0.0076610878	1	0.17	35	5.83
0.0084786732	1	0.17	36	6.00
0.0087256274	1	0.17	37	6.17
0.015287	1	0.17	38	6.33
0.0162116647	1	0.17	39	6.50
0.0168483962	1	0.17	40	6.67
0.0173618302	1	0.17	41	6.83
0.0174452901	1	0.17	42	7.00
0.0181491141	1	0.17	43	7.17
0.019070132	1	0.17	44	7.33
0.0198038413	1	0.17	45	7.50
0.0199068303	1	0.17	46	7.67
0.0200075295	1	0.17	47	7.83
0.0202473232	1	0.17	48	8.00
0.0208509553	1	0.17	49	8.17
0.0219727896	1	0.17	50	8.33
0.0230823514	1	0.17	51	8.50
0.0231461608	1	0.17	52	8.67
0.0239287593	1	0.17	53	8.83
0.0241053176	1	0.17	54	9.00
0.0252524373	1	0.17	55	9.17
0.0264362553	1	0.17	56	9.33
0.0280653748	1	0.17	57	9.50
0.0287034593	1	0.17	58	9.67
0.0288000901	1	0.17	59	9.83
0.0292149222	1	0.17	60	10.00
0.0298776083	1	0.17	61	10.17
0.0299164577	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0299917973	1	0.17	63	10.50
0.0304092144	1	0.17	64	10.67
0.0313289386	1	0.17	65	10.83
0.0323063165	1	0.17	66	11.00
0.0324110564	1	0.17	67	11.17
0.0325437085	1	0.17	68	11.33
0.0328174001	1	0.17	69	11.50
0.0331851205	1	0.17	70	11.67
0.0336290778	1	0.17	71	11.83
0.0336918848	1	0.17	72	12.00
0.0342012594	1	0.17	73	12.17
0.034719231	1	0.17	74	12.33
0.0350719341	1	0.17	75	12.50
0.0353259439	1	0.17	76	12.67
0.0358047027	1	0.17	77	12.83
0.0358209408	1	0.17	78	13.00
0.0358464719	1	0.17	79	13.17
0.0358467173	1	0.17	80	13.33
0.0359899719	1	0.17	81	13.50
0.036617435	1	0.17	82	13.67
0.0369725067	1	0.17	83	13.83
0.0371388526	1	0.17	84	14.00
0.0372577697	1	0.17	85	14.17
0.0372968248	1	0.17	86	14.33
0.0386305188	1	0.17	87	14.50
0.0389304179	1	0.17	88	14.67
0.0391654731	1	0.17	89	14.83
0.0398651306	1	0.17	90	15.00
0.040384525	1	0.17	91	15.17
0.0406999621	1	0.17	92	15.33
0.0407272085	1	0.17	93	15.50
0.0408617582	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0421958962	1	0.17	95	15.83
0.0422079161	1	0.17	96	16.00
0.0424678667	1	0.17	97	16.17
0.0428956856	1	0.17	98	16.33
0.0435462012	1	0.17	99	16.50
0.0437753802	1	0.17	100	16.67
0.043882485	1	0.17	101	16.83
0.0444068072	1	0.17	102	17.00
0.0449502563	1	0.17	103	17.17
0.0450486972	1	0.17	104	17.33
0.0450627227	1	0.17	105	17.50
0.0451232046	1	0.17	106	17.67
0.0454543185	1	0.17	107	17.83
0.0455507799	1	0.17	108	18.00
0.0464647618	1	0.17	109	18.17
0.0468982255	1	0.17	110	18.33
0.0470513811	1	0.17	111	18.50
0.0473162166	1	0.17	112	18.67
0.0474345705	1	0.17	113	18.83
0.0481260089	1	0.17	114	19.00
0.0487893175	1	0.17	115	19.17
0.0489190092	1	0.17	116	19.33
0.0493948459	1	0.17	117	19.50
0.0495277664	1	0.17	118	19.67
0.0499319251	1	0.17	119	19.83
0.0505727048	1	0.17	120	20.00
0.0508843056	1	0.17	121	20.17
0.0513913847	1	0.17	122	20.33
0.0517207679	1	0.17	123	20.50
0.0518488891	1	0.17	124	20.67
0.0522502117	1	0.17	125	20.83
0.0524802148	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.05262646	1	0.17	127	21.17
0.0527978937	1	0.17	128	21.33
0.0528003953	1	0.17	129	21.50
0.0529746799	1	0.17	130	21.67
0.0530676185	1	0.17	131	21.83
0.0531025102	1	0.17	132	22.00
0.0531174353	1	0.17	133	22.17
0.0532774456	1	0.17	134	22.33
0.0540194994	1	0.17	135	22.50
0.0545605934	1	0.17	136	22.67
0.0545719365	1	0.17	137	22.83
0.0546213449	1	0.17	138	23.00
0.0548168605	1	0.17	139	23.17
0.0548333973	1	0.17	140	23.33
0.0550489773	1	0.17	141	23.50
0.0553040999	1	0.17	142	23.67
0.055420459	1	0.17	143	23.83
0.055801616	1	0.17	144	24.00
0.0558345312	1	0.17	145	24.17
0.0558592363	1	0.17	146	24.33
0.0560273219	1	0.17	147	24.50
0.0563069609	1	0.17	148	24.67
0.0567303495	1	0.17	149	24.83
0.0568956442	1	0.17	150	25.00
0.0573177272	1	0.17	151	25.17
0.0573249077	1	0.17	152	25.33
0.057349958	1	0.17	153	25.50
0.0576824884	1	0.17	154	25.67
0.0576996267	1	0.17	155	25.83
0.0578790438	1	0.17	156	26.00
0.057951955	1	0.17	157	26.17
0.0583730276	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.058592445	1	0.17	159	26.50
0.0586277752	1	0.17	160	26.67
0.0588695645	1	0.17	161	26.83
0.0588718333	1	0.17	162	27.00
0.0589109464	1	0.17	163	27.17
0.0590724099	1	0.17	164	27.33
0.0593097839	1	0.17	165	27.50
0.0597000614	1	0.17	166	27.67
0.060070991	1	0.17	167	27.83
0.0602339096	1	0.17	168	28.00
0.0609631887	1	0.17	169	28.17
0.0610815992	1	0.17	170	28.33
0.0612048126	1	0.17	171	28.50
0.0612599206	1	0.17	172	28.67
0.0622863368	1	0.17	173	28.83
0.0625339611	1	0.17	174	29.00
0.0630959255	1	0.17	175	29.17
0.0632084766	1	0.17	176	29.33
0.0634206531	1	0.17	177	29.50
0.0635396142	1	0.17	178	29.67
0.0642033164	1	0.17	179	29.83
0.0642862869	1	0.17	180	30.00
0.0645068513	1	0.17	181	30.17
0.0645828565	1	0.17	182	30.33
0.0647061256	1	0.17	183	30.50
0.0649332819	1	0.17	184	30.67
0.0651203072	1	0.17	185	30.83
0.0652072684	1	0.17	186	31.00
0.0652682323	1	0.17	187	31.17
0.0655648378	1	0.17	188	31.33
0.065664975	1	0.17	189	31.50
0.0656674725	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0658306697	1	0.17	191	31.83
0.0658773696	1	0.17	192	32.00
0.0659078738	1	0.17	193	32.17
0.0659719751	1	0.17	194	32.33
0.0660447028	1	0.17	195	32.50
0.0662691659	1	0.17	196	32.67
0.0662894251	1	0.17	197	32.83
0.0667433999	1	0.17	198	33.00
0.0667508666	1	0.17	199	33.17
0.0670683752	1	0.17	200	33.33
0.0670896346	1	0.17	201	33.50
0.0673426336	1	0.17	202	33.67
0.0673575435	1	0.17	203	33.83
0.0673925962	1	0.17	204	34.00
0.0675502477	1	0.17	205	34.17
0.0681875155	1	0.17	206	34.33
0.0683206625	1	0.17	207	34.50
0.0683278399	1	0.17	208	34.67
0.068383326	1	0.17	209	34.83
0.0683880572	1	0.17	210	35.00
0.068588499	1	0.17	211	35.17
0.0690052086	1	0.17	212	35.33
0.0692116962	1	0.17	213	35.50
0.0693770239	1	0.17	214	35.67
0.0695331554	1	0.17	215	35.83
0.0699895036	1	0.17	216	36.00
0.070352488	1	0.17	217	36.17
0.070456943	1	0.17	218	36.33
0.0704656663	1	0.17	219	36.50
0.070571729	1	0.17	220	36.67
0.0711763066	1	0.17	221	36.83
0.0716113065	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0716415437	1	0.17	223	37.17
0.0722223712	1	0.17	224	37.33
0.0733266226	1	0.17	225	37.50
0.0739609519	1	0.17	226	37.67
0.0743546133	1	0.17	227	37.83
0.0744880262	1	0.17	228	38.00
0.0745107225	1	0.17	229	38.17
0.0746431743	1	0.17	230	38.33
0.0753552735	1	0.17	231	38.50
0.0753718568	1	0.17	232	38.67
0.0754248649	1	0.17	233	38.83
0.0755156598	1	0.17	234	39.00
0.0755200278	1	0.17	235	39.17
0.0764605501	1	0.17	236	39.33
0.0764615005	1	0.17	237	39.50
0.0769656827	1	0.17	238	39.67
0.0771227788	1	0.17	239	39.83
0.0773454229	1	0.17	240	40.00
0.0773961153	1	0.17	241	40.17
0.0776243939	1	0.17	242	40.33
0.0777456163	1	0.17	243	40.50
0.0778201741	1	0.17	244	40.67
0.0778974409	1	0.17	245	40.83
0.0783634667	1	0.17	246	41.00
0.0786637891	1	0.17	247	41.17
0.0788869299	1	0.17	248	41.33
0.0792404838	1	0.17	249	41.50
0.0792602527	1	0.17	250	41.67
0.0794546152	1	0.17	251	41.83
0.0809096888	1	0.17	252	42.00
0.080961534	1	0.17	253	42.17
0.080970737	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0809853218	1	0.17	255	42.50
0.0809883503	1	0.17	256	42.67
0.0812417625	1	0.17	257	42.83
0.0812981605	1	0.17	258	43.00
0.0819128569	1	0.17	259	43.17
0.0821184277	1	0.17	260	43.33
0.0823674706	1	0.17	261	43.50
0.0825220308	1	0.17	262	43.67
0.0828847933	1	0.17	263	43.83
0.0833249962	1	0.17	264	44.00
0.0836371395	1	0.17	265	44.17
0.0842882387	1	0.17	266	44.33
0.084537169	1	0.17	267	44.50
0.0846032442	1	0.17	268	44.67
0.0849130748	1	0.17	269	44.83
0.0849996527	1	0.17	270	45.00
0.0852659248	1	0.17	271	45.17
0.085374931	1	0.17	272	45.33
0.0853974457	1	0.17	273	45.50
0.0859246484	1	0.17	274	45.67
0.0863821063	1	0.17	275	45.83
0.0865607949	1	0.17	276	46.00
0.0867990963	1	0.17	277	46.17
0.0868330758	1	0.17	278	46.33
0.0868958239	1	0.17	279	46.50
0.0869869421	1	0.17	280	46.67
0.0872325848	1	0.17	281	46.83
0.0873540073	1	0.17	282	47.00
0.0873616293	1	0.17	283	47.17
0.0878778543	1	0.17	284	47.33
0.0880796481	1	0.17	285	47.50
0.0881157314	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0882846832	1	0.17	287	47.83
0.0885014779	1	0.17	288	48.00
0.0889420639	1	0.17	289	48.17
0.0897133499	1	0.17	290	48.33
0.0897467237	1	0.17	291	48.50
0.0898330029	1	0.17	292	48.67
0.0898846707	1	0.17	293	48.83
0.0899215962	1	0.17	294	49.00
0.0901052541	1	0.17	295	49.17
0.0906290791	1	0.17	296	49.33
0.0906801502	1	0.17	297	49.50
0.0907360726	1	0.17	298	49.67
0.090849893	1	0.17	299	49.83
0.0909858597	1	0.17	300	50.00
0.0916740368	1	0.17	301	50.17
0.0918599181	1	0.17	302	50.33
0.0919666656	1	0.17	303	50.50
0.0925535588	1	0.17	304	50.67
0.0926440924	1	0.17	305	50.83
0.092732483	1	0.17	306	51.00
0.0930515572	1	0.17	307	51.17
0.0931143126	1	0.17	308	51.33
0.0931919992	1	0.17	309	51.50
0.093349381	1	0.17	310	51.67
0.0934227268	1	0.17	311	51.83
0.0934436278	1	0.17	312	52.00
0.0934758367	1	0.17	313	52.17
0.0935207915	1	0.17	314	52.33
0.0935408587	1	0.17	315	52.50
0.0936930928	1	0.17	316	52.67
0.093707291	1	0.17	317	52.83
0.0939000189	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0939046492	1	0.17	319	53.17
0.0940098115	1	0.17	320	53.33
0.0943771883	1	0.17	321	53.50
0.0943998627	1	0.17	322	53.67
0.0945022956	1	0.17	323	53.83
0.0947509474	1	0.17	324	54.00
0.09483068	1	0.17	325	54.17
0.0950027213	1	0.17	326	54.33
0.0951371059	1	0.17	327	54.50
0.0953334734	1	0.17	328	54.67
0.0966448078	1	0.17	329	54.83
0.0967344959	1	0.17	330	55.00
0.0967702444	1	0.17	331	55.17
0.0968282798	1	0.17	332	55.33
0.0972287956	1	0.17	333	55.50
0.0972425693	1	0.17	334	55.67
0.0977643422	1	0.17	335	55.83
0.0977747989	1	0.17	336	56.00
0.0978762212	1	0.17	337	56.17
0.0981273283	1	0.17	338	56.33
0.098541757	1	0.17	339	56.50
0.0988766873	1	0.17	340	56.67
0.0989346314	1	0.17	341	56.83
0.1005445175	1	0.17	342	57.00
0.1006035338	1	0.17	343	57.17
0.1006526482	1	0.17	344	57.33
0.1006606985	1	0.17	345	57.50
0.1008230384	1	0.17	346	57.67
0.1013167354	1	0.17	347	57.83
0.1014236967	1	0.17	348	58.00
0.1016052282	1	0.17	349	58.17
0.1022798266	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1027676346	1	0.17	351	58.50
0.1028228959	1	0.17	352	58.67
0.1028825236	1	0.17	353	58.83
0.1034437496	1	0.17	354	59.00
0.1038093878	1	0.17	355	59.17
0.1040649159	1	0.17	356	59.33
0.1040688478	1	0.17	357	59.50
0.1040869163	1	0.17	358	59.67
0.1042628611	1	0.17	359	59.83
0.1042928149	1	0.17	360	60.00
0.104426186	1	0.17	361	60.17
0.1044696455	1	0.17	362	60.33
0.1047563312	1	0.17	363	60.50
0.1048482555	1	0.17	364	60.67
0.1049190419	1	0.17	365	60.83
0.1050193698	1	0.17	366	61.00
0.1055811854	1	0.17	367	61.17
0.1057648194	1	0.17	368	61.33
0.1059592585	1	0.17	369	61.50
0.1060414882	1	0.17	370	61.67
0.1064136236	1	0.17	371	61.83
0.1073205064	1	0.17	372	62.00
0.1075381211	1	0.17	373	62.17
0.1075498741	1	0.17	374	62.33
0.1076145492	1	0.17	375	62.50
0.1081851319	1	0.17	376	62.67
0.108392059	1	0.17	377	62.83
0.1086728058	1	0.17	378	63.00
0.108880346	1	0.17	379	63.17
0.1090492544	1	0.17	380	63.33
0.1092450591	1	0.17	381	63.50
0.1092815422	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1097686909	1	0.17	383	63.83
0.1099479121	1	0.17	384	64.00
0.1102441663	1	0.17	385	64.17
0.1109856429	1	0.17	386	64.33
0.1112896094	1	0.17	387	64.50
0.1115101879	1	0.17	388	64.67
0.1117645342	1	0.17	389	64.83
0.1117841711	1	0.17	390	65.00
0.1121328707	1	0.17	391	65.17
0.112377897	1	0.17	392	65.33
0.1123805083	1	0.17	393	65.50
0.112860949	1	0.17	394	65.67
0.1131385717	1	0.17	395	65.83
0.1133072674	1	0.17	396	66.00
0.1134460453	1	0.17	397	66.17
0.1139260955	1	0.17	398	66.33
0.1139895836	1	0.17	399	66.50
0.1140246053	1	0.17	400	66.67
0.1142449587	1	0.17	401	66.83
0.1145560182	1	0.17	402	67.00
0.1148164935	1	0.17	403	67.17
0.1149906981	1	0.17	404	67.33
0.1157633791	1	0.17	405	67.50
0.1163060412	1	0.17	406	67.67
0.1165281737	1	0.17	407	67.83
0.1171606321	1	0.17	408	68.00
0.1173572014	1	0.17	409	68.17
0.1173651668	1	0.17	410	68.33
0.1181073194	1	0.17	411	68.50
0.1181938009	1	0.17	412	68.67
0.1182600674	1	0.17	413	68.83
0.1187769305	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1190700585	1	0.17	415	69.17
0.1193140278	1	0.17	416	69.33
0.1197567861	1	0.17	417	69.50
0.1209285866	1	0.17	418	69.67
0.1210336027	1	0.17	419	69.83
0.1211868494	1	0.17	420	70.00
0.121280844	1	0.17	421	70.17
0.1219424463	1	0.17	422	70.33
0.1222159052	1	0.17	423	70.50
0.1241411349	1	0.17	424	70.67
0.124660207	1	0.17	425	70.83
0.1248220657	1	0.17	426	71.00
0.1251838727	1	0.17	427	71.17
0.1252580378	1	0.17	428	71.33
0.1253242236	1	0.17	429	71.50
0.1266537562	1	0.17	430	71.67
0.1267334249	1	0.17	431	71.83
0.1271940697	1	0.17	432	72.00
0.1275744697	1	0.17	433	72.17
0.1282710612	1	0.17	434	72.33
0.1290767656	1	0.17	435	72.50
0.1298536654	1	0.17	436	72.67
0.1298929146	1	0.17	437	72.83
0.1304443644	1	0.17	438	73.00
0.1314315158	1	0.17	439	73.17
0.1314626912	1	0.17	440	73.33
0.131948045	1	0.17	441	73.50
0.1322318197	1	0.17	442	73.67
0.1322854232	1	0.17	443	73.83
0.1328809386	1	0.17	444	74.00
0.1337444835	1	0.17	445	74.17
0.1338964327	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.134363031	1	0.17	447	74.50
0.134637408	1	0.17	448	74.67
0.1350014446	1	0.17	449	74.83
0.1351155148	1	0.17	450	75.00
0.1353773936	1	0.17	451	75.17
0.1358111484	1	0.17	452	75.33
0.1361464626	1	0.17	453	75.50
0.1363296269	1	0.17	454	75.67
0.1368411176	1	0.17	455	75.83
0.1369098928	1	0.17	456	76.00
0.1373404895	1	0.17	457	76.17
0.1382939857	1	0.17	458	76.33
0.1389643473	1	0.17	459	76.50
0.1390127978	1	0.17	460	76.67
0.1391577682	1	0.17	461	76.83
0.1393046859	1	0.17	462	77.00
0.1398972249	1	0.17	463	77.17
0.1399531694	1	0.17	464	77.33
0.1402008325	1	0.17	465	77.50
0.1408549853	1	0.17	466	77.67
0.1410239709	1	0.17	467	77.83
0.1416184316	1	0.17	468	78.00
0.1417983736	1	0.17	469	78.17
0.1419406863	1	0.17	470	78.33
0.1420890959	1	0.17	471	78.50
0.1429629862	1	0.17	472	78.67
0.1438924033	1	0.17	473	78.83
0.1439096542	1	0.17	474	79.00
0.1439123595	1	0.17	475	79.17
0.1440047749	1	0.17	476	79.33
0.1444167039	1	0.17	477	79.50
0.1456229461	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1458547315	1	0.17	479	79.83
0.1465547094	1	0.17	480	80.00
0.1469567546	1	0.17	481	80.17
0.1478442881	1	0.17	482	80.33
0.1481386073	1	0.17	483	80.50
0.1490008439	1	0.17	484	80.67
0.1490277036	1	0.17	485	80.83
0.1492255565	1	0.17	486	81.00
0.1496792255	1	0.17	487	81.17
0.1497063019	1	0.17	488	81.33
0.1498318396	1	0.17	489	81.50
0.1500425207	1	0.17	490	81.67
0.1501384044	1	0.17	491	81.83
0.1503122471	1	0.17	492	82.00
0.1504886062	1	0.17	493	82.17
0.1508633751	1	0.17	494	82.33
0.1510589354	1	0.17	495	82.50
0.1515177846	1	0.17	496	82.67
0.1524238827	1	0.17	497	82.83
0.152845299	1	0.17	498	83.00
0.15294628	1	0.17	499	83.17
0.1529753665	1	0.17	500	83.33
0.1534006447	1	0.17	501	83.50
0.1537072259	1	0.17	502	83.67
0.1540575234	1	0.17	503	83.83
0.1547209312	1	0.17	504	84.00
0.1553854462	1	0.17	505	84.17
0.1555457403	1	0.17	506	84.33
0.1557796872	1	0.17	507	84.50
0.1558420079	1	0.17	508	84.67
0.1566579661	1	0.17	509	84.83
0.1570718602	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1573516502	1	0.17	511	85.17
0.1576575977	1	0.17	512	85.33
0.1587140451	1	0.17	513	85.50
0.1588695489	1	0.17	514	85.67
0.16204242	1	0.17	515	85.83
0.1620557376	1	0.17	516	86.00
0.1623176494	1	0.17	517	86.17
0.1633178768	1	0.17	518	86.33
0.1636888963	1	0.17	519	86.50
0.1641998067	1	0.17	520	86.67
0.1643023009	1	0.17	521	86.83
0.1643860722	1	0.17	522	87.00
0.1651320149	1	0.17	523	87.17
0.1654995356	1	0.17	524	87.33
0.1655761068	1	0.17	525	87.50
0.1659380039	1	0.17	526	87.67
0.1662534511	1	0.17	527	87.83
0.1663811008	1	0.17	528	88.00
0.1663867005	1	0.17	529	88.17
0.1667617171	1	0.17	530	88.33
0.1668466672	1	0.17	531	88.50
0.1675896375	1	0.17	532	88.67
0.1695664903	1	0.17	533	88.83
0.1725210633	1	0.17	534	89.00
0.1744190578	1	0.17	535	89.17
0.174420116	1	0.17	536	89.33
0.1751376727	1	0.17	537	89.50
0.1752562072	1	0.17	538	89.67
0.175517448	1	0.17	539	89.83
0.1755878981	1	0.17	540	90.00
0.1760827035	1	0.17	541	90.17
0.176309978	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1770854752	1	0.17	543	90.50
0.1781888527	1	0.17	544	90.67
0.1785875272	1	0.17	545	90.83
0.1786708418	1	0.17	546	91.00
0.1789897063	1	0.17	547	91.17
0.1792919629	1	0.17	548	91.33
0.1792926931	1	0.17	549	91.50
0.1796715693	1	0.17	550	91.67
0.1802540135	1	0.17	551	91.83
0.1830543128	1	0.17	552	92.00
0.1846158817	1	0.17	553	92.17
0.1859277808	1	0.17	554	92.33
0.1862507548	1	0.17	555	92.50
0.1873211162	1	0.17	556	92.67
0.187830716	1	0.17	557	92.83
0.1878443839	1	0.17	558	93.00
0.1891464659	1	0.17	559	93.17
0.190621827	1	0.17	560	93.33
0.1907726981	1	0.17	561	93.50
0.191197217	1	0.17	562	93.67
0.1917839798	1	0.17	563	93.83
0.1929889964	1	0.17	564	94.00
0.1935574118	1	0.17	565	94.17
0.1938479629	1	0.17	566	94.33
0.1938581062	1	0.17	567	94.50
0.1941259267	1	0.17	568	94.67
0.1953212082	1	0.17	569	94.83
0.1956800306	1	0.17	570	95.00
0.1961870241	1	0.17	571	95.17
0.1962330929	1	0.17	572	95.33
0.1962845484	1	0.17	573	95.50
0.1970849816	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Horizontal - quadratic				
V03BTI_H2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.197576308	1	0.17	575	95.83
0.1980772544	1	0.17	576	96.00
0.1981231923	1	0.17	577	96.17
0.2017431133	1	0.17	578	96.33
0.2044461431	1	0.17	579	96.50
0.2065366823	1	0.17	580	96.67
0.2074844145	1	0.17	581	96.83
0.2076526433	1	0.17	582	97.00
0.2094854526	1	0.17	583	97.17
0.2100968283	1	0.17	584	97.33
0.2107105636	1	0.17	585	97.50
0.2120654099	1	0.17	586	97.67
0.2130208114	1	0.17	587	97.83
0.2162421312	1	0.17	588	98.00
0.2172374198	1	0.17	589	98.17
0.2251494241	1	0.17	590	98.33
0.2275131681	1	0.17	591	98.50
0.2279612173	1	0.17	592	98.67
0.231298826	1	0.17	593	98.83
0.2349602581	1	0.17	594	99.00
0.2351899781	1	0.17	595	99.17
0.236763461	1	0.17	596	99.33
0.2388981638	1	0.17	597	99.50
0.2418303698	1	0.17	598	99.67
0.2434823367	1	0.17	599	99.83
0.2449828516	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
1.7079466453	1	0.17	32	5.33
1.9241561944	1	0.17	33	5.50
2.0537911889	1	0.17	34	5.67
2.0577922544	1	0.17	35	5.83
2.0689950861	1	0.17	36	6.00
2.0715079993	1	0.17	37	6.17
2.0729846988	1	0.17	38	6.33
2.0856571879	1	0.17	39	6.50
2.0898577743	1	0.17	40	6.67
2.0972049654	1	0.17	41	6.83
2.1001281342	1	0.17	42	7.00
2.1144546771	1	0.17	43	7.17
2.1161109532	1	0.17	44	7.33
2.1234001608	1	0.17	45	7.50
2.1316269512	1	0.17	46	7.67
2.1373976637	1	0.17	47	7.83
2.1384441932	1	0.17	48	8.00
2.140749894	1	0.17	49	8.17
2.1427566105	1	0.17	50	8.33
2.1459730973	1	0.17	51	8.50
2.1529695943	1	0.17	52	8.67
2.159704205	1	0.17	53	8.83
2.1728723092	1	0.17	54	9.00
2.17946487	1	0.17	55	9.17
2.1812456843	1	0.17	56	9.33
2.1918606863	1	0.17	57	9.50
2.1918929569	1	0.17	58	9.67
2.1946375401	1	0.17	59	9.83
2.1972608325	1	0.17	60	10.00
2.2024680133	1	0.17	61	10.17
2.2086298937	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2101682851	1	0.17	63	10.50
2.2109458449	1	0.17	64	10.67
2.2110591432	1	0.17	65	10.83
2.2133528668	1	0.17	66	11.00
2.2178817374	1	0.17	67	11.17
2.2214509104	1	0.17	68	11.33
2.2218196845	1	0.17	69	11.50
2.2226377778	1	0.17	70	11.67
2.2268371237	1	0.17	71	11.83
2.2283161603	1	0.17	72	12.00
2.2305354916	1	0.17	73	12.17
2.231318905	1	0.17	74	12.33
2.2338288016	1	0.17	75	12.50
2.2338829999	1	0.17	76	12.67
2.2427103305	1	0.17	77	12.83
2.2441846257	1	0.17	78	13.00
2.2442734297	1	0.17	79	13.17
2.2453625856	1	0.17	80	13.33
2.2579365725	1	0.17	81	13.50
2.2579529059	1	0.17	82	13.67
2.2590740474	1	0.17	83	13.83
2.2594042531	1	0.17	84	14.00
2.2648442387	1	0.17	85	14.17
2.266239927	1	0.17	86	14.33
2.2667234873	1	0.17	87	14.50
2.2694917927	1	0.17	88	14.67
2.2703790822	1	0.17	89	14.83
2.2705147361	1	0.17	90	15.00
2.2707415023	1	0.17	91	15.17
2.2710281191	1	0.17	92	15.33
2.2717995308	1	0.17	93	15.50
2.2718451469	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.2720488497	1	0.17	95	15.83
2.2752998717	1	0.17	96	16.00
2.2772911788	1	0.17	97	16.17
2.2784038384	1	0.17	98	16.33
2.281473175	1	0.17	99	16.50
2.2823742738	1	0.17	100	16.67
2.2840431118	1	0.17	101	16.83
2.2871816279	1	0.17	102	17.00
2.2879341384	1	0.17	103	17.17
2.288787391	1	0.17	104	17.33
2.292029486	1	0.17	105	17.50
2.2944580268	1	0.17	106	17.67
2.2980269009	1	0.17	107	17.83
2.3029101081	1	0.17	108	18.00
2.3042783124	1	0.17	109	18.17
2.3065108278	1	0.17	110	18.33
2.3065292492	1	0.17	111	18.50
2.3068336091	1	0.17	112	18.67
2.3090327429	1	0.17	113	18.83
2.3092836313	1	0.17	114	19.00
2.3126633206	1	0.17	115	19.17
2.3128172103	1	0.17	116	19.33
2.3138920046	1	0.17	117	19.50
2.3174778408	1	0.17	118	19.67
2.3239708651	1	0.17	119	19.83
2.3258756722	1	0.17	120	20.00
2.3266086471	1	0.17	121	20.17
2.3269581984	1	0.17	122	20.33
2.3289045926	1	0.17	123	20.50
2.3289559843	1	0.17	124	20.67
2.3297787136	1	0.17	125	20.83
2.332017996	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.332483013	1	0.17	127	21.17
2.334731817	1	0.17	128	21.33
2.3351913251	1	0.17	129	21.50
2.3357187517	1	0.17	130	21.67
2.3360810544	1	0.17	131	21.83
2.3367221024	1	0.17	132	22.00
2.3391301245	1	0.17	133	22.17
2.3395393574	1	0.17	134	22.33
2.3396422002	1	0.17	135	22.50
2.341343675	1	0.17	136	22.67
2.342116084	1	0.17	137	22.83
2.3435044493	1	0.17	138	23.00
2.3437028271	1	0.17	139	23.17
2.3443820797	1	0.17	140	23.33
2.3454437988	1	0.17	141	23.50
2.3461490809	1	0.17	142	23.67
2.3487946231	1	0.17	143	23.83
2.3492239279	1	0.17	144	24.00
2.3554029782	1	0.17	145	24.17
2.3592110249	1	0.17	146	24.33
2.360032167	1	0.17	147	24.50
2.360356472	1	0.17	148	24.67
2.3603824085	1	0.17	149	24.83
2.361480425	1	0.17	150	25.00
2.3617453299	1	0.17	151	25.17
2.3631703265	1	0.17	152	25.33
2.363944119	1	0.17	153	25.50
2.3640764957	1	0.17	154	25.67
2.3649383317	1	0.17	155	25.83
2.3650244694	1	0.17	156	26.00
2.3652293962	1	0.17	157	26.17
2.365618502	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3684533702	1	0.17	159	26.50
2.3702196613	1	0.17	160	26.67
2.370611291	1	0.17	161	26.83
2.3712236032	1	0.17	162	27.00
2.3727573723	1	0.17	163	27.17
2.3732856406	1	0.17	164	27.33
2.3749701431	1	0.17	165	27.50
2.3750489338	1	0.17	166	27.67
2.3750903217	1	0.17	167	27.83
2.3755485064	1	0.17	168	28.00
2.3756790606	1	0.17	169	28.17
2.3758207503	1	0.17	170	28.33
2.3770416689	1	0.17	171	28.50
2.3771766396	1	0.17	172	28.67
2.3772397649	1	0.17	173	28.83
2.3776429021	1	0.17	174	29.00
2.3801269402	1	0.17	175	29.17
2.3805280714	1	0.17	176	29.33
2.3815042992	1	0.17	177	29.50
2.3831162528	1	0.17	178	29.67
2.3843373426	1	0.17	179	29.83
2.3845654481	1	0.17	180	30.00
2.3881689038	1	0.17	181	30.17
2.3889722054	1	0.17	182	30.33
2.3897723589	1	0.17	183	30.50
2.3901960474	1	0.17	184	30.67
2.3902144136	1	0.17	185	30.83
2.3919331484	1	0.17	186	31.00
2.3920228218	1	0.17	187	31.17
2.3948191498	1	0.17	188	31.33
2.3972419897	1	0.17	189	31.50
2.3983112292	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.3984217534	1	0.17	191	31.83
2.3984786797	1	0.17	192	32.00
2.3999841113	1	0.17	193	32.17
2.4010242208	1	0.17	194	32.33
2.4011133961	1	0.17	195	32.50
2.4020584395	1	0.17	196	32.67
2.402821589	1	0.17	197	32.83
2.4033480513	1	0.17	198	33.00
2.4057549414	1	0.17	199	33.17
2.4065186723	1	0.17	200	33.33
2.406601175	1	0.17	201	33.50
2.4088480635	1	0.17	202	33.67
2.4093293298	1	0.17	203	33.83
2.4112844843	1	0.17	204	34.00
2.4115785911	1	0.17	205	34.17
2.4117274601	1	0.17	206	34.33
2.4126020451	1	0.17	207	34.50
2.4128788998	1	0.17	208	34.67
2.4130061399	1	0.17	209	34.83
2.4145412159	1	0.17	210	35.00
2.4148628024	1	0.17	211	35.17
2.4148858793	1	0.17	212	35.33
2.4154255048	1	0.17	213	35.50
2.4168178625	1	0.17	214	35.67
2.4173701721	1	0.17	215	35.83
2.4187248988	1	0.17	216	36.00
2.4194814505	1	0.17	217	36.17
2.4199128759	1	0.17	218	36.33
2.4199724512	1	0.17	219	36.50
2.420906343	1	0.17	220	36.67
2.4214230653	1	0.17	221	36.83
2.4215079892	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4221228988	1	0.17	223	37.17
2.4224854401	1	0.17	224	37.33
2.4231073303	1	0.17	225	37.50
2.4236956271	1	0.17	226	37.67
2.4239603228	1	0.17	227	37.83
2.4258726975	1	0.17	228	38.00
2.4269345869	1	0.17	229	38.17
2.4273945035	1	0.17	230	38.33
2.4280266466	1	0.17	231	38.50
2.4290974792	1	0.17	232	38.67
2.4291629331	1	0.17	233	38.83
2.42941731	1	0.17	234	39.00
2.4310491489	1	0.17	235	39.17
2.4311504668	1	0.17	236	39.33
2.43178406	1	0.17	237	39.50
2.4321321609	1	0.17	238	39.67
2.4321800466	1	0.17	239	39.83
2.4324777165	1	0.17	240	40.00
2.4325197745	1	0.17	241	40.17
2.4328467527	1	0.17	242	40.33
2.433480043	1	0.17	243	40.50
2.4339173069	1	0.17	244	40.67
2.433922505	1	0.17	245	40.83
2.434135975	1	0.17	246	41.00
2.4347295452	1	0.17	247	41.17
2.4359478206	1	0.17	248	41.33
2.4368833922	1	0.17	249	41.50
2.4372252428	1	0.17	250	41.67
2.4387403281	1	0.17	251	41.83
2.43930338	1	0.17	252	42.00
2.4397590284	1	0.17	253	42.17
2.4398712838	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4400140721	1	0.17	255	42.50
2.441186125	1	0.17	256	42.67
2.4411954624	1	0.17	257	42.83
2.442101318	1	0.17	258	43.00
2.4434008615	1	0.17	259	43.17
2.443758064	1	0.17	260	43.33
2.4440376024	1	0.17	261	43.50
2.444362535	1	0.17	262	43.67
2.4452245769	1	0.17	263	43.83
2.4455739201	1	0.17	264	44.00
2.4456777814	1	0.17	265	44.17
2.4460433607	1	0.17	266	44.33
2.4462602495	1	0.17	267	44.50
2.4472110927	1	0.17	268	44.67
2.4473832335	1	0.17	269	44.83
2.4480822932	1	0.17	270	45.00
2.4490629872	1	0.17	271	45.17
2.4491442963	1	0.17	272	45.33
2.4492633566	1	0.17	273	45.50
2.4501679867	1	0.17	274	45.67
2.4504539446	1	0.17	275	45.83
2.4505390105	1	0.17	276	46.00
2.4505728146	1	0.17	277	46.17
2.4518707896	1	0.17	278	46.33
2.4519684147	1	0.17	279	46.50
2.4523454182	1	0.17	280	46.67
2.4529147725	1	0.17	281	46.83
2.4530699807	1	0.17	282	47.00
2.4534279797	1	0.17	283	47.17
2.4537385522	1	0.17	284	47.33
2.4547874332	1	0.17	285	47.50
2.4549826364	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.456126735	1	0.17	287	47.83
2.4576089776	1	0.17	288	48.00
2.4576736816	1	0.17	289	48.17
2.4578823376	1	0.17	290	48.33
2.4600269071	1	0.17	291	48.50
2.4602351792	1	0.17	292	48.67
2.4611332213	1	0.17	293	48.83
2.4613634516	1	0.17	294	49.00
2.4617659842	1	0.17	295	49.17
2.46210184	1	0.17	296	49.33
2.463544427	1	0.17	297	49.50
2.4637899704	1	0.17	298	49.67
2.4638927612	1	0.17	299	49.83
2.4639934183	1	0.17	300	50.00
2.4644580263	1	0.17	301	50.17
2.4657254201	1	0.17	302	50.33
2.4677902134	1	0.17	303	50.50
2.4682326012	1	0.17	304	50.67
2.4685678301	1	0.17	305	50.83
2.4687775956	1	0.17	306	51.00
2.4690341822	1	0.17	307	51.17
2.4693346763	1	0.17	308	51.33
2.4695084211	1	0.17	309	51.50
2.4695278714	1	0.17	310	51.67
2.4726190448	1	0.17	311	51.83
2.4735471932	1	0.17	312	52.00
2.4735717621	1	0.17	313	52.17
2.4743815679	1	0.17	314	52.33
2.4749754351	1	0.17	315	52.50
2.4756676525	1	0.17	316	52.67
2.4768528898	1	0.17	317	52.83
2.4774541569	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4791359401	1	0.17	319	53.17
2.4794043239	1	0.17	320	53.33
2.4797491738	1	0.17	321	53.50
2.4802551717	1	0.17	322	53.67
2.4812894327	1	0.17	323	53.83
2.4818224836	1	0.17	324	54.00
2.4822269525	1	0.17	325	54.17
2.482584106	1	0.17	326	54.33
2.4826637136	1	0.17	327	54.50
2.4829238985	1	0.17	328	54.67
2.4830599159	1	0.17	329	54.83
2.484672818	1	0.17	330	55.00
2.4865317616	1	0.17	331	55.17
2.4866696646	1	0.17	332	55.33
2.4879329487	1	0.17	333	55.50
2.4887955419	1	0.17	334	55.67
2.4888503729	1	0.17	335	55.83
2.4892016281	1	0.17	336	56.00
2.4902540712	1	0.17	337	56.17
2.4909451662	1	0.17	338	56.33
2.4909645295	1	0.17	339	56.50
2.4916050597	1	0.17	340	56.67
2.4922793545	1	0.17	341	56.83
2.4930714397	1	0.17	342	57.00
2.4937348584	1	0.17	343	57.17
2.4955764399	1	0.17	344	57.33
2.4959976934	1	0.17	345	57.50
2.4972979903	1	0.17	346	57.67
2.4978515359	1	0.17	347	57.83
2.4985467402	1	0.17	348	58.00
2.4986546387	1	0.17	349	58.17
2.4988802028	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.4997122476	1	0.17	351	58.50
2.4999855068	1	0.17	352	58.67
2.5001732418	1	0.17	353	58.83
2.5002933885	1	0.17	354	59.00
2.5003410847	1	0.17	355	59.17
2.5017553711	1	0.17	356	59.33
2.5020938699	1	0.17	357	59.50
2.5031699756	1	0.17	358	59.67
2.5043142749	1	0.17	359	59.83
2.5043597737	1	0.17	360	60.00
2.5050823621	1	0.17	361	60.17
2.5064645476	1	0.17	362	60.33
2.5071151089	1	0.17	363	60.50
2.5081332872	1	0.17	364	60.67
2.5102927602	1	0.17	365	60.83
2.5107280139	1	0.17	366	61.00
2.5120276067	1	0.17	367	61.17
2.5123302734	1	0.17	368	61.33
2.5130998943	1	0.17	369	61.50
2.513750406	1	0.17	370	61.67
2.5141097386	1	0.17	371	61.83
2.5149910579	1	0.17	372	62.00
2.5167439397	1	0.17	373	62.17
2.5173511753	1	0.17	374	62.33
2.5175389856	1	0.17	375	62.50
2.5176088362	1	0.17	376	62.67
2.5177264731	1	0.17	377	62.83
2.5181022043	1	0.17	378	63.00
2.5182953289	1	0.17	379	63.17
2.5189118946	1	0.17	380	63.33
2.5205545883	1	0.17	381	63.50
2.5215211785	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5216233214	1	0.17	383	63.83
2.5221148664	1	0.17	384	64.00
2.5221212219	1	0.17	385	64.17
2.523845283	1	0.17	386	64.33
2.5240781997	1	0.17	387	64.50
2.5253231136	1	0.17	388	64.67
2.5279179996	1	0.17	389	64.83
2.5282432689	1	0.17	390	65.00
2.5299361266	1	0.17	391	65.17
2.5315984655	1	0.17	392	65.33
2.5316415301	1	0.17	393	65.50
2.5328653294	1	0.17	394	65.67
2.5331414366	1	0.17	395	65.83
2.5332165161	1	0.17	396	66.00
2.5335103908	1	0.17	397	66.17
2.5342027021	1	0.17	398	66.33
2.5343851921	1	0.17	399	66.50
2.5344452433	1	0.17	400	66.67
2.534498641	1	0.17	401	66.83
2.5367011332	1	0.17	402	67.00
2.5382346149	1	0.17	403	67.17
2.5386948155	1	0.17	404	67.33
2.5387252516	1	0.17	405	67.50
2.5392443631	1	0.17	406	67.67
2.5399359786	1	0.17	407	67.83
2.5402206208	1	0.17	408	68.00
2.5445476905	1	0.17	409	68.17
2.5445546704	1	0.17	410	68.33
2.544858565	1	0.17	411	68.50
2.5452302399	1	0.17	412	68.67
2.5454320466	1	0.17	413	68.83
2.5455794859	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.545699239	1	0.17	415	69.17
2.546497162	1	0.17	416	69.33
2.5466562146	1	0.17	417	69.50
2.5471242485	1	0.17	418	69.67
2.5472218731	1	0.17	419	69.83
2.5486166018	1	0.17	420	70.00
2.5487236737	1	0.17	421	70.17
2.5491843685	1	0.17	422	70.33
2.549427578	1	0.17	423	70.50
2.5500021673	1	0.17	424	70.67
2.550642518	1	0.17	425	70.83
2.5509034985	1	0.17	426	71.00
2.5510179157	1	0.17	427	71.17
2.551022859	1	0.17	428	71.33
2.5513261256	1	0.17	429	71.50
2.5519187274	1	0.17	430	71.67
2.5520385537	1	0.17	431	71.83
2.5521324896	1	0.17	432	72.00
2.552660557	1	0.17	433	72.17
2.5527592979	1	0.17	434	72.33
2.5531302604	1	0.17	435	72.50
2.5557206289	1	0.17	436	72.67
2.55589697	1	0.17	437	72.83
2.5559389435	1	0.17	438	73.00
2.5564158249	1	0.17	439	73.17
2.5566395966	1	0.17	440	73.33
2.5571241318	1	0.17	441	73.50
2.5582541157	1	0.17	442	73.67
2.5584476196	1	0.17	443	73.83
2.5601976078	1	0.17	444	74.00
2.5611360531	1	0.17	445	74.17
2.5618722155	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5622199098	1	0.17	447	74.50
2.5628125439	1	0.17	448	74.67
2.5632781232	1	0.17	449	74.83
2.5635400944	1	0.17	450	75.00
2.5638602103	1	0.17	451	75.17
2.5639088496	1	0.17	452	75.33
2.564236702	1	0.17	453	75.50
2.5655966176	1	0.17	454	75.67
2.5659222705	1	0.17	455	75.83
2.5659614679	1	0.17	456	76.00
2.5671820302	1	0.17	457	76.17
2.5671859009	1	0.17	458	76.33
2.5676188903	1	0.17	459	76.50
2.5680709757	1	0.17	460	76.67
2.570251644	1	0.17	461	76.83
2.5703745972	1	0.17	462	77.00
2.5712724645	1	0.17	463	77.17
2.571340263	1	0.17	464	77.33
2.5716554554	1	0.17	465	77.50
2.5733282355	1	0.17	466	77.67
2.5736099701	1	0.17	467	77.83
2.574295991	1	0.17	468	78.00
2.5743834863	1	0.17	469	78.17
2.5744352186	1	0.17	470	78.33
2.5750216682	1	0.17	471	78.50
2.5751449427	1	0.17	472	78.67
2.5759583686	1	0.17	473	78.83
2.5759769699	1	0.17	474	79.00
2.577740288	1	0.17	475	79.17
2.5780007912	1	0.17	476	79.33
2.578422405	1	0.17	477	79.50
2.5791259082	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5803873774	1	0.17	479	79.83
2.5806019136	1	0.17	480	80.00
2.5809554824	1	0.17	481	80.17
2.581899053	1	0.17	482	80.33
2.5833284607	1	0.17	483	80.50
2.5838108448	1	0.17	484	80.67
2.5839578947	1	0.17	485	80.83
2.5843832236	1	0.17	486	81.00
2.5846448001	1	0.17	487	81.17
2.5858747239	1	0.17	488	81.33
2.5862712084	1	0.17	489	81.50
2.5869271756	1	0.17	490	81.67
2.5870813071	1	0.17	491	81.83
2.5880132958	1	0.17	492	82.00
2.5886385125	1	0.17	493	82.17
2.5895286021	1	0.17	494	82.33
2.5908000532	1	0.17	495	82.50
2.5910012815	1	0.17	496	82.67
2.5917963596	1	0.17	497	82.83
2.5930147253	1	0.17	498	83.00
2.5931332178	1	0.17	499	83.17
2.5941257752	1	0.17	500	83.33
2.5956577701	1	0.17	501	83.50
2.5973666079	1	0.17	502	83.67
2.5975763486	1	0.17	503	83.83
2.5992322627	1	0.17	504	84.00
2.6006802161	1	0.17	505	84.17
2.6007325236	1	0.17	506	84.33
2.6007430897	1	0.17	507	84.50
2.6022304565	1	0.17	508	84.67
2.602827609	1	0.17	509	84.83
2.6032446534	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6035999287	1	0.17	511	85.17
2.6037969767	1	0.17	512	85.33
2.604633985	1	0.17	513	85.50
2.6051171466	1	0.17	514	85.67
2.6074361061	1	0.17	515	85.83
2.6081073354	1	0.17	516	86.00
2.6101908465	1	0.17	517	86.17
2.6102236359	1	0.17	518	86.33
2.6103453275	1	0.17	519	86.50
2.6128831835	1	0.17	520	86.67
2.6129560547	1	0.17	521	86.83
2.6133316026	1	0.17	522	87.00
2.6149612709	1	0.17	523	87.17
2.6154641765	1	0.17	524	87.33
2.6173581949	1	0.17	525	87.50
2.6191778258	1	0.17	526	87.67
2.6192656488	1	0.17	527	87.83
2.6194915948	1	0.17	528	88.00
2.619877309	1	0.17	529	88.17
2.6204973044	1	0.17	530	88.33
2.6205422409	1	0.17	531	88.50
2.6228243453	1	0.17	532	88.67
2.6228272591	1	0.17	533	88.83
2.6232655627	1	0.17	534	89.00
2.6251485807	1	0.17	535	89.17
2.6282338145	1	0.17	536	89.33
2.6284448841	1	0.17	537	89.50
2.628642521	1	0.17	538	89.67
2.6302832799	1	0.17	539	89.83
2.6319022543	1	0.17	540	90.00
2.6347693365	1	0.17	541	90.17
2.6354695625	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.6420538059	1	0.17	543	90.50
2.643640829	1	0.17	544	90.67
2.6462071788	1	0.17	545	90.83
2.6477893931	1	0.17	546	91.00
2.6497289445	1	0.17	547	91.17
2.6499887957	1	0.17	548	91.33
2.6529500194	1	0.17	549	91.50
2.6530073166	1	0.17	550	91.67
2.6538326226	1	0.17	551	91.83
2.6548887208	1	0.17	552	92.00
2.6559751208	1	0.17	553	92.17
2.6582836799	1	0.17	554	92.33
2.6595879046	1	0.17	555	92.50
2.6608008831	1	0.17	556	92.67
2.660829663	1	0.17	557	92.83
2.6613587967	1	0.17	558	93.00
2.6651308745	1	0.17	559	93.17
2.6676110724	1	0.17	560	93.33
2.6685791611	1	0.17	561	93.50
2.6702091447	1	0.17	562	93.67
2.6727706266	1	0.17	563	93.83
2.6765089193	1	0.17	564	94.00
2.6777241154	1	0.17	565	94.17
2.6824599938	1	0.17	566	94.33
2.6905074005	1	0.17	567	94.50
2.6915873827	1	0.17	568	94.67
2.692687775	1	0.17	569	94.83
2.6927199829	1	0.17	570	95.00
2.6949449436	1	0.17	571	95.17
2.695437226	1	0.17	572	95.33
2.6977030793	1	0.17	573	95.50
2.6990900201	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - constant				
V03BTI_V0	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.699547349	1	0.17	575	95.83
2.7014379653	1	0.17	576	96.00
2.7016847172	1	0.17	577	96.17
2.7028151396	1	0.17	578	96.33
2.7057515157	1	0.17	579	96.50
2.7095248914	1	0.17	580	96.67
2.7134438394	1	0.17	581	96.83
2.7143704143	1	0.17	582	97.00
2.7155045419	1	0.17	583	97.17
2.7188850492	1	0.17	584	97.33
2.7213635974	1	0.17	585	97.50
2.7214779043	1	0.17	586	97.67
2.7225913052	1	0.17	587	97.83
2.7249506227	1	0.17	588	98.00
2.7285756901	1	0.17	589	98.17
2.7321397461	1	0.17	590	98.33
2.7332743683	1	0.17	591	98.50
2.7406511099	1	0.17	592	98.67
2.7417021366	1	0.17	593	98.83
2.756746662	1	0.17	594	99.00
2.761842533	1	0.17	595	99.17
2.7625072673	1	0.17	596	99.33
2.7655934358	1	0.17	597	99.50
2.785024951	1	0.17	598	99.67
2.8122372007	1	0.17	599	99.83
2.8266197213	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
-0.269867993	1	0.17	32	5.33
-0.26561476	1	0.17	33	5.50
-0.222311028	1	0.17	34	5.67
-0.216258007	1	0.17	35	5.83
-0.211335984	1	0.17	36	6.00
-0.19740993	1	0.17	37	6.17
-0.189569846	1	0.17	38	6.33
-0.16133256	1	0.17	39	6.50
-0.157670214	1	0.17	40	6.67
-0.154946066	1	0.17	41	6.83
-0.151882272	1	0.17	42	7.00
-0.151056542	1	0.17	43	7.17
-0.14916171	1	0.17	44	7.33
-0.14908994	1	0.17	45	7.50
-0.145323524	1	0.17	46	7.67
-0.142445211	1	0.17	47	7.83
-0.139662736	1	0.17	48	8.00
-0.138952213	1	0.17	49	8.17
-0.137480518	1	0.17	50	8.33
-0.137251142	1	0.17	51	8.50
-0.135958581	1	0.17	52	8.67
-0.134125828	1	0.17	53	8.83
-0.132905884	1	0.17	54	9.00
-0.129863798	1	0.17	55	9.17
-0.125969197	1	0.17	56	9.33
-0.112580282	1	0.17	57	9.50
-0.111721152	1	0.17	58	9.67
-0.110506734	1	0.17	59	9.83
-0.109924878	1	0.17	60	10.00
-0.107830385	1	0.17	61	10.17
-0.105980846	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.105385929	1	0.17	63	10.50
-0.103432917	1	0.17	64	10.67
-0.095009232	1	0.17	65	10.83
-0.0936025	1	0.17	66	11.00
-0.092213583	1	0.17	67	11.17
-0.091051106	1	0.17	68	11.33
-0.090422087	1	0.17	69	11.50
-0.090059991	1	0.17	70	11.67
-0.086516517	1	0.17	71	11.83
-0.086229872	1	0.17	72	12.00
-0.086079551	1	0.17	73	12.17
-0.085313113	1	0.17	74	12.33
-0.084068398	1	0.17	75	12.50
-0.082987338	1	0.17	76	12.67
-0.08216292	1	0.17	77	12.83
-0.080639818	1	0.17	78	13.00
-0.07544188	1	0.17	79	13.17
-0.075294416	1	0.17	80	13.33
-0.07093545	1	0.17	81	13.50
-0.070477924	1	0.17	82	13.67
-0.068995157	1	0.17	83	13.83
-0.068968382	1	0.17	84	14.00
-0.067589931	1	0.17	85	14.17
-0.066995369	1	0.17	86	14.33
-0.066633628	1	0.17	87	14.50
-0.066566538	1	0.17	88	14.67
-0.065198475	1	0.17	89	14.83
-0.064713712	1	0.17	90	15.00
-0.063345456	1	0.17	91	15.17
-0.06324721	1	0.17	92	15.33
-0.062998144	1	0.17	93	15.50
-0.06196092	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.060901921	1	0.17	95	15.83
-0.060820727	1	0.17	96	16.00
-0.060638263	1	0.17	97	16.17
-0.060427685	1	0.17	98	16.33
-0.059781183	1	0.17	99	16.50
-0.058847292	1	0.17	100	16.67
-0.057010941	1	0.17	101	16.83
-0.056045834	1	0.17	102	17.00
-0.055185938	1	0.17	103	17.17
-0.052824813	1	0.17	104	17.33
-0.051856477	1	0.17	105	17.50
-0.051510759	1	0.17	106	17.67
-0.050861697	1	0.17	107	17.83
-0.050714153	1	0.17	108	18.00
-0.050634957	1	0.17	109	18.17
-0.049546196	1	0.17	110	18.33
-0.048404531	1	0.17	111	18.50
-0.047672408	1	0.17	112	18.67
-0.047255965	1	0.17	113	18.83
-0.047155461	1	0.17	114	19.00
-0.046946211	1	0.17	115	19.17
-0.04675043	1	0.17	116	19.33
-0.045489808	1	0.17	117	19.50
-0.045338022	1	0.17	118	19.67
-0.044148435	1	0.17	119	19.83
-0.043868216	1	0.17	120	20.00
-0.043842575	1	0.17	121	20.17
-0.042801072	1	0.17	122	20.33
-0.042612921	1	0.17	123	20.50
-0.042239951	1	0.17	124	20.67
-0.042065325	1	0.17	125	20.83
-0.041638352	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.040092299	1	0.17	127	21.17
-0.039957056	1	0.17	128	21.33
-0.039585091	1	0.17	129	21.50
-0.03953419	1	0.17	130	21.67
-0.039226654	1	0.17	131	21.83
-0.039212462	1	0.17	132	22.00
-0.038800827	1	0.17	133	22.17
-0.037935123	1	0.17	134	22.33
-0.037715355	1	0.17	135	22.50
-0.03751092	1	0.17	136	22.67
-0.036977705	1	0.17	137	22.83
-0.036799168	1	0.17	138	23.00
-0.036294495	1	0.17	139	23.17
-0.036240837	1	0.17	140	23.33
-0.035853625	1	0.17	141	23.50
-0.035797505	1	0.17	142	23.67
-0.034709255	1	0.17	143	23.83
-0.03416776	1	0.17	144	24.00
-0.031641331	1	0.17	145	24.17
-0.030487373	1	0.17	146	24.33
-0.029910738	1	0.17	147	24.50
-0.029308514	1	0.17	148	24.67
-0.029201177	1	0.17	149	24.83
-0.028870078	1	0.17	150	25.00
-0.028653502	1	0.17	151	25.17
-0.02856937	1	0.17	152	25.33
-0.027679852	1	0.17	153	25.50
-0.027294434	1	0.17	154	25.67
-0.026433451	1	0.17	155	25.83
-0.026368431	1	0.17	156	26.00
-0.026198572	1	0.17	157	26.17
-0.026145254	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.024591611	1	0.17	159	26.50
-0.0237183	1	0.17	160	26.67
-0.023651957	1	0.17	161	26.83
-0.023534285	1	0.17	162	27.00
-0.022806314	1	0.17	163	27.17
-0.022614846	1	0.17	164	27.33
-0.022082783	1	0.17	165	27.50
-0.022005703	1	0.17	166	27.67
-0.021983205	1	0.17	167	27.83
-0.021096627	1	0.17	168	28.00
-0.02085828	1	0.17	169	28.17
-0.020672188	1	0.17	170	28.33
-0.020522197	1	0.17	171	28.50
-0.019572996	1	0.17	172	28.67
-0.018439698	1	0.17	173	28.83
-0.018382504	1	0.17	174	29.00
-0.017996879	1	0.17	175	29.17
-0.017781059	1	0.17	176	29.33
-0.017310072	1	0.17	177	29.50
-0.016507309	1	0.17	178	29.67
-0.01647957	1	0.17	179	29.83
-0.015308429	1	0.17	180	30.00
-0.015130188	1	0.17	181	30.17
-0.01429411	1	0.17	182	30.33
-0.014230906	1	0.17	183	30.50
-0.014061027	1	0.17	184	30.67
-0.013939167	1	0.17	185	30.83
-0.013199818	1	0.17	186	31.00
-0.012706312	1	0.17	187	31.17
-0.012659092	1	0.17	188	31.33
-0.012369262	1	0.17	189	31.50
-0.01181176	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.009492166	1	0.17	191	31.83
-0.005958883	1	0.17	192	32.00
-0.005946277	1	0.17	193	32.17
-0.005651434	1	0.17	194	32.33
-0.005262559	1	0.17	195	32.50
-0.005092671	1	0.17	196	32.67
-0.004894582	1	0.17	197	32.83
-0.003880502	1	0.17	198	33.00
-0.0029689	1	0.17	199	33.17
-0.002604683	1	0.17	200	33.33
-0.002460706	1	0.17	201	33.50
-0.002440012	1	0.17	202	33.67
-0.002081625	1	0.17	203	33.83
-0.001090679	1	0.17	204	34.00
-0.001043709	1	0.17	205	34.17
-0.000652279	1	0.17	206	34.33
0.0019665241	1	0.17	207	34.50
0.0026460201	1	0.17	208	34.67
0.0030013476	1	0.17	209	34.83
0.0041874409	1	0.17	210	35.00
0.004477002	1	0.17	211	35.17
0.0050039808	1	0.17	212	35.33
0.0052900085	1	0.17	213	35.50
0.0056929843	1	0.17	214	35.67
0.0058279153	1	0.17	215	35.83
0.0067238681	1	0.17	216	36.00
0.0067929432	1	0.17	217	36.17
0.0068167043	1	0.17	218	36.33
0.0072813429	1	0.17	219	36.50
0.0075507223	1	0.17	220	36.67
0.0079135043	1	0.17	221	36.83
0.0080523948	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.00904685	1	0.17	223	37.17
0.0093700368	1	0.17	224	37.33
0.0096943289	1	0.17	225	37.50
0.0100799548	1	0.17	226	37.67
0.0101387155	1	0.17	227	37.83
0.0103935776	1	0.17	228	38.00
0.0107222754	1	0.17	229	38.17
0.0107939387	1	0.17	230	38.33
0.0108757006	1	0.17	231	38.50
0.0111562327	1	0.17	232	38.67
0.0112369086	1	0.17	233	38.83
0.0115681949	1	0.17	234	39.00
0.0122903922	1	0.17	235	39.17
0.01305029	1	0.17	236	39.33
0.0138857921	1	0.17	237	39.50
0.0141840963	1	0.17	238	39.67
0.0146440849	1	0.17	239	39.83
0.014967686	1	0.17	240	40.00
0.0150755517	1	0.17	241	40.17
0.0150840275	1	0.17	242	40.33
0.0152198361	1	0.17	243	40.50
0.0154525089	1	0.17	244	40.67
0.0159797332	1	0.17	245	40.83
0.0162691236	1	0.17	246	41.00
0.016296881	1	0.17	247	41.17
0.0166692656	1	0.17	248	41.33
0.0168372368	1	0.17	249	41.50
0.0170422862	1	0.17	250	41.67
0.0176313379	1	0.17	251	41.83
0.0180538291	1	0.17	252	42.00
0.0180782458	1	0.17	253	42.17
0.0181653694	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0183437354	1	0.17	255	42.50
0.0183604964	1	0.17	256	42.67
0.0184775053	1	0.17	257	42.83
0.0186239499	1	0.17	258	43.00
0.0188350443	1	0.17	259	43.17
0.0189532874	1	0.17	260	43.33
0.0198041276	1	0.17	261	43.50
0.0200324918	1	0.17	262	43.67
0.0204390932	1	0.17	263	43.83
0.0208691928	1	0.17	264	44.00
0.0224503666	1	0.17	265	44.17
0.0224823118	1	0.17	266	44.33
0.0239158159	1	0.17	267	44.50
0.0239446865	1	0.17	268	44.67
0.0239627023	1	0.17	269	44.83
0.0240418953	1	0.17	270	45.00
0.0243386116	1	0.17	271	45.17
0.0245876291	1	0.17	272	45.33
0.0252817875	1	0.17	273	45.50
0.0258517692	1	0.17	274	45.67
0.0259626235	1	0.17	275	45.83
0.0263314195	1	0.17	276	46.00
0.026680213	1	0.17	277	46.17
0.0275453366	1	0.17	278	46.33
0.0278126625	1	0.17	279	46.50
0.0279538747	1	0.17	280	46.67
0.0280943567	1	0.17	281	46.83
0.0291875376	1	0.17	282	47.00
0.0296390834	1	0.17	283	47.17
0.0307132819	1	0.17	284	47.33
0.0308945665	1	0.17	285	47.50
0.0309887181	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0310163875	1	0.17	287	47.83
0.0312900427	1	0.17	288	48.00
0.0315998691	1	0.17	289	48.17
0.0317495557	1	0.17	290	48.33
0.0317999285	1	0.17	291	48.50
0.0322904773	1	0.17	292	48.67
0.032330136	1	0.17	293	48.83
0.0335966458	1	0.17	294	49.00
0.0340381448	1	0.17	295	49.17
0.0342128459	1	0.17	296	49.33
0.0344099121	1	0.17	297	49.50
0.0349970065	1	0.17	298	49.67
0.0360049124	1	0.17	299	49.83
0.0366035158	1	0.17	300	50.00
0.0368647703	1	0.17	301	50.17
0.0371228762	1	0.17	302	50.33
0.0381801455	1	0.17	303	50.50
0.0383102129	1	0.17	304	50.67
0.0383480397	1	0.17	305	50.83
0.0383892891	1	0.17	306	51.00
0.0384209294	1	0.17	307	51.17
0.0385209145	1	0.17	308	51.33
0.0395649	1	0.17	309	51.50
0.0402203585	1	0.17	310	51.67
0.0405954111	1	0.17	311	51.83
0.0406100865	1	0.17	312	52.00
0.0406800184	1	0.17	313	52.17
0.042065398	1	0.17	314	52.33
0.0421277791	1	0.17	315	52.50
0.0425810214	1	0.17	316	52.67
0.0429891232	1	0.17	317	52.83
0.0445430469	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0456073535	1	0.17	319	53.17
0.0458194037	1	0.17	320	53.33
0.045856643	1	0.17	321	53.50
0.0472712752	1	0.17	322	53.67
0.0473166486	1	0.17	323	53.83
0.0482080043	1	0.17	324	54.00
0.0482366048	1	0.17	325	54.17
0.0495305335	1	0.17	326	54.33
0.0498228669	1	0.17	327	54.50
0.0499042265	1	0.17	328	54.67
0.0504129182	1	0.17	329	54.83
0.0504623756	1	0.17	330	55.00
0.0515417112	1	0.17	331	55.17
0.0520557249	1	0.17	332	55.33
0.0520653429	1	0.17	333	55.50
0.0524092178	1	0.17	334	55.67
0.0524714801	1	0.17	335	55.83
0.0528791653	1	0.17	336	56.00
0.0532827763	1	0.17	337	56.17
0.0535166561	1	0.17	338	56.33
0.0541311419	1	0.17	339	56.50
0.0546374738	1	0.17	340	56.67
0.0556146521	1	0.17	341	56.83
0.05577491	1	0.17	342	57.00
0.056279367	1	0.17	343	57.17
0.0568168015	1	0.17	344	57.33
0.057085672	1	0.17	345	57.50
0.057227158	1	0.17	346	57.67
0.057418112	1	0.17	347	57.83
0.0574191409	1	0.17	348	58.00
0.0581619645	1	0.17	349	58.17
0.0582255979	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0583478064	1	0.17	351	58.50
0.058394401	1	0.17	352	58.67
0.0587481568	1	0.17	353	58.83
0.0591172234	1	0.17	354	59.00
0.0592051071	1	0.17	355	59.17
0.0598323183	1	0.17	356	59.33
0.0604446511	1	0.17	357	59.50
0.0604880674	1	0.17	358	59.67
0.0611457567	1	0.17	359	59.83
0.0613838638	1	0.17	360	60.00
0.0619414274	1	0.17	361	60.17
0.0621908315	1	0.17	362	60.33
0.0624884627	1	0.17	363	60.50
0.0625784808	1	0.17	364	60.67
0.0626801423	1	0.17	365	60.83
0.0631626627	1	0.17	366	61.00
0.0632134424	1	0.17	367	61.17
0.06336469	1	0.17	368	61.33
0.0641206991	1	0.17	369	61.50
0.0652362808	1	0.17	370	61.67
0.0655436026	1	0.17	371	61.83
0.0657323965	1	0.17	372	62.00
0.0674537774	1	0.17	373	62.17
0.0676728002	1	0.17	374	62.33
0.0679167979	1	0.17	375	62.50
0.0682983761	1	0.17	376	62.67
0.0689289784	1	0.17	377	62.83
0.0690256793	1	0.17	378	63.00
0.0697179028	1	0.17	379	63.17
0.0701390868	1	0.17	380	63.33
0.0704182954	1	0.17	381	63.50
0.0704387448	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0709631514	1	0.17	383	63.83
0.0723705007	1	0.17	384	64.00
0.0724342691	1	0.17	385	64.17
0.0734306508	1	0.17	386	64.33
0.0744893036	1	0.17	387	64.50
0.0753468732	1	0.17	388	64.67
0.0763759026	1	0.17	389	64.83
0.0778789482	1	0.17	390	65.00
0.0781650143	1	0.17	391	65.17
0.0783359079	1	0.17	392	65.33
0.0786894723	1	0.17	393	65.50
0.0787013672	1	0.17	394	65.67
0.0798310717	1	0.17	395	65.83
0.0801658651	1	0.17	396	66.00
0.0811564432	1	0.17	397	66.17
0.0814831051	1	0.17	398	66.33
0.0817007961	1	0.17	399	66.50
0.0823855245	1	0.17	400	66.67
0.0823917793	1	0.17	401	66.83
0.0825408338	1	0.17	402	67.00
0.0825470744	1	0.17	403	67.17
0.0829505361	1	0.17	404	67.33
0.0829775556	1	0.17	405	67.50
0.0831727889	1	0.17	406	67.67
0.0834589404	1	0.17	407	67.83
0.0835313621	1	0.17	408	68.00
0.0838449571	1	0.17	409	68.17
0.0843615189	1	0.17	410	68.33
0.0845660805	1	0.17	411	68.50
0.0846976129	1	0.17	412	68.67
0.0849298562	1	0.17	413	68.83
0.0853351302	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.085632945	1	0.17	415	69.17
0.0857745927	1	0.17	416	69.33
0.0861975828	1	0.17	417	69.50
0.0873823449	1	0.17	418	69.67
0.0878611892	1	0.17	419	69.83
0.0882177335	1	0.17	420	70.00
0.0882502113	1	0.17	421	70.17
0.0885310527	1	0.17	422	70.33
0.0887741507	1	0.17	423	70.50
0.0888652526	1	0.17	424	70.67
0.0889937773	1	0.17	425	70.83
0.0890066352	1	0.17	426	71.00
0.089357947	1	0.17	427	71.17
0.0894720539	1	0.17	428	71.33
0.0900750672	1	0.17	429	71.50
0.0908262902	1	0.17	430	71.67
0.0908279158	1	0.17	431	71.83
0.090975125	1	0.17	432	72.00
0.0916816662	1	0.17	433	72.17
0.0919782662	1	0.17	434	72.33
0.0927977686	1	0.17	435	72.50
0.0931476416	1	0.17	436	72.67
0.0933730544	1	0.17	437	72.83
0.0934022545	1	0.17	438	73.00
0.0937939421	1	0.17	439	73.17
0.0938081858	1	0.17	440	73.33
0.0945396622	1	0.17	441	73.50
0.0956186805	1	0.17	442	73.67
0.0958264137	1	0.17	443	73.83
0.0970302149	1	0.17	444	74.00
0.0971098403	1	0.17	445	74.17
0.0972147767	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.0973137246	1	0.17	447	74.50
0.0982415712	1	0.17	448	74.67
0.0984525108	1	0.17	449	74.83
0.0987884412	1	0.17	450	75.00
0.0987917063	1	0.17	451	75.17
0.0989738893	1	0.17	452	75.33
0.0994583431	1	0.17	453	75.50
0.0994960373	1	0.17	454	75.67
0.0998019241	1	0.17	455	75.83
0.1002913849	1	0.17	456	76.00
0.1007847056	1	0.17	457	76.17
0.1010456704	1	0.17	458	76.33
0.102616536	1	0.17	459	76.50
0.1028858075	1	0.17	460	76.67
0.1029750452	1	0.17	461	76.83
0.1032501563	1	0.17	462	77.00
0.1032798191	1	0.17	463	77.17
0.1037896836	1	0.17	464	77.33
0.104364481	1	0.17	465	77.50
0.1046450252	1	0.17	466	77.67
0.1050016749	1	0.17	467	77.83
0.1052785186	1	0.17	468	78.00
0.1053858392	1	0.17	469	78.17
0.105454805	1	0.17	470	78.33
0.1059551757	1	0.17	471	78.50
0.1065809997	1	0.17	472	78.67
0.1072932131	1	0.17	473	78.83
0.1086690292	1	0.17	474	79.00
0.1087578119	1	0.17	475	79.17
0.1091088006	1	0.17	476	79.33
0.1092242874	1	0.17	477	79.50
0.1092268436	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1093570731	1	0.17	479	79.83
0.1094703345	1	0.17	480	80.00
0.1095890088	1	0.17	481	80.17
0.110473564	1	0.17	482	80.33
0.1119504008	1	0.17	483	80.50
0.1120817159	1	0.17	484	80.67
0.1122417157	1	0.17	485	80.83
0.1124378596	1	0.17	486	81.00
0.1127707267	1	0.17	487	81.17
0.112780255	1	0.17	488	81.33
0.1128944512	1	0.17	489	81.50
0.1135404438	1	0.17	490	81.67
0.1137404514	1	0.17	491	81.83
0.1140127435	1	0.17	492	82.00
0.1140556684	1	0.17	493	82.17
0.1140829958	1	0.17	494	82.33
0.1142252491	1	0.17	495	82.50
0.114293544	1	0.17	496	82.67
0.1146265481	1	0.17	497	82.83
0.1148053855	1	0.17	498	83.00
0.1150398177	1	0.17	499	83.17
0.1152716397	1	0.17	500	83.33
0.11567271	1	0.17	501	83.50
0.1162642867	1	0.17	502	83.67
0.1164898077	1	0.17	503	83.83
0.1165968598	1	0.17	504	84.00
0.1169803898	1	0.17	505	84.17
0.118031939	1	0.17	506	84.33
0.1182229936	1	0.17	507	84.50
0.1183665987	1	0.17	508	84.67
0.1184584939	1	0.17	509	84.83
0.1189539649	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1207593773	1	0.17	511	85.17
0.12129385	1	0.17	512	85.33
0.1216575555	1	0.17	513	85.50
0.1221113694	1	0.17	514	85.67
0.1229249028	1	0.17	515	85.83
0.1233542929	1	0.17	516	86.00
0.1234123706	1	0.17	517	86.17
0.1246916024	1	0.17	518	86.33
0.1247387769	1	0.17	519	86.50
0.124939488	1	0.17	520	86.67
0.1251522165	1	0.17	521	86.83
0.1251717769	1	0.17	522	87.00
0.1253346977	1	0.17	523	87.17
0.1255249407	1	0.17	524	87.33
0.1255973703	1	0.17	525	87.50
0.12596835	1	0.17	526	87.67
0.1269511678	1	0.17	527	87.83
0.1280780351	1	0.17	528	88.00
0.1282701813	1	0.17	529	88.17
0.128294075	1	0.17	530	88.33
0.1284941394	1	0.17	531	88.50
0.1285706766	1	0.17	532	88.67
0.1287808737	1	0.17	533	88.83
0.12957696	1	0.17	534	89.00
0.1295783945	1	0.17	535	89.17
0.1297003867	1	0.17	536	89.33
0.1297023422	1	0.17	537	89.50
0.1300688437	1	0.17	538	89.67
0.1303810685	1	0.17	539	89.83
0.1310615221	1	0.17	540	90.00
0.1312408982	1	0.17	541	90.17
0.1315548749	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1315630748	1	0.17	543	90.50
0.1321216692	1	0.17	544	90.67
0.1326766546	1	0.17	545	90.83
0.1328489293	1	0.17	546	91.00
0.1331298358	1	0.17	547	91.17
0.1335101762	1	0.17	548	91.33
0.134010019	1	0.17	549	91.50
0.135044891	1	0.17	550	91.67
0.1366906813	1	0.17	551	91.83
0.1372297484	1	0.17	552	92.00
0.1373224521	1	0.17	553	92.17
0.1402480276	1	0.17	554	92.33
0.1402699593	1	0.17	555	92.50
0.1425607845	1	0.17	556	92.67
0.1430068667	1	0.17	557	92.83
0.1435596631	1	0.17	558	93.00
0.1439570505	1	0.17	559	93.17
0.1442453726	1	0.17	560	93.33
0.145108683	1	0.17	561	93.50
0.1475639127	1	0.17	562	93.67
0.1482976721	1	0.17	563	93.83
0.148434412	1	0.17	564	94.00
0.1488155293	1	0.17	565	94.17
0.1498760596	1	0.17	566	94.33
0.150185865	1	0.17	567	94.50
0.1503997967	1	0.17	568	94.67
0.1505891874	1	0.17	569	94.83
0.1511702623	1	0.17	570	95.00
0.1513784202	1	0.17	571	95.17
0.1514187244	1	0.17	572	95.33
0.1515037864	1	0.17	573	95.50
0.1515645895	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - slope				
V03BTI_V1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.1532621332	1	0.17	575	95.83
0.1555178088	1	0.17	576	96.00
0.1572199036	1	0.17	577	96.17
0.1576481585	1	0.17	578	96.33
0.1579281637	1	0.17	579	96.50
0.1602695421	1	0.17	580	96.67
0.1622887964	1	0.17	581	96.83
0.1625467323	1	0.17	582	97.00
0.1637976801	1	0.17	583	97.17
0.1655471929	1	0.17	584	97.33
0.1679029307	1	0.17	585	97.50
0.1680674918	1	0.17	586	97.67
0.1682126619	1	0.17	587	97.83
0.1692697386	1	0.17	588	98.00
0.1697572058	1	0.17	589	98.17
0.1716097813	1	0.17	590	98.33
0.1719221174	1	0.17	591	98.50
0.1737955504	1	0.17	592	98.67
0.1762314748	1	0.17	593	98.83
0.177279447	1	0.17	594	99.00
0.1787924755	1	0.17	595	99.17
0.1863296668	1	0.17	596	99.33
0.1876326234	1	0.17	597	99.50
0.191747704	1	0.17	598	99.67
0.1925461749	1	0.17	599	99.83
0.2061314002	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31	5.17	31	5.17
0.1417627345	1	0.17	32	5.33
0.1482002624	1	0.17	33	5.50
0.1506759182	1	0.17	34	5.67
0.1566356832	1	0.17	35	5.83
0.1663563759	1	0.17	36	6.00
0.1673908654	1	0.17	37	6.17
0.1676225778	1	0.17	38	6.33
0.1685178692	1	0.17	39	6.50
0.1700903471	1	0.17	40	6.67
0.1701657746	1	0.17	41	6.83
0.1735369688	1	0.17	42	7.00
0.1735701394	1	0.17	43	7.17
0.1819159767	1	0.17	44	7.33
0.1820376608	1	0.17	45	7.50
0.1830032552	1	0.17	46	7.67
0.1833337273	1	0.17	47	7.83
0.1837938293	1	0.17	48	8.00
0.1862234239	1	0.17	49	8.17
0.1873607926	1	0.17	50	8.33
0.188307555	1	0.17	51	8.50
0.1891460605	1	0.17	52	8.67
0.1897279362	1	0.17	53	8.83
0.1927577333	1	0.17	54	9.00
0.1933386386	1	0.17	55	9.17
0.1947615446	1	0.17	56	9.33
0.1965561913	1	0.17	57	9.50
0.1968713226	1	0.17	58	9.67
0.1971854934	1	0.17	59	9.83
0.1985590586	1	0.17	60	10.00
0.199316691	1	0.17	61	10.17
0.2001412161	1	0.17	62	10.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2005727774	1	0.17	63	10.50
0.2008198222	1	0.17	64	10.67
0.2008713801	1	0.17	65	10.83
0.2028365411	1	0.17	66	11.00
0.2060255559	1	0.17	67	11.17
0.2075865953	1	0.17	68	11.33
0.2089939614	1	0.17	69	11.50
0.210985183	1	0.17	70	11.67
0.2159728786	1	0.17	71	11.83
0.2162459484	1	0.17	72	12.00
0.2163315421	1	0.17	73	12.17
0.2166657832	1	0.17	74	12.33
0.217713561	1	0.17	75	12.50
0.2187720511	1	0.17	76	12.67
0.2203901814	1	0.17	77	12.83
0.2207635183	1	0.17	78	13.00
0.2242228173	1	0.17	79	13.17
0.2246282288	1	0.17	80	13.33
0.2252599926	1	0.17	81	13.50
0.2258195787	1	0.17	82	13.67
0.2258740381	1	0.17	83	13.83
0.2262598959	1	0.17	84	14.00
0.2267241457	1	0.17	85	14.17
0.2271654053	1	0.17	86	14.33
0.2277657466	1	0.17	87	14.50
0.2279113958	1	0.17	88	14.67
0.2286559679	1	0.17	89	14.83
0.2301888112	1	0.17	90	15.00
0.2318372033	1	0.17	91	15.17
0.2332157097	1	0.17	92	15.33
0.2352531853	1	0.17	93	15.50
0.2355829446	1	0.17	94	15.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2359795164	1	0.17	95	15.83
0.2364412782	1	0.17	96	16.00
0.236736062	1	0.17	97	16.17
0.2372721126	1	0.17	98	16.33
0.238861249	1	0.17	99	16.50
0.2409063244	1	0.17	100	16.67
0.2429346617	1	0.17	101	16.83
0.2440436115	1	0.17	102	17.00
0.2444067838	1	0.17	103	17.17
0.2444915665	1	0.17	104	17.33
0.2466179175	1	0.17	105	17.50
0.2468729924	1	0.17	106	17.67
0.2481348183	1	0.17	107	17.83
0.2482034121	1	0.17	108	18.00
0.2485992874	1	0.17	109	18.17
0.2487084266	1	0.17	110	18.33
0.2491200726	1	0.17	111	18.50
0.2492945295	1	0.17	112	18.67
0.2499275097	1	0.17	113	18.83
0.2499719425	1	0.17	114	19.00
0.2499940525	1	0.17	115	19.17
0.2501455561	1	0.17	116	19.33
0.251812421	1	0.17	117	19.50
0.2524573408	1	0.17	118	19.67
0.2524840506	1	0.17	119	19.83
0.2525475283	1	0.17	120	20.00
0.2528371978	1	0.17	121	20.17
0.2534018614	1	0.17	122	20.33
0.2539160096	1	0.17	123	20.50
0.2545338581	1	0.17	124	20.67
0.2554425989	1	0.17	125	20.83
0.2554870688	1	0.17	126	21.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2555038993	1	0.17	127	21.17
0.2562580567	1	0.17	128	21.33
0.2573153685	1	0.17	129	21.50
0.2574856507	1	0.17	130	21.67
0.2577988808	1	0.17	131	21.83
0.2580195144	1	0.17	132	22.00
0.2587298578	1	0.17	133	22.17
0.2588049011	1	0.17	134	22.33
0.2593132926	1	0.17	135	22.50
0.2603642011	1	0.17	136	22.67
0.2604974872	1	0.17	137	22.83
0.2605775048	1	0.17	138	23.00
0.2609958956	1	0.17	139	23.17
0.2613006516	1	0.17	140	23.33
0.2617047567	1	0.17	141	23.50
0.2623399409	1	0.17	142	23.67
0.2638427351	1	0.17	143	23.83
0.2643385244	1	0.17	144	24.00
0.2643786818	1	0.17	145	24.17
0.2649992898	1	0.17	146	24.33
0.2653748329	1	0.17	147	24.50
0.2656867131	1	0.17	148	24.67
0.2658813293	1	0.17	149	24.83
0.2661014582	1	0.17	150	25.00
0.2663025542	1	0.17	151	25.17
0.266411118	1	0.17	152	25.33
0.2673846729	1	0.17	153	25.50
0.2675072299	1	0.17	154	25.67
0.2683652326	1	0.17	155	25.83
0.2684610859	1	0.17	156	26.00
0.2688652798	1	0.17	157	26.17
0.2690961181	1	0.17	158	26.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2691427426	1	0.17	159	26.50
0.2698925764	1	0.17	160	26.67
0.2701831662	1	0.17	161	26.83
0.270553227	1	0.17	162	27.00
0.271181323	1	0.17	163	27.17
0.2713647366	1	0.17	164	27.33
0.2714610302	1	0.17	165	27.50
0.2714725666	1	0.17	166	27.67
0.2719894967	1	0.17	167	27.83
0.2748857076	1	0.17	168	28.00
0.2749224463	1	0.17	169	28.17
0.2750865326	1	0.17	170	28.33
0.2754980088	1	0.17	171	28.50
0.2758838245	1	0.17	172	28.67
0.2759597073	1	0.17	173	28.83
0.2761195658	1	0.17	174	29.00
0.2762570438	1	0.17	175	29.17
0.2765154409	1	0.17	176	29.33
0.2767978753	1	0.17	177	29.50
0.2775166927	1	0.17	178	29.67
0.2779904777	1	0.17	179	29.83
0.2790436944	1	0.17	180	30.00
0.2792333237	1	0.17	181	30.17
0.279276995	1	0.17	182	30.33
0.2793216377	1	0.17	183	30.50
0.2793721795	1	0.17	184	30.67
0.2796215323	1	0.17	185	30.83
0.2799907963	1	0.17	186	31.00
0.2803418653	1	0.17	187	31.17
0.2804514932	1	0.17	188	31.33
0.2807502196	1	0.17	189	31.50
0.280851932	1	0.17	190	31.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2813450636	1	0.17	191	31.83
0.2822261686	1	0.17	192	32.00
0.2822786182	1	0.17	193	32.17
0.2834549019	1	0.17	194	32.33
0.2835628608	1	0.17	195	32.50
0.2837642218	1	0.17	196	32.67
0.2843587342	1	0.17	197	32.83
0.2843991097	1	0.17	198	33.00
0.2844202948	1	0.17	199	33.17
0.2844968489	1	0.17	200	33.33
0.2848725987	1	0.17	201	33.50
0.2856627309	1	0.17	202	33.67
0.2862114157	1	0.17	203	33.83
0.2862275623	1	0.17	204	34.00
0.2863698368	1	0.17	205	34.17
0.2872847726	1	0.17	206	34.33
0.2876041034	1	0.17	207	34.50
0.2883421663	1	0.17	208	34.67
0.2885150655	1	0.17	209	34.83
0.2890406602	1	0.17	210	35.00
0.289204445	1	0.17	211	35.17
0.2893114825	1	0.17	212	35.33
0.2898769827	1	0.17	213	35.50
0.290419078	1	0.17	214	35.67
0.2904757823	1	0.17	215	35.83
0.2907513445	1	0.17	216	36.00
0.2914778001	1	0.17	217	36.17
0.2920073702	1	0.17	218	36.33
0.2922074145	1	0.17	219	36.50
0.2922657782	1	0.17	220	36.67
0.29237767	1	0.17	221	36.83
0.292666494	1	0.17	222	37.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.2928404935	1	0.17	223	37.17
0.2928535703	1	0.17	224	37.33
0.2929255154	1	0.17	225	37.50
0.2938235833	1	0.17	226	37.67
0.2938347182	1	0.17	227	37.83
0.2938978982	1	0.17	228	38.00
0.2939246393	1	0.17	229	38.17
0.2944905301	1	0.17	230	38.33
0.2953019989	1	0.17	231	38.50
0.2962754998	1	0.17	232	38.67
0.2964034645	1	0.17	233	38.83
0.2967699632	1	0.17	234	39.00
0.2969304828	1	0.17	235	39.17
0.2969342212	1	0.17	236	39.33
0.2973415388	1	0.17	237	39.50
0.2981134275	1	0.17	238	39.67
0.298443286	1	0.17	239	39.83
0.2984829269	1	0.17	240	40.00
0.2990685412	1	0.17	241	40.17
0.2992292679	1	0.17	242	40.33
0.2994382276	1	0.17	243	40.50
0.2998515883	1	0.17	244	40.67
0.3001107645	1	0.17	245	40.83
0.3004337322	1	0.17	246	41.00
0.3011625842	1	0.17	247	41.17
0.3015712851	1	0.17	248	41.33
0.3015889604	1	0.17	249	41.50
0.3018226614	1	0.17	250	41.67
0.3018714409	1	0.17	251	41.83
0.3023010219	1	0.17	252	42.00
0.3023381716	1	0.17	253	42.17
0.302370506	1	0.17	254	42.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3029740162	1	0.17	255	42.50
0.3030951872	1	0.17	256	42.67
0.3032330982	1	0.17	257	42.83
0.3033232807	1	0.17	258	43.00
0.3033363569	1	0.17	259	43.17
0.3033916359	1	0.17	260	43.33
0.3037702524	1	0.17	261	43.50
0.3038418646	1	0.17	262	43.67
0.3038511286	1	0.17	263	43.83
0.3039950348	1	0.17	264	44.00
0.3043017574	1	0.17	265	44.17
0.3048247151	1	0.17	266	44.33
0.3051498533	1	0.17	267	44.50
0.3055153113	1	0.17	268	44.67
0.3065930855	1	0.17	269	44.83
0.3067020786	1	0.17	270	45.00
0.3068685259	1	0.17	271	45.17
0.3070684904	1	0.17	272	45.33
0.3085471821	1	0.17	273	45.50
0.3096534926	1	0.17	274	45.67
0.3098117557	1	0.17	275	45.83
0.3099077831	1	0.17	276	46.00
0.310173118	1	0.17	277	46.17
0.3110738281	1	0.17	278	46.33
0.3114933778	1	0.17	279	46.50
0.3116777744	1	0.17	280	46.67
0.3125371977	1	0.17	281	46.83
0.3140108214	1	0.17	282	47.00
0.3143427559	1	0.17	283	47.17
0.3143462985	1	0.17	284	47.33
0.3146269243	1	0.17	285	47.50
0.314673527	1	0.17	286	47.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3147548273	1	0.17	287	47.83
0.3147718452	1	0.17	288	48.00
0.3152633843	1	0.17	289	48.17
0.3157957502	1	0.17	290	48.33
0.3160905143	1	0.17	291	48.50
0.3161413244	1	0.17	292	48.67
0.3167622311	1	0.17	293	48.83
0.317138651	1	0.17	294	49.00
0.3173106756	1	0.17	295	49.17
0.3173531517	1	0.17	296	49.33
0.3174172207	1	0.17	297	49.50
0.3174971989	1	0.17	298	49.67
0.3175047236	1	0.17	299	49.83
0.3175094668	1	0.17	300	50.00
0.3176816542	1	0.17	301	50.17
0.3185714872	1	0.17	302	50.33
0.3186936079	1	0.17	303	50.50
0.3199173037	1	0.17	304	50.67
0.320076501	1	0.17	305	50.83
0.3200918596	1	0.17	306	51.00
0.3201227454	1	0.17	307	51.17
0.3206031436	1	0.17	308	51.33
0.3208270589	1	0.17	309	51.50
0.3211932242	1	0.17	310	51.67
0.3213310659	1	0.17	311	51.83
0.3213612424	1	0.17	312	52.00
0.3213629188	1	0.17	313	52.17
0.3215426001	1	0.17	314	52.33
0.3225977275	1	0.17	315	52.50
0.3229373581	1	0.17	316	52.67
0.323746028	1	0.17	317	52.83
0.324020646	1	0.17	318	53.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3244042046	1	0.17	319	53.17
0.3254749152	1	0.17	320	53.33
0.3255584945	1	0.17	321	53.50
0.3258329242	1	0.17	322	53.67
0.3263216984	1	0.17	323	53.83
0.3264583371	1	0.17	324	54.00
0.3265198009	1	0.17	325	54.17
0.3268051217	1	0.17	326	54.33
0.3269966474	1	0.17	327	54.50
0.3285106509	1	0.17	328	54.67
0.3286117662	1	0.17	329	54.83
0.3287181207	1	0.17	330	55.00
0.3287324711	1	0.17	331	55.17
0.3287402196	1	0.17	332	55.33
0.3292269935	1	0.17	333	55.50
0.3292990675	1	0.17	334	55.67
0.3294707211	1	0.17	335	55.83
0.3296191854	1	0.17	336	56.00
0.3298223551	1	0.17	337	56.17
0.3298715473	1	0.17	338	56.33
0.3300941824	1	0.17	339	56.50
0.3303051731	1	0.17	340	56.67
0.3303673458	1	0.17	341	56.83
0.330793299	1	0.17	342	57.00
0.3308037857	1	0.17	343	57.17
0.3314235669	1	0.17	344	57.33
0.3317321731	1	0.17	345	57.50
0.3318334708	1	0.17	346	57.67
0.3320327793	1	0.17	347	57.83
0.3326730074	1	0.17	348	58.00
0.3327017585	1	0.17	349	58.17
0.3332234087	1	0.17	350	58.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.333263412	1	0.17	351	58.50
0.3334874109	1	0.17	352	58.67
0.3335974719	1	0.17	353	58.83
0.3337439527	1	0.17	354	59.00
0.3344233944	1	0.17	355	59.17
0.3345718577	1	0.17	356	59.33
0.3350128421	1	0.17	357	59.50
0.3355546059	1	0.17	358	59.67
0.3366703191	1	0.17	359	59.83
0.337416798	1	0.17	360	60.00
0.3375251386	1	0.17	361	60.17
0.3376454749	1	0.17	362	60.33
0.3376901247	1	0.17	363	60.50
0.3379793346	1	0.17	364	60.67
0.3381609128	1	0.17	365	60.83
0.3387301607	1	0.17	366	61.00
0.3388218148	1	0.17	367	61.17
0.3394319902	1	0.17	368	61.33
0.3400253961	1	0.17	369	61.50
0.3403455866	1	0.17	370	61.67
0.3403849958	1	0.17	371	61.83
0.3406228192	1	0.17	372	62.00
0.3411132306	1	0.17	373	62.17
0.3420590135	1	0.17	374	62.33
0.3428172679	1	0.17	375	62.50
0.3429424288	1	0.17	376	62.67
0.3431635288	1	0.17	377	62.83
0.3435293855	1	0.17	378	63.00
0.3436437809	1	0.17	379	63.17
0.3436644466	1	0.17	380	63.33
0.3438271128	1	0.17	381	63.50
0.3441526151	1	0.17	382	63.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3443927915	1	0.17	383	63.83
0.3445673029	1	0.17	384	64.00
0.344756168	1	0.17	385	64.17
0.3448504997	1	0.17	386	64.33
0.3452374718	1	0.17	387	64.50
0.3455558803	1	0.17	388	64.67
0.346306798	1	0.17	389	64.83
0.3469257177	1	0.17	390	65.00
0.346974849	1	0.17	391	65.17
0.347165093	1	0.17	392	65.33
0.347597926	1	0.17	393	65.50
0.3482491772	1	0.17	394	65.67
0.348711174	1	0.17	395	65.83
0.34879659	1	0.17	396	66.00
0.3490386226	1	0.17	397	66.17
0.3511020341	1	0.17	398	66.33
0.3511078349	1	0.17	399	66.50
0.3514134985	1	0.17	400	66.67
0.3517056003	1	0.17	401	66.83
0.3518577582	1	0.17	402	67.00
0.3519245318	1	0.17	403	67.17
0.3519746207	1	0.17	404	67.33
0.3520792619	1	0.17	405	67.50
0.3522324355	1	0.17	406	67.67
0.3524147342	1	0.17	407	67.83
0.3536395144	1	0.17	408	68.00
0.353777367	1	0.17	409	68.17
0.3538366645	1	0.17	410	68.33
0.3538745393	1	0.17	411	68.50
0.3543964064	1	0.17	412	68.67
0.3554378369	1	0.17	413	68.83
0.3561502128	1	0.17	414	69.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3562072733	1	0.17	415	69.17
0.3571475918	1	0.17	416	69.33
0.3579023731	1	0.17	417	69.50
0.3580508623	1	0.17	418	69.67
0.3581297012	1	0.17	419	69.83
0.3581886714	1	0.17	420	70.00
0.3589825471	1	0.17	421	70.17
0.3605117938	1	0.17	422	70.33
0.3614549509	1	0.17	423	70.50
0.3619292039	1	0.17	424	70.67
0.3621252925	1	0.17	425	70.83
0.3632975327	1	0.17	426	71.00
0.3638727994	1	0.17	427	71.17
0.3640612636	1	0.17	428	71.33
0.3640694887	1	0.17	429	71.50
0.3648060613	1	0.17	430	71.67
0.3649882575	1	0.17	431	71.83
0.3651947701	1	0.17	432	72.00
0.3657404811	1	0.17	433	72.17
0.3658318778	1	0.17	434	72.33
0.3660745272	1	0.17	435	72.50
0.3684266395	1	0.17	436	72.67
0.3684525782	1	0.17	437	72.83
0.3689127982	1	0.17	438	73.00
0.3689443658	1	0.17	439	73.17
0.3691561105	1	0.17	440	73.33
0.3693028007	1	0.17	441	73.50
0.3697113841	1	0.17	442	73.67
0.3709359442	1	0.17	443	73.83
0.3710172611	1	0.17	444	74.00
0.3710551	1	0.17	445	74.17
0.3711128061	1	0.17	446	74.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3717416964	1	0.17	447	74.50
0.3720827665	1	0.17	448	74.67
0.3721193582	1	0.17	449	74.83
0.3731955015	1	0.17	450	75.00
0.3745773295	1	0.17	451	75.17
0.3751378037	1	0.17	452	75.33
0.3752190098	1	0.17	453	75.50
0.3755067425	1	0.17	454	75.67
0.3756912218	1	0.17	455	75.83
0.3757524788	1	0.17	456	76.00
0.3763264818	1	0.17	457	76.17
0.3765683147	1	0.17	458	76.33
0.3766848302	1	0.17	459	76.50
0.376880008	1	0.17	460	76.67
0.3773250426	1	0.17	461	76.83
0.3780520433	1	0.17	462	77.00
0.3801877261	1	0.17	463	77.17
0.3808027067	1	0.17	464	77.33
0.3809426383	1	0.17	465	77.50
0.3811049119	1	0.17	466	77.67
0.3815029022	1	0.17	467	77.83
0.3818085767	1	0.17	468	78.00
0.3821695523	1	0.17	469	78.17
0.382948859	1	0.17	470	78.33
0.3829870116	1	0.17	471	78.50
0.3831838912	1	0.17	472	78.67
0.3837920643	1	0.17	473	78.83
0.3845127921	1	0.17	474	79.00
0.3853852805	1	0.17	475	79.17
0.3861564718	1	0.17	476	79.33
0.3862328047	1	0.17	477	79.50
0.3868641635	1	0.17	478	79.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3870365714	1	0.17	479	79.83
0.3873694621	1	0.17	480	80.00
0.3875721731	1	0.17	481	80.17
0.3886113874	1	0.17	482	80.33
0.3903285702	1	0.17	483	80.50
0.3910162418	1	0.17	484	80.67
0.3911331276	1	0.17	485	80.83
0.3914867534	1	0.17	486	81.00
0.391849424	1	0.17	487	81.17
0.3919829019	1	0.17	488	81.33
0.3926779591	1	0.17	489	81.50
0.3934688411	1	0.17	490	81.67
0.394350068	1	0.17	491	81.83
0.3946470484	1	0.17	492	82.00
0.3967751275	1	0.17	493	82.17
0.3971790382	1	0.17	494	82.33
0.3975505301	1	0.17	495	82.50
0.3980543866	1	0.17	496	82.67
0.3992963261	1	0.17	497	82.83
0.3993987076	1	0.17	498	83.00
0.4004174046	1	0.17	499	83.17
0.4008471393	1	0.17	500	83.33
0.401055158	1	0.17	501	83.50
0.4014736819	1	0.17	502	83.67
0.4015350034	1	0.17	503	83.83
0.4035894368	1	0.17	504	84.00
0.4053407634	1	0.17	505	84.17
0.4053830245	1	0.17	506	84.33
0.4069140158	1	0.17	507	84.50
0.4070770307	1	0.17	508	84.67
0.4081138261	1	0.17	509	84.83
0.4083950104	1	0.17	510	85.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4086289707	1	0.17	511	85.17
0.4104911809	1	0.17	512	85.33
0.4118951013	1	0.17	513	85.50
0.4135015922	1	0.17	514	85.67
0.4137797329	1	0.17	515	85.83
0.4141631713	1	0.17	516	86.00
0.415192128	1	0.17	517	86.17
0.4158432898	1	0.17	518	86.33
0.4161401791	1	0.17	519	86.50
0.4162162773	1	0.17	520	86.67
0.4165544983	1	0.17	521	86.83
0.4194923943	1	0.17	522	87.00
0.4198641989	1	0.17	523	87.17
0.4200455859	1	0.17	524	87.33
0.4207379452	1	0.17	525	87.50
0.4210203587	1	0.17	526	87.67
0.4214170116	1	0.17	527	87.83
0.4215385559	1	0.17	528	88.00
0.422194166	1	0.17	529	88.17
0.4222837738	1	0.17	530	88.33
0.4245196076	1	0.17	531	88.50
0.4251441851	1	0.17	532	88.67
0.4256086989	1	0.17	533	88.83
0.4256357234	1	0.17	534	89.00
0.4269386086	1	0.17	535	89.17
0.4273612733	1	0.17	536	89.33
0.4287672256	1	0.17	537	89.50
0.431040842	1	0.17	538	89.67
0.43176006	1	0.17	539	89.83
0.4323879341	1	0.17	540	90.00
0.4326283843	1	0.17	541	90.17
0.4326329419	1	0.17	542	90.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.4352110863	1	0.17	543	90.50
0.4363085722	1	0.17	544	90.67
0.4380114938	1	0.17	545	90.83
0.4387435748	1	0.17	546	91.00
0.4395869604	1	0.17	547	91.17
0.439795107	1	0.17	548	91.33
0.4415647325	1	0.17	549	91.50
0.4417946344	1	0.17	550	91.67
0.4433151877	1	0.17	551	91.83
0.443586424	1	0.17	552	92.00
0.4462094246	1	0.17	553	92.17
0.4502370272	1	0.17	554	92.33
0.4517109819	1	0.17	555	92.50
0.4521714855	1	0.17	556	92.67
0.455784025	1	0.17	557	92.83
0.4568231146	1	0.17	558	93.00
0.4571873071	1	0.17	559	93.17
0.4581964554	1	0.17	560	93.33
0.4673722274	1	0.17	561	93.50
0.4691865512	1	0.17	562	93.67
0.4695871502	1	0.17	563	93.83
0.4763989299	1	0.17	564	94.00
0.4764509924	1	0.17	565	94.17
0.4766534425	1	0.17	566	94.33
0.4793940305	1	0.17	567	94.50
0.479570246	1	0.17	568	94.67
0.4798847067	1	0.17	569	94.83
0.4809488311	1	0.17	570	95.00
0.482067968	1	0.17	571	95.17
0.4835804802	1	0.17	572	95.33
0.4864959905	1	0.17	573	95.50
0.489352793	1	0.17	574	95.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Fractal Bone Trabecular Integrity Vertical - quadratic				
V03BTI_V2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.493003909	1	0.17	575	95.83
0.495776238	1	0.17	576	96.00
0.4957996902	1	0.17	577	96.17
0.4982645772	1	0.17	578	96.33
0.4999753202	1	0.17	579	96.50
0.5024147178	1	0.17	580	96.67
0.5037242052	1	0.17	581	96.83
0.5071652642	1	0.17	582	97.00
0.507341704	1	0.17	583	97.17
0.5090488525	1	0.17	584	97.33
0.5121669094	1	0.17	585	97.50
0.5122882355	1	0.17	586	97.67
0.5148833487	1	0.17	587	97.83
0.5159951509	1	0.17	588	98.00
0.5195167355	1	0.17	589	98.17
0.5211377908	1	0.17	590	98.33
0.5241174861	1	0.17	591	98.50
0.5258356327	1	0.17	592	98.67
0.5267263686	1	0.17	593	98.83
0.5289585099	1	0.17	594	99.00
0.5369198281	1	0.17	595	99.17
0.543333188	1	0.17	596	99.33
0.5447410903	1	0.17	597	99.50
0.592636469	1	0.17	598	99.67
0.6091060147	1	0.17	599	99.83
0.8519427954	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016600376304	1	0.17	1	0.17
016600376807	1	0.17	2	0.33
016601038506	1	0.17	3	0.50
016601312203	1	0.17	4	0.67
016601312503	1	0.17	5	0.83
016601384906	1	0.17	6	1.00
016601431908	1	0.17	7	1.17
016601432504	1	0.17	8	1.33
016601447604	1	0.17	9	1.50
016601458104	1	0.17	10	1.67
016601460204	1	0.17	11	1.83
016601469404	1	0.17	12	2.00
016601469504	1	0.17	13	2.17
016601470904	1	0.17	14	2.33
016601472704	1	0.17	15	2.50
016601473404	1	0.17	16	2.67
016601477606	1	0.17	17	2.83
016601477904	1	0.17	18	3.00
016601478006	1	0.17	19	3.17
016601481204	1	0.17	20	3.33
016601487204	1	0.17	21	3.50
016601491205	1	0.17	22	3.67
016601492204	1	0.17	23	3.83
016601492705	1	0.17	24	4.00
016601492805	1	0.17	25	4.17
016601493004	1	0.17	26	4.33
016601497503	1	0.17	27	4.50
016601497903	1	0.17	28	4.67
016601498303	1	0.17	29	4.83
016601498403	1	0.17	30	5.00
016601504006	1	0.17	31	5.17
016601507104	1	0.17	32	5.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601507204	1	0.17	33	5.50
016601507304	1	0.17	34	5.67
016601508004	1	0.17	35	5.83
016601508606	1	0.17	36	6.00
016601522404	1	0.17	37	6.17
016601527503	1	0.17	38	6.33
016601529504	1	0.17	39	6.50
016601536104	1	0.17	40	6.67
016601541706	1	0.17	41	6.83
016601542004	1	0.17	42	7.00
016601542106	1	0.17	43	7.17
016601547903	1	0.17	44	7.33
016601548803	1	0.17	45	7.50
016601552704	1	0.17	46	7.67
016601561104	1	0.17	47	7.83
016601565703	1	0.17	48	8.00
016601576004	1	0.17	49	8.17
016601580506	1	0.17	50	8.33
016601584104	1	0.17	51	8.50
016601585006	1	0.17	52	8.67
016601596803	1	0.17	53	8.83
016601600103	1	0.17	54	9.00
016601600603	1	0.17	55	9.17
016601600803	1	0.17	56	9.33
016601610204	1	0.17	57	9.50
016601615004	1	0.17	58	9.67
016601615104	1	0.17	59	9.83
016601618403	1	0.17	60	10.00
016601622904	1	0.17	61	10.17
016601623906	1	0.17	62	10.33
016601628304	1	0.17	63	10.50
016601633004	1	0.17	64	10.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601634004	1	0.17	65	10.83
016601635503	1	0.17	66	11.00
016601635803	1	0.17	67	11.17
016601639104	1	0.17	68	11.33
016601639304	1	0.17	69	11.50
016601641304	1	0.17	70	11.67
016601642603	1	0.17	71	11.83
016601646403	1	0.17	72	12.00
016601648804	1	0.17	73	12.17
016601648904	1	0.17	74	12.33
016601652304	1	0.17	75	12.50
016601652504	1	0.17	76	12.67
016601653503	1	0.17	77	12.83
016601653603	1	0.17	78	13.00
016601655905	1	0.17	79	13.17
016601664404	1	0.17	80	13.33
016601665503	1	0.17	81	13.50
016601671904	1	0.17	82	13.67
016601673204	1	0.17	83	13.83
016601674303	1	0.17	84	14.00
016601674703	1	0.17	85	14.17
016601675804	1	0.17	86	14.33
016601680506	1	0.17	87	14.50
016601684503	1	0.17	88	14.67
016601686404	1	0.17	89	14.83
016601688306	1	0.17	90	15.00
016601692503	1	0.17	91	15.17
016601698906	1	0.17	92	15.33
016601700704	1	0.17	93	15.50
016601701104	1	0.17	94	15.67
016601703804	1	0.17	95	15.83
016601706104	1	0.17	96	16.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601709204	1	0.17	97	16.17
016601710304	1	0.17	98	16.33
016601713604	1	0.17	99	16.50
016601713804	1	0.17	100	16.67
016601714004	1	0.17	101	16.83
016601714605	1	0.17	102	17.00
016601718503	1	0.17	103	17.17
016601718703	1	0.17	104	17.33
016601719503	1	0.17	105	17.50
016601719603	1	0.17	106	17.67
016601722904	1	0.17	107	17.83
016601725804	1	0.17	108	18.00
016601726104	1	0.17	109	18.17
016601728903	1	0.17	110	18.33
016601729703	1	0.17	111	18.50
016601729803	1	0.17	112	18.67
016601730203	1	0.17	113	18.83
016601733404	1	0.17	114	19.00
016601736406	1	0.17	115	19.17
016601740203	1	0.17	116	19.33
016601740303	1	0.17	117	19.50
016601740603	1	0.17	118	19.67
016601740803	1	0.17	119	19.83
016601740903	1	0.17	120	20.00
016601741303	1	0.17	121	20.17
016601742504	1	0.17	122	20.33
016601747906	1	0.17	123	20.50
016601748404	1	0.17	124	20.67
016601752204	1	0.17	125	20.83
016601752404	1	0.17	126	21.00
016601752504	1	0.17	127	21.17
016601754304	1	0.17	128	21.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601756904	1	0.17	129	21.50
016601759706	1	0.17	130	21.67
016601760006	1	0.17	131	21.83
016601761106	1	0.17	132	22.00
016601761206	1	0.17	133	22.17
016601761904	1	0.17	134	22.33
016601762004	1	0.17	135	22.50
016601762106	1	0.17	136	22.67
016601763704	1	0.17	137	22.83
016601763804	1	0.17	138	23.00
016601766204	1	0.17	139	23.17
016601772504	1	0.17	140	23.33
016601773904	1	0.17	141	23.50
016601774104	1	0.17	142	23.67
016601775804	1	0.17	143	23.83
016601775905	1	0.17	144	24.00
016601776306	1	0.17	145	24.17
016601776604	1	0.17	146	24.33
016601777806	1	0.17	147	24.50
016601779104	1	0.17	148	24.67
016601779504	1	0.17	149	24.83
016601780904	1	0.17	150	25.00
016601782803	1	0.17	151	25.17
016601786505	1	0.17	152	25.33
016601788204	1	0.17	153	25.50
016601789104	1	0.17	154	25.67
016601791305	1	0.17	155	25.83
016601791504	1	0.17	156	26.00
016601793304	1	0.17	157	26.17
016601793504	1	0.17	158	26.33
016601798604	1	0.17	159	26.50
016601805103	1	0.17	160	26.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601807804	1	0.17	161	26.83
016601818704	1	0.17	162	27.00
016601819803	1	0.17	163	27.17
016601820203	1	0.17	164	27.33
016601822003	1	0.17	165	27.50
016601822504	1	0.17	166	27.67
016601822904	1	0.17	167	27.83
016601823104	1	0.17	168	28.00
016601824206	1	0.17	169	28.17
016601829204	1	0.17	170	28.33
016601829306	1	0.17	171	28.50
016601835004	1	0.17	172	28.67
016601835204	1	0.17	173	28.83
016601839104	1	0.17	174	29.00
016601841004	1	0.17	175	29.17
016601844104	1	0.17	176	29.33
016601846004	1	0.17	177	29.50
016601848504	1	0.17	178	29.67
016601850104	1	0.17	179	29.83
016601851304	1	0.17	180	30.00
016601852205	1	0.17	181	30.17
016601858703	1	0.17	182	30.33
016601861104	1	0.17	183	30.50
016601868004	1	0.17	184	30.67
016601868804	1	0.17	185	30.83
016601870003	1	0.17	186	31.00
016601872304	1	0.17	187	31.17
016601872804	1	0.17	188	31.33
016601875105	1	0.17	189	31.50
016601885804	1	0.17	190	31.67
016601887903	1	0.17	191	31.83
016601894005	1	0.17	192	32.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601894405	1	0.17	193	32.17
016601894604	1	0.17	194	32.33
016601895004	1	0.17	195	32.50
016601895803	1	0.17	196	32.67
016601895903	1	0.17	197	32.83
016601899004	1	0.17	198	33.00
016601899203	1	0.17	199	33.17
016601899303	1	0.17	200	33.33
016601899403	1	0.17	201	33.50
016601899903	1	0.17	202	33.67
016601900803	1	0.17	203	33.83
016601902804	1	0.17	204	34.00
016601903305	1	0.17	205	34.17
016601903904	1	0.17	206	34.33
016601904904	1	0.17	207	34.50
016601911103	1	0.17	208	34.67
016601911303	1	0.17	209	34.83
016601911906	1	0.17	210	35.00
016601915904	1	0.17	211	35.17
016601916004	1	0.17	212	35.33
016601916404	1	0.17	213	35.50
016601917004	1	0.17	214	35.67
016601917804	1	0.17	215	35.83
016601918004	1	0.17	216	36.00
016601919904	1	0.17	217	36.17
016601920104	1	0.17	218	36.33
016601920204	1	0.17	219	36.50
016601920704	1	0.17	220	36.67
016601921404	1	0.17	221	36.83
016601921804	1	0.17	222	37.00
016601922304	1	0.17	223	37.17
016601923004	1	0.17	224	37.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601924004	1	0.17	225	37.50
016601924106	1	0.17	226	37.67
016601924504	1	0.17	227	37.83
016601925104	1	0.17	228	38.00
016601925205	1	0.17	229	38.17
016601927706	1	0.17	230	38.33
016601927804	1	0.17	231	38.50
016601928204	1	0.17	232	38.67
016601928404	1	0.17	233	38.83
016601928504	1	0.17	234	39.00
016601930604	1	0.17	235	39.17
016601932004	1	0.17	236	39.33
016601935504	1	0.17	237	39.50
016601936804	1	0.17	238	39.67
016601938903	1	0.17	239	39.83
016601939503	1	0.17	240	40.00
016601947204	1	0.17	241	40.17
016601947504	1	0.17	242	40.33
016601949905	1	0.17	243	40.50
016601950704	1	0.17	244	40.67
016601952304	1	0.17	245	40.83
016601954303	1	0.17	246	41.00
016601956003	1	0.17	247	41.17
016601956304	1	0.17	248	41.33
016601956703	1	0.17	249	41.50
016601957604	1	0.17	250	41.67
016601964404	1	0.17	251	41.83
016601964504	1	0.17	252	42.00
016601964605	1	0.17	253	42.17
016601964904	1	0.17	254	42.33
016601965104	1	0.17	255	42.50
016601966403	1	0.17	256	42.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016601966803	1	0.17	257	42.83
016601967203	1	0.17	258	43.00
016601967904	1	0.17	259	43.17
016601969303	1	0.17	260	43.33
016601969603	1	0.17	261	43.50
016601969804	1	0.17	262	43.67
016601971306	1	0.17	263	43.83
016601975103	1	0.17	264	44.00
016601975203	1	0.17	265	44.17
016601978301	1	0.17	266	44.33
016601979004	1	0.17	267	44.50
016601979204	1	0.17	268	44.67
016601979704	1	0.17	269	44.83
016601980604	1	0.17	270	45.00
016601980904	1	0.17	271	45.17
016601981606	1	0.17	272	45.33
016601983904	1	0.17	273	45.50
016601986205	1	0.17	274	45.67
016601986405	1	0.17	275	45.83
016601988403	1	0.17	276	46.00
016601989803	1	0.17	277	46.17
016601989903	1	0.17	278	46.33
016601991704	1	0.17	279	46.50
016601995605	1	0.17	280	46.67
016601996303	1	0.17	281	46.83
016601998704	1	0.17	282	47.00
016601999604	1	0.17	283	47.17
016601999804	1	0.17	284	47.33
016602003403	1	0.17	285	47.50
016602005703	1	0.17	286	47.67
016602005903	1	0.17	287	47.83
016602006103	1	0.17	288	48.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602007404	1	0.17	289	48.17
016602007704	1	0.17	290	48.33
016602008504	1	0.17	291	48.50
016602010403	1	0.17	292	48.67
016602010703	1	0.17	293	48.83
016602012904	1	0.17	294	49.00
016602015304	1	0.17	295	49.17
016602018705	1	0.17	296	49.33
016602019904	1	0.17	297	49.50
016602022106	1	0.17	298	49.67
016602024403	1	0.17	299	49.83
016602024703	1	0.17	300	50.00
016602024803	1	0.17	301	50.17
016602025203	1	0.17	302	50.33
016602025303	1	0.17	303	50.50
016602025803	1	0.17	304	50.67
016602030104	1	0.17	305	50.83
016602033006	1	0.17	306	51.00
016602036506	1	0.17	307	51.17
016602038104	1	0.17	308	51.33
016602040005	1	0.17	309	51.50
016602041704	1	0.17	310	51.67
016602041804	1	0.17	311	51.83
016602042904	1	0.17	312	52.00
016602045903	1	0.17	313	52.17
016602046303	1	0.17	314	52.33
016602051104	1	0.17	315	52.50
016602052905	1	0.17	316	52.67
016602054304	1	0.17	317	52.83
016602057304	1	0.17	318	53.00
016602058104	1	0.17	319	53.17
016602060204	1	0.17	320	53.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602061204	1	0.17	321	53.50
016602063707	1	0.17	322	53.67
016602065601	1	0.17	323	53.83
016602068903	1	0.17	324	54.00
016602069803	1	0.17	325	54.17
016602071404	1	0.17	326	54.33
016602072304	1	0.17	327	54.50
016602077503	1	0.17	328	54.67
016602077703	1	0.17	329	54.83
016602080804	1	0.17	330	55.00
016602083505	1	0.17	331	55.17
016602083905	1	0.17	332	55.33
016602085004	1	0.17	333	55.50
016602085804	1	0.17	334	55.67
016602086204	1	0.17	335	55.83
016602087905	1	0.17	336	56.00
016602088304	1	0.17	337	56.17
016602090504	1	0.17	338	56.33
016602091304	1	0.17	339	56.50
016602100703	1	0.17	340	56.67
016602101603	1	0.17	341	56.83
016602101803	1	0.17	342	57.00
016602108301	1	0.17	343	57.17
016602108503	1	0.17	344	57.33
016602109403	1	0.17	345	57.50
016602109503	1	0.17	346	57.67
016602109703	1	0.17	347	57.83
016602109803	1	0.17	348	58.00
016602109903	1	0.17	349	58.17
016602110901	1	0.17	350	58.33
016602112001	1	0.17	351	58.50
016602112301	1	0.17	352	58.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602113501	1	0.17	353	58.83
016602113801	1	0.17	354	59.00
016602114702	1	0.17	355	59.17
016602118201	1	0.17	356	59.33
016602121503	1	0.17	357	59.50
016602122003	1	0.17	358	59.67
016602123501	1	0.17	359	59.83
016602123701	1	0.17	360	60.00
016602123902	1	0.17	361	60.17
016602124401	1	0.17	362	60.33
016602124801	1	0.17	363	60.50
016602125001	1	0.17	364	60.67
016602125903	1	0.17	365	60.83
016602126303	1	0.17	366	61.00
016602126803	1	0.17	367	61.17
016602128203	1	0.17	368	61.33
016602128301	1	0.17	369	61.50
016602128506	1	0.17	370	61.67
016602128603	1	0.17	371	61.83
016602129301	1	0.17	372	62.00
016602129601	1	0.17	373	62.17
016602133601	1	0.17	374	62.33
016602133801	1	0.17	375	62.50
016602136503	1	0.17	376	62.67
016602137203	1	0.17	377	62.83
016602138203	1	0.17	378	63.00
016602140202	1	0.17	379	63.17
016602140303	1	0.17	380	63.33
016602140503	1	0.17	381	63.50
016602140703	1	0.17	382	63.67
016602146801	1	0.17	383	63.83
016602148601	1	0.17	384	64.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602150301	1	0.17	385	64.17
016602151201	1	0.17	386	64.33
016602151301	1	0.17	387	64.50
016602153701	1	0.17	388	64.67
016602155501	1	0.17	389	64.83
016602156301	1	0.17	390	65.00
016602156701	1	0.17	391	65.17
016602157001	1	0.17	392	65.33
016602166703	1	0.17	393	65.50
016602167703	1	0.17	394	65.67
016602168403	1	0.17	395	65.83
016602170001	1	0.17	396	66.00
016602170903	1	0.17	397	66.17
016602171403	1	0.17	398	66.33
016602172403	1	0.17	399	66.50
016602172603	1	0.17	400	66.67
016602174101	1	0.17	401	66.83
016602177501	1	0.17	402	67.00
016602178001	1	0.17	403	67.17
016602179301	1	0.17	404	67.33
016602180201	1	0.17	405	67.50
016602181701	1	0.17	406	67.67
016602182701	1	0.17	407	67.83
016602183701	1	0.17	408	68.00
016602185103	1	0.17	409	68.17
016602185603	1	0.17	410	68.33
016602187703	1	0.17	411	68.50
016602188501	1	0.17	412	68.67
016602189401	1	0.17	413	68.83
016602192503	1	0.17	414	69.00
016602192703	1	0.17	415	69.17
016602193603	1	0.17	416	69.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602195001	1	0.17	417	69.50
016602198403	1	0.17	418	69.67
016602201001	1	0.17	419	69.83
016602206401	1	0.17	420	70.00
016602207701	1	0.17	421	70.17
016602208401	1	0.17	422	70.33
016602208701	1	0.17	423	70.50
016602210101	1	0.17	424	70.67
016602210201	1	0.17	425	70.83
016602210903	1	0.17	426	71.00
016602211903	1	0.17	427	71.17
016602212003	1	0.17	428	71.33
016602219003	1	0.17	429	71.50
016602219103	1	0.17	430	71.67
016602220701	1	0.17	431	71.83
016602221301	1	0.17	432	72.00
016602222101	1	0.17	433	72.17
016602222301	1	0.17	434	72.33
016602225701	1	0.17	435	72.50
016602228401	1	0.17	436	72.67
016602229301	1	0.17	437	72.83
016602229401	1	0.17	438	73.00
016602230202	1	0.17	439	73.17
016602233601	1	0.17	440	73.33
016602234001	1	0.17	441	73.50
016602237101	1	0.17	442	73.67
016602240101	1	0.17	443	73.83
016602240301	1	0.17	444	74.00
016602240501	1	0.17	445	74.17
016602242401	1	0.17	446	74.33
016602247801	1	0.17	447	74.50
016602248601	1	0.17	448	74.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602249703	1	0.17	449	74.83
016602250403	1	0.17	450	75.00
016602255102	1	0.17	451	75.17
016602255803	1	0.17	452	75.33
016602257203	1	0.17	453	75.50
016602263803	1	0.17	454	75.67
016602264801	1	0.17	455	75.83
016602265001	1	0.17	456	76.00
016602265401	1	0.17	457	76.17
016602266101	1	0.17	458	76.33
016602266501	1	0.17	459	76.50
016602266701	1	0.17	460	76.67
016602267001	1	0.17	461	76.83
016602269503	1	0.17	462	77.00
016602270303	1	0.17	463	77.17
016602270503	1	0.17	464	77.33
016602272403	1	0.17	465	77.50
016602277702	1	0.17	466	77.67
016602278311	1	0.17	467	77.83
016602281301	1	0.17	468	78.00
016602282303	1	0.17	469	78.17
016602282403	1	0.17	470	78.33
016602282803	1	0.17	471	78.50
016602283401	1	0.17	472	78.67
016602285201	1	0.17	473	78.83
016602285401	1	0.17	474	79.00
016602286402	1	0.17	475	79.17
016602286901	1	0.17	476	79.33
016602287001	1	0.17	477	79.50
016602289101	1	0.17	478	79.67
016602289401	1	0.17	479	79.83
016602295501	1	0.17	480	80.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602298201	1	0.17	481	80.17
016602300601	1	0.17	482	80.33
016602300802	1	0.17	483	80.50
016602300901	1	0.17	484	80.67
016602301003	1	0.17	485	80.83
016602302601	1	0.17	486	81.00
016602304303	1	0.17	487	81.17
016602304403	1	0.17	488	81.33
016602311501	1	0.17	489	81.50
016602312101	1	0.17	490	81.67
016602312501	1	0.17	491	81.83
016602314801	1	0.17	492	82.00
016602316503	1	0.17	493	82.17
016602318003	1	0.17	494	82.33
016602318103	1	0.17	495	82.50
016602318203	1	0.17	496	82.67
016602319003	1	0.17	497	82.83
016602319303	1	0.17	498	83.00
016602319803	1	0.17	499	83.17
016602323601	1	0.17	500	83.33
016602326803	1	0.17	501	83.50
016602327003	1	0.17	502	83.67
016602327503	1	0.17	503	83.83
016602329901	1	0.17	504	84.00
016602330101	1	0.17	505	84.17
016602339401	1	0.17	506	84.33
016602339701	1	0.17	507	84.50
016602341503	1	0.17	508	84.67
016602352403	1	0.17	509	84.83
016602355202	1	0.17	510	85.00
016602355503	1	0.17	511	85.17
016602362801	1	0.17	512	85.33

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602363201	1	0.17	513	85.50
016602363703	1	0.17	514	85.67
016602365103	1	0.17	515	85.83
016602365203	1	0.17	516	86.00
016602365303	1	0.17	517	86.17
016602366501	1	0.17	518	86.33
016602369201	1	0.17	519	86.50
016602369901	1	0.17	520	86.67
016602372803	1	0.17	521	86.83
016602373303	1	0.17	522	87.00
016602373801	1	0.17	523	87.17
016602374301	1	0.17	524	87.33
016602375201	1	0.17	525	87.50
016602375901	1	0.17	526	87.67
016602379403	1	0.17	527	87.83
016602379703	1	0.17	528	88.00
016602380003	1	0.17	529	88.17
016602380203	1	0.17	530	88.33
016602383202	1	0.17	531	88.50
016602387003	1	0.17	532	88.67
016602388203	1	0.17	533	88.83
016602396701	1	0.17	534	89.00
016602397008	1	0.17	535	89.17
016602397701	1	0.17	536	89.33
016602404103	1	0.17	537	89.50
016602404203	1	0.17	538	89.67
016602405903	1	0.17	539	89.83
016602418902	1	0.17	540	90.00
016602420303	1	0.17	541	90.17
016602421803	1	0.17	542	90.33
016602429001	1	0.17	543	90.50
016602434301	1	0.17	544	90.67

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602445703	1	0.17	545	90.83
016602448301	1	0.17	546	91.00
016602454001	1	0.17	547	91.17
016602454601	1	0.17	548	91.33
016602460601	1	0.17	549	91.50
016602463301	1	0.17	550	91.67
016602470301	1	0.17	551	91.83
016602470401	1	0.17	552	92.00
016602470601	1	0.17	553	92.17
016602471001	1	0.17	554	92.33
016602473602	1	0.17	555	92.50
016602475801	1	0.17	556	92.67
016602477101	1	0.17	557	92.83
016602483401	1	0.17	558	93.00
016602525403	1	0.17	559	93.17
016602531501	1	0.17	560	93.33
016602531701	1	0.17	561	93.50
016602539601	1	0.17	562	93.67
016602540601	1	0.17	563	93.83
016602540701	1	0.17	564	94.00
016602542301	1	0.17	565	94.17
016602561901	1	0.17	566	94.33
016602564101	1	0.17	567	94.50
016602564201	1	0.17	568	94.67
016602564901	1	0.17	569	94.83
016602565201	1	0.17	570	95.00
016602566602	1	0.17	571	95.17
016602581701	1	0.17	572	95.33
016602599401	1	0.17	573	95.50
016602614401	1	0.17	574	95.67
016602619901	1	0.17	575	95.83
016602620101	1	0.17	576	96.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The FREQ Procedure**

Barcode of image analyzed				
V03BARCDBTI	Frequency	Percent	Cumulative Frequency	Cumulative Percent
016602620301	1	0.17	577	96.17
016602620401	1	0.17	578	96.33
016602624201	1	0.17	579	96.50
016602624401	1	0.17	580	96.67
016602626001	1	0.17	581	96.83
016602626101	1	0.17	582	97.00
016602632603	1	0.17	583	97.17
016602633103	1	0.17	584	97.33
016602635602	1	0.17	585	97.50
016602651301	1	0.17	586	97.67
016602662501	1	0.17	587	97.83
016602663401	1	0.17	588	98.00
016602676901	1	0.17	589	98.17
016602677001	1	0.17	590	98.33
016602679001	1	0.17	591	98.50
016602712701	1	0.17	592	98.67
016602713601	1	0.17	593	98.83
016602733201	1	0.17	594	99.00
016602748701	1	0.17	595	99.17
016602762801	1	0.17	596	99.33
016602963712	1	0.17	597	99.50
016602964501	1	0.17	598	99.67
016602971510	1	0.17	599	99.83
016602971602	1	0.17	600	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03

The UNIVARIATE Procedure
Variable: SIDE (SIDE)

Moments			
N	600	Sum Weights	600
Mean	1.46333333	Sum Observations	878
Std Deviation	0.49906981	Variance	0.24907067
Skewness	0.14743147	Kurtosis	-1.9848914
Uncorrected SS	1434	Corrected SS	149.193333
Coeff Variation	34.1049983	Std Error Mean	0.02037444

Basic Statistical Measures			
Location		Variability	
Mean	1.463333	Std Deviation	0.49907
Median	1.000000	Variance	0.24907
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	71.82202	Pr > t	<.0001
Sign	M	300	Pr >= M	<.0001
Signed Rank	S	90150	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure**
Variable: SIDE (SIDE)

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	600	2	591
1	599	2	593
1	597	2	595
1	594	2	596
1	592	2	598

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)**

Moments			
N	569	Sum Weights	569
Mean	2.71828618	Sum Observations	1546.70484
Std Deviation	0.18731622	Variance	0.03508737
Skewness	-0.6419714	Kurtosis	-0.5721498
Uncorrected SS	4224.316	Corrected SS	19.9296249
Coeff Variation	6.89096776	Std Error Mean	0.0078527

Basic Statistical Measures			
Location		Variability	
Mean	2.718286	Std Deviation	0.18732
Median	2.760936	Variance	0.03509
Mode	.	Range	0.86850
		Interquartile Range	0.25839

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	346.1592	Pr > t	<.0001
Sign	M	284.5	Pr >= M	<.0001
Signed Rank	S	81082.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3.10171
99%	3.01359
95%	2.96176
90%	2.92027
75% Q3	2.85690
50% Median	2.76094
25% Q1	2.59851
10%	2.40879
5%	2.36767

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H0 (Fractal Bone Trabecular Integrity Horizontal - constant)**

Quantiles (Definition 5)	
Level	Quantile
1%	2.30432
0% Min	2.23321

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.23321	291	3.03118	239
2.25497	148	3.04044	494
2.26162	60	3.05333	573
2.27501	111	3.05615	478
2.28750	277	3.10171	8

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Moments			
N	569	Sum Weights	569
Mean	-0.2153626	Sum Observations	-122.54129
Std Deviation	0.03569635	Variance	0.00127423
Skewness	0.254744	Kurtosis	1.56321512
Uncorrected SS	27.1145671	Corrected SS	0.7237622
Coeff Variation	-16.575002	Std Error Mean	0.00149647

Basic Statistical Measures			
Location		Variability	
Mean	-0.21536	Std Deviation	0.03570
Median	-0.21574	Variance	0.00127
Mode	.	Range	0.31700
		Interquartile Range	0.04470

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-143.914	Pr > t	<.0001
Sign	M	-284.5	Pr >= M	<.0001
Signed Rank	S	-81082.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	-0.0688495
99%	-0.1147594
95%	-0.1531657
90%	-0.1717090
75% Q3	-0.1946701
50% Median	-0.2157395
25% Q1	-0.2393663
10%	-0.2584530
5%	-0.2700156

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H1 (Fractal Bone Trabecular Integrity Horizontal - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.2949117
0% Min	-0.3858469

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.385847	492	-0.1033050	80
-0.307100	19	-0.0994180	266
-0.305274	349	-0.0923925	495
-0.295498	354	-0.0842479	84
-0.295447	250	-0.0688495	565

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)**

Moments			
N	569	Sum Weights	569
Mean	0.10173261	Sum Observations	57.885855
Std Deviation	0.05190955	Variance	0.0026946
Skewness	0.516552	Kurtosis	-0.3446548
Uncorrected SS	7.41941271	Corrected SS	1.53053361
Coeff Variation	51.025478	Std Error Mean	0.00217616

Basic Statistical Measures			
Location		Variability	
Mean	0.101733	Std Deviation	0.05191
Median	0.093693	Variance	0.00269
Mode	.	Range	0.25178
		Interquartile Range	0.07576

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	46.74865	Pr > t	<.0001
Sign	M	283.5	Pr >= M	<.0001
Signed Rank	S	81080.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.24498285
99%	0.23518998
95%	0.19623309
90%	0.17818885
75% Q3	0.13829399
50% Median	0.09369309
25% Q1	0.06253396
10%	0.03893042
5%	0.02921492

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_H2 (Fractal Bone Trabecular Integrity Horizontal - quadratic)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.00872563
0% Min	-0.00679944

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.00679944	423	0.236763	148
0.00385465	585	0.238898	45
0.00715036	22	0.241830	415
0.00766109	145	0.243482	111
0.00847867	549	0.244983	53

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)**

Moments			
N	569	Sum Weights	569
Mean	2.46561349	Sum Observations	1402.93408
Std Deviation	0.14930269	Variance	0.02229129
Skewness	-0.6471242	Kurtosis	1.12507787
Uncorrected SS	3471.75465	Corrected SS	12.6614537
Coeff Variation	6.05539698	Std Error Mean	0.00625909

Basic Statistical Measures			
Location		Variability	
Mean	2.465613	Std Deviation	0.14930
Median	2.475668	Variance	0.02229
Mode	.	Range	1.11867
		Interquartile Range	0.18954

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	393.925	Pr > t	<.0001
Sign	M	284.5	Pr >= M	<.0001
Signed Rank	S	81082.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2.82662
99%	2.76184
95%	2.69544
90%	2.64364
75% Q3	2.56719
50% Median	2.47567
25% Q1	2.37764
10%	2.26949
5%	2.19726

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V0 (Fractal Bone Trabecular Integrity Vertical - constant)**

Quantiles (Definition 5)	
Level	Quantile
1%	2.07151
0% Min	1.70795

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.70795	34	2.76251	460
1.92416	538	2.76559	137
2.05379	292	2.78502	135
2.05779	557	2.81224	96
2.06900	486	2.82662	144

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Moments			
N	569	Sum Weights	569
Mean	0.03707403	Sum Observations	21.0951206
Std Deviation	0.08190265	Variance	0.00670804
Skewness	-0.6061598	Kurtosis	0.30576361
Uncorrected SS	4.59225013	Corrected SS	3.81016908
Coeff Variation	220.916528	Std Error Mean	0.00343354

Basic Statistical Measures			
Location		Variability	
Mean	0.037074	Std Deviation	0.08190
Median	0.042581	Variance	0.00671
Mode	.	Range	0.47600
		Interquartile Range	0.11943

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.79762	Pr > t	<.0001
Sign	M	109.5	Pr >= M	<.0001
Signed Rank	S	40455.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.2061314
99%	0.1787925
95%	0.1514187
90%	0.1321217
75% Q3	0.1010457
50% Median	0.0425810
25% Q1	-0.0183825
10%	-0.0665665
5%	-0.1099249

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V1 (Fractal Bone Trabecular Integrity Vertical - slope)**

Quantiles (Definition 5)	
Level	Quantile
1%	-0.1974099
0% Min	-0.2698680

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-0.269868	292	0.186330	579
-0.265615	538	0.187633	389
-0.222311	239	0.191748	296
-0.216258	380	0.192546	433
-0.211336	526	0.206131	358

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)**

Moments			
N	569	Sum Weights	569
Mean	0.32997305	Sum Observations	187.754663
Std Deviation	0.083655	Variance	0.00699816
Skewness	0.77172721	Kurtosis	2.45980048
Uncorrected SS	65.9289322	Corrected SS	3.97495398
Coeff Variation	25.3520696	Std Error Mean	0.003507

Basic Statistical Measures			
Location		Variability	
Mean	0.329973	Std Deviation	0.08365
Median	0.322937	Variance	0.00700
Mode	.	Range	0.71018
		Interquartile Range	0.10045

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.08984	Pr > t	<.0001
Sign	M	284.5	Pr >= M	<.0001
Signed Rank	S	81082.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.851943
99%	0.536920
95%	0.483580
90%	0.436309
75% Q3	0.376568
50% Median	0.322937
25% Q1	0.276120
10%	0.227911
5%	0.198559

OAI 3.2 11/30/2016: Freqs/Univs for kXR_FNIH_BTI_Duke03**The UNIVARIATE Procedure****Variable: V03BTI_V2 (Fractal Bone Trabecular Integrity Vertical - quadratic)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.167391
0% Min	0.141763

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.141763	144	0.543333	241
0.148200	291	0.544741	225
0.150676	460	0.592636	467
0.156636	135	0.609106	557
0.166356	74	0.851943	34

Missing Values			
Percent Of			
Missing Value	Count	Missing All Obs	Missing Obs
.	31	5.17	100.00