

The FREQ Procedure

Project				
readprj	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17	6178	83.37	6178	83.37
45	1232	16.63	7410	100.00

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	3704	49.99	3704	49.99
2: Left	3706	50.01	7410	100.00

BL kXR reading (JD): flag for femoral tibial angle (FTA) reading				
V00FTAFLAG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	1232	16.63	1232	16.63
0: No	6063	81.82	7295	98.45
1: Yes	115	1.55	7410	100.00

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading					
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
P	18	0.24	18	0.24	
T	57	0.77	75	1.01	
-16.33	1	0.01	76	1.03	
-16	1	0.01	77	1.04	
-15.54	1	0.01	78	1.05	
-15.5	1	0.01	79	1.07	
-15.49	1	0.01	80	1.08	
-14.97	1	0.01	81	1.09	
-14.9	1	0.01	82	1.11	
-14.34	1	0.01	83	1.12	
-14.25	1	0.01	84	1.13	
-14.07	1	0.01	85	1.15	
-14.02	1	0.01	86	1.16	
-14	1	0.01	87	1.17	
-13.97	1	0.01	88	1.19	
-13.91	1	0.01	89	1.20	
-13.82	1	0.01	90	1.21	
-13.78	1	0.01	91	1.23	
-13.77	1	0.01	92	1.24	
-13.69	1	0.01	93	1.26	
-13.44	1	0.01	94	1.27	
-13.34	1	0.01	95	1.28	
-13.25	1	0.01	96	1.30	
-13.12	1	0.01	97	1.31	
-13.11	2	0.03	99	1.34	
-12.99	1	0.01	100	1.35	
-12.96	1	0.01	101	1.36	
-12.95	1	0.01	102	1.38	
-12.83	1	0.01	103	1.39	
-12.76	1	0.01	104	1.40	
-12.74	1	0.01	105	1.42	
-12.67	1	0.01	106	1.43	

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-12.66	1	0.01	107	1.44
-12.65	1	0.01	108	1.46
-12.64	1	0.01	109	1.47
-12.63	1	0.01	110	1.48
-12.62	1	0.01	111	1.50
-12.61	1	0.01	112	1.51
-12.6	1	0.01	113	1.52
-12.59	1	0.01	114	1.54
-12.49	1	0.01	115	1.55
-12.47	1	0.01	116	1.57
-12.43	1	0.01	117	1.58
-12.38	2	0.03	119	1.61
-12.34	1	0.01	120	1.62
-12.28	1	0.01	121	1.63
-12.18	1	0.01	122	1.65
-12.08	6	0.08	128	1.73
-12.07	1	0.01	129	1.74
-12.05	1	0.01	130	1.75
-12.03	1	0.01	131	1.77
-12.01	1	0.01	132	1.78
-11.99	1	0.01	133	1.79
-11.97	1	0.01	134	1.81
-11.9	1	0.01	135	1.82
-11.89	1	0.01	136	1.84
-11.88	1	0.01	137	1.85
-11.87	2	0.03	139	1.88
-11.86	1	0.01	140	1.89
-11.83	1	0.01	141	1.90
-11.81	2	0.03	143	1.93
-11.79	1	0.01	144	1.94
-11.77	1	0.01	145	1.96
-11.75	1	0.01	146	1.97

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-11.74	1	0.01	147	1.98
-11.72	1	0.01	148	2.00
-11.7	1	0.01	149	2.01
-11.69	2	0.03	151	2.04
-11.68	1	0.01	152	2.05
-11.63	1	0.01	153	2.06
-11.62	4	0.05	157	2.12
-11.58	2	0.03	159	2.15
-11.57	1	0.01	160	2.16
-11.54	1	0.01	161	2.17
-11.51	1	0.01	162	2.19
-11.45	1	0.01	163	2.20
-11.43	3	0.04	166	2.24
-11.42	1	0.01	167	2.25
-11.39	1	0.01	168	2.27
-11.38	2	0.03	170	2.29
-11.36	2	0.03	172	2.32
-11.34	1	0.01	173	2.33
-11.32	1	0.01	174	2.35
-11.3	1	0.01	175	2.36
-11.29	1	0.01	176	2.38
-11.28	1	0.01	177	2.39
-11.25	3	0.04	180	2.43
-11.23	3	0.04	183	2.47
-11.2	1	0.01	184	2.48
-11.19	1	0.01	185	2.50
-11.18	2	0.03	187	2.52
-11.17	2	0.03	189	2.55
-11.16	1	0.01	190	2.56
-11.15	1	0.01	191	2.58
-11.13	2	0.03	193	2.60
-11.1	1	0.01	194	2.62

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-11.09	1	0.01	195	2.63
-11.08	2	0.03	197	2.66
-11.07	1	0.01	198	2.67
-11.06	1	0.01	199	2.69
-11.05	1	0.01	200	2.70
-11.04	1	0.01	201	2.71
-11.03	1	0.01	202	2.73
-11.02	2	0.03	204	2.75
-10.99	3	0.04	207	2.79
-10.97	2	0.03	209	2.82
-10.95	1	0.01	210	2.83
-10.94	2	0.03	212	2.86
-10.91	1	0.01	213	2.87
-10.9	1	0.01	214	2.89
-10.87	1	0.01	215	2.90
-10.86	1	0.01	216	2.91
-10.84	3	0.04	219	2.96
-10.8	1	0.01	220	2.97
-10.79	1	0.01	221	2.98
-10.78	2	0.03	223	3.01
-10.77	1	0.01	224	3.02
-10.74	2	0.03	226	3.05
-10.73	2	0.03	228	3.08
-10.71	1	0.01	229	3.09
-10.7	1	0.01	230	3.10
-10.69	2	0.03	232	3.13
-10.68	1	0.01	233	3.14
-10.67	2	0.03	235	3.17
-10.66	1	0.01	236	3.18
-10.65	1	0.01	237	3.20
-10.64	1	0.01	238	3.21
-10.63	1	0.01	239	3.23

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-10.62	1	0.01	240	3.24
-10.61	1	0.01	241	3.25
-10.6	1	0.01	242	3.27
-10.59	1	0.01	243	3.28
-10.58	1	0.01	244	3.29
-10.57	1	0.01	245	3.31
-10.56	1	0.01	246	3.32
-10.54	1	0.01	247	3.33
-10.52	1	0.01	248	3.35
-10.51	1	0.01	249	3.36
-10.5	2	0.03	251	3.39
-10.49	2	0.03	253	3.41
-10.48	2	0.03	255	3.44
-10.47	1	0.01	256	3.45
-10.45	2	0.03	258	3.48
-10.43	1	0.01	259	3.50
-10.42	1	0.01	260	3.51
-10.41	3	0.04	263	3.55
-10.4	1	0.01	264	3.56
-10.39	2	0.03	266	3.59
-10.38	2	0.03	268	3.62
-10.37	3	0.04	271	3.66
-10.36	1	0.01	272	3.67
-10.34	2	0.03	274	3.70
-10.32	2	0.03	276	3.72
-10.3	4	0.05	280	3.78
-10.27	2	0.03	282	3.81
-10.26	2	0.03	284	3.83
-10.25	2	0.03	286	3.86
-10.24	2	0.03	288	3.89
-10.23	1	0.01	289	3.90
-10.22	2	0.03	291	3.93

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-10.21	2	0.03	293	3.95
-10.18	4	0.05	297	4.01
-10.16	1	0.01	298	4.02
-10.15	1	0.01	299	4.04
-10.14	1	0.01	300	4.05
-10.13	1	0.01	301	4.06
-10.12	2	0.03	303	4.09
-10.11	1	0.01	304	4.10
-10.1	2	0.03	306	4.13
-10.09	4	0.05	310	4.18
-10.08	2	0.03	312	4.21
-10.07	2	0.03	314	4.24
-10.06	4	0.05	318	4.29
-10.05	1	0.01	319	4.30
-10.04	1	0.01	320	4.32
-10.03	2	0.03	322	4.35
-10.02	1	0.01	323	4.36
-10.01	1	0.01	324	4.37
-10	2	0.03	326	4.40
-9.98	3	0.04	329	4.44
-9.97	1	0.01	330	4.45
-9.95	1	0.01	331	4.47
-9.91	1	0.01	332	4.48
-9.9	1	0.01	333	4.49
-9.89	6	0.08	339	4.57
-9.88	1	0.01	340	4.59
-9.87	1	0.01	341	4.60
-9.86	1	0.01	342	4.62
-9.85	2	0.03	344	4.64
-9.84	4	0.05	348	4.70
-9.83	2	0.03	350	4.72
-9.82	2	0.03	352	4.75

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9.81	5	0.07	357	4.82
-9.8	1	0.01	358	4.83
-9.78	3	0.04	361	4.87
-9.77	3	0.04	364	4.91
-9.76	1	0.01	365	4.93
-9.75	3	0.04	368	4.97
-9.74	1	0.01	369	4.98
-9.73	3	0.04	372	5.02
-9.72	2	0.03	374	5.05
-9.7	3	0.04	377	5.09
-9.68	4	0.05	381	5.14
-9.67	3	0.04	384	5.18
-9.66	3	0.04	387	5.22
-9.65	1	0.01	388	5.24
-9.64	3	0.04	391	5.28
-9.63	3	0.04	394	5.32
-9.62	3	0.04	397	5.36
-9.61	2	0.03	399	5.38
-9.6	4	0.05	403	5.44
-9.59	2	0.03	405	5.47
-9.58	2	0.03	407	5.49
-9.57	4	0.05	411	5.55
-9.56	2	0.03	413	5.57
-9.55	3	0.04	416	5.61
-9.54	2	0.03	418	5.64
-9.53	4	0.05	422	5.70
-9.52	3	0.04	425	5.74
-9.51	2	0.03	427	5.76
-9.5	1	0.01	428	5.78
-9.49	3	0.04	431	5.82
-9.48	1	0.01	432	5.83
-9.47	3	0.04	435	5.87

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9.46	2	0.03	437	5.90
-9.45	5	0.07	442	5.96
-9.44	4	0.05	446	6.02
-9.43	3	0.04	449	6.06
-9.42	1	0.01	450	6.07
-9.41	1	0.01	451	6.09
-9.4	1	0.01	452	6.10
-9.39	6	0.08	458	6.18
-9.38	3	0.04	461	6.22
-9.37	3	0.04	464	6.26
-9.35	1	0.01	465	6.28
-9.34	1	0.01	466	6.29
-9.33	1	0.01	467	6.30
-9.32	2	0.03	469	6.33
-9.3	4	0.05	473	6.38
-9.29	3	0.04	476	6.42
-9.28	3	0.04	479	6.46
-9.27	2	0.03	481	6.49
-9.26	1	0.01	482	6.50
-9.25	1	0.01	483	6.52
-9.23	4	0.05	487	6.57
-9.22	3	0.04	490	6.61
-9.21	4	0.05	494	6.67
-9.2	2	0.03	496	6.69
-9.19	5	0.07	501	6.76
-9.18	1	0.01	502	6.77
-9.17	2	0.03	504	6.80
-9.16	4	0.05	508	6.86
-9.15	5	0.07	513	6.92
-9.14	1	0.01	514	6.94
-9.13	3	0.04	517	6.98
-9.12	6	0.08	523	7.06

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9.11	1	0.01	524	7.07
-9.1	1	0.01	525	7.09
-9.09	3	0.04	528	7.13
-9.08	3	0.04	531	7.17
-9.07	7	0.09	538	7.26
-9.06	2	0.03	540	7.29
-9.05	7	0.09	547	7.38
-9.04	2	0.03	549	7.41
-9.03	1	0.01	550	7.42
-9.02	5	0.07	555	7.49
-9.01	1	0.01	556	7.50
-9	2	0.03	558	7.53
-8.99	3	0.04	561	7.57
-8.98	4	0.05	565	7.62
-8.97	3	0.04	568	7.67
-8.96	2	0.03	570	7.69
-8.95	2	0.03	572	7.72
-8.94	4	0.05	576	7.77
-8.93	7	0.09	583	7.87
-8.92	3	0.04	586	7.91
-8.91	1	0.01	587	7.92
-8.9	2	0.03	589	7.95
-8.89	2	0.03	591	7.98
-8.88	3	0.04	594	8.02
-8.87	6	0.08	600	8.10
-8.86	4	0.05	604	8.15
-8.85	4	0.05	608	8.21
-8.84	2	0.03	610	8.23
-8.83	3	0.04	613	8.27
-8.82	3	0.04	616	8.31
-8.81	3	0.04	619	8.35
-8.8	1	0.01	620	8.37

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.79	2	0.03	622	8.39
-8.78	5	0.07	627	8.46
-8.77	5	0.07	632	8.53
-8.76	2	0.03	634	8.56
-8.75	5	0.07	639	8.62
-8.74	6	0.08	645	8.70
-8.73	2	0.03	647	8.73
-8.72	3	0.04	650	8.77
-8.71	6	0.08	656	8.85
-8.7	1	0.01	657	8.87
-8.69	2	0.03	659	8.89
-8.68	5	0.07	664	8.96
-8.67	1	0.01	665	8.97
-8.66	1	0.01	666	8.99
-8.65	4	0.05	670	9.04
-8.64	5	0.07	675	9.11
-8.63	4	0.05	679	9.16
-8.62	1	0.01	680	9.18
-8.61	1	0.01	681	9.19
-8.6	2	0.03	683	9.22
-8.59	4	0.05	687	9.27
-8.58	3	0.04	690	9.31
-8.57	2	0.03	692	9.34
-8.56	3	0.04	695	9.38
-8.55	2	0.03	697	9.41
-8.54	3	0.04	700	9.45
-8.53	2	0.03	702	9.47
-8.52	5	0.07	707	9.54
-8.51	2	0.03	709	9.57
-8.5	4	0.05	713	9.62
-8.49	5	0.07	718	9.69
-8.48	5	0.07	723	9.76

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.47	3	0.04	726	9.80
-8.46	2	0.03	728	9.82
-8.45	3	0.04	731	9.87
-8.44	3	0.04	734	9.91
-8.43	2	0.03	736	9.93
-8.42	6	0.08	742	10.01
-8.41	3	0.04	745	10.05
-8.4	2	0.03	747	10.08
-8.39	3	0.04	750	10.12
-8.38	5	0.07	755	10.19
-8.37	5	0.07	760	10.26
-8.36	5	0.07	765	10.32
-8.35	4	0.05	769	10.38
-8.34	3	0.04	772	10.42
-8.33	5	0.07	777	10.49
-8.32	8	0.11	785	10.59
-8.31	3	0.04	788	10.63
-8.3	6	0.08	794	10.72
-8.29	6	0.08	800	10.80
-8.28	3	0.04	803	10.84
-8.27	6	0.08	809	10.92
-8.26	6	0.08	815	11.00
-8.25	6	0.08	821	11.08
-8.24	4	0.05	825	11.13
-8.23	9	0.12	834	11.26
-8.22	5	0.07	839	11.32
-8.21	4	0.05	843	11.38
-8.2	4	0.05	847	11.43
-8.19	5	0.07	852	11.50
-8.18	3	0.04	855	11.54
-8.17	6	0.08	861	11.62
-8.16	8	0.11	869	11.73

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.15	7	0.09	876	11.82
-8.14	7	0.09	883	11.92
-8.13	5	0.07	888	11.98
-8.12	4	0.05	892	12.04
-8.11	3	0.04	895	12.08
-8.1	6	0.08	901	12.16
-8.09	2	0.03	903	12.19
-8.08	4	0.05	907	12.24
-8.07	4	0.05	911	12.29
-8.06	8	0.11	919	12.40
-8.05	5	0.07	924	12.47
-8.04	4	0.05	928	12.52
-8.03	4	0.05	932	12.58
-8.02	7	0.09	939	12.67
-8.01	2	0.03	941	12.70
-8	7	0.09	948	12.79
-7.99	6	0.08	954	12.87
-7.98	4	0.05	958	12.93
-7.97	5	0.07	963	13.00
-7.96	6	0.08	969	13.08
-7.95	8	0.11	977	13.18
-7.94	8	0.11	985	13.29
-7.93	6	0.08	991	13.37
-7.92	10	0.13	1001	13.51
-7.91	4	0.05	1005	13.56
-7.9	7	0.09	1012	13.66
-7.89	9	0.12	1021	13.78
-7.88	7	0.09	1028	13.87
-7.87	1	0.01	1029	13.89
-7.86	9	0.12	1038	14.01
-7.85	6	0.08	1044	14.09
-7.84	8	0.11	1052	14.20

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.83	5	0.07	1057	14.26
-7.82	6	0.08	1063	14.35
-7.81	7	0.09	1070	14.44
-7.8	4	0.05	1074	14.49
-7.79	8	0.11	1082	14.60
-7.78	3	0.04	1085	14.64
-7.77	5	0.07	1090	14.71
-7.76	9	0.12	1099	14.83
-7.75	6	0.08	1105	14.91
-7.74	9	0.12	1114	15.03
-7.73	8	0.11	1122	15.14
-7.72	5	0.07	1127	15.21
-7.71	11	0.15	1138	15.36
-7.7	9	0.12	1147	15.48
-7.69	8	0.11	1155	15.59
-7.68	9	0.12	1164	15.71
-7.67	6	0.08	1170	15.79
-7.66	7	0.09	1177	15.88
-7.65	8	0.11	1185	15.99
-7.64	1	0.01	1186	16.01
-7.63	9	0.12	1195	16.13
-7.62	4	0.05	1199	16.18
-7.61	6	0.08	1205	16.26
-7.6	14	0.19	1219	16.45
-7.59	7	0.09	1226	16.55
-7.58	13	0.18	1239	16.72
-7.57	2	0.03	1241	16.75
-7.56	8	0.11	1249	16.86
-7.55	5	0.07	1254	16.92
-7.54	7	0.09	1261	17.02
-7.53	10	0.13	1271	17.15
-7.52	15	0.20	1286	17.35

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.51	6	0.08	1292	17.44
-7.5	10	0.13	1302	17.57
-7.49	11	0.15	1313	17.72
-7.48	8	0.11	1321	17.83
-7.47	6	0.08	1327	17.91
-7.46	7	0.09	1334	18.00
-7.45	5	0.07	1339	18.07
-7.44	8	0.11	1347	18.18
-7.43	10	0.13	1357	18.31
-7.42	13	0.18	1370	18.49
-7.41	10	0.13	1380	18.62
-7.4	9	0.12	1389	18.74
-7.39	2	0.03	1391	18.77
-7.38	5	0.07	1396	18.84
-7.37	12	0.16	1408	19.00
-7.36	9	0.12	1417	19.12
-7.35	9	0.12	1426	19.24
-7.34	6	0.08	1432	19.33
-7.33	3	0.04	1435	19.37
-7.32	9	0.12	1444	19.49
-7.31	9	0.12	1453	19.61
-7.3	8	0.11	1461	19.72
-7.29	6	0.08	1467	19.80
-7.28	10	0.13	1477	19.93
-7.27	4	0.05	1481	19.99
-7.26	12	0.16	1493	20.15
-7.25	5	0.07	1498	20.22
-7.24	13	0.18	1511	20.39
-7.23	10	0.13	1521	20.53
-7.22	10	0.13	1531	20.66
-7.21	5	0.07	1536	20.73
-7.2	13	0.18	1549	20.90

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.19	9	0.12	1558	21.03
-7.18	8	0.11	1566	21.13
-7.17	7	0.09	1573	21.23
-7.16	11	0.15	1584	21.38
-7.15	6	0.08	1590	21.46
-7.14	12	0.16	1602	21.62
-7.13	12	0.16	1614	21.78
-7.12	16	0.22	1630	22.00
-7.11	11	0.15	1641	22.15
-7.1	8	0.11	1649	22.25
-7.09	6	0.08	1655	22.33
-7.08	8	0.11	1663	22.44
-7.07	12	0.16	1675	22.60
-7.06	14	0.19	1689	22.79
-7.05	7	0.09	1696	22.89
-7.04	12	0.16	1708	23.05
-7.03	11	0.15	1719	23.20
-7.02	8	0.11	1727	23.31
-7.01	12	0.16	1739	23.47
-7	11	0.15	1750	23.62
-6.99	9	0.12	1759	23.74
-6.98	10	0.13	1769	23.87
-6.97	6	0.08	1775	23.95
-6.96	10	0.13	1785	24.09
-6.95	10	0.13	1795	24.22
-6.94	17	0.23	1812	24.45
-6.93	8	0.11	1820	24.56
-6.92	17	0.23	1837	24.79
-6.91	7	0.09	1844	24.89
-6.9	15	0.20	1859	25.09
-6.89	9	0.12	1868	25.21
-6.88	10	0.13	1878	25.34

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.87	13	0.18	1891	25.52
-6.86	18	0.24	1909	25.76
-6.85	13	0.18	1922	25.94
-6.84	13	0.18	1935	26.11
-6.83	12	0.16	1947	26.28
-6.82	12	0.16	1959	26.44
-6.81	9	0.12	1968	26.56
-6.8	8	0.11	1976	26.67
-6.79	15	0.20	1991	26.87
-6.78	7	0.09	1998	26.96
-6.77	7	0.09	2005	27.06
-6.76	16	0.22	2021	27.27
-6.75	14	0.19	2035	27.46
-6.74	11	0.15	2046	27.61
-6.73	8	0.11	2054	27.72
-6.72	4	0.05	2058	27.77
-6.71	8	0.11	2066	27.88
-6.7	6	0.08	2072	27.96
-6.69	9	0.12	2081	28.08
-6.68	12	0.16	2093	28.25
-6.67	10	0.13	2103	28.38
-6.66	10	0.13	2113	28.52
-6.65	10	0.13	2123	28.65
-6.64	17	0.23	2140	28.88
-6.63	12	0.16	2152	29.04
-6.62	7	0.09	2159	29.14
-6.61	12	0.16	2171	29.30
-6.6	12	0.16	2183	29.46
-6.59	10	0.13	2193	29.60
-6.58	7	0.09	2200	29.69
-6.57	8	0.11	2208	29.80
-6.56	8	0.11	2216	29.91

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.55	15	0.20	2231	30.11
-6.54	10	0.13	2241	30.24
-6.53	5	0.07	2246	30.31
-6.52	15	0.20	2261	30.51
-6.51	16	0.22	2277	30.73
-6.5	15	0.20	2292	30.93
-6.49	19	0.26	2311	31.19
-6.48	13	0.18	2324	31.36
-6.47	8	0.11	2332	31.47
-6.46	12	0.16	2344	31.63
-6.45	13	0.18	2357	31.81
-6.44	20	0.27	2377	32.08
-6.43	10	0.13	2387	32.21
-6.42	17	0.23	2404	32.44
-6.41	6	0.08	2410	32.52
-6.4	11	0.15	2421	32.67
-6.39	10	0.13	2431	32.81
-6.38	10	0.13	2441	32.94
-6.37	8	0.11	2449	33.05
-6.36	14	0.19	2463	33.24
-6.35	14	0.19	2477	33.43
-6.34	8	0.11	2485	33.54
-6.33	14	0.19	2499	33.72
-6.32	10	0.13	2509	33.86
-6.31	17	0.23	2526	34.09
-6.3	7	0.09	2533	34.18
-6.29	11	0.15	2544	34.33
-6.28	15	0.20	2559	34.53
-6.27	15	0.20	2574	34.74
-6.26	16	0.22	2590	34.95
-6.25	9	0.12	2599	35.07
-6.24	12	0.16	2611	35.24

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.23	6	0.08	2617	35.32
-6.22	9	0.12	2626	35.44
-6.21	13	0.18	2639	35.61
-6.2	13	0.18	2652	35.79
-6.19	17	0.23	2669	36.02
-6.18	7	0.09	2676	36.11
-6.17	13	0.18	2689	36.29
-6.16	3	0.04	2692	36.33
-6.15	18	0.24	2710	36.57
-6.14	15	0.20	2725	36.77
-6.13	12	0.16	2737	36.94
-6.12	14	0.19	2751	37.13
-6.11	16	0.22	2767	37.34
-6.1	12	0.16	2779	37.50
-6.09	9	0.12	2788	37.62
-6.08	22	0.30	2810	37.92
-6.07	16	0.22	2826	38.14
-6.06	7	0.09	2833	38.23
-6.05	8	0.11	2841	38.34
-6.04	13	0.18	2854	38.52
-6.03	10	0.13	2864	38.65
-6.02	9	0.12	2873	38.77
-6.01	20	0.27	2893	39.04
-6	14	0.19	2907	39.23
-5.99	14	0.19	2921	39.42
-5.98	6	0.08	2927	39.50
-5.97	12	0.16	2939	39.66
-5.96	9	0.12	2948	39.78
-5.95	4	0.05	2952	39.84
-5.94	9	0.12	2961	39.96
-5.93	14	0.19	2975	40.15
-5.92	23	0.31	2998	40.46

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.91	13	0.18	3011	40.63
-5.9	11	0.15	3022	40.78
-5.89	15	0.20	3037	40.99
-5.88	18	0.24	3055	41.23
-5.87	12	0.16	3067	41.39
-5.86	13	0.18	3080	41.57
-5.85	18	0.24	3098	41.81
-5.84	23	0.31	3121	42.12
-5.83	13	0.18	3134	42.29
-5.82	15	0.20	3149	42.50
-5.81	21	0.28	3170	42.78
-5.8	19	0.26	3189	43.04
-5.79	12	0.16	3201	43.20
-5.78	11	0.15	3212	43.35
-5.77	8	0.11	3220	43.45
-5.76	16	0.22	3236	43.67
-5.75	13	0.18	3249	43.85
-5.74	6	0.08	3255	43.93
-5.73	25	0.34	3280	44.26
-5.72	21	0.28	3301	44.55
-5.71	19	0.26	3320	44.80
-5.7	14	0.19	3334	44.99
-5.69	16	0.22	3350	45.21
-5.68	13	0.18	3363	45.38
-5.67	18	0.24	3381	45.63
-5.66	9	0.12	3390	45.75
-5.65	12	0.16	3402	45.91
-5.64	18	0.24	3420	46.15
-5.63	15	0.20	3435	46.36
-5.62	22	0.30	3457	46.65
-5.61	19	0.26	3476	46.91
-5.6	19	0.26	3495	47.17

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.59	15	0.20	3510	47.37
-5.58	19	0.26	3529	47.62
-5.57	18	0.24	3547	47.87
-5.56	9	0.12	3556	47.99
-5.55	11	0.15	3567	48.14
-5.54	15	0.20	3582	48.34
-5.53	15	0.20	3597	48.54
-5.52	13	0.18	3610	48.72
-5.51	10	0.13	3620	48.85
-5.5	9	0.12	3629	48.97
-5.49	14	0.19	3643	49.16
-5.48	20	0.27	3663	49.43
-5.47	12	0.16	3675	49.60
-5.46	11	0.15	3686	49.74
-5.45	12	0.16	3698	49.91
-5.44	17	0.23	3715	50.13
-5.43	16	0.22	3731	50.35
-5.42	14	0.19	3745	50.54
-5.41	9	0.12	3754	50.66
-5.4	13	0.18	3767	50.84
-5.39	17	0.23	3784	51.07
-5.38	15	0.20	3799	51.27
-5.37	16	0.22	3815	51.48
-5.36	18	0.24	3833	51.73
-5.35	7	0.09	3840	51.82
-5.34	18	0.24	3858	52.06
-5.33	16	0.22	3874	52.28
-5.32	16	0.22	3890	52.50
-5.31	16	0.22	3906	52.71
-5.3	10	0.13	3916	52.85
-5.29	12	0.16	3928	53.01
-5.28	12	0.16	3940	53.17

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.27	15	0.20	3955	53.37
-5.26	14	0.19	3969	53.56
-5.25	18	0.24	3987	53.81
-5.24	11	0.15	3998	53.95
-5.23	15	0.20	4013	54.16
-5.22	16	0.22	4029	54.37
-5.21	17	0.23	4046	54.60
-5.2	18	0.24	4064	54.84
-5.19	16	0.22	4080	55.06
-5.18	14	0.19	4094	55.25
-5.17	16	0.22	4110	55.47
-5.16	9	0.12	4119	55.59
-5.15	13	0.18	4132	55.76
-5.14	19	0.26	4151	56.02
-5.13	17	0.23	4168	56.25
-5.12	13	0.18	4181	56.42
-5.11	12	0.16	4193	56.59
-5.1	12	0.16	4205	56.75
-5.09	18	0.24	4223	56.99
-5.08	10	0.13	4233	57.13
-5.07	16	0.22	4249	57.34
-5.06	10	0.13	4259	57.48
-5.05	13	0.18	4272	57.65
-5.04	12	0.16	4284	57.81
-5.03	16	0.22	4300	58.03
-5.02	23	0.31	4323	58.34
-5.01	14	0.19	4337	58.53
-5	11	0.15	4348	58.68
-4.99	16	0.22	4364	58.89
-4.98	18	0.24	4382	59.14
-4.97	14	0.19	4396	59.33
-4.96	12	0.16	4408	59.49

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.95	10	0.13	4418	59.62
-4.94	12	0.16	4430	59.78
-4.93	13	0.18	4443	59.96
-4.92	26	0.35	4469	60.31
-4.91	18	0.24	4487	60.55
-4.9	14	0.19	4501	60.74
-4.89	14	0.19	4515	60.93
-4.88	14	0.19	4529	61.12
-4.87	17	0.23	4546	61.35
-4.86	20	0.27	4566	61.62
-4.85	7	0.09	4573	61.71
-4.84	14	0.19	4587	61.90
-4.83	17	0.23	4604	62.13
-4.82	17	0.23	4621	62.36
-4.81	9	0.12	4630	62.48
-4.8	16	0.22	4646	62.70
-4.79	14	0.19	4660	62.89
-4.78	14	0.19	4674	63.08
-4.77	14	0.19	4688	63.27
-4.76	11	0.15	4699	63.41
-4.75	10	0.13	4709	63.55
-4.74	12	0.16	4721	63.71
-4.73	14	0.19	4735	63.90
-4.72	10	0.13	4745	64.04
-4.71	12	0.16	4757	64.20
-4.7	17	0.23	4774	64.43
-4.69	8	0.11	4782	64.53
-4.68	19	0.26	4801	64.79
-4.67	14	0.19	4815	64.98
-4.66	14	0.19	4829	65.17
-4.65	10	0.13	4839	65.30
-4.64	9	0.12	4848	65.43

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.63	14	0.19	4862	65.61
-4.62	13	0.18	4875	65.79
-4.61	10	0.13	4885	65.92
-4.6	16	0.22	4901	66.14
-4.59	11	0.15	4912	66.29
-4.58	17	0.23	4929	66.52
-4.57	14	0.19	4943	66.71
-4.56	15	0.20	4958	66.91
-4.55	15	0.20	4973	67.11
-4.54	14	0.19	4987	67.30
-4.53	12	0.16	4999	67.46
-4.52	18	0.24	5017	67.71
-4.51	14	0.19	5031	67.89
-4.5	16	0.22	5047	68.11
-4.49	13	0.18	5060	68.29
-4.48	8	0.11	5068	68.39
-4.47	19	0.26	5087	68.65
-4.46	10	0.13	5097	68.79
-4.45	9	0.12	5106	68.91
-4.44	14	0.19	5120	69.10
-4.43	13	0.18	5133	69.27
-4.42	16	0.22	5149	69.49
-4.41	12	0.16	5161	69.65
-4.4	15	0.20	5176	69.85
-4.39	9	0.12	5185	69.97
-4.38	8	0.11	5193	70.08
-4.37	16	0.22	5209	70.30
-4.36	12	0.16	5221	70.46
-4.35	12	0.16	5233	70.62
-4.34	12	0.16	5245	70.78
-4.33	13	0.18	5258	70.96
-4.32	10	0.13	5268	71.09

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.31	13	0.18	5281	71.27
-4.3	9	0.12	5290	71.39
-4.29	6	0.08	5296	71.47
-4.28	12	0.16	5308	71.63
-4.27	12	0.16	5320	71.79
-4.26	12	0.16	5332	71.96
-4.25	14	0.19	5346	72.15
-4.24	12	0.16	5358	72.31
-4.23	11	0.15	5369	72.46
-4.22	12	0.16	5381	72.62
-4.21	18	0.24	5399	72.86
-4.2	14	0.19	5413	73.05
-4.19	6	0.08	5419	73.13
-4.18	12	0.16	5431	73.29
-4.17	12	0.16	5443	73.45
-4.16	8	0.11	5451	73.56
-4.15	8	0.11	5459	73.67
-4.14	14	0.19	5473	73.86
-4.13	10	0.13	5483	73.99
-4.12	16	0.22	5499	74.21
-4.11	12	0.16	5511	74.37
-4.1	16	0.22	5527	74.59
-4.09	7	0.09	5534	74.68
-4.08	13	0.18	5547	74.86
-4.07	9	0.12	5556	74.98
-4.06	9	0.12	5565	75.10
-4.05	12	0.16	5577	75.26
-4.04	15	0.20	5592	75.47
-4.03	13	0.18	5605	75.64
-4.02	10	0.13	5615	75.78
-4.01	8	0.11	5623	75.88
-4	13	0.18	5636	76.06

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.99	9	0.12	5645	76.18
-3.98	14	0.19	5659	76.37
-3.97	10	0.13	5669	76.50
-3.96	6	0.08	5675	76.59
-3.95	13	0.18	5688	76.76
-3.94	17	0.23	5705	76.99
-3.93	9	0.12	5714	77.11
-3.92	8	0.11	5722	77.22
-3.91	12	0.16	5734	77.38
-3.9	11	0.15	5745	77.53
-3.89	16	0.22	5761	77.75
-3.88	9	0.12	5770	77.87
-3.87	15	0.20	5785	78.07
-3.86	7	0.09	5792	78.16
-3.85	7	0.09	5799	78.26
-3.84	13	0.18	5812	78.43
-3.83	14	0.19	5826	78.62
-3.82	11	0.15	5837	78.77
-3.81	16	0.22	5853	78.99
-3.8	14	0.19	5867	79.18
-3.79	11	0.15	5878	79.33
-3.78	14	0.19	5892	79.51
-3.77	6	0.08	5898	79.60
-3.76	6	0.08	5904	79.68
-3.75	11	0.15	5915	79.82
-3.74	10	0.13	5925	79.96
-3.73	10	0.13	5935	80.09
-3.72	9	0.12	5944	80.22
-3.71	7	0.09	5951	80.31
-3.7	11	0.15	5962	80.46
-3.69	7	0.09	5969	80.55
-3.68	9	0.12	5978	80.67

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.67	6	0.08	5984	80.76
-3.66	6	0.08	5990	80.84
-3.65	5	0.07	5995	80.90
-3.64	9	0.12	6004	81.03
-3.63	6	0.08	6010	81.11
-3.62	4	0.05	6014	81.16
-3.61	10	0.13	6024	81.30
-3.6	6	0.08	6030	81.38
-3.59	12	0.16	6042	81.54
-3.58	6	0.08	6048	81.62
-3.57	9	0.12	6057	81.74
-3.56	12	0.16	6069	81.90
-3.55	8	0.11	6077	82.01
-3.54	6	0.08	6083	82.09
-3.53	12	0.16	6095	82.25
-3.52	6	0.08	6101	82.33
-3.51	13	0.18	6114	82.51
-3.5	8	0.11	6122	82.62
-3.49	4	0.05	6126	82.67
-3.48	5	0.07	6131	82.74
-3.47	6	0.08	6137	82.82
-3.46	7	0.09	6144	82.91
-3.45	7	0.09	6151	83.01
-3.44	6	0.08	6157	83.09
-3.43	6	0.08	6163	83.17
-3.42	5	0.07	6168	83.24
-3.41	5	0.07	6173	83.31
-3.4	8	0.11	6181	83.41
-3.39	11	0.15	6192	83.56
-3.38	7	0.09	6199	83.66
-3.37	3	0.04	6202	83.70
-3.36	5	0.07	6207	83.77

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.35	10	0.13	6217	83.90
-3.34	9	0.12	6226	84.02
-3.33	10	0.13	6236	84.16
-3.32	8	0.11	6244	84.26
-3.31	6	0.08	6250	84.35
-3.3	9	0.12	6259	84.47
-3.29	9	0.12	6268	84.59
-3.28	4	0.05	6272	84.64
-3.27	10	0.13	6282	84.78
-3.26	11	0.15	6293	84.93
-3.25	7	0.09	6300	85.02
-3.24	4	0.05	6304	85.07
-3.23	12	0.16	6316	85.24
-3.22	12	0.16	6328	85.40
-3.21	5	0.07	6333	85.47
-3.2	9	0.12	6342	85.59
-3.19	8	0.11	6350	85.70
-3.18	3	0.04	6353	85.74
-3.17	8	0.11	6361	85.84
-3.16	4	0.05	6365	85.90
-3.15	8	0.11	6373	86.01
-3.14	8	0.11	6381	86.11
-3.13	14	0.19	6395	86.30
-3.12	8	0.11	6403	86.41
-3.11	6	0.08	6409	86.49
-3.1	8	0.11	6417	86.60
-3.09	8	0.11	6425	86.71
-3.08	2	0.03	6427	86.73
-3.07	5	0.07	6432	86.80
-3.06	8	0.11	6440	86.91
-3.05	10	0.13	6450	87.04
-3.04	5	0.07	6455	87.11

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.03	15	0.20	6470	87.31
-3.02	7	0.09	6477	87.41
-3.01	5	0.07	6482	87.48
-3	11	0.15	6493	87.62
-2.99	8	0.11	6501	87.73
-2.98	9	0.12	6510	87.85
-2.97	5	0.07	6515	87.92
-2.96	10	0.13	6525	88.06
-2.95	5	0.07	6530	88.12
-2.94	8	0.11	6538	88.23
-2.93	6	0.08	6544	88.31
-2.92	10	0.13	6554	88.45
-2.91	8	0.11	6562	88.56
-2.9	5	0.07	6567	88.62
-2.89	4	0.05	6571	88.68
-2.88	8	0.11	6579	88.79
-2.87	7	0.09	6586	88.88
-2.86	5	0.07	6591	88.95
-2.85	5	0.07	6596	89.01
-2.84	3	0.04	6599	89.06
-2.83	7	0.09	6606	89.15
-2.82	7	0.09	6613	89.24
-2.81	5	0.07	6618	89.31
-2.8	7	0.09	6625	89.41
-2.79	5	0.07	6630	89.47
-2.78	6	0.08	6636	89.55
-2.77	6	0.08	6642	89.64
-2.76	4	0.05	6646	89.69
-2.75	1	0.01	6647	89.70
-2.74	4	0.05	6651	89.76
-2.73	2	0.03	6653	89.78
-2.71	5	0.07	6658	89.85

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2.7	5	0.07	6663	89.92
-2.69	6	0.08	6669	90.00
-2.68	5	0.07	6674	90.07
-2.67	6	0.08	6680	90.15
-2.65	4	0.05	6684	90.20
-2.64	3	0.04	6687	90.24
-2.63	3	0.04	6690	90.28
-2.62	5	0.07	6695	90.35
-2.61	7	0.09	6702	90.45
-2.6	6	0.08	6708	90.53
-2.59	4	0.05	6712	90.58
-2.58	5	0.07	6717	90.65
-2.57	2	0.03	6719	90.67
-2.56	4	0.05	6723	90.73
-2.55	2	0.03	6725	90.76
-2.54	6	0.08	6731	90.84
-2.53	5	0.07	6736	90.90
-2.52	3	0.04	6739	90.94
-2.51	9	0.12	6748	91.07
-2.5	4	0.05	6752	91.12
-2.49	2	0.03	6754	91.15
-2.48	2	0.03	6756	91.17
-2.47	4	0.05	6760	91.23
-2.46	4	0.05	6764	91.28
-2.45	5	0.07	6769	91.35
-2.44	1	0.01	6770	91.36
-2.43	5	0.07	6775	91.43
-2.42	5	0.07	6780	91.50
-2.41	4	0.05	6784	91.55
-2.4	6	0.08	6790	91.63
-2.39	3	0.04	6793	91.67
-2.38	4	0.05	6797	91.73

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2.37	3	0.04	6800	91.77
-2.36	2	0.03	6802	91.79
-2.35	4	0.05	6806	91.85
-2.34	6	0.08	6812	91.93
-2.33	4	0.05	6816	91.98
-2.32	3	0.04	6819	92.02
-2.31	8	0.11	6827	92.13
-2.3	3	0.04	6830	92.17
-2.29	1	0.01	6831	92.19
-2.28	3	0.04	6834	92.23
-2.27	3	0.04	6837	92.27
-2.26	5	0.07	6842	92.33
-2.25	3	0.04	6845	92.38
-2.24	5	0.07	6850	92.44
-2.23	5	0.07	6855	92.51
-2.22	4	0.05	6859	92.56
-2.21	3	0.04	6862	92.60
-2.2	4	0.05	6866	92.66
-2.19	4	0.05	6870	92.71
-2.18	5	0.07	6875	92.78
-2.17	4	0.05	6879	92.83
-2.16	10	0.13	6889	92.97
-2.15	8	0.11	6897	93.08
-2.14	1	0.01	6898	93.09
-2.13	8	0.11	6906	93.20
-2.12	3	0.04	6909	93.24
-2.11	2	0.03	6911	93.27
-2.09	5	0.07	6916	93.33
-2.08	2	0.03	6918	93.36
-2.07	3	0.04	6921	93.40
-2.06	8	0.11	6929	93.51
-2.05	4	0.05	6933	93.56

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2.04	6	0.08	6939	93.64
-2.03	3	0.04	6942	93.68
-2.02	2	0.03	6944	93.71
-2.01	2	0.03	6946	93.74
-2	4	0.05	6950	93.79
-1.99	2	0.03	6952	93.82
-1.98	4	0.05	6956	93.87
-1.95	4	0.05	6960	93.93
-1.94	2	0.03	6962	93.95
-1.93	2	0.03	6964	93.98
-1.92	1	0.01	6965	93.99
-1.91	2	0.03	6967	94.02
-1.9	6	0.08	6973	94.10
-1.88	6	0.08	6979	94.18
-1.87	5	0.07	6984	94.25
-1.85	4	0.05	6988	94.30
-1.84	4	0.05	6992	94.36
-1.83	2	0.03	6994	94.39
-1.82	2	0.03	6996	94.41
-1.81	1	0.01	6997	94.43
-1.8	2	0.03	6999	94.45
-1.79	3	0.04	7002	94.49
-1.78	2	0.03	7004	94.52
-1.77	2	0.03	7006	94.55
-1.76	1	0.01	7007	94.56
-1.75	3	0.04	7010	94.60
-1.74	4	0.05	7014	94.66
-1.73	2	0.03	7016	94.68
-1.72	3	0.04	7019	94.72
-1.71	3	0.04	7022	94.76
-1.7	4	0.05	7026	94.82
-1.69	1	0.01	7027	94.83

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1.68	1	0.01	7028	94.84
-1.67	1	0.01	7029	94.86
-1.66	1	0.01	7030	94.87
-1.65	1	0.01	7031	94.89
-1.63	1	0.01	7032	94.90
-1.62	2	0.03	7034	94.93
-1.61	4	0.05	7038	94.98
-1.59	4	0.05	7042	95.03
-1.58	4	0.05	7046	95.09
-1.57	1	0.01	7047	95.10
-1.56	1	0.01	7048	95.11
-1.55	2	0.03	7050	95.14
-1.54	1	0.01	7051	95.16
-1.53	1	0.01	7052	95.17
-1.52	3	0.04	7055	95.21
-1.51	4	0.05	7059	95.26
-1.5	2	0.03	7061	95.29
-1.49	2	0.03	7063	95.32
-1.48	2	0.03	7065	95.34
-1.47	3	0.04	7068	95.38
-1.46	1	0.01	7069	95.40
-1.45	3	0.04	7072	95.44
-1.44	5	0.07	7077	95.51
-1.42	1	0.01	7078	95.52
-1.41	1	0.01	7079	95.53
-1.39	2	0.03	7081	95.56
-1.38	1	0.01	7082	95.57
-1.37	2	0.03	7084	95.60
-1.36	5	0.07	7089	95.67
-1.34	1	0.01	7090	95.68
-1.33	1	0.01	7091	95.70
-1.32	1	0.01	7092	95.71

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1.31	1	0.01	7093	95.72
-1.3	3	0.04	7096	95.76
-1.29	3	0.04	7099	95.80
-1.27	2	0.03	7101	95.83
-1.26	2	0.03	7103	95.86
-1.25	2	0.03	7105	95.88
-1.24	1	0.01	7106	95.90
-1.23	4	0.05	7110	95.95
-1.21	2	0.03	7112	95.98
-1.2	1	0.01	7113	95.99
-1.19	2	0.03	7115	96.02
-1.18	1	0.01	7116	96.03
-1.17	1	0.01	7117	96.05
-1.16	2	0.03	7119	96.07
-1.15	2	0.03	7121	96.10
-1.14	2	0.03	7123	96.13
-1.13	2	0.03	7125	96.15
-1.12	2	0.03	7127	96.18
-1.11	3	0.04	7130	96.22
-1.1	2	0.03	7132	96.25
-1.08	2	0.03	7134	96.28
-1.07	1	0.01	7135	96.29
-1.06	6	0.08	7141	96.37
-1.05	2	0.03	7143	96.40
-1.04	1	0.01	7144	96.41
-1.03	1	0.01	7145	96.42
-1.01	2	0.03	7147	96.45
-1	1	0.01	7148	96.46
-0.99	1	0.01	7149	96.48
-0.96	1	0.01	7150	96.49
-0.95	2	0.03	7152	96.52
-0.93	3	0.04	7155	96.56

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.91	4	0.05	7159	96.61
-0.9	1	0.01	7160	96.63
-0.89	2	0.03	7162	96.65
-0.87	1	0.01	7163	96.67
-0.85	1	0.01	7164	96.68
-0.83	1	0.01	7165	96.69
-0.82	1	0.01	7166	96.71
-0.8	1	0.01	7167	96.72
-0.79	1	0.01	7168	96.73
-0.78	2	0.03	7170	96.76
-0.75	2	0.03	7172	96.79
-0.74	3	0.04	7175	96.83
-0.73	1	0.01	7176	96.84
-0.72	1	0.01	7177	96.86
-0.71	3	0.04	7180	96.90
-0.69	1	0.01	7181	96.91
-0.68	1	0.01	7182	96.92
-0.66	2	0.03	7184	96.95
-0.65	1	0.01	7185	96.96
-0.64	1	0.01	7186	96.98
-0.63	1	0.01	7187	96.99
-0.62	1	0.01	7188	97.00
-0.61	2	0.03	7190	97.03
-0.6	1	0.01	7191	97.04
-0.59	1	0.01	7192	97.06
-0.58	1	0.01	7193	97.07
-0.57	2	0.03	7195	97.10
-0.53	1	0.01	7196	97.11
-0.52	3	0.04	7199	97.15
-0.51	2	0.03	7201	97.18
-0.5	1	0.01	7202	97.19
-0.49	1	0.01	7203	97.21

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.47	2	0.03	7205	97.23
-0.45	1	0.01	7206	97.25
-0.44	1	0.01	7207	97.26
-0.43	1	0.01	7208	97.27
-0.42	1	0.01	7209	97.29
-0.39	1	0.01	7210	97.30
-0.36	1	0.01	7211	97.31
-0.35	3	0.04	7214	97.35
-0.34	1	0.01	7215	97.37
-0.32	1	0.01	7216	97.38
-0.31	2	0.03	7218	97.41
-0.3	4	0.05	7222	97.46
-0.29	1	0.01	7223	97.48
-0.28	1	0.01	7224	97.49
-0.27	1	0.01	7225	97.50
-0.26	4	0.05	7229	97.56
-0.25	2	0.03	7231	97.58
-0.24	2	0.03	7233	97.61
-0.23	1	0.01	7234	97.62
-0.22	1	0.01	7235	97.64
-0.21	1	0.01	7236	97.65
-0.2	2	0.03	7238	97.68
-0.17	3	0.04	7241	97.72
-0.16	1	0.01	7242	97.73
-0.14	3	0.04	7245	97.77
-0.12	2	0.03	7247	97.80
-0.11	1	0.01	7248	97.81
-0.1	1	0.01	7249	97.83
-0.09	1	0.01	7250	97.84
-0.08	3	0.04	7253	97.88
-0.07	1	0.01	7254	97.89
-0.01	1	0.01	7255	97.91

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	1	0.01	7256	97.92
0.01	1	0.01	7257	97.94
0.02	2	0.03	7259	97.96
0.04	1	0.01	7260	97.98
0.05	1	0.01	7261	97.99
0.08	2	0.03	7263	98.02
0.09	2	0.03	7265	98.04
0.1	1	0.01	7266	98.06
0.11	1	0.01	7267	98.07
0.13	1	0.01	7268	98.08
0.18	2	0.03	7270	98.11
0.21	2	0.03	7272	98.14
0.25	1	0.01	7273	98.15
0.28	1	0.01	7274	98.16
0.3	1	0.01	7275	98.18
0.31	1	0.01	7276	98.19
0.32	1	0.01	7277	98.21
0.35	1	0.01	7278	98.22
0.36	2	0.03	7280	98.25
0.37	1	0.01	7281	98.26
0.38	1	0.01	7282	98.27
0.4	1	0.01	7283	98.29
0.43	2	0.03	7285	98.31
0.48	3	0.04	7288	98.35
0.53	1	0.01	7289	98.37
0.55	4	0.05	7293	98.42
0.56	1	0.01	7294	98.43
0.58	1	0.01	7295	98.45
0.6	1	0.01	7296	98.46
0.65	2	0.03	7298	98.49
0.7	2	0.03	7300	98.52
0.72	1	0.01	7301	98.53

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.73	1	0.01	7302	98.54
0.75	2	0.03	7304	98.57
0.76	1	0.01	7305	98.58
0.82	1	0.01	7306	98.60
0.84	1	0.01	7307	98.61
0.85	3	0.04	7310	98.65
0.88	1	0.01	7311	98.66
0.89	3	0.04	7314	98.70
0.92	1	0.01	7315	98.72
0.93	2	0.03	7317	98.74
1.02	1	0.01	7318	98.76
1.06	1	0.01	7319	98.77
1.11	1	0.01	7320	98.79
1.14	1	0.01	7321	98.80
1.18	1	0.01	7322	98.81
1.19	1	0.01	7323	98.83
1.25	4	0.05	7327	98.88
1.28	1	0.01	7328	98.89
1.29	2	0.03	7330	98.92
1.38	1	0.01	7331	98.93
1.39	2	0.03	7333	98.96
1.41	1	0.01	7334	98.97
1.42	1	0.01	7335	98.99
1.49	1	0.01	7336	99.00
1.53	1	0.01	7337	99.01
1.55	1	0.01	7338	99.03
1.56	1	0.01	7339	99.04
1.61	1	0.01	7340	99.06
1.63	1	0.01	7341	99.07
1.67	1	0.01	7342	99.08
1.68	1	0.01	7343	99.10
1.71	2	0.03	7345	99.12

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.72	1	0.01	7346	99.14
1.81	1	0.01	7347	99.15
1.83	1	0.01	7348	99.16
1.84	2	0.03	7350	99.19
1.85	1	0.01	7351	99.20
1.88	1	0.01	7352	99.22
1.93	1	0.01	7353	99.23
1.95	1	0.01	7354	99.24
2.09	1	0.01	7355	99.26
2.1	1	0.01	7356	99.27
2.11	1	0.01	7357	99.28
2.14	1	0.01	7358	99.30
2.25	1	0.01	7359	99.31
2.44	1	0.01	7360	99.33
2.46	1	0.01	7361	99.34
2.5	1	0.01	7362	99.35
2.51	2	0.03	7364	99.38
2.56	1	0.01	7365	99.39
2.57	1	0.01	7366	99.41
2.59	2	0.03	7368	99.43
2.63	2	0.03	7370	99.46
2.7	1	0.01	7371	99.47
2.71	1	0.01	7372	99.49
2.76	1	0.01	7373	99.50
2.8	1	0.01	7374	99.51
2.93	2	0.03	7376	99.54
2.98	2	0.03	7378	99.57
2.99	1	0.01	7379	99.58
3	1	0.01	7380	99.60
3.06	1	0.01	7381	99.61
3.19	1	0.01	7382	99.62
3.41	1	0.01	7383	99.64

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V00FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3.58	1	0.01	7384	99.65
3.6	1	0.01	7385	99.66
3.64	1	0.01	7386	99.68
3.65	1	0.01	7387	99.69
3.67	1	0.01	7388	99.70
3.79	1	0.01	7389	99.72
3.88	1	0.01	7390	99.73
3.89	1	0.01	7391	99.74
3.95	1	0.01	7392	99.76
3.96	2	0.03	7394	99.78
4.04	1	0.01	7395	99.80
4.38	1	0.01	7396	99.81
4.39	1	0.01	7397	99.82
4.6	1	0.01	7398	99.84
4.68	1	0.01	7399	99.85
5.05	1	0.01	7400	99.87
5.18	1	0.01	7401	99.88
5.66	1	0.01	7402	99.89
5.96	1	0.01	7403	99.91
6.88	1	0.01	7404	99.92
7.02	1	0.01	7405	99.93
7.11	1	0.01	7406	99.95
7.76	1	0.01	7407	99.96
7.92	1	0.01	7408	99.97
8.09	1	0.01	7409	99.99
8.25	1	0.01	7410	100.00

The UNIVARIATE Procedure
Variable: SIDE (SIDE)

Moments			
N	7410	Sum Weights	7410
Mean	1.50013495	Sum Observations	11116
Std Deviation	0.50003372	Variance	0.25003372
Skewness	-0.0005399	Kurtosis	-2.0005397
Uncorrected SS	18528	Corrected SS	1852.49987
Coeff Variation	33.3325827	Std Error Mean	0.00580885

Basic Statistical Measures			
Location		Variability	
Mean	1.500135	Std Deviation	0.50003
Median	2.000000	Variance	0.25003
Mode	2.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	258.2499	Pr > t	<.0001
Sign	M	3705	Pr >= M	<.0001
Signed Rank	S	13728878	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	2
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure
Variable: SIDE (SIDE)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	7409	2	7402
1	7407	2	7404
1	7405	2	7406
1	7403	2	7408
1	7401	2	7410

The UNIVARIATE Procedure

Variable: V00FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)

Moments			
N	6178	Sum Weights	6178
Mean	0.01861444	Sum Observations	115
Std Deviation	0.13516989	Variance	0.0182709
Skewness	7.12498117	Kurtosis	48.7811484
Uncorrected SS	115	Corrected SS	112.85934
Coeff Variation	726.156142	Std Error Mean	0.00171971

Basic Statistical Measures			
Location		Variability	
Mean	0.018614	Std Deviation	0.13517
Median	0.000000	Variance	0.01827
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.82415	Pr > t	<.0001
Sign	M	57.5	Pr >= M	<.0001
Signed Rank	S	3335	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V00FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6178	1	5760
0	6177	1	5769
0	6176	1	5770
0	6175	1	6136
0	6174	1	6169

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	1232	16.63	100.00

The UNIVARIATE Procedure

Variable: V00FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)

Moments			
N	7335	Sum Weights	7335
Mean	-5.4237219	Sum Observations	-39783
Std Deviation	2.45059962	Variance	6.0054385
Skewness	0.21632818	Kurtosis	2.11584062
Uncorrected SS	259815.814	Corrected SS	44043.886
Coeff Variation	-45.182988	Std Error Mean	0.02861359

Basic Statistical Measures			
Location		Variability	
Mean	-5.42372	Std Deviation	2.45060
Median	-5.42000	Variance	6.00544
Mode	-4.92000	Range	24.58000
Interquartile Range			2.81000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-189.551	Pr > t	<.0001
Sign	M	-3513	Pr >= M	<.0001
Signed Rank	S	-1.333E7	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.25
99%	1.53
95%	-1.58
90%	-2.67
75% Q3	-4.05
50% Median	-5.42
25% Q1	-6.86
10%	-8.27
5%	-9.45
1%	-11.70
0% Min	-16.33

The UNIVARIATE Procedure**Variable: V00FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-16.33	1543	7.11	2078
-16.00	3559	7.76	3947
-15.54	4201	7.92	3097
-15.50	2816	8.09	1819
-15.49	4379	8.25	3687

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	18	0.24	24.00
T	57	0.77	76.00
Total	75	1.01	100.00