

OAI 1.2 03/04/2016: Freqs/Univs for kxr_fta_duryea01**The UNIVARIATE Procedure****Variable: V01FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Moments			
N	5805	Sum Weights	5805
Mean	0.0124031	Sum Observations	72
Std Deviation	0.11068593	Variance	0.01225137
Skewness	8.81349534	Kurtosis	75.7037822
Uncorrected SS	72	Corrected SS	71.1069767
Coeff Variation	892.405283	Std Error Mean	0.00145275

Basic Statistical Measures			
Location		Variability	
Mean	0.012403	Std Deviation	0.11069
Median	0.000000	Variance	0.01225
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.537662	Pr > t	<.0001
Sign	M	36	Pr >= M	<.0001
Signed Rank	S	1314	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.2 03/04/2016: Freqs/Univs for kxr_fta_duryea01**The UNIVARIATE Procedure****Variable: V01FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5807	1	5295
0	5806	1	5431
0	5805	1	5432
0	5804	1	5576
0	5803	1	5728

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	2	0.03	100.00

OAI 1.2 03/04/2016: Freqs/Univs for kxr_fta_duryea01**The UNIVARIATE Procedure****Variable: V01FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Moments			
N	5764	Sum Weights	5764
Mean	-5.494254	Sum Observations	-31668.88
Std Deviation	2.68240982	Variance	7.19532245
Skewness	0.27890894	Kurtosis	1.77938863
Uncorrected SS	215463.514	Corrected SS	41466.6433
Coeff Variation	-48.822094	Std Error Mean	0.03533159

Basic Statistical Measures			
Location		Variability	
Mean	-5.49425	Std Deviation	2.68241
Median	-5.51000	Variance	7.19532
Mode	-5.78000	Range	26.71000
Interquartile Range			3.01000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-155.505	Pr > t	<.0001
Sign	M	-2697.5	Pr >= M	<.0001
Signed Rank	S	-8201068	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.97
99%	2.05
95%	-1.08
90%	-2.40
75% Q3	-4.02
50% Median	-5.51
25% Q1	-7.03
10%	-8.66
5%	-9.71

OAI 1.2 03/04/2016: Freqs/Univs for kxr_fta_duryea01**The UNIVARIATE Procedure****Variable: V01FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	-12.18
0% Min	-17.74

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-17.74	1441	7.80	5106
-15.97	3931	7.82	3685
-15.60	4092	7.84	2883
-15.11	3430	8.66	3438
-14.75	2802	8.97	1702

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	34	0.59	79.07
T	9	0.15	20.93
Total	43	0.74	100.00