

OAI 5.2 03/04/2016: Freqs/Univs for kxr_fta_duryea05**The UNIVARIATE Procedure****Variable: V05FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Moments			
N	5313	Sum Weights	5313
Mean	0.01242236	Sum Observations	66
Std Deviation	0.11077163	Variance	0.01227035
Skewness	8.80660935	Kurtosis	75.5848209
Uncorrected SS	66	Corrected SS	65.1801242
Coeff Variation	891.711647	Std Error Mean	0.0015197

Basic Statistical Measures			
Location		Variability	
Mean	0.012422	Std Deviation	0.11077
Median	0.000000	Variance	0.01227
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.174204	Pr > t	<.0001
Sign	M	33	Pr >= M	<.0001
Signed Rank	S	1105.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 5.2 03/04/2016: Freqs/Univs for kxr_fta_duryea05**The UNIVARIATE Procedure****Variable: V05FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5313	1	5110
0	5312	1	5111
0	5311	1	5211
0	5310	1	5236
0	5309	1	5267

OAI 5.2 03/04/2016: Freqs/Univs for kxr_fta_duryea05**The UNIVARIATE Procedure****Variable: V05FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Moments			
N	5213	Sum Weights	5213
Mean	-5.5513735	Sum Observations	-28939.31
Std Deviation	2.82436614	Variance	7.97704408
Skewness	0.25306342	Kurtosis	1.57854056
Uncorrected SS	202229.272	Corrected SS	41576.3538
Coeff Variation	-50.876889	Std Error Mean	0.03911804

Basic Statistical Measures			
Location		Variability	
Mean	-5.55137	Std Deviation	2.82437
Median	-5.52000	Variance	7.97704
Mode	-5.46000	Range	27.97000
Interquartile Range			3.08000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-141.913	Pr > t	<.0001
Sign	M	-2421	Pr >= M	<.0001
Signed Rank	S	-6691834	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.95
99%	2.63
95%	-0.84
90%	-2.34
75% Q3	-4.08
50% Median	-5.52
25% Q1	-7.16
10%	-8.95
5%	-10.16

OAI 5.2 03/04/2016: Freqs/Univs for kxr_fta_duryea05**The UNIVARIATE Procedure****Variable: V05FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	-12.70
0% Min	-18.02

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-18.02	1319	6.09	3708
-17.10	2575	6.32	2708
-15.89	3790	6.40	1637
-15.24	2432	6.91	4693
-15.15	683	9.95	1569

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	88	1.66	88.00
T	12	0.23	12.00
Total	100	1.88	100.00