

OAI 6.2 03/04/2016: Freqs/Univs for kxr_fta_duryea06**The UNIVARIATE Procedure****Variable: V06FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Moments			
N	5092	Sum Weights	5092
Mean	0.01433621	Sum Observations	73
Std Deviation	0.11888424	Variance	0.01413346
Skewness	8.17357492	Kurtosis	64.8327914
Uncorrected SS	73	Corrected SS	71.9534564
Coeff Variation	829.25828	Std Error Mean	0.00166602

Basic Statistical Measures			
Location		Variability	
Mean	0.014336	Std Deviation	0.11888
Median	0.000000	Variance	0.01413
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.605069	Pr > t	<.0001
Sign	M	36.5	Pr >= M	<.0001
Signed Rank	S	1350.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.2 03/04/2016: Freqs/Univs for kxr_fta_duryea06**The UNIVARIATE Procedure****Variable: V06FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5092	1	4802
0	5091	1	4803
0	5090	1	4821
0	5089	1	4907
0	5088	1	4908

OAI 6.2 03/04/2016: Freqs/Univs for kxr_fta_duryea06**The UNIVARIATE Procedure****Variable: V06FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Moments			
N	4974	Sum Weights	4974
Mean	-5.5110756	Sum Observations	-27412.09
Std Deviation	2.89987143	Variance	8.40925428
Skewness	0.34907399	Kurtosis	1.71048872
Uncorrected SS	192889.322	Corrected SS	41819.2215
Coeff Variation	-52.618974	Std Error Mean	0.04111742

Basic Statistical Measures			
Location		Variability	
Mean	-5.51108	Std Deviation	2.89987
Median	-5.55000	Variance	8.40925
Mode	-6.28000	Range	27.64000
Interquartile Range			3.20000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-134.033	Pr > t	<.0001
Sign	M	-2286.5	Pr >= M	<.0001
Signed Rank	S	-6061482	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.17
99%	2.77
95%	-0.49
90%	-2.19
75% Q3	-3.96
50% Median	-5.55
25% Q1	-7.16
10%	-8.99
5%	-10.15

OAI 6.2 03/04/2016: Freqs/Univs for kxr_fta_duryea06**The UNIVARIATE Procedure****Variable: V06FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	-12.55
0% Min	-17.47

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-17.47	115	7.33	200
-16.59	1250	7.41	2532
-15.95	3592	8.86	3514
-15.47	2885	9.43	1484
-15.43	4769	10.17	2506

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	106	2.08	89.83
T	12	0.24	10.17
Total	118	2.32	100.00