

The FREQ Procedure

Project				
readprj	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17	3557	98.72	3557	98.72
45	46	1.28	3603	100.00

SIDE				
SIDE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Right	1827	50.71	1827	50.71
2: Left	1776	49.29	3603	100.00

BL kXR reading (JD): flag for femoral tibial angle (FTA) reading				
V08FTAFLAG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.A: Not Expected	46	1.28	46	1.28
0: No	3557	98.72	3603	100.00

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
P	7	0.19	7	0.19
T	132	3.66	139	3.86
-14.01	1	0.03	140	3.89
-13.68	1	0.03	141	3.91
-13.67	1	0.03	142	3.94
-13.55	1	0.03	143	3.97
-13.48	1	0.03	144	4.00
-13.11	1	0.03	145	4.02
-12.79	1	0.03	146	4.05
-12.76	1	0.03	147	4.08
-12.66	1	0.03	148	4.11
-12.55	1	0.03	149	4.14
-12.45	1	0.03	150	4.16
-12.35	1	0.03	151	4.19
-12.29	1	0.03	152	4.22
-12.26	1	0.03	153	4.25
-12.1	1	0.03	154	4.27
-12.03	1	0.03	155	4.30
-11.87	1	0.03	156	4.33
-11.85	1	0.03	157	4.36
-11.71	1	0.03	158	4.39
-11.69	1	0.03	159	4.41
-11.54	1	0.03	160	4.44
-11.53	1	0.03	161	4.47
-11.49	1	0.03	162	4.50
-11.48	1	0.03	163	4.52
-11.39	1	0.03	164	4.55
-11.38	1	0.03	165	4.58
-11.29	1	0.03	166	4.61
-11.2	1	0.03	167	4.64
-11.19	1	0.03	168	4.66
-11.12	1	0.03	169	4.69

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-11.11	1	0.03	170	4.72
-11.07	1	0.03	171	4.75
-11.06	3	0.08	174	4.83
-11.03	1	0.03	175	4.86
-10.96	1	0.03	176	4.88
-10.95	1	0.03	177	4.91
-10.94	1	0.03	178	4.94
-10.93	2	0.06	180	5.00
-10.91	1	0.03	181	5.02
-10.89	1	0.03	182	5.05
-10.83	1	0.03	183	5.08
-10.81	1	0.03	184	5.11
-10.8	1	0.03	185	5.13
-10.7	1	0.03	186	5.16
-10.69	3	0.08	189	5.25
-10.68	1	0.03	190	5.27
-10.66	1	0.03	191	5.30
-10.65	1	0.03	192	5.33
-10.62	1	0.03	193	5.36
-10.59	1	0.03	194	5.38
-10.58	1	0.03	195	5.41
-10.57	1	0.03	196	5.44
-10.56	2	0.06	198	5.50
-10.52	2	0.06	200	5.55
-10.48	1	0.03	201	5.58
-10.46	1	0.03	202	5.61
-10.45	1	0.03	203	5.63
-10.42	1	0.03	204	5.66
-10.41	1	0.03	205	5.69
-10.4	1	0.03	206	5.72
-10.39	4	0.11	210	5.83
-10.38	1	0.03	211	5.86

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-10.32	2	0.06	213	5.91
-10.31	1	0.03	214	5.94
-10.29	1	0.03	215	5.97
-10.27	1	0.03	216	6.00
-10.26	2	0.06	218	6.05
-10.24	1	0.03	219	6.08
-10.21	2	0.06	221	6.13
-10.2	2	0.06	223	6.19
-10.18	1	0.03	224	6.22
-10.16	1	0.03	225	6.24
-10.12	2	0.06	227	6.30
-10.11	1	0.03	228	6.33
-10.09	2	0.06	230	6.38
-10.07	2	0.06	232	6.44
-10.06	1	0.03	233	6.47
-10.05	1	0.03	234	6.49
-10.04	1	0.03	235	6.52
-10	1	0.03	236	6.55
-9.99	1	0.03	237	6.58
-9.98	3	0.08	240	6.66
-9.96	1	0.03	241	6.69
-9.95	1	0.03	242	6.72
-9.93	3	0.08	245	6.80
-9.92	1	0.03	246	6.83
-9.9	1	0.03	247	6.86
-9.89	2	0.06	249	6.91
-9.88	1	0.03	250	6.94
-9.86	2	0.06	252	6.99
-9.85	1	0.03	253	7.02
-9.84	2	0.06	255	7.08
-9.81	1	0.03	256	7.11
-9.79	1	0.03	257	7.13

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9.78	3	0.08	260	7.22
-9.77	1	0.03	261	7.24
-9.76	2	0.06	263	7.30
-9.75	2	0.06	265	7.35
-9.73	3	0.08	268	7.44
-9.72	1	0.03	269	7.47
-9.7	1	0.03	270	7.49
-9.69	2	0.06	272	7.55
-9.66	2	0.06	274	7.60
-9.65	2	0.06	276	7.66
-9.64	2	0.06	278	7.72
-9.63	1	0.03	279	7.74
-9.62	1	0.03	280	7.77
-9.61	2	0.06	282	7.83
-9.59	3	0.08	285	7.91
-9.58	1	0.03	286	7.94
-9.57	1	0.03	287	7.97
-9.54	2	0.06	289	8.02
-9.5	1	0.03	290	8.05
-9.48	2	0.06	292	8.10
-9.47	2	0.06	294	8.16
-9.45	3	0.08	297	8.24
-9.44	1	0.03	298	8.27
-9.42	3	0.08	301	8.35
-9.41	2	0.06	303	8.41
-9.4	1	0.03	304	8.44
-9.38	2	0.06	306	8.49
-9.37	1	0.03	307	8.52
-9.36	1	0.03	308	8.55
-9.35	2	0.06	310	8.60
-9.34	1	0.03	311	8.63
-9.33	1	0.03	312	8.66

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9.32	2	0.06	314	8.71
-9.3	1	0.03	315	8.74
-9.27	2	0.06	317	8.80
-9.26	1	0.03	318	8.83
-9.25	1	0.03	319	8.85
-9.24	1	0.03	320	8.88
-9.23	1	0.03	321	8.91
-9.22	2	0.06	323	8.96
-9.21	2	0.06	325	9.02
-9.19	1	0.03	326	9.05
-9.18	2	0.06	328	9.10
-9.16	1	0.03	329	9.13
-9.15	1	0.03	330	9.16
-9.14	3	0.08	333	9.24
-9.13	1	0.03	334	9.27
-9.12	3	0.08	337	9.35
-9.11	2	0.06	339	9.41
-9.1	1	0.03	340	9.44
-9.09	3	0.08	343	9.52
-9.08	1	0.03	344	9.55
-9.07	2	0.06	346	9.60
-9.06	1	0.03	347	9.63
-9.05	2	0.06	349	9.69
-9.04	4	0.11	353	9.80
-9.02	4	0.11	357	9.91
-9.01	1	0.03	358	9.94
-9	1	0.03	359	9.96
-8.99	2	0.06	361	10.02
-8.98	3	0.08	364	10.10
-8.97	2	0.06	366	10.16
-8.96	2	0.06	368	10.21
-8.94	2	0.06	370	10.27

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.93	1	0.03	371	10.30
-8.92	3	0.08	374	10.38
-8.91	2	0.06	376	10.44
-8.9	4	0.11	380	10.55
-8.89	2	0.06	382	10.60
-8.88	2	0.06	384	10.66
-8.86	1	0.03	385	10.69
-8.85	2	0.06	387	10.74
-8.84	5	0.14	392	10.88
-8.83	5	0.14	397	11.02
-8.81	2	0.06	399	11.07
-8.8	4	0.11	403	11.19
-8.79	4	0.11	407	11.30
-8.78	3	0.08	410	11.38
-8.77	3	0.08	413	11.46
-8.76	3	0.08	416	11.55
-8.75	4	0.11	420	11.66
-8.74	3	0.08	423	11.74
-8.73	1	0.03	424	11.77
-8.72	2	0.06	426	11.82
-8.7	1	0.03	427	11.85
-8.69	1	0.03	428	11.88
-8.68	2	0.06	430	11.93
-8.67	1	0.03	431	11.96
-8.66	5	0.14	436	12.10
-8.64	3	0.08	439	12.18
-8.62	2	0.06	441	12.24
-8.61	1	0.03	442	12.27
-8.6	3	0.08	445	12.35
-8.59	2	0.06	447	12.41
-8.58	4	0.11	451	12.52
-8.56	1	0.03	452	12.55

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.55	5	0.14	457	12.68
-8.54	2	0.06	459	12.74
-8.53	3	0.08	462	12.82
-8.52	3	0.08	465	12.91
-8.51	4	0.11	469	13.02
-8.49	4	0.11	473	13.13
-8.48	1	0.03	474	13.16
-8.47	1	0.03	475	13.18
-8.46	2	0.06	477	13.24
-8.45	6	0.17	483	13.41
-8.44	1	0.03	484	13.43
-8.43	1	0.03	485	13.46
-8.42	2	0.06	487	13.52
-8.41	3	0.08	490	13.60
-8.4	1	0.03	491	13.63
-8.39	1	0.03	492	13.66
-8.38	1	0.03	493	13.68
-8.37	3	0.08	496	13.77
-8.36	3	0.08	499	13.85
-8.34	1	0.03	500	13.88
-8.33	3	0.08	503	13.96
-8.32	2	0.06	505	14.02
-8.31	3	0.08	508	14.10
-8.3	6	0.17	514	14.27
-8.29	2	0.06	516	14.32
-8.28	3	0.08	519	14.40
-8.27	1	0.03	520	14.43
-8.26	5	0.14	525	14.57
-8.25	3	0.08	528	14.65
-8.24	2	0.06	530	14.71
-8.23	2	0.06	532	14.77
-8.21	2	0.06	534	14.82

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-8.2	3	0.08	537	14.90
-8.19	2	0.06	539	14.96
-8.18	5	0.14	544	15.10
-8.17	4	0.11	548	15.21
-8.16	3	0.08	551	15.29
-8.15	3	0.08	554	15.38
-8.14	2	0.06	556	15.43
-8.13	3	0.08	559	15.51
-8.12	1	0.03	560	15.54
-8.11	2	0.06	562	15.60
-8.1	1	0.03	563	15.63
-8.09	1	0.03	564	15.65
-8.08	3	0.08	567	15.74
-8.07	6	0.17	573	15.90
-8.06	2	0.06	575	15.96
-8.05	3	0.08	578	16.04
-8.04	1	0.03	579	16.07
-8.03	6	0.17	585	16.24
-8.02	4	0.11	589	16.35
-8.01	3	0.08	592	16.43
-8	1	0.03	593	16.46
-7.99	4	0.11	597	16.57
-7.98	2	0.06	599	16.63
-7.97	2	0.06	601	16.68
-7.96	5	0.14	606	16.82
-7.95	2	0.06	608	16.87
-7.94	6	0.17	614	17.04
-7.93	3	0.08	617	17.12
-7.92	7	0.19	624	17.32
-7.91	2	0.06	626	17.37
-7.9	1	0.03	627	17.40
-7.89	3	0.08	630	17.49

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.88	3	0.08	633	17.57
-7.87	2	0.06	635	17.62
-7.86	5	0.14	640	17.76
-7.85	2	0.06	642	17.82
-7.84	4	0.11	646	17.93
-7.83	3	0.08	649	18.01
-7.82	2	0.06	651	18.07
-7.81	1	0.03	652	18.10
-7.8	2	0.06	654	18.15
-7.79	3	0.08	657	18.23
-7.78	3	0.08	660	18.32
-7.77	3	0.08	663	18.40
-7.76	1	0.03	664	18.43
-7.75	3	0.08	667	18.51
-7.74	3	0.08	670	18.60
-7.73	2	0.06	672	18.65
-7.72	3	0.08	675	18.73
-7.71	2	0.06	677	18.79
-7.7	4	0.11	681	18.90
-7.69	5	0.14	686	19.04
-7.68	4	0.11	690	19.15
-7.67	3	0.08	693	19.23
-7.66	3	0.08	696	19.32
-7.65	2	0.06	698	19.37
-7.64	4	0.11	702	19.48
-7.63	4	0.11	706	19.59
-7.62	7	0.19	713	19.79
-7.61	4	0.11	717	19.90
-7.6	4	0.11	721	20.01
-7.59	3	0.08	724	20.09
-7.58	3	0.08	727	20.18
-7.57	6	0.17	733	20.34

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.56	3	0.08	736	20.43
-7.55	2	0.06	738	20.48
-7.54	4	0.11	742	20.59
-7.53	3	0.08	745	20.68
-7.52	4	0.11	749	20.79
-7.51	4	0.11	753	20.90
-7.5	4	0.11	757	21.01
-7.48	6	0.17	763	21.18
-7.47	2	0.06	765	21.23
-7.46	1	0.03	766	21.26
-7.45	3	0.08	769	21.34
-7.44	8	0.22	777	21.57
-7.43	2	0.06	779	21.62
-7.42	7	0.19	786	21.82
-7.41	7	0.19	793	22.01
-7.4	4	0.11	797	22.12
-7.39	9	0.25	806	22.37
-7.37	2	0.06	808	22.43
-7.36	5	0.14	813	22.56
-7.35	4	0.11	817	22.68
-7.34	4	0.11	821	22.79
-7.33	2	0.06	823	22.84
-7.32	3	0.08	826	22.93
-7.31	4	0.11	830	23.04
-7.3	4	0.11	834	23.15
-7.29	2	0.06	836	23.20
-7.28	7	0.19	843	23.40
-7.27	2	0.06	845	23.45
-7.26	3	0.08	848	23.54
-7.25	8	0.22	856	23.76
-7.24	5	0.14	861	23.90
-7.23	1	0.03	862	23.92

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7.22	2	0.06	864	23.98
-7.21	4	0.11	868	24.09
-7.2	5	0.14	873	24.23
-7.19	4	0.11	877	24.34
-7.18	3	0.08	880	24.42
-7.17	7	0.19	887	24.62
-7.16	1	0.03	888	24.65
-7.15	1	0.03	889	24.67
-7.14	2	0.06	891	24.73
-7.13	7	0.19	898	24.92
-7.12	2	0.06	900	24.98
-7.11	7	0.19	907	25.17
-7.09	8	0.22	915	25.40
-7.08	2	0.06	917	25.45
-7.07	5	0.14	922	25.59
-7.06	3	0.08	925	25.67
-7.05	7	0.19	932	25.87
-7.04	7	0.19	939	26.06
-7.03	5	0.14	944	26.20
-7.02	7	0.19	951	26.39
-7.01	3	0.08	954	26.48
-7	6	0.17	960	26.64
-6.99	4	0.11	964	26.76
-6.98	5	0.14	969	26.89
-6.97	4	0.11	973	27.01
-6.96	5	0.14	978	27.14
-6.95	4	0.11	982	27.26
-6.93	5	0.14	987	27.39
-6.92	1	0.03	988	27.42
-6.91	7	0.19	995	27.62
-6.9	6	0.17	1001	27.78
-6.89	7	0.19	1008	27.98

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.88	2	0.06	1010	28.03
-6.87	1	0.03	1011	28.06
-6.86	4	0.11	1015	28.17
-6.85	6	0.17	1021	28.34
-6.84	3	0.08	1024	28.42
-6.83	1	0.03	1025	28.45
-6.82	1	0.03	1026	28.48
-6.81	5	0.14	1031	28.62
-6.8	4	0.11	1035	28.73
-6.79	8	0.22	1043	28.95
-6.78	8	0.22	1051	29.17
-6.77	7	0.19	1058	29.36
-6.76	9	0.25	1067	29.61
-6.75	7	0.19	1074	29.81
-6.74	5	0.14	1079	29.95
-6.73	5	0.14	1084	30.09
-6.72	8	0.22	1092	30.31
-6.71	9	0.25	1101	30.56
-6.7	7	0.19	1108	30.75
-6.69	3	0.08	1111	30.84
-6.68	6	0.17	1117	31.00
-6.67	3	0.08	1120	31.09
-6.66	8	0.22	1128	31.31
-6.65	5	0.14	1133	31.45
-6.64	8	0.22	1141	31.67
-6.63	2	0.06	1143	31.72
-6.62	4	0.11	1147	31.83
-6.61	4	0.11	1151	31.95
-6.6	4	0.11	1155	32.06
-6.59	2	0.06	1157	32.11
-6.58	8	0.22	1165	32.33
-6.57	5	0.14	1170	32.47

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.56	4	0.11	1174	32.58
-6.55	6	0.17	1180	32.75
-6.54	9	0.25	1189	33.00
-6.53	3	0.08	1192	33.08
-6.52	3	0.08	1195	33.17
-6.51	4	0.11	1199	33.28
-6.5	3	0.08	1202	33.36
-6.49	6	0.17	1208	33.53
-6.48	5	0.14	1213	33.67
-6.47	6	0.17	1219	33.83
-6.46	8	0.22	1227	34.05
-6.45	7	0.19	1234	34.25
-6.44	5	0.14	1239	34.39
-6.43	2	0.06	1241	34.44
-6.42	4	0.11	1245	34.55
-6.41	4	0.11	1249	34.67
-6.4	6	0.17	1255	34.83
-6.39	6	0.17	1261	35.00
-6.38	6	0.17	1267	35.17
-6.37	8	0.22	1275	35.39
-6.36	11	0.31	1286	35.69
-6.35	5	0.14	1291	35.83
-6.34	7	0.19	1298	36.03
-6.33	8	0.22	1306	36.25
-6.32	2	0.06	1308	36.30
-6.31	5	0.14	1313	36.44
-6.3	2	0.06	1315	36.50
-6.29	4	0.11	1319	36.61
-6.28	3	0.08	1322	36.69
-6.27	8	0.22	1330	36.91
-6.26	7	0.19	1337	37.11
-6.25	4	0.11	1341	37.22

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-6.24	5	0.14	1346	37.36
-6.23	6	0.17	1352	37.52
-6.22	4	0.11	1356	37.64
-6.21	11	0.31	1367	37.94
-6.2	7	0.19	1374	38.13
-6.19	8	0.22	1382	38.36
-6.18	3	0.08	1385	38.44
-6.17	8	0.22	1393	38.66
-6.16	6	0.17	1399	38.83
-6.15	11	0.31	1410	39.13
-6.14	5	0.14	1415	39.27
-6.13	7	0.19	1422	39.47
-6.12	5	0.14	1427	39.61
-6.11	2	0.06	1429	39.66
-6.1	6	0.17	1435	39.83
-6.09	6	0.17	1441	39.99
-6.08	9	0.25	1450	40.24
-6.07	9	0.25	1459	40.49
-6.06	6	0.17	1465	40.66
-6.05	4	0.11	1469	40.77
-6.04	7	0.19	1476	40.97
-6.03	4	0.11	1480	41.08
-6.02	4	0.11	1484	41.19
-6.01	9	0.25	1493	41.44
-6	2	0.06	1495	41.49
-5.99	8	0.22	1503	41.72
-5.98	10	0.28	1513	41.99
-5.97	4	0.11	1517	42.10
-5.96	7	0.19	1524	42.30
-5.95	5	0.14	1529	42.44
-5.94	8	0.22	1537	42.66
-5.93	7	0.19	1544	42.85

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.92	4	0.11	1548	42.96
-5.91	2	0.06	1550	43.02
-5.9	7	0.19	1557	43.21
-5.89	9	0.25	1566	43.46
-5.88	8	0.22	1574	43.69
-5.87	7	0.19	1581	43.88
-5.86	4	0.11	1585	43.99
-5.85	5	0.14	1590	44.13
-5.84	3	0.08	1593	44.21
-5.83	4	0.11	1597	44.32
-5.82	13	0.36	1610	44.68
-5.81	4	0.11	1614	44.80
-5.8	10	0.28	1624	45.07
-5.79	7	0.19	1631	45.27
-5.78	3	0.08	1634	45.35
-5.77	6	0.17	1640	45.52
-5.76	8	0.22	1648	45.74
-5.75	6	0.17	1654	45.91
-5.74	10	0.28	1664	46.18
-5.73	5	0.14	1669	46.32
-5.72	5	0.14	1674	46.46
-5.71	6	0.17	1680	46.63
-5.7	8	0.22	1688	46.85
-5.69	8	0.22	1696	47.07
-5.68	11	0.31	1707	47.38
-5.67	6	0.17	1713	47.54
-5.66	14	0.39	1727	47.93
-5.65	7	0.19	1734	48.13
-5.64	3	0.08	1737	48.21
-5.63	9	0.25	1746	48.46
-5.62	6	0.17	1752	48.63
-5.61	11	0.31	1763	48.93

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.6	4	0.11	1767	49.04
-5.59	12	0.33	1779	49.38
-5.58	6	0.17	1785	49.54
-5.57	6	0.17	1791	49.71
-5.56	6	0.17	1797	49.88
-5.55	6	0.17	1803	50.04
-5.54	2	0.06	1805	50.10
-5.53	7	0.19	1812	50.29
-5.52	9	0.25	1821	50.54
-5.51	2	0.06	1823	50.60
-5.5	8	0.22	1831	50.82
-5.49	9	0.25	1840	51.07
-5.48	7	0.19	1847	51.26
-5.47	7	0.19	1854	51.46
-5.46	5	0.14	1859	51.60
-5.45	9	0.25	1868	51.85
-5.44	8	0.22	1876	52.07
-5.43	5	0.14	1881	52.21
-5.42	8	0.22	1889	52.43
-5.41	5	0.14	1894	52.57
-5.4	5	0.14	1899	52.71
-5.39	9	0.25	1908	52.96
-5.38	7	0.19	1915	53.15
-5.37	6	0.17	1921	53.32
-5.36	12	0.33	1933	53.65
-5.35	7	0.19	1940	53.84
-5.34	5	0.14	1945	53.98
-5.33	7	0.19	1952	54.18
-5.32	6	0.17	1958	54.34
-5.31	3	0.08	1961	54.43
-5.3	2	0.06	1963	54.48
-5.29	5	0.14	1968	54.62

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5.28	5	0.14	1973	54.76
-5.27	8	0.22	1981	54.98
-5.26	4	0.11	1985	55.09
-5.25	5	0.14	1990	55.23
-5.24	6	0.17	1996	55.40
-5.23	7	0.19	2003	55.59
-5.22	6	0.17	2009	55.76
-5.21	5	0.14	2014	55.90
-5.2	9	0.25	2023	56.15
-5.19	6	0.17	2029	56.31
-5.18	3	0.08	2032	56.40
-5.17	6	0.17	2038	56.56
-5.16	11	0.31	2049	56.87
-5.15	7	0.19	2056	57.06
-5.14	5	0.14	2061	57.20
-5.13	5	0.14	2066	57.34
-5.12	7	0.19	2073	57.54
-5.11	2	0.06	2075	57.59
-5.1	6	0.17	2081	57.76
-5.09	6	0.17	2087	57.92
-5.08	6	0.17	2093	58.09
-5.07	5	0.14	2098	58.23
-5.06	3	0.08	2101	58.31
-5.05	3	0.08	2104	58.40
-5.04	6	0.17	2110	58.56
-5.03	10	0.28	2120	58.84
-5.02	5	0.14	2125	58.98
-5.01	2	0.06	2127	59.03
-5	4	0.11	2131	59.15
-4.99	5	0.14	2136	59.28
-4.98	7	0.19	2143	59.48
-4.97	7	0.19	2150	59.67

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.96	8	0.22	2158	59.89
-4.95	6	0.17	2164	60.06
-4.94	6	0.17	2170	60.23
-4.93	3	0.08	2173	60.31
-4.92	2	0.06	2175	60.37
-4.91	5	0.14	2180	60.51
-4.9	4	0.11	2184	60.62
-4.89	2	0.06	2186	60.67
-4.88	3	0.08	2189	60.75
-4.87	7	0.19	2196	60.95
-4.86	13	0.36	2209	61.31
-4.85	6	0.17	2215	61.48
-4.84	9	0.25	2224	61.73
-4.83	7	0.19	2231	61.92
-4.82	9	0.25	2240	62.17
-4.81	9	0.25	2249	62.42
-4.8	7	0.19	2256	62.61
-4.79	7	0.19	2263	62.81
-4.78	8	0.22	2271	63.03
-4.77	5	0.14	2276	63.17
-4.76	3	0.08	2279	63.25
-4.75	6	0.17	2285	63.42
-4.74	4	0.11	2289	63.53
-4.73	10	0.28	2299	63.81
-4.72	6	0.17	2305	63.97
-4.71	13	0.36	2318	64.34
-4.7	6	0.17	2324	64.50
-4.69	5	0.14	2329	64.64
-4.68	4	0.11	2333	64.75
-4.67	7	0.19	2340	64.95
-4.66	3	0.08	2343	65.03
-4.65	9	0.25	2352	65.28

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.64	7	0.19	2359	65.47
-4.63	9	0.25	2368	65.72
-4.62	6	0.17	2374	65.89
-4.61	2	0.06	2376	65.95
-4.6	4	0.11	2380	66.06
-4.59	5	0.14	2385	66.19
-4.58	9	0.25	2394	66.44
-4.57	9	0.25	2403	66.69
-4.56	2	0.06	2405	66.75
-4.55	4	0.11	2409	66.86
-4.54	5	0.14	2414	67.00
-4.53	6	0.17	2420	67.17
-4.52	7	0.19	2427	67.36
-4.51	4	0.11	2431	67.47
-4.5	1	0.03	2432	67.50
-4.49	5	0.14	2437	67.64
-4.48	6	0.17	2443	67.80
-4.47	10	0.28	2453	68.08
-4.46	4	0.11	2457	68.19
-4.45	5	0.14	2462	68.33
-4.44	5	0.14	2467	68.47
-4.43	7	0.19	2474	68.67
-4.42	7	0.19	2481	68.86
-4.41	9	0.25	2490	69.11
-4.4	8	0.22	2498	69.33
-4.39	4	0.11	2502	69.44
-4.38	7	0.19	2509	69.64
-4.37	5	0.14	2514	69.78
-4.36	5	0.14	2519	69.91
-4.35	5	0.14	2524	70.05
-4.34	6	0.17	2530	70.22
-4.33	5	0.14	2535	70.36

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4.32	7	0.19	2542	70.55
-4.31	6	0.17	2548	70.72
-4.3	2	0.06	2550	70.77
-4.29	5	0.14	2555	70.91
-4.28	5	0.14	2560	71.05
-4.27	5	0.14	2565	71.19
-4.26	5	0.14	2570	71.33
-4.25	9	0.25	2579	71.58
-4.24	4	0.11	2583	71.69
-4.23	3	0.08	2586	71.77
-4.21	5	0.14	2591	71.91
-4.2	6	0.17	2597	72.08
-4.19	5	0.14	2602	72.22
-4.18	7	0.19	2609	72.41
-4.17	10	0.28	2619	72.69
-4.16	3	0.08	2622	72.77
-4.15	2	0.06	2624	72.83
-4.14	2	0.06	2626	72.88
-4.13	11	0.31	2637	73.19
-4.12	4	0.11	2641	73.30
-4.11	6	0.17	2647	73.47
-4.1	5	0.14	2652	73.61
-4.09	4	0.11	2656	73.72
-4.08	3	0.08	2659	73.80
-4.07	5	0.14	2664	73.94
-4.06	8	0.22	2672	74.16
-4.05	6	0.17	2678	74.33
-4.04	5	0.14	2683	74.47
-4.03	6	0.17	2689	74.63
-4.02	5	0.14	2694	74.77
-4.01	8	0.22	2702	74.99
-4	6	0.17	2708	75.16

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.99	1	0.03	2709	75.19
-3.98	5	0.14	2714	75.33
-3.97	1	0.03	2715	75.35
-3.96	4	0.11	2719	75.46
-3.95	6	0.17	2725	75.63
-3.94	4	0.11	2729	75.74
-3.93	6	0.17	2735	75.91
-3.92	5	0.14	2740	76.05
-3.91	4	0.11	2744	76.16
-3.9	1	0.03	2745	76.19
-3.89	1	0.03	2746	76.21
-3.88	5	0.14	2751	76.35
-3.87	7	0.19	2758	76.55
-3.86	1	0.03	2759	76.58
-3.85	4	0.11	2763	76.69
-3.84	8	0.22	2771	76.91
-3.83	5	0.14	2776	77.05
-3.82	3	0.08	2779	77.13
-3.81	8	0.22	2787	77.35
-3.8	2	0.06	2789	77.41
-3.79	2	0.06	2791	77.46
-3.78	3	0.08	2794	77.55
-3.77	7	0.19	2801	77.74
-3.76	2	0.06	2803	77.80
-3.75	5	0.14	2808	77.94
-3.74	6	0.17	2814	78.10
-3.73	4	0.11	2818	78.21
-3.72	3	0.08	2821	78.30
-3.71	7	0.19	2828	78.49
-3.7	9	0.25	2837	78.74
-3.69	7	0.19	2844	78.93
-3.68	3	0.08	2847	79.02

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.67	5	0.14	2852	79.16
-3.66	5	0.14	2857	79.30
-3.65	2	0.06	2859	79.35
-3.64	6	0.17	2865	79.52
-3.63	3	0.08	2868	79.60
-3.62	5	0.14	2873	79.74
-3.61	5	0.14	2878	79.88
-3.6	8	0.22	2886	80.10
-3.59	3	0.08	2889	80.18
-3.58	5	0.14	2894	80.32
-3.57	9	0.25	2903	80.57
-3.56	5	0.14	2908	80.71
-3.55	4	0.11	2912	80.82
-3.54	6	0.17	2918	80.99
-3.53	2	0.06	2920	81.04
-3.52	5	0.14	2925	81.18
-3.51	4	0.11	2929	81.29
-3.5	4	0.11	2933	81.40
-3.49	3	0.08	2936	81.49
-3.48	3	0.08	2939	81.57
-3.47	10	0.28	2949	81.85
-3.46	4	0.11	2953	81.96
-3.45	7	0.19	2960	82.15
-3.44	4	0.11	2964	82.26
-3.43	3	0.08	2967	82.35
-3.42	1	0.03	2968	82.38
-3.41	6	0.17	2974	82.54
-3.4	2	0.06	2976	82.60
-3.39	2	0.06	2978	82.65
-3.38	2	0.06	2980	82.71
-3.37	5	0.14	2985	82.85
-3.36	5	0.14	2990	82.99

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3.35	5	0.14	2995	83.13
-3.34	5	0.14	3000	83.26
-3.33	1	0.03	3001	83.29
-3.32	4	0.11	3005	83.40
-3.31	6	0.17	3011	83.57
-3.3	6	0.17	3017	83.74
-3.29	4	0.11	3021	83.85
-3.28	3	0.08	3024	83.93
-3.27	4	0.11	3028	84.04
-3.26	2	0.06	3030	84.10
-3.25	6	0.17	3036	84.26
-3.24	2	0.06	3038	84.32
-3.23	4	0.11	3042	84.43
-3.21	5	0.14	3047	84.57
-3.2	1	0.03	3048	84.60
-3.19	5	0.14	3053	84.73
-3.18	2	0.06	3055	84.79
-3.17	4	0.11	3059	84.90
-3.16	3	0.08	3062	84.98
-3.15	1	0.03	3063	85.01
-3.14	5	0.14	3068	85.15
-3.13	2	0.06	3070	85.21
-3.12	3	0.08	3073	85.29
-3.11	1	0.03	3074	85.32
-3.1	1	0.03	3075	85.35
-3.09	1	0.03	3076	85.37
-3.08	1	0.03	3077	85.40
-3.07	3	0.08	3080	85.48
-3.06	3	0.08	3083	85.57
-3.05	4	0.11	3087	85.68
-3.04	3	0.08	3090	85.76
-3.02	1	0.03	3091	85.79

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
- 3.01	6	0.17	3097	85.96
- 3	6	0.17	3103	86.12
- 2.99	2	0.06	3105	86.18
- 2.98	1	0.03	3106	86.21
- 2.96	2	0.06	3108	86.26
- 2.95	3	0.08	3111	86.34
- 2.94	6	0.17	3117	86.51
- 2.93	1	0.03	3118	86.54
- 2.92	4	0.11	3122	86.65
- 2.91	4	0.11	3126	86.76
- 2.9	2	0.06	3128	86.82
- 2.89	1	0.03	3129	86.84
- 2.88	1	0.03	3130	86.87
- 2.87	2	0.06	3132	86.93
- 2.86	1	0.03	3133	86.96
- 2.85	2	0.06	3135	87.01
- 2.84	3	0.08	3138	87.09
- 2.83	4	0.11	3142	87.21
- 2.82	4	0.11	3146	87.32
- 2.81	4	0.11	3150	87.43
- 2.79	4	0.11	3154	87.54
- 2.78	1	0.03	3155	87.57
- 2.77	1	0.03	3156	87.59
- 2.75	2	0.06	3158	87.65
- 2.74	3	0.08	3161	87.73
- 2.73	2	0.06	3163	87.79
- 2.72	2	0.06	3165	87.84
- 2.71	7	0.19	3172	88.04
- 2.7	3	0.08	3175	88.12
- 2.69	6	0.17	3181	88.29
- 2.68	1	0.03	3182	88.32
- 2.67	2	0.06	3184	88.37

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2.66	1	0.03	3185	88.40
-2.65	1	0.03	3186	88.43
-2.64	4	0.11	3190	88.54
-2.63	1	0.03	3191	88.57
-2.62	2	0.06	3193	88.62
-2.61	3	0.08	3196	88.70
-2.59	4	0.11	3200	88.81
-2.58	2	0.06	3202	88.87
-2.57	2	0.06	3204	88.93
-2.56	1	0.03	3205	88.95
-2.55	2	0.06	3207	89.01
-2.54	3	0.08	3210	89.09
-2.53	3	0.08	3213	89.18
-2.52	2	0.06	3215	89.23
-2.5	4	0.11	3219	89.34
-2.49	4	0.11	3223	89.45
-2.48	1	0.03	3224	89.48
-2.47	3	0.08	3227	89.56
-2.46	1	0.03	3228	89.59
-2.45	5	0.14	3233	89.73
-2.44	3	0.08	3236	89.81
-2.43	6	0.17	3242	89.98
-2.42	3	0.08	3245	90.06
-2.41	2	0.06	3247	90.12
-2.39	3	0.08	3250	90.20
-2.38	2	0.06	3252	90.26
-2.36	2	0.06	3254	90.31
-2.35	3	0.08	3257	90.40
-2.34	2	0.06	3259	90.45
-2.33	2	0.06	3261	90.51
-2.32	1	0.03	3262	90.54
-2.31	3	0.08	3265	90.62

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2.3	4	0.11	3269	90.73
-2.29	2	0.06	3271	90.79
-2.28	1	0.03	3272	90.81
-2.27	3	0.08	3275	90.90
-2.26	1	0.03	3276	90.92
-2.25	2	0.06	3278	90.98
-2.24	5	0.14	3283	91.12
-2.23	2	0.06	3285	91.17
-2.21	1	0.03	3286	91.20
-2.2	1	0.03	3287	91.23
-2.19	1	0.03	3288	91.26
-2.18	1	0.03	3289	91.29
-2.17	1	0.03	3290	91.31
-2.16	2	0.06	3292	91.37
-2.15	2	0.06	3294	91.42
-2.14	2	0.06	3296	91.48
-2.13	2	0.06	3298	91.53
-2.12	1	0.03	3299	91.56
-2.11	3	0.08	3302	91.65
-2.1	4	0.11	3306	91.76
-2.09	1	0.03	3307	91.78
-2.08	3	0.08	3310	91.87
-2.07	5	0.14	3315	92.01
-2.06	1	0.03	3316	92.03
-2.02	2	0.06	3318	92.09
-2.01	1	0.03	3319	92.12
-2	2	0.06	3321	92.17
-1.99	2	0.06	3323	92.23
-1.98	1	0.03	3324	92.26
-1.96	1	0.03	3325	92.28
-1.94	1	0.03	3326	92.31
-1.93	3	0.08	3329	92.40

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1.92	2	0.06	3331	92.45
-1.91	1	0.03	3332	92.48
-1.89	1	0.03	3333	92.51
-1.88	2	0.06	3335	92.56
-1.87	2	0.06	3337	92.62
-1.85	1	0.03	3338	92.65
-1.84	2	0.06	3340	92.70
-1.83	1	0.03	3341	92.73
-1.82	1	0.03	3342	92.76
-1.81	2	0.06	3344	92.81
-1.8	2	0.06	3346	92.87
-1.79	2	0.06	3348	92.92
-1.78	2	0.06	3350	92.98
-1.74	2	0.06	3352	93.03
-1.73	1	0.03	3353	93.06
-1.72	2	0.06	3355	93.12
-1.71	4	0.11	3359	93.23
-1.68	2	0.06	3361	93.28
-1.67	1	0.03	3362	93.31
-1.66	1	0.03	3363	93.34
-1.65	2	0.06	3365	93.39
-1.62	2	0.06	3367	93.45
-1.61	1	0.03	3368	93.48
-1.59	1	0.03	3369	93.51
-1.57	1	0.03	3370	93.53
-1.55	2	0.06	3372	93.59
-1.54	2	0.06	3374	93.64
-1.53	1	0.03	3375	93.67
-1.5	1	0.03	3376	93.70
-1.47	1	0.03	3377	93.73
-1.44	2	0.06	3379	93.78
-1.43	2	0.06	3381	93.84

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1.41	2	0.06	3383	93.89
-1.4	1	0.03	3384	93.92
-1.37	1	0.03	3385	93.95
-1.35	2	0.06	3387	94.00
-1.34	1	0.03	3388	94.03
-1.33	1	0.03	3389	94.06
-1.32	2	0.06	3391	94.12
-1.31	1	0.03	3392	94.14
-1.3	1	0.03	3393	94.17
-1.29	2	0.06	3395	94.23
-1.27	1	0.03	3396	94.25
-1.25	2	0.06	3398	94.31
-1.24	2	0.06	3400	94.37
-1.2	1	0.03	3401	94.39
-1.19	1	0.03	3402	94.42
-1.18	1	0.03	3403	94.45
-1.17	1	0.03	3404	94.48
-1.15	3	0.08	3407	94.56
-1.14	1	0.03	3408	94.59
-1.11	1	0.03	3409	94.62
-1.09	2	0.06	3411	94.67
-1.08	1	0.03	3412	94.70
-1.06	1	0.03	3413	94.73
-1.05	2	0.06	3415	94.78
-1.03	1	0.03	3416	94.81
-1.02	1	0.03	3417	94.84
-0.99	1	0.03	3418	94.87
-0.98	3	0.08	3421	94.95
-0.97	1	0.03	3422	94.98
-0.95	2	0.06	3424	95.03
-0.92	2	0.06	3426	95.09
-0.91	1	0.03	3427	95.12

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.9	1	0.03	3428	95.14
-0.89	1	0.03	3429	95.17
-0.88	1	0.03	3430	95.20
-0.85	1	0.03	3431	95.23
-0.84	1	0.03	3432	95.25
-0.83	1	0.03	3433	95.28
-0.82	4	0.11	3437	95.39
-0.77	1	0.03	3438	95.42
-0.75	1	0.03	3439	95.45
-0.74	2	0.06	3441	95.50
-0.73	2	0.06	3443	95.56
-0.72	1	0.03	3444	95.59
-0.71	1	0.03	3445	95.61
-0.69	1	0.03	3446	95.64
-0.68	1	0.03	3447	95.67
-0.67	1	0.03	3448	95.70
-0.65	1	0.03	3449	95.73
-0.64	2	0.06	3451	95.78
-0.63	1	0.03	3452	95.81
-0.62	2	0.06	3454	95.86
-0.61	1	0.03	3455	95.89
-0.59	1	0.03	3456	95.92
-0.58	1	0.03	3457	95.95
-0.57	2	0.06	3459	96.00
-0.56	1	0.03	3460	96.03
-0.55	2	0.06	3462	96.09
-0.53	2	0.06	3464	96.14
-0.52	1	0.03	3465	96.17
-0.51	4	0.11	3469	96.28
-0.4	1	0.03	3470	96.31
-0.39	1	0.03	3471	96.34
-0.38	1	0.03	3472	96.36

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-0.37	1	0.03	3473	96.39
-0.32	2	0.06	3475	96.45
-0.29	2	0.06	3477	96.50
-0.24	1	0.03	3478	96.53
-0.23	1	0.03	3479	96.56
-0.2	2	0.06	3481	96.61
-0.19	1	0.03	3482	96.64
-0.16	1	0.03	3483	96.67
-0.15	1	0.03	3484	96.70
-0.14	4	0.11	3488	96.81
-0.13	4	0.11	3492	96.92
-0.12	2	0.06	3494	96.97
-0.08	1	0.03	3495	97.00
-0.07	1	0.03	3496	97.03
-0.05	2	0.06	3498	97.09
0	1	0.03	3499	97.11
0.01	1	0.03	3500	97.14
0.02	2	0.06	3502	97.20
0.03	1	0.03	3503	97.22
0.04	1	0.03	3504	97.25
0.06	1	0.03	3505	97.28
0.07	1	0.03	3506	97.31
0.11	1	0.03	3507	97.34
0.14	1	0.03	3508	97.36
0.16	1	0.03	3509	97.39
0.17	1	0.03	3510	97.42
0.18	1	0.03	3511	97.45
0.19	1	0.03	3512	97.47
0.21	2	0.06	3514	97.53
0.26	1	0.03	3515	97.56
0.27	1	0.03	3516	97.59
0.28	1	0.03	3517	97.61

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0.3	1	0.03	3518	97.64
0.36	1	0.03	3519	97.67
0.37	1	0.03	3520	97.70
0.42	1	0.03	3521	97.72
0.45	1	0.03	3522	97.75
0.46	1	0.03	3523	97.78
0.47	1	0.03	3524	97.81
0.48	1	0.03	3525	97.84
0.49	2	0.06	3527	97.89
0.64	1	0.03	3528	97.92
0.65	2	0.06	3530	97.97
0.68	1	0.03	3531	98.00
0.69	1	0.03	3532	98.03
0.7	1	0.03	3533	98.06
0.72	1	0.03	3534	98.08
0.73	1	0.03	3535	98.11
0.77	1	0.03	3536	98.14
0.78	1	0.03	3537	98.17
0.79	1	0.03	3538	98.20
0.82	1	0.03	3539	98.22
0.84	1	0.03	3540	98.25
0.87	1	0.03	3541	98.28
0.88	2	0.06	3543	98.33
0.91	1	0.03	3544	98.36
0.98	1	0.03	3545	98.39
1.01	2	0.06	3547	98.45
1.06	1	0.03	3548	98.47
1.13	1	0.03	3549	98.50
1.15	1	0.03	3550	98.53
1.27	2	0.06	3552	98.58
1.33	1	0.03	3553	98.61
1.34	1	0.03	3554	98.64

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.4	1	0.03	3555	98.67
1.44	1	0.03	3556	98.70
1.49	1	0.03	3557	98.72
1.5	1	0.03	3558	98.75
1.54	1	0.03	3559	98.78
1.58	1	0.03	3560	98.81
1.6	1	0.03	3561	98.83
1.62	1	0.03	3562	98.86
1.63	1	0.03	3563	98.89
1.66	1	0.03	3564	98.92
1.68	1	0.03	3565	98.95
1.71	1	0.03	3566	98.97
1.72	1	0.03	3567	99.00
1.75	1	0.03	3568	99.03
1.82	1	0.03	3569	99.06
1.83	3	0.08	3572	99.14
1.88	2	0.06	3574	99.20
1.9	1	0.03	3575	99.22
1.97	1	0.03	3576	99.25
1.98	1	0.03	3577	99.28
1.99	1	0.03	3578	99.31
2	1	0.03	3579	99.33
2.2	1	0.03	3580	99.36
2.22	1	0.03	3581	99.39
2.24	1	0.03	3582	99.42
2.29	1	0.03	3583	99.44
2.32	1	0.03	3584	99.47
2.44	1	0.03	3585	99.50
2.55	1	0.03	3586	99.53
2.7	2	0.06	3588	99.58
2.73	1	0.03	3589	99.61
2.82	1	0.03	3590	99.64

The FREQ Procedure

BL kXR reading (JD): femoral tibial angle (FTA) reading				
V08FTANGLE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.93	1	0.03	3591	99.67
3.03	1	0.03	3592	99.69
3.1	1	0.03	3593	99.72
3.28	1	0.03	3594	99.75
3.37	1	0.03	3595	99.78
3.4	1	0.03	3596	99.81
3.43	1	0.03	3597	99.83
3.57	1	0.03	3598	99.86
3.82	1	0.03	3599	99.89
3.98	1	0.03	3600	99.92
4.19	1	0.03	3601	99.94
5.52	1	0.03	3602	99.97
6.52	1	0.03	3603	100.00

The UNIVARIATE Procedure
Variable: SIDE (SIDE)

Moments			
N	3603	Sum Weights	3603
Mean	1.49292256	Sum Observations	5379
Std Deviation	0.5000193	Variance	0.2500193
Skewness	0.02832437	Kurtosis	-2.0003084
Uncorrected SS	8931	Corrected SS	900.569525
Coeff Variation	33.4926481	Std Error Mean	0.00833018

Basic Statistical Measures			
Location		Variability	
Mean	1.492923	Std Deviation	0.50002
Median	1.000000	Variance	0.25002
Mode	1.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	179.2184	Pr > t	<.0001
Sign	M	1801.5	Pr >= M	<.0001
Signed Rank	S	3246303	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1
1%	1
0% Min	1

The UNIVARIATE Procedure
Variable: SIDE (SIDE)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	3602	2	3595
1	3600	2	3597
1	3598	2	3599
1	3596	2	3601
1	3594	2	3603

The UNIVARIATE Procedure**Variable: V08FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Moments			
N	3557	Sum Weights	3557
Mean	0	Sum Observations	0
Std Deviation	0	Variance	0
Skewness	Kurtosis		
Uncorrected SS	0	Corrected SS	0
Coeff Variation	Std Error Mean		0

Basic Statistical Measures			
Location		Variability	
Mean	0	Std Deviation	0
Median	0	Variance	0
Mode	0	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t		Pr > t
Sign	M		Pr >= M
Signed Rank	S		Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	0
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0
1%	0
0% Min	0

The UNIVARIATE Procedure

Variable: V08FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	0	3553
0	3556	0	3554
0	3555	0	3555
0	3554	0	3556
0	3553	0	3557

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	46	1.28	100.00

The UNIVARIATE Procedure

Variable: V08FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)

Moments			
N	3464	Sum Weights	3464
Mean	-5.3431813	Sum Observations	-18508.78
Std Deviation	2.51305314	Variance	6.31543608
Skewness	0.33819639	Kurtosis	0.98734729
Uncorrected SS	120766.122	Corrected SS	21870.3551
Coeff Variation	-47.0329	Std Error Mean	0.04269851

Basic Statistical Measures			
Location		Variability	
Mean	-5.34318	Std Deviation	2.51305
Median	-5.44000	Variance	6.31544
Mode	-5.66000	Range	20.53000
Interquartile Range			2.97000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-125.137	Pr > t	<.0001
Sign	M	-1627.5	Pr >= M	<.0001
Signed Rank	S	-2974189	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	6.52
99%	1.82
95%	-0.88
90%	-2.35
75% Q3	-3.92
50% Median	-5.44
25% Q1	-6.89
10%	-8.42
5%	-9.32
1%	-11.06
0% Min	-14.01

The UNIVARIATE Procedure**Variable: V08FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-14.01	2742	3.82	1227
-13.68	2128	3.98	1220
-13.67	2448	4.19	937
-13.55	2852	5.52	3352
-13.48	3549	6.52	2813

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	7	0.19	5.04
T	132	3.66	94.96
Total	139	3.86	100.00