

OAI 10.2 03/04/2016: Freqs/Univs for kxr_fta_duryea10**The UNIVARIATE Procedure****Variable: V10FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Moments			
N	3689	Sum Weights	3689
Mean	0.00081323	Sum Observations	3
Std Deviation	0.02850943	Variance	0.00081279
Skewness	35.0380616	Kurtosis	1226.33062
Uncorrected SS	3	Corrected SS	2.99756031
Coeff Variation	3505.70937	Std Error Mean	0.00046939

Basic Statistical Measures			
Location		Variability	
Mean	0.000813	Std Deviation	0.02851
Median	0.000000	Variance	0.0008128
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1.732521	Pr > t	0.0833
Sign	M	1.5	Pr >= M	0.2500
Signed Rank	S	3	Pr >= S	0.2500

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_fta_duryea10**The UNIVARIATE Procedure****Variable: V10FTAFLAG (BL kXR reading (JD): flag for femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	0	3688
0	3688	0	3689
0	3687	1	1122
0	3686	1	1959
0	3685	1	3174

OAI 10.2 03/04/2016: Freqs/Univs for kxr_fta_duryea10**The UNIVARIATE Procedure****Variable: V10FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Moments			
N	3536	Sum Weights	3536
Mean	-5.4535888	Sum Observations	-19283.89
Std Deviation	2.74694772	Variance	7.5457218
Skewness	0.37592246	Kurtosis	1.43448594
Uncorrected SS	131840.533	Corrected SS	26674.1266
Coeff Variation	-50.369542	Std Error Mean	0.04619493

Basic Statistical Measures			
Location		Variability	
Mean	-5.45359	Std Deviation	2.74695
Median	-5.51000	Variance	7.54572
Mode	-6.20000	Range	26.23000
		Interquartile Range	3.16500

Note: The mode displayed is the smallest of 2 modes with a count of 13.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	-118.056	Pr > t	<.0001
Sign	M	-1642	Pr >= M	<.0001
Signed Rank	S	-3081694	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.370
99%	2.430
95%	-0.620
90%	-2.230
75% Q3	-3.940
50% Median	-5.510
25% Q1	-7.105
10%	-8.710
5%	-9.830

OAI 10.2 03/04/2016: Freqs/Univs for kxr_fta_duryea10**The UNIVARIATE Procedure****Variable: V10FTANGLE (BL kXR reading (JD): femoral tibial angle (FTA) reading)**

Quantiles (Definition 5)	
Level	Quantile
1%	-11.780
0% Min	-16.860

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-16.86	3679	5.95	1815
-15.81	2834	6.02	972
-15.56	1749	6.76	156
-15.25	2274	7.78	2910
-14.44	3060	9.37	1268

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	14.38
T	131	3.55	85.62
Total	153	4.15	100.00