

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	6218	Sum Weights	6218
Mean	88.2251298	Sum Observations	548583.857
Std Deviation	7.61119723	Variance	57.9303233
Skewness	0.36307605	Kurtosis	-0.571047
Uncorrected SS	48759034.8	Corrected SS	360152.82
Coeff Variation	8.62701733	Std Error Mean	0.09652229

Basic Statistical Measures			
Location		Variability	
Mean	88.22513	Std Deviation	7.61120
Median	86.92000	Variance	57.93032
Mode	80.46600	Range	49.96300
		Interquartile Range	11.85600

Note: The mode displayed is the smallest of 5 modes with a count of 8.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	914.0389	Pr > t	<.0001
Sign	M	3109	Pr >= M	<.0001
Signed Rank	S	9667436	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	116.733
99%	105.932
95%	101.260
90%	98.880
75% Q3	94.166
50% Median	86.920
25% Q1	82.310
10%	79.200
5%	77.370

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	74.424
0 % Min	66.770

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
66.770	5310	112.190	2023
67.818	141	112.290	3187
67.983	140	112.517	1628
68.630	3033	114.638	1925
69.407	3034	116.733	1429

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	6187	Sum Weights	6187
Mean	4.1533412	Sum Observations	25696.722
Std Deviation	1.3311291	Variance	1.77190468
Skewness	-0.4551453	Kurtosis	0.93714287
Uncorrected SS	117688.257	Corrected SS	10961.0024
Coeff Variation	32.0495966	Std Error Mean	0.01692311

Basic Statistical Measures			
Location		Variability	
Mean	4.153341	Std Deviation	1.33113
Median	4.242000	Variance	1.77190
Mode	0.000000	Range	8.49100
		Interquartile Range	1.51800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	245.4243	Pr > t	<.0001
Sign	M	3053.5	Pr >= M	<.0001
Signed Rank	S	9325389	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.491
99%	7.157
95%	6.217
90%	5.692
75% Q3	4.981
50% Median	4.242
25% Q1	3.463
10%	2.496
5%	1.628

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.000
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	8.300	5027
0	6190	8.338	4658
0	6126	8.386	2556
0	6098	8.485	5947
0	6060	8.491	2709

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	46.55
T	31	0.50	53.45
Total	58	0.93	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	6153	Sum Weights	6153
Mean	4.70578596	Sum Observations	28954.701
Std Deviation	1.35153885	Variance	1.82665726
Skewness	-0.4613692	Kurtosis	1.21385594
Uncorrected SS	147492.221	Corrected SS	11237.5955
Coeff Variation	28.7207888	Std Error Mean	0.01722999

Basic Statistical Measures			
Location		Variability	
Mean	4.705786	Std Deviation	1.35154
Median	4.800000	Variance	1.82666
Mode	4.800000	Range	10.51000
Interquartile Range			1.51000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	273.116	Pr > t	<.0001
Sign	M	3059.5	Pr >= M	<.0001
Signed Rank	S	9362070	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.51
99%	7.85
95%	6.73
90%	6.26
75% Q3	5.51
50% Median	4.80
25% Q1	4.00
10%	3.06
5%	2.20

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00

The UNIVARIATE Procedure

Variable: V00JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.71
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	9.02	585
0	6190	9.10	2059
0	6126	9.10	2556
0	6060	9.52	6199
0	5241	10.51	2709

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	29.35
T	65	1.04	70.65
Total	92	1.47	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	6179	Sum Weights	6179
Mean	4.89057501	Sum Observations	30218.863
Std Deviation	1.35273784	Variance	1.82989967
Skewness	-0.4982394	Kurtosis	1.38182651
Uncorrected SS	159092.736	Corrected SS	11305.1201
Coeff Variation	27.660098	Std Error Mean	0.01720896

Basic Statistical Measures			
Location		Variability	
Mean	4.890575	Std Deviation	1.35274
Median	4.990000	Variance	1.82990
Mode	5.100000	Range	10.41000
Interquartile Range			1.51000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	284.1878	Pr > t	<.0001
Sign	M	3074	Pr >= M	<.0001
Signed Rank	S	9451013	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.41
99%	7.98
95%	6.95
90%	6.46
75% Q3	5.70
50% Median	4.99
25% Q1	4.19
10%	3.29
5%	2.50

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.72
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	9.30	2556
0	6190	9.40	2059
0	6126	9.72	3222
0	6060	9.86	6199
0	5241	10.41	2709

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	40.91
T	39	0.62	59.09
Total	66	1.06	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	6193	Sum Weights	6193
Mean	5.52256483	Sum Observations	34201.244
Std Deviation	1.40131603	Variance	1.96368662
Skewness	-0.4620728	Kurtosis	1.46980162
Uncorrected SS	201037.735	Corrected SS	12159.1475
Coeff Variation	25.3743699	Std Error Mean	0.01780679

Basic Statistical Measures			
Location		Variability	
Mean	5.522565	Std Deviation	1.40132
Median	5.570000	Variance	1.96369
Mode	5.400000	Range	11.22000
Interquartile Range			1.65000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	310.1382	Pr > t	<.0001
Sign	M	3086.5	Pr >= M	<.0001
Signed Rank	S	9528026	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.22
99%	8.62
95%	7.70
90%	7.16
75% Q3	6.40
50% Median	5.57
25% Q1	4.75
10%	3.86
5%	3.18

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	10.20	5361
0	6060	10.51	2224
0	6033	10.60	1673
0	5241	11.00	6199
0	4830	11.22	3222

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	51.92
T	25	0.40	48.08
Total	52	0.83	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	6194	Sum Weights	6194
Mean	6.63637391	Sum Observations	41105.7
Std Deviation	1.50381465	Variance	2.2614585
Skewness	-0.2220431	Kurtosis	1.33575882
Uncorrected SS	286798.008	Corrected SS	14005.2125
Coeff Variation	22.6601857	Std Error Mean	0.01910771

Basic Statistical Measures			
Location		Variability	
Mean	6.636374	Std Deviation	1.50381
Median	6.610000	Variance	2.26146
Mode	6.800000	Range	14.62000
Interquartile Range			1.88000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	347.3139	Pr > t	<.0001
Sign	M	3091	Pr >= M	<.0001
Signed Rank	S	9555827	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	14.62
99%	10.21
95%	9.07
90%	8.50
75% Q3	7.60
50% Median	6.61
25% Q1	5.72
10%	4.85
5%	4.30

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.50
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	12.22	3222
0	6060	12.32	2224
0	5241	12.70	6199
0	4154	13.00	1673
0	4051	14.62	5361

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	52.94
T	24	0.38	47.06
Total	51	0.82	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	6189	Sum Weights	6189
Mean	5.15828454	Sum Observations	31924.623
Std Deviation	1.36749473	Variance	1.87004184
Skewness	-0.5055521	Kurtosis	1.46986988
Uncorrected SS	176248.108	Corrected SS	11571.8189
Coeff Variation	26.5106494	Std Error Mean	0.01738263

Basic Statistical Measures			
Location		Variability	
Mean	5.158285	Std Deviation	1.36749
Median	5.220000	Variance	1.87004
Mode	5.100000	Range	10.22000
Interquartile Range			1.58000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	296.7494	Pr > t	<.0001
Sign	M	3081.5	Pr >= M	<.0001
Signed Rank	S	9497183	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.22
99%	8.34
95%	7.26
90%	6.71
75% Q3	6.01
50% Median	5.22
25% Q1	4.43
10%	3.52
5%	2.81

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.92
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	9.70	2556
0	6126	9.90	2709
0	6060	10.00	1673
0	6033	10.20	6199
0	5301	10.22	3222

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	48.21
T	29	0.46	51.79
Total	56	0.90	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	6120	Sum Weights	6120
Mean	3.67790229	Sum Observations	22508.762
Std Deviation	1.61938246	Variance	2.62239957
Skewness	1.02070654	Kurtosis	2.72597268
Uncorrected SS	98831.4902	Corrected SS	16046.4629
Coeff Variation	44.0300567	Std Error Mean	0.02070016

Basic Statistical Measures			
Location		Variability	
Mean	3.677902	Std Deviation	1.61938
Median	3.453000	Variance	2.62240
Mode	3.400000	Range	19.20500
		Interquartile Range	2.00500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	177.6751	Pr > t	<.0001
Sign	M	3059.5	Pr >= M	<.0001
Signed Rank	S	9362070	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	19.2050
99%	8.5070
95%	6.6695
90%	5.7835
75% Q3	4.5760
50% Median	3.4530
25% Q1	2.5710
10%	1.8195
5%	1.4140

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.7930
0 % Min	0.0000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000	1292	11.484	3755
0.113	1628	11.643	2058
0.166	2406	11.656	2059
0.202	2941	11.900	3532
0.303	954	19.205	6233

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	20	0.32	16.00	
P	27	0.43	21.60	
T	78	1.25	62.40	
Total	125	2.00	100.00	

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	6168	Sum Weights	6168
Mean	10.7634859	Sum Observations	66389.181
Std Deviation	2.37458258	Variance	5.63864241
Skewness	-0.3795905	Kurtosis	2.11423405
Uncorrected SS	749352.521	Corrected SS	34773.5078
Coeff Variation	22.0614641	Std Error Mean	0.03023536

Basic Statistical Measures			
Location		Variability	
Mean	10.76349	Std Deviation	2.37458
Median	10.81000	Variance	5.63864
Mode	10.12000	Range	23.29000
Interquartile Range			2.69000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	355.99	Pr > t	<.0001
Sign	M	3083	Pr >= M	<.0001
Signed Rank	S	9506431	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	23.29
99%	16.38
95%	14.51
90%	13.58
75% Q3	12.15
50% Median	10.81
25% Q1	9.46
10%	8.07
5%	6.95

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	3.57
0 % Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	1776	18.71	3833
0.00	1775	18.71	3834
0.18	5439	19.19	197
0.18	5438	23.29	5260
0.18	4898	23.29	5261

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	77	1.23	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	6132	Sum Weights	6132
Mean	4.59111579	Sum Observations	28152.722
Std Deviation	1.36180222	Variance	1.85450528
Skewness	-0.40789	Kurtosis	1.12793193
Uncorrected SS	140622.378	Corrected SS	11369.9719
Coeff Variation	29.6616831	Std Error Mean	0.01739054

Basic Statistical Measures			
Location		Variability	
Mean	4.591116	Std Deviation	1.36180
Median	4.660000	Variance	1.85451
Mode	5.100000	Range	10.51000
Interquartile Range			1.52000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	264.0008	Pr > t	<.0001
Sign	M	3047	Pr >= M	<.0001
Signed Rank	S	9285733	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.51
99%	7.82
95%	6.69
90%	6.13
75% Q3	5.41
50% Median	4.66
25% Q1	3.89
10%	2.94
5%	2.10

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.62
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	9.02	627
0	6190	9.06	2088
0	6126	9.07	849
0	6060	9.50	1829
0	5241	10.51	2709

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	23.89
T	86	1.38	76.11
Total	113	1.81	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	6191	Sum Weights	6191
Mean	6.00514182	Sum Observations	37177.833
Std Deviation	1.44373039	Variance	2.08435743
Skewness	-0.3308447	Kurtosis	1.36185179
Uncorrected SS	236160.332	Corrected SS	12902.1725
Coeff Variation	24.0415702	Std Error Mean	0.01834872

Basic Statistical Measures			
Location		Variability	
Mean	6.005142	Std Deviation	1.44373
Median	6.010000	Variance	2.08436
Mode	5.900000	Range	12.13000
Interquartile Range			1.76000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	327.2786	Pr > t	<.0001
Sign	M	3089.5	Pr >= M	<.0001
Signed Rank	S	9546555	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.13
99%	9.40
95%	8.28
90%	7.72
75% Q3	6.92
50% Median	6.01
25% Q1	5.16
10%	4.30
5%	3.70

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.81
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6233	11.42	2224
0	6060	11.60	1673
0	5241	11.82	3222
0	4154	12.02	6199
0	4051	12.13	5361

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	27	0.43	50.00
T	27	0.43	50.00
Total	54	0.86	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	5828	Sum Weights	5828
Mean	6.10374056	Sum Observations	35572.6
Std Deviation	1.64259925	Variance	2.69813229
Skewness	-0.5808401	Kurtosis	1.37789787
Uncorrected SS	232847.938	Corrected SS	15722.0169
Coeff Variation	26.9113543	Std Error Mean	0.02151651

Basic Statistical Measures			
Location		Variability	
Mean	6.103741	Std Deviation	1.64260
Median	6.200000	Variance	2.69813
Mode	5.900000	Range	12.61000
Interquartile Range			1.82000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	283.6771	Pr > t	<.0001
Sign	M	2904	Pr >= M	<.0001
Signed Rank	S	8434668	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.61
99%	9.70
95%	8.57
90%	8.00
75% Q3	7.12
50% Median	6.20
25% Q1	5.30
10%	4.11
5%	3.10

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.10
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5200	11.58	4336
0	4965	11.71	4582
0	4892	11.78	3585
0	4673	11.87	1351
0	4332	12.61	3791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	5.28
P	27	0.43	6.47
T	368	5.89	88.25
Total	417	6.68	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	5549	Sum Weights	5549
Mean	6.43041809	Sum Observations	35682.39
Std Deviation	1.73527481	Variance	3.01117866
Skewness	-0.5976726	Kurtosis	1.57760842
Uncorrected SS	246158.705	Corrected SS	16706.0192
Coeff Variation	26.9854119	Std Error Mean	0.0232949

Basic Statistical Measures			
Location		Variability	
Mean	6.430418	Std Deviation	1.73527
Median	6.530000	Variance	3.01118
Mode	6.100000	Range	16.21000
Interquartile Range			1.95000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	276.044	Pr > t	<.0001
Sign	M	2761.5	Pr >= M	<.0001
Signed Rank	S	7627263	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	16.21
99%	10.12
95%	8.99
90%	8.40
75% Q3	7.51
50% Median	6.53
25% Q1	5.56
10%	4.40
5%	3.18

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.10
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5200	12.27	4582
0	4965	12.36	2918
0	4892	12.38	1351
0	4881	13.25	2783
0	4741	16.21	5343

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	3.16
P	27	0.43	3.88
T	647	10.36	92.96
Total	696	11.14	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	5901	Sum Weights	5901
Mean	7.70166412	Sum Observations	45447.52
Std Deviation	1.90458566	Variance	3.62744655
Skewness	-0.5444655	Kurtosis	0.95675078
Uncorrected SS	371423.469	Corrected SS	21401.9347
Coeff Variation	24.7295342	Std Error Mean	0.02479349

Basic Statistical Measures			
Location		Variability	
Mean	7.701664	Std Deviation	1.90459
Median	7.850000	Variance	3.62745
Mode	6.700000	Range	13.61000
		Interquartile Range	2.35000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	310.6325	Pr > t	<.0001
Sign	M	2943.5	Pr >= M	<.0001
Signed Rank	S	8665664	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.61
99%	11.68
95%	10.51
90%	9.97
75% Q3	8.96
50% Median	7.85
25% Q1	6.61
10%	5.30
5%	4.40

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.12
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5345	13.26	981
0	4965	13.26	1096
0	4892	13.31	4461
0	4673	13.41	2058
0	4332	13.61	6240

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	6.40
P	27	0.43	7.85
T	295	4.72	85.76
Total	344	5.51	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	5949	Sum Weights	5949
Mean	6.27211296	Sum Observations	37312.8
Std Deviation	1.64780678	Variance	2.71526717
Skewness	-0.6045306	Kurtosis	1.32180974
Uncorrected SS	250180.506	Corrected SS	16150.4091
Coeff Variation	26.2719563	Std Error Mean	0.02136409

Basic Statistical Measures			
Location		Variability	
Mean	6.272113	Std Deviation	1.64781
Median	6.360000	Variance	2.71527
Mode	6.700000	Range	12.61000
Interquartile Range			1.86000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	293.5821	Pr > t	<.0001
Sign	M	2964	Pr >= M	<.0001
Signed Rank	S	8786778	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.61
99%	9.81
95%	8.73
90%	8.22
75% Q3	7.30
50% Median	6.36
25% Q1	5.44
10%	4.25
5%	3.29

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5200	11.34	2783
0	4965	11.77	1351
0	4892	11.77	4336
0	4673	11.78	3585
0	4332	12.61	3791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	7.43
P	27	0.43	9.12
T	247	3.96	83.45
Total	296	4.74	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	6032	Sum Weights	6032
Mean	7.16156996	Sum Observations	43198.59
Std Deviation	1.73273935	Variance	3.00238565
Skewness	-0.6011425	Kurtosis	1.10371737
Uncorrected SS	327477.112	Corrected SS	18107.3878
Coeff Variation	24.194965	Std Error Mean	0.02231015

Basic Statistical Measures			
Location		Variability	
Mean	7.161570	Std Deviation	1.73274
Median	7.300000	Variance	3.00239
Mode	7.710000	Range	13.07000
		Interquartile Range	2.07500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	321.0005	Pr > t	<.0001
Sign	M	3009.5	Pr >= M	<.0001
Signed Rank	S	9058595	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.070
99%	10.670
95%	9.800
90%	9.180
75% Q3	8.285
50% Median	7.300
25% Q1	6.210
10%	5.000
5%	4.100

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.930
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4965	11.90	1096
0	4892	11.90	3142
0	4673	11.95	3833
0	4332	12.31	3422
0	3410	13.07	3791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	10.33
P	27	0.43	12.68
T	164	2.63	77.00
Total	213	3.41	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	5666	Sum Weights	5666
Mean	6.11114896	Sum Observations	34625.77
Std Deviation	1.67361782	Variance	2.80099661
Skewness	-0.559471	Kurtosis	1.35694105
Uncorrected SS	227470.884	Corrected SS	15867.6458
Coeff Variation	27.3863038	Std Error Mean	0.02223402

Basic Statistical Measures			
Location		Variability	
Mean	6.111149	Std Deviation	1.67362
Median	6.210000	Variance	2.80100
Mode	5.900000	Range	12.58000
Interquartile Range			1.85000

Note: The mode displayed is the smallest of 2 modes with a count of 64.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	274.8558	Pr > t	<.0001
Sign	M	2820.5	Pr >= M	<.0001
Signed Rank	S	7956631	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.58
99%	9.80
95%	8.61
90%	8.05
75% Q3	7.15
50% Median	6.21
25% Q1	5.30
10%	4.10
5%	3.03

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.12
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5200	12.04	4582
0	4965	12.07	1351
0	4892	12.25	2783
0	4881	12.27	3791
0	4741	12.58	5343

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	3.80
P	27	0.43	4.66
T	530	8.49	91.54
Total	579	9.27	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	5958	Sum Weights	5958
Mean	7.4541054	Sum Observations	44411.56
Std Deviation	1.79924976	Variance	3.23729971
Skewness	-0.5893271	Kurtosis	1.05285668
Uncorrected SS	350333.044	Corrected SS	19284.5944
Coeff Variation	24.1377022	Std Error Mean	0.02330994

Basic Statistical Measures			
Location		Variability	
Mean	7.454105	Std Deviation	1.79925
Median	7.600000	Variance	3.23730
Mode	7.600000	Range	13.11000
Interquartile Range			2.17000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	319.7822	Pr > t	<.0001
Sign	M	2973	Pr >= M	<.0001
Signed Rank	S	8840216	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.11
99%	11.20
95%	10.14
90%	9.60
75% Q3	8.62
50% Median	7.60
25% Q1	6.45
10%	5.20
5%	4.30

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.10
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4965	12.47	1096
0	4892	12.58	1906
0	4673	12.67	981
0	4332	12.74	3833
0	3410	13.11	3422

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	7.67
P	27	0.43	9.41
T	238	3.81	82.93
Total	287	4.60	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	6052	Sum Weights	6052
Mean	6.86040813	Sum Observations	41519.19
Std Deviation	1.70279929	Variance	2.89952542
Skewness	-0.610433	Kurtosis	1.13439395
Uncorrected SS	302383.617	Corrected SS	17545.0283
Coeff Variation	24.8206704	Std Error Mean	0.0218884

Basic Statistical Measures			
Location		Variability	
Mean	6.860408	Std Deviation	1.70280
Median	7.000000	Variance	2.89953
Mode	6.800000	Range	12.85000
		Interquartile Range	2.06000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	313.4267	Pr > t	<.0001
Sign	M	3019	Pr >= M	<.0001
Signed Rank	S	9115871	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.85
99%	10.40
95%	9.42
90%	8.84
75% Q3	7.98
50% Median	7.00
25% Q1	5.92
10%	4.80
5%	3.80

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.81
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4965	11.84	3833
0	4892	11.92	5759
0	4673	12.01	3585
0	4332	12.09	4336
0	4222	12.85	3791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	11.40
P	27	0.43	13.99
T	144	2.31	74.61
Total	193	3.09	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	6023	Sum Weights	6023
Mean	6.54866014	Sum Observations	39442.58
Std Deviation	1.67338033	Variance	2.80020174
Skewness	-0.6138361	Kurtosis	1.20081315
Uncorrected SS	275158.866	Corrected SS	16862.8149
Coeff Variation	25.5530185	Std Error Mean	0.02156196

Basic Statistical Measures			
Location		Variability	
Mean	6.548660	Std Deviation	1.67338
Median	6.670000	Variance	2.80020
Mode	6.800000	Range	12.51000
Interquartile Range			1.94000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	303.7136	Pr > t	<.0001
Sign	M	3004.5	Pr >= M	<.0001
Signed Rank	S	9028523	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	10.09
95%	9.07
90%	8.51
75% Q3	7.61
50% Median	6.67
25% Q1	5.67
10%	4.53
5%	3.51

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.50
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4965	11.67	1351
0	4892	11.72	5759
0	4673	12.13	3585
0	4332	12.19	4336
0	4222	12.51	3791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	9.91
P	27	0.43	12.16
T	173	2.77	77.93
Total	222	3.55	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	6165	Sum Weights	6165
Mean	0.1282944	Sum Observations	790.935
Std Deviation	0.04576363	Variance	0.00209431
Skewness	1.13689124	Kurtosis	2.43213726
Uncorrected SS	114.381861	Corrected SS	12.9093267
Coeff Variation	35.6707932	Std Error Mean	0.00058285

Basic Statistical Measures			
Location		Variability	
Mean	0.128294	Std Deviation	0.04576
Median	0.121000	Variance	0.00209
Mode	0.107000	Range	0.42600
		Interquartile Range	0.05500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	220.1171	Pr > t	<.0001
Sign	M	3082.5	Pr >= M	<.0001
Signed Rank	S	9503348	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.429
99%	0.272
95%	0.215
90%	0.186
75% Q3	0.152
50% Median	0.121
25% Q1	0.097
10%	0.079
5%	0.069

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure****Variable: V00XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.050
0% Min	0.003

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.003	1850	0.371	1628
0.014	4475	0.373	2709
0.017	3283	0.406	2934
0.026	5386	0.409	2088
0.032	5712	0.429	1554

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	27.50
P	27	0.43	33.75
T	31	0.50	38.75
Total	80	1.28	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	6223	Sum Weights	6223
Mean	0.11955648	Sum Observations	744
Std Deviation	0.32446826	Variance	0.10527965
Skewness	2.34578156	Kurtosis	3.50381711
Uncorrected SS	744	Corrected SS	655.049976
Coeff Variation	271.393274	Std Error Mean	0.00411313

Basic Statistical Measures			
Location		Variability	
Mean	0.119556	Std Deviation	0.32447
Median	0.000000	Variance	0.10528
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.06704	Pr > t	<.0001
Sign	M	372	Pr >= M	<.0001
Signed Rank	S	138570	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6159
0	6244	1	6163
0	6243	1	6177
0	6242	1	6188
0	6241	1	6239

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	6223	Sum Weights	6223
Mean	0.01156998	Sum Observations	72
Std Deviation	0.10694838	Variance	0.01143796
Skewness	9.13687607	Kurtosis	81.5087001
Uncorrected SS	72	Corrected SS	71.1669613
Coeff Variation	924.360784	Std Error Mean	0.00135573

Basic Statistical Measures			
Location		Variability	
Mean	0.011570	Std Deviation	0.10695
Median	0.000000	Variance	0.01144
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.534113	Pr > t	<.0001
Sign	M	36	Pr >= M	<.0001
Signed Rank	S	1314	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6195
0	6243	1	6196
0	6242	1	6207
0	6241	1	6226
0	6240	1	6244

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	6223	Sum Weights	6223
Mean	0.00353527	Sum Observations	22
Std Deviation	0.05935773	Variance	0.00352334
Skewness	16.7332651	Kurtosis	278.091536
Uncorrected SS	22	Corrected SS	21.922224
Coeff Variation	1679.01441	Std Error Mean	0.00075245

Basic Statistical Measures			
Location		Variability	
Mean	0.003535	Std Deviation	0.05936
Median	0.000000	Variance	0.00352
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.698351	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	5408
0	6244	1	5409
0	6243	1	5910
0	6242	1	5948
0	6241	1	6091

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	6223	Sum Weights	6223
Mean	0.01574803	Sum Observations	98
Std Deviation	0.12450912	Variance	0.01550252
Skewness	7.78107873	Kurtosis	58.5640079
Uncorrected SS	98	Corrected SS	96.4566929
Coeff Variation	790.632943	Std Error Mean	0.00157834

Basic Statistical Measures			
Location		Variability	
Mean	0.015748	Std Deviation	0.12451
Median	0.000000	Variance	0.01550
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.977575	Pr > t	<.0001
Sign	M	49	Pr >= M	<.0001
Signed Rank	S	2425.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6078
0	6244	1	6079
0	6243	1	6081
0	6242	1	6088
0	6241	1	6089

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	6223	Sum Weights	6223
Mean	0.01285554	Sum Observations	80
Std Deviation	0.11266016	Variance	0.01269231
Skewness	8.6508149	Kurtosis	72.8600147
Uncorrected SS	80	Corrected SS	78.9715571
Coeff Variation	876.355186	Std Error Mean	0.00142814

Basic Statistical Measures			
Location		Variability	
Mean	0.012856	Std Deviation	0.11266
Median	0.000000	Variance	0.01269
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.001601	Pr > t	<.0001
Sign	M	40	Pr >= M	<.0001
Signed Rank	S	1620	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6060
0	6244	1	6098
0	6243	1	6126
0	6242	1	6190
0	6241	1	6233

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	6223	Sum Weights	6223
Mean	0.41426964	Sum Observations	2578
Std Deviation	0.49263506	Variance	0.2426893
Skewness	0.34816002	Kurtosis	-1.8793887
Uncorrected SS	2578	Corrected SS	1510.01286
Coeff Variation	118.916524	Std Error Mean	0.0062449

Basic Statistical Measures			
Location		Variability	
Mean	0.414270	Std Deviation	0.49264
Median	0.000000	Variance	0.24269
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	66.33729	Pr > t	<.0001
Sign	M	1289	Pr >= M	<.0001
Signed Rank	S	1662166	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6244	1	6236
0	6243	1	6237
0	6242	1	6240
0	6239	1	6241
0	6238	1	6245

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	6223	Sum Weights	6223
Mean	0.04049494	Sum Observations	252
Std Deviation	0.19713281	Variance	0.03886134
Skewness	4.66338201	Kurtosis	19.7534802
Uncorrected SS	252	Corrected SS	241.795276
Coeff Variation	486.808511	Std Error Mean	0.00249896

Basic Statistical Measures			
Location		Variability	
Mean	0.040495	Std Deviation	0.19713
Median	0.000000	Variance	0.03886
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.20473	Pr > t	<.0001
Sign	M	126	Pr >= M	<.0001
Signed Rank	S	15939	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6129
0	6244	1	6168
0	6243	1	6183
0	6242	1	6184
0	6241	1	6220

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	6223	Sum Weights	6223
Mean	0.00498152	Sum Observations	31
Std Deviation	0.07040953	Variance	0.0049575
Skewness	14.065643	Kurtosis	195.905275
Uncorrected SS	31	Corrected SS	30.8455729
Coeff Variation	1413.41444	Std Error Mean	0.00089255

Basic Statistical Measures			
Location		Variability	
Mean	0.004982	Std Deviation	0.07041
Median	0.000000	Variance	0.00496
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.581236	Pr > t	<.0001
Sign	M	15.5	Pr >= M	<.0001
Signed Rank	S	248	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	4561
0	6244	1	5152
0	6243	1	5408
0	6242	1	5857
0	6241	1	6134

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	6223	Sum Weights	6223
Mean	0.07375864	Sum Observations	459
Std Deviation	0.2613987	Variance	0.06832928
Skewness	3.26228397	Kurtosis	8.64527508
Uncorrected SS	459	Corrected SS	425.144785
Coeff Variation	354.397411	Std Error Mean	0.00331363

Basic Statistical Measures			
Location		Variability	
Mean	0.073759	Std Deviation	0.26140
Median	0.000000	Variance	0.06833
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	22.25919	Pr > t	<.0001
Sign	M	229.5	Pr >= M	<.0001
Signed Rank	S	52785	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	6245	1	6195
0	6243	1	6198
0	6242	1	6211
0	6241	1	6238
0	6240	1	6244

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	22	0.35	100.00

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	6223	Sum Weights	6223
Mean	0.14789946	Sum Observations	920.378312
Std Deviation	0.03099622	Variance	0.00096077
Skewness	-0.5282174	Kurtosis	-1.0596278
Uncorrected SS	142.101334	Corrected SS	5.97788236
Coeff Variation	20.9576269	Std Error Mean	0.00039292

Basic Statistical Measures			
Location		Variability	
Mean	0.147899	Std Deviation	0.03100
Median	0.150000	Variance	0.0009608
Mode	0.150000	Range	0.10000
Interquartile Range			0.06800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	376.4071	Pr > t	<.0001
Sign	M	3111.5	Pr >= M	<.0001
Signed Rank	S	9682988	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200
99%	0.200
95%	0.176
90%	0.176
75% Q3	0.170
50% Median	0.150
25% Q1	0.102
10%	0.101
5%	0.100

OAI 0.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea00**The UNIVARIATE Procedure**

Variable: V00IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.100
0 % Min	0.100

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.1	6235	0.2	6222
0.1	6232	0.2	6228
0.1	6220	0.2	6229
0.1	6219	0.2	6240
0.1	6192	0.2	6241

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	22	0.35	100.00