

**OAI 1.8 03/04/2016: Contents of kxr\_qjsw\_duryea01****The CONTENTS Procedure**

|                     |                           |                      |      |
|---------------------|---------------------------|----------------------|------|
| Data Set Name       | FUNC.KXR_QJSW_DURYEA01    | Observations         | 5874 |
| Member Type         | DATA                      | Variables            | 36   |
| Engine              | V8                        | Indexes              | 0    |
| Created             | 03/04/2016 09:15:21       | Observation Length   | 288  |
| Last Modified       | 03/04/2016 09:15:21       | Deleted Observations | 0    |
| Protection          |                           | Compressed           | NO   |
| Data Set Type       |                           | Sorted               | NO   |
| Label               |                           |                      |      |
| Data Representation | WINDOWS_64                |                      |      |
| Encoding            | wlatin1 Western (Windows) |                      |      |

**Engine/Host Dependent Information**

|                            |                                                                     |
|----------------------------|---------------------------------------------------------------------|
| Data Set Page Size         | 65536                                                               |
| Number of Data Set Pages   | 26                                                                  |
| First Data Page            | 1                                                                   |
| Max Obs per Page           | 227                                                                 |
| Obs in First Data Page     | 202                                                                 |
| Number of Data Set Repairs | 0                                                                   |
| ExtendObsCounter           | YES                                                                 |
| Filename                   | M:\VSS_OAI\SASCODE\datasets\functionalDS\kxr_qjsw_duryea01.sas7bdat |
| Release Created            | 9.0401M2                                                            |
| Host Created               | X64_SRV12                                                           |

**Alphabetic List of Variables and Attributes**

| #  | Variable   | Type | Len | Format  | Informat | Label                                                                                                                               |
|----|------------|------|-----|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------|
| 1  | ID         | Char | 7   | \$7.    | \$7.     | ReleaseID                                                                                                                           |
| 2  | SIDE       | Num  | 8   | LRB.    |          | SIDE                                                                                                                                |
| 10 | V01BARCDJD | Char | 12  | \$12.   | \$12.    | BL/FU kXR reading (JD): barcode of image analyzed (quantJSW)                                                                        |
| 14 | V01BMANG   | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees]                                                          |
| 5  | V01CFWDTH  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm]                                                         |
| 36 | V01IMPIXSZ | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm] |

## OAI 1.8 03/04/2016: Contents of kxr\_qjsw\_duryea01

## The CONTENTS Procedure

| Alphabetic List of Variables and Attributes |            |      |     |         |          |                                                                                                               |
|---------------------------------------------|------------|------|-----|---------|----------|---------------------------------------------------------------------------------------------------------------|
| #                                           | Variable   | Type | Len | Format  | Informat | Label                                                                                                         |
| 27                                          | V01INCPLL  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T                 |
| 28                                          | V01INCPLM  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T                  |
| 32                                          | V01INCSTPS | Num  | 8   | YNDK.   |          | BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance                  |
| 15                                          | V01JSW150  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.150 [mm]                                                            |
| 7                                           | V01JSW175  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.175 [mm]                                                            |
| 8                                           | V01JSW200  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.200 [mm]                                                            |
| 12                                          | V01JSW225  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.225 [mm]                                                            |
| 9                                           | V01JSW250  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.250 [mm]                                                            |
| 16                                          | V01JSW275  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.275 [mm]                                                            |
| 11                                          | V01JSW300  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.300 [mm]                                                            |
| 19                                          | V01LJSW700 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm]                                                           |
| 23                                          | V01LJSW725 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm]                                                           |
| 21                                          | V01LJSW750 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm]                                                           |
| 24                                          | V01LJSW775 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm]                                                           |
| 25                                          | V01LJSW800 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm]                                                           |
| 20                                          | V01LJSW825 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm]                                                           |
| 17                                          | V01LJSW850 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm]                                                           |
| 22                                          | V01LJSW875 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm]                                                           |
| 18                                          | V01LJSW900 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm]                                                           |
| 33                                          | V01LTPMEBE | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge                            |
| 6                                           | V01MCMJSW  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial minimum JSW [mm]                                                               |
| 31                                          | V01MJSWBB  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment       |
| 30                                          | V01NOLJSWX | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality       |
| 35                                          | V01NOLMIN  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum                                    |
| 34                                          | V01NOMJSWX | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality        |
| 29                                          | V01NOMMJSW | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason |

**OAI 1.8 03/04/2016: Contents of kxr\_qjsw\_duryea01****The CONTENTS Procedure**

## Alphabetic List of Variables and Attributes

| #  | Variable  | Type | Len | Format  | Informat | Label                                                                                              |
|----|-----------|------|-----|---------|----------|----------------------------------------------------------------------------------------------------|
| 13 | V01TPCFDS | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm] |
| 26 | V01XMJSW  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): x coordinate of minimum JSW                                                |
| 4  | VERSION   | Char | 3   |         |          | Release Version                                                                                    |
| 3  | readprj   | Char | 3   |         |          | Project                                                                                            |

## OAI 1.8 03/04/2016: Contents of kxr\_qjsw\_duryea01

## The CONTENTS Procedure

| Variables in Creation Order |            |      |     |         |          |                                                                                                    |
|-----------------------------|------------|------|-----|---------|----------|----------------------------------------------------------------------------------------------------|
| #                           | Variable   | Type | Len | Format  | Informat | Label                                                                                              |
| 1                           | ID         | Char | 7   | \$7.    | \$7.     | ReleaseID                                                                                          |
| 2                           | SIDE       | Num  | 8   | LRB.    |          | SIDE                                                                                               |
| 3                           | readprj    | Char | 3   |         |          | Project                                                                                            |
| 4                           | VERSION    | Char | 3   |         |          | Release Version                                                                                    |
| 5                           | V01CFWDTH  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm]                        |
| 6                           | V01MCMJSW  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial minimum JSW [mm]                                                    |
| 7                           | V01JSW175  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.175 [mm]                                                 |
| 8                           | V01JSW200  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.200 [mm]                                                 |
| 9                           | V01JSW250  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.250 [mm]                                                 |
| 10                          | V01BARCDJD | Char | 12  | \$12.   | \$12.    | BL/FU kXR reading (JD): barcode of image analyzed (quantJSW)                                       |
| 11                          | V01JSW300  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.300 [mm]                                                 |
| 12                          | V01JSW225  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.225 [mm]                                                 |
| 13                          | V01TPCFDS  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm] |
| 14                          | V01BMANG   | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees]                         |
| 15                          | V01JSW150  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.150 [mm]                                                 |
| 16                          | V01JSW275  | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): medial JSW at x=0.275 [mm]                                                 |
| 17                          | V01LJSW850 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm]                                                |
| 18                          | V01LJSW900 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm]                                                |
| 19                          | V01LJSW700 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm]                                                |
| 20                          | V01LJSW825 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm]                                                |
| 21                          | V01LJSW750 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm]                                                |
| 22                          | V01LJSW875 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm]                                                |
| 23                          | V01LJSW725 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm]                                                |
| 24                          | V01LJSW775 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm]                                                |
| 25                          | V01LJSW800 | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm]                                                |
| 26                          | V01XMJSW   | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): x coordinate of minimum JSW                                                |
| 27                          | V01INCPLL  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T      |
| 28                          | V01INCPLM  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T       |

**OAI 1.8 03/04/2016: Contents of kxr\_qjsw\_duryea01****The CONTENTS Procedure**

| Variables in Creation Order |            |      |     |         |          |                                                                                                                                     |
|-----------------------------|------------|------|-----|---------|----------|-------------------------------------------------------------------------------------------------------------------------------------|
| #                           | Variable   | Type | Len | Format  | Informat | Label                                                                                                                               |
| 29                          | V01NOMMJSW | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason                       |
| 30                          | V01NOLJSWX | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality                             |
| 31                          | V01MJSWBB  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment                             |
| 32                          | V01INCSTPS | Num  | 8   | YNDK.   |          | BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance                                        |
| 33                          | V01LTPMEBE | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge                                                  |
| 34                          | V01NOMJSWX | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality                              |
| 35                          | V01NOLMIN  | Num  | 8   | YNDK.   | BEST32.  | BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum                                                          |
| 36                          | V01IMPIXSZ | Num  | 8   | BEST12. | BEST32.  | BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm] |