

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	5834	Sum Weights	5834
Mean	88.5440382	Sum Observations	516565.919
Std Deviation	7.61790803	Variance	58.0325228
Skewness	0.35583339	Kurtosis	-0.5736194
Uncorrected SS	46077336.2	Corrected SS	338503.706
Coeff Variation	8.60352451	Std Error Mean	0.09973613

Basic Statistical Measures			
Location		Variability	
Mean	88.54404	Std Deviation	7.61791
Median	87.37500	Variance	58.03252
Mode	82.62000	Range	48.05700
		Interquartile Range	11.92900

Note: The mode displayed is the smallest of 4 modes with a count of 7.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	887.783	Pr > t	<.0001
Sign	M	2917	Pr >= M	<.0001
Signed Rank	S	8510348	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	114.577
99%	106.427
95%	101.786
90%	99.297
75% Q3	94.520
50% Median	87.375
25% Q1	82.591
10%	79.500
5%	77.667

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	74.730
0 % Min	66.520

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
66.520	4982	111.758	1518
67.280	2252	112.037	1885
67.400	2253	112.139	1884
68.194	131	112.250	2969
68.405	130	114.577	1794

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	5798	Sum Weights	5798
Mean	4.1033058	Sum Observations	23790.967
Std Deviation	1.39183698	Variance	1.93721017
Skewness	-0.4296239	Kurtosis	0.83805316
Uncorrected SS	108851.62	Corrected SS	11230.0073
Coeff Variation	33.919894	Std Error Mean	0.01827887

Basic Statistical Measures			
Location		Variability	
Mean	4.103306	Std Deviation	1.39184
Median	4.206000	Variance	1.93721
Mode	0.000000	Range	10.29600
Interquartile Range			1.57900

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	224.4836	Pr > t	<.0001
Sign	M	2852.5	Pr >= M	<.0001
Signed Rank	S	8138183	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.296
99%	7.303
95%	6.204
90%	5.692
75% Q3	4.979
50% Median	4.206
25% Q1	3.400
10%	2.267
5%	1.473

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.000
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	8.364	548
0	5821	8.534	2736
0	5757	8.703	1335
0	5740	8.896	4246
0	5729	10.296	396

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	52.63
T	36	0.61	47.37
Total	76	1.29	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	5755	Sum Weights	5755
Mean	4.65428532	Sum Observations	26785.412
Std Deviation	1.41141234	Variance	1.9920848
Skewness	-0.4855419	Kurtosis	1.10294717
Uncorrected SS	136129.406	Corrected SS	11462.4559
Coeff Variation	30.3250069	Std Error Mean	0.01860507

Basic Statistical Measures			
Location		Variability	
Mean	4.654285	Std Deviation	1.41141
Median	4.770000	Variance	1.99208
Mode	5.100000	Range	10.52000
Interquartile Range			1.53000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	250.1622	Pr > t	<.0001
Sign	M	2858	Pr >= M	<.0001
Signed Rank	S	8169593	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.52
99%	7.90
95%	6.73
90%	6.24
75% Q3	5.51
50% Median	4.77
25% Q1	3.98
10%	2.90
5%	1.94

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.45
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	9.15	1335
0	5821	9.19	2070
0	5729	9.30	1196
0	5608	9.81	2069
0	5544	10.52	2528

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	33.61
T	79	1.34	66.39
Total	119	2.03	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	5779	Sum Weights	5779
Mean	4.84009154	Sum Observations	27970.889
Std Deviation	1.4145176	Variance	2.00086005
Skewness	-0.529393	Kurtosis	1.27439094
Uncorrected SS	146942.633	Corrected SS	11560.9694
Coeff Variation	29.2250176	Std Error Mean	0.01860724

Basic Statistical Measures			
Location		Variability	
Mean	4.840092	Std Deviation	1.41452
Median	4.990000	Variance	2.00086
Mode	5.100000	Range	10.90000
Interquartile Range			1.59000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	260.1187	Pr > t	<.0001
Sign	M	2872.5	Pr >= M	<.0001
Signed Rank	S	8252693	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.90
99%	8.02
95%	6.91
90%	6.46
75% Q3	5.70
50% Median	4.99
25% Q1	4.11
10%	3.08
5%	2.16

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.52
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	9.71	1335
0	5821	10.01	2528
0	5729	10.11	2069
0	5544	10.13	4246
0	5408	10.90	396

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	42.11
T	55	0.94	57.89
Total	95	1.62	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	5796	Sum Weights	5796
Mean	5.47033402	Sum Observations	31706.056
Std Deviation	1.45958302	Variance	2.13038259
Skewness	-0.517662	Kurtosis	1.42467944
Uncorrected SS	185788.284	Corrected SS	12345.5671
Coeff Variation	26.6817897	Std Error Mean	0.01917188

Basic Statistical Measures			
Location		Variability	
Mean	5.470334	Std Deviation	1.45958
Median	5.530000	Variance	2.13038
Mode	5.300000	Range	11.03000
		Interquartile Range	1.70000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	285.3312	Pr > t	<.0001
Sign	M	2886	Pr >= M	<.0001
Signed Rank	S	8330439	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.03
99%	8.69
95%	7.66
90%	7.16
75% Q3	6.40
50% Median	5.53
25% Q1	4.70
10%	3.74
5%	2.91

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	1.00
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	10.63	1196
0	5729	10.70	5405
0	5408	10.83	2070
0	5407	10.90	396
0	4921	11.03	2069

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	51.28
T	38	0.65	48.72
Total	78	1.33	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	5798	Sum Weights	5798
Mean	6.60590962	Sum Observations	38301.064
Std Deviation	1.55374284	Variance	2.41411681
Skewness	-0.3003949	Kurtosis	1.23959651
Uncorrected SS	267008.002	Corrected SS	13994.6351
Coeff Variation	23.520498	Std Error Mean	0.02040516

Basic Statistical Measures			
Location		Variability	
Mean	6.605910	Std Deviation	1.55374
Median	6.600000	Variance	2.41412
Mode	6.800000	Range	12.60000
Interquartile Range			1.92000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	323.7372	Pr > t	<.0001
Sign	M	2892	Pr >= M	<.0001
Signed Rank	S	8365110	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.60
99%	10.14
95%	9.07
90%	8.50
75% Q3	7.60
50% Median	6.60
25% Q1	5.68
10%	4.77
5%	4.10

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.23
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	12.25	2069
0	5729	12.26	2070
0	5408	12.37	1196
0	5407	12.58	5031
0	4921	12.60	1507

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	52.63
T	36	0.61	47.37
Total	76	1.29	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	5789	Sum Weights	5789
Mean	5.10653913	Sum Observations	29561.755
Std Deviation	1.43203266	Variance	2.05071753
Skewness	-0.5484526	Kurtosis	1.36677353
Uncorrected SS	162827.812	Corrected SS	11869.5531
Coeff Variation	28.0431154	Std Error Mean	0.01882137

Basic Statistical Measures			
Location		Variability	
Mean	5.106539	Std Deviation	1.43203
Median	5.210000	Variance	2.05072
Mode	5.100000	Range	11.00000
Interquartile Range			1.61000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	271.3161	Pr > t	<.0001
Sign	M	2878	Pr >= M	<.0001
Signed Rank	S	8284323	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.00
99%	8.27
95%	7.20
90%	6.73
75% Q3	6.00
50% Median	5.21
25% Q1	4.39
10%	3.37
5%	2.50

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.71
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	9.92	2937
0	5821	10.01	1196
0	5757	10.01	2070
0	5729	10.62	2069
0	5544	11.00	396

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	47.06
T	45	0.77	52.94
Total	85	1.45	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	5732	Sum Weights	5732
Mean	3.69366835	Sum Observations	21172.107
Std Deviation	1.62601151	Variance	2.64391344
Skewness	0.94348226	Kurtosis	1.9307816
Uncorrected SS	93355.0095	Corrected SS	15152.2679
Coeff Variation	44.0215893	Std Error Mean	0.02147685

Basic Statistical Measures			
Location		Variability	
Mean	3.693668	Std Deviation	1.62601
Median	3.492000	Variance	2.64391
Mode	3.400000	Range	15.08500
		Interquartile Range	1.94450

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	171.9837	Pr > t	<.0001
Sign	M	2866	Pr >= M	<.0001
Signed Rank	S	8215389	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	15.1870
99%	8.5380
95%	6.7190
90%	5.7870
75% Q3	4.5445
50% Median	3.4920
25% Q1	2.6000
10%	1.8130
5%	1.4000

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.7930
0 % Min	0.1020

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.102	1206	11.878	1574
0.113	1518	11.940	3895
0.227	776	12.467	1573
0.300	2403	12.857	2438
0.306	893	15.187	4863

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	22	0.37	15.49	
P	40	0.68	28.17	
T	80	1.36	56.34	
Total	142	2.42	100.00	

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	5825	Sum Weights	5825
Mean	10.7430237	Sum Observations	62578.113
Std Deviation	2.38913396	Variance	5.70796106
Skewness	-0.0570848	Kurtosis	1.74645794
Uncorrected SS	705521.316	Corrected SS	33243.1652
Coeff Variation	22.2389341	Std Error Mean	0.03130347

Basic Statistical Measures			
Location		Variability	
Mean	10.74302	Std Deviation	2.38913
Median	10.76000	Variance	5.70796
Mode	10.12000	Range	19.17000
Interquartile Range			2.48000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	343.1895	Pr > t	<.0001
Sign	M	2912.5	Pr >= M	<.0001
Signed Rank	S	8484113	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	19.34
99%	17.48
95%	14.83
90%	13.42
75% Q3	11.94
50% Median	10.76
25% Q1	9.46
10%	7.96
5%	6.79

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	4.25
0 % Min	0.17

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.17	2007	18.97	5680
0.17	2006	19.04	669
0.45	3757	19.19	5275
0.45	3756	19.19	5276
0.68	2463	19.34	670

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	49	0.83	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	5736	Sum Weights	5736
Mean	4.54082706	Sum Observations	26046.184
Std Deviation	1.41552097	Variance	2.00369961
Skewness	-0.4120853	Kurtosis	1.05411134
Uncorrected SS	129762.434	Corrected SS	11491.2172
Coeff Variation	31.173197	Std Error Mean	0.0186901

Basic Statistical Measures			
Location		Variability	
Mean	4.540827	Std Deviation	1.41552
Median	4.645000	Variance	2.00370
Mode	5.100000	Range	11.65000
Interquartile Range			1.57000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	242.9535	Pr > t	<.0001
Sign	M	2848	Pr >= M	<.0001
Signed Rank	S	8112528	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.650
99%	7.900
95%	6.650
90%	6.120
75% Q3	5.410
50% Median	4.645
25% Q1	3.840
10%	2.740
5%	1.840

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.500
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	9.18	3219
0	5821	9.31	4028
0	5729	9.31	5496
0	5608	9.70	2069
0	5544	11.65	2528

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	28.99
T	98	1.67	71.01
Total	138	2.35	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	5797	Sum Weights	5797
Mean	5.95990064	Sum Observations	34549.544
Std Deviation	1.4976524	Variance	2.24296272
Skewness	-0.4292467	Kurtosis	1.37526073
Uncorrected SS	218912.061	Corrected SS	13000.2119
Coeff Variation	25.1288149	Std Error Mean	0.01967023

Basic Statistical Measures			
Location		Variability	
Mean	5.959901	Std Deviation	1.49765
Median	6.000000	Variance	2.24296
Mode	6.120000	Range	11.54000
Interquartile Range			1.81000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	302.9909	Pr > t	<.0001
Sign	M	2890	Pr >= M	<.0001
Signed Rank	S	8353545	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.54
99%	9.32
95%	8.27
90%	7.72
75% Q3	6.92
50% Median	6.00
25% Q1	5.11
10%	4.20
5%	3.41

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.40
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5862	11.00	1507
0	5729	11.12	3004
0	5408	11.34	1196
0	5407	11.54	2069
0	4921	11.54	2070

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	40	0.68	51.95
T	37	0.63	48.05
Total	77	1.31	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	5452	Sum Weights	5452
Mean	6.08294571	Sum Observations	33164.22
Std Deviation	1.70516636	Variance	2.90759231
Skewness	-0.6276423	Kurtosis	1.2943171
Uncorrected SS	217585.435	Corrected SS	15849.2857
Coeff Variation	28.0319181	Std Error Mean	0.02309345

Basic Statistical Measures			
Location		Variability	
Mean	6.082946	Std Deviation	1.70517
Median	6.210000	Variance	2.90759
Mode	5.900000	Range	12.13000
Interquartile Range			1.90000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	263.4057	Pr > t	<.0001
Sign	M	2711	Pr >= M	<.0001
Signed Rank	S	7350877	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.13
99%	9.75
95%	8.62
90%	8.05
75% Q3	7.15
50% Median	6.21
25% Q1	5.25
10%	3.99
5%	2.80

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.82
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5333	11.15	797
0	5241	11.24	5608
0	5161	11.55	4057
0	5103	12.03	1263
0	4917	12.13	2595

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	5.69
P	40	0.68	9.48
T	358	6.09	84.83
Total	422	7.18	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	5158	Sum Weights	5158
Mean	6.41100427	Sum Observations	33067.96
Std Deviation	1.80069144	Variance	3.24248966
Skewness	-0.6438639	Kurtosis	1.32189752
Uncorrected SS	228720.352	Corrected SS	16721.5192
Coeff Variation	28.0875096	Std Error Mean	0.02507256

Basic Statistical Measures			
Location		Variability	
Mean	6.411004	Std Deviation	1.80069
Median	6.545000	Variance	3.24249
Mode	6.800000	Range	13.22000
Interquartile Range			1.99000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	255.6981	Pr > t	<.0001
Sign	M	2565.5	Pr >= M	<.0001
Signed Rank	S	6583073	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.220
99%	10.250
95%	9.080
90%	8.440
75% Q3	7.510
50% Median	6.545
25% Q1	5.520
10%	4.200
5%	2.950

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.810
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5333	11.71	4289
0	5241	12.08	797
0	5161	12.26	5608
0	4917	12.84	1263
0	4360	13.22	2595

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	3.35
P	40	0.68	5.59
T	652	11.10	91.06
Total	716	12.19	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	5532	Sum Weights	5532
Mean	7.61210051	Sum Observations	42110.14
Std Deviation	1.9344726	Variance	3.74218423
Skewness	-0.5851077	Kurtosis	0.87715649
Uncorrected SS	341244.639	Corrected SS	20698.021
Coeff Variation	25.4131248	Std Error Mean	0.02600887

Basic Statistical Measures			
Location		Variability	
Mean	7.612101	Std Deviation	1.93447
Median	7.770000	Variance	3.74218
Mode	8.500000	Range	14.17000
Interquartile Range			2.40000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	292.6732	Pr > t	<.0001
Sign	M	2756.5	Pr >= M	<.0001
Signed Rank	S	7599671	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	14.17
99%	11.60
95%	10.51
90%	9.91
75% Q3	8.90
50% Median	7.77
25% Q1	6.50
10%	5.17
5%	4.13

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5596	12.71	3008
0	5180	12.76	4175
0	5161	12.79	2300
0	5015	13.03	3716
0	4343	14.17	4469

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	7.02
P	40	0.68	11.70
T	278	4.73	81.29
Total	342	5.82	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	5576	Sum Weights	5576
Mean	6.23630022	Sum Observations	34773.61
Std Deviation	1.69516236	Variance	2.87357542
Skewness	-0.6486109	Kurtosis	1.27645922
Uncorrected SS	232878.854	Corrected SS	16020.183
Coeff Variation	27.1821801	Std Error Mean	0.02270126

Basic Statistical Measures			
Location		Variability	
Mean	6.236300	Std Deviation	1.69516
Median	6.350000	Variance	2.87358
Mode	5.900000	Range	11.92000
Interquartile Range			1.91000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	274.7117	Pr > t	<.0001
Sign	M	2776	Pr >= M	<.0001
Signed Rank	S	7707564	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.92
99%	9.86
95%	8.73
90%	8.16
75% Q3	7.31
50% Median	6.35
25% Q1	5.40
10%	4.18
5%	3.04

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.03
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5597	11.23	4638
0	5333	11.30	3646
0	5161	11.53	2595
0	5119	11.76	4057
0	4917	11.92	1263

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	8.05
P	40	0.68	13.42
T	234	3.98	78.52
Total	298	5.07	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	5639	Sum Weights	5639
Mean	7.09393155	Sum Observations	40002.68
Std Deviation	1.77658504	Variance	3.15625441
Skewness	-0.659421	Kurtosis	1.12025006
Uncorrected SS	301571.236	Corrected SS	17794.9623
Coeff Variation	25.0437297	Std Error Mean	0.02365838

Basic Statistical Measures			
Location		Variability	
Mean	7.093932	Std Deviation	1.77659
Median	7.250000	Variance	3.15625
Mode	7.710000	Range	12.47000
Interquartile Range			2.15000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	299.8486	Pr > t	<.0001
Sign	M	2812	Pr >= M	<.0001
Signed Rank	S	7908750	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.47
99%	10.70
95%	9.75
90%	9.19
75% Q3	8.27
50% Median	7.25
25% Q1	6.12
10%	4.92
5%	3.84

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.80
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5597	11.73	676
0	5596	11.82	3716
0	5161	12.10	5405
0	4343	12.14	4638
0	4142	12.47	4469

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	10.21
P	40	0.68	17.02
T	171	2.91	72.77
Total	235	4.00	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	5278	Sum Weights	5278
Mean	6.08582607	Sum Observations	32120.99
Std Deviation	1.74225964	Variance	3.03546867
Skewness	-0.6180228	Kurtosis	1.29410196
Uncorrected SS	211500.926	Corrected SS	16018.1681
Coeff Variation	28.6281537	Std Error Mean	0.0239816

Basic Statistical Measures			
Location		Variability	
Mean	6.085826	Std Deviation	1.74226
Median	6.200000	Variance	3.03547
Mode	5.900000	Range	12.73000
Interquartile Range			1.90000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	253.7706	Pr > t	<.0001
Sign	M	2624.5	Pr >= M	<.0001
Signed Rank	S	6889313	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.73
99%	9.88
95%	8.71
90%	8.06
75% Q3	7.15
50% Median	6.20
25% Q1	5.25
10%	3.97
5%	2.76

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.71
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5333	11.44	5608
0	5241	11.45	4057
0	5161	11.63	797
0	4917	12.34	1263
0	4882	12.73	2595

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	4.03
P	40	0.68	6.71
T	532	9.06	89.26
Total	596	10.15	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	5577	Sum Weights	5577
Mean	7.37707728	Sum Observations	41141.96
Std Deviation	1.83329935	Variance	3.36098651
Skewness	-0.6387521	Kurtosis	1.0513127
Uncorrected SS	322248.279	Corrected SS	18740.8608
Coeff Variation	24.8512965	Std Error Mean	0.02454896

Basic Statistical Measures			
Location		Variability	
Mean	7.377077	Std Deviation	1.83330
Median	7.510000	Variance	3.36099
Mode	8.500000	Range	13.04000
		Interquartile Range	2.25000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	300.5047	Pr > t	<.0001
Sign	M	2779.5	Pr >= M	<.0001
Signed Rank	S	7727010	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.04
99%	11.05
95%	10.10
90%	9.59
75% Q3	8.59
50% Median	7.51
25% Q1	6.34
10%	5.10
5%	4.09

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.04
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5597	12.04	676
0	5596	12.14	4638
0	5180	12.26	4175
0	5161	12.63	3716
0	4343	13.04	4469

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	8.08
P	40	0.68	13.47
T	233	3.97	78.45
Total	297	5.06	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	5655	Sum Weights	5655
Mean	6.7987321	Sum Observations	38446.83
Std Deviation	1.74640084	Variance	3.04991588
Skewness	-0.6646243	Kurtosis	1.15850784
Uncorrected SS	278633.921	Corrected SS	17244.2244
Coeff Variation	25.6871548	Std Error Mean	0.0232235

Basic Statistical Measures			
Location		Variability	
Mean	6.798732	Std Deviation	1.74640
Median	6.920000	Variance	3.04992
Mode	6.800000	Range	12.17000
		Interquartile Range	2.09000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	292.7523	Pr > t	<.0001
Sign	M	2818	Pr >= M	<.0001
Signed Rank	S	7942533	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.17
99%	10.41
95%	9.41
90%	8.81
75% Q3	7.95
50% Median	6.92
25% Q1	5.86
10%	4.69
5%	3.53

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.59
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5597	11.80	1263
0	5161	11.90	4469
0	5119	12.02	4638
0	4882	12.10	5405
0	4657	12.17	4057

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	10.96
P	40	0.68	18.26
T	155	2.64	70.78
Total	219	3.73	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	5630	Sum Weights	5630
Mean	6.49597158	Sum Observations	36572.32
Std Deviation	1.71759192	Variance	2.95012202
Skewness	-0.6571756	Kurtosis	1.20021266
Uncorrected SS	254178.988	Corrected SS	16606.2368
Coeff Variation	26.4408781	Std Error Mean	0.02289105

Basic Statistical Measures			
Location		Variability	
Mean	6.495972	Std Deviation	1.71759
Median	6.610000	Variance	2.95012
Mode	6.800000	Range	11.96000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	283.7777	Pr > t	<.0001
Sign	M	2805	Pr >= M	<.0001
Signed Rank	S	7869428	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.96
99%	10.10
95%	9.05
90%	8.50
75% Q3	7.61
50% Median	6.61
25% Q1	5.61
10%	4.40
5%	3.29

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5597	11.40	5405
0	5161	11.43	676
0	5119	11.69	4638
0	4882	11.82	1263
0	4360	11.96	4057

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	9.84
P	40	0.68	16.39
T	180	3.06	73.77
Total	244	4.15	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	5774	Sum Weights	5774
Mean	0.12929096	Sum Observations	746.526
Std Deviation	0.04566045	Variance	0.00208488
Skewness	1.06693897	Kurtosis	1.76711751
Uncorrected SS	108.555056	Corrected SS	12.0359932
Coeff Variation	35.3160424	Std Error Mean	0.0006009

Basic Statistical Measures			
Location		Variability	
Mean	0.129291	Std Deviation	0.04566
Median	0.121000	Variance	0.00208
Mode	0.107000	Range	0.35500
		Interquartile Range	0.05400

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	215.1624	Pr > t	<.0001
Sign	M	2887	Pr >= M	<.0001
Signed Rank	S	8336213	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.368
99%	0.276
95%	0.217
90%	0.189
75% Q3	0.152
50% Median	0.121
25% Q1	0.098
10%	0.080
5%	0.069

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure****Variable: V01XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.051
0% Min	0.013

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.013	1737	0.337	4859
0.015	1036	0.344	2736
0.021	3059	0.345	1727
0.030	5407	0.354	408
0.030	4943	0.368	2789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	24.00
P	40	0.68	40.00
T	36	0.61	36.00
Total	100	1.70	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	5850	Sum Weights	5850
Mean	0.11777778	Sum Observations	689
Std Deviation	0.32237236	Variance	0.10392394
Skewness	2.37211989	Kurtosis	3.62819304
Uncorrected SS	689	Corrected SS	607.851111
Coeff Variation	273.71238	Std Error Mean	0.00421483

Basic Statistical Measures			
Location		Variability	
Mean	0.117778	Std Deviation	0.32237
Median	0.000000	Variance	0.10392
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	27.94367	Pr > t	<.0001
Sign	M	344.5	Pr >= M	<.0001
Signed Rank	S	118852.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5873	1	5819
0	5872	1	5827
0	5871	1	5835
0	5870	1	5843
0	5869	1	5874

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	5850	Sum Weights	5850
Mean	0.01350427	Sum Observations	79
Std Deviation	0.11543044	Variance	0.01332419
Skewness	8.43212796	Kurtosis	69.1244141
Uncorrected SS	79	Corrected SS	77.9331624
Coeff Variation	854.76969	Std Error Mean	0.00150918

Basic Statistical Measures			
Location		Variability	
Mean	0.013504	Std Deviation	0.11543
Median	0.000000	Variance	0.01332
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.948059	Pr > t	<.0001
Sign	M	39.5	Pr >= M	<.0001
Signed Rank	S	1580	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5873	1	5747
0	5872	1	5826
0	5871	1	5827
0	5870	1	5857
0	5869	1	5874

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	5850	Sum Weights	5850
Mean	0.00547009	Sum Observations	32
Std Deviation	0.07376377	Variance	0.00544109
Skewness	13.4130629	Kurtosis	177.971101
Uncorrected SS	32	Corrected SS	31.8249573
Coeff Variation	1348.49392	Std Error Mean	0.00096442

Basic Statistical Measures			
Location		Variability	
Mean	0.005470	Std Deviation	0.07376
Median	0.000000	Variance	0.00544
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.671905	Pr > t	<.0001
Sign	M	16	Pr >= M	<.0001
Signed Rank	S	264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5874	1	4399
0	5873	1	4862
0	5872	1	4863
0	5871	1	4886
0	5870	1	4887

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5850	Sum Weights	5850
Mean	0.0208547	Sum Observations	122
Std Deviation	0.14291002	Variance	0.02042327
Skewness	6.70784553	Kurtosis	43.0098958
Uncorrected SS	122	Corrected SS	119.455726
Coeff Variation	685.265254	Std Error Mean	0.00186846

Basic Statistical Measures			
Location		Variability	
Mean	0.020855	Std Deviation	0.14291
Median	0.000000	Variance	0.02042
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.16141	Pr > t	<.0001
Sign	M	61	Pr >= M	<.0001
Signed Rank	S	3751.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5874	1	5719
0	5873	1	5720
0	5872	1	5734
0	5871	1	5749
0	5870	1	5784

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	5850	Sum Weights	5850
Mean	0.01589744	Sum Observations	93
Std Deviation	0.1250895	Variance	0.01564738
Skewness	7.74274641	Kurtosis	57.9699406
Uncorrected SS	93	Corrected SS	91.5215385
Coeff Variation	786.853286	Std Error Mean	0.00163547

Basic Statistical Measures			
Location		Variability	
Mean	0.015897	Std Deviation	0.12509
Median	0.000000	Variance	0.01565
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.720401	Pr > t	<.0001
Sign	M	46.5	Pr >= M	<.0001
Signed Rank	S	2185.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5874	1	5729
0	5873	1	5740
0	5872	1	5757
0	5871	1	5821
0	5870	1	5862

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	5850	Sum Weights	5850
Mean	0.42136752	Sum Observations	2465
Std Deviation	0.49382043	Variance	0.24385862
Skewness	0.31857479	Kurtosis	-1.8991595
Uncorrected SS	2465	Corrected SS	1426.32906
Coeff Variation	117.194707	Std Error Mean	0.00645641

Basic Statistical Measures			
Location		Variability	
Mean	0.421368	Std Deviation	0.49382
Median	0.000000	Variance	0.24386
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	65.26344	Pr > t	<.0001
Sign	M	1232.5	Pr >= M	<.0001
Signed Rank	S	1519673	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01

The UNIVARIATE Procedure

Variable: V01INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5873	1	5865
0	5872	1	5866
0	5871	1	5869
0	5868	1	5870
0	5867	1	5874

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	5850	Sum Weights	5850
Mean	0.03931624	Sum Observations	230
Std Deviation	0.19436288	Variance	0.03777693
Skewness	4.74207119	Kurtosis	20.4942456
Uncorrected SS	230	Corrected SS	220.957265
Coeff Variation	494.357767	Std Error Mean	0.00254118

Basic Statistical Measures			
Location		Variability	
Mean	0.039316	Std Deviation	0.19436
Median	0.000000	Variance	0.03778
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.47165	Pr > t	<.0001
Sign	M	115	Pr >= M	<.0001
Signed Rank	S	13282.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5874	1	5705
0	5873	1	5760
0	5872	1	5799
0	5871	1	5814
0	5870	1	5815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5850	Sum Weights	5850
Mean	0.00615385	Sum Observations	36
Std Deviation	0.07821139	Variance	0.00611702
Skewness	12.6328155	Kurtosis	157.641922
Uncorrected SS	36	Corrected SS	35.7784615
Coeff Variation	1270.93513	Std Error Mean	0.00102257

Basic Statistical Measures			
Location		Variability	
Mean	0.006154	Std Deviation	0.07821
Median	0.000000	Variance	0.00612
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.018033	Pr > t	<.0001
Sign	M	18	Pr >= M	<.0001
Signed Rank	S	333	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5874	1	4887
0	5873	1	5119
0	5872	1	5513
0	5871	1	5698
0	5870	1	5699

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	5850	Sum Weights	5850
Mean	0.06649573	Sum Observations	389
Std Deviation	0.24916793	Variance	0.06208466
Skewness	3.48080533	Kurtosis	10.1194653
Uncorrected SS	389	Corrected SS	363.133162
Coeff Variation	374.712698	Std Error Mean	0.00325772

Basic Statistical Measures			
Location		Variability	
Mean	0.066496	Std Deviation	0.24917
Median	0.000000	Variance	0.06208
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.41172	Pr > t	<.0001
Sign	M	194.5	Pr >= M	<.0001
Signed Rank	S	37927.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5873	1	5711
0	5872	1	5826
0	5871	1	5829
0	5870	1	5867
0	5869	1	5874

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	24	0.41	100.00

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	5850	Sum Weights	5850
Mean	0.15270104	Sum Observations	893.301096
Std Deviation	0.03051353	Variance	0.00093108
Skewness	-0.5760197	Kurtosis	-0.6919966
Uncorrected SS	141.85387	Corrected SS	5.44586151
Coeff Variation	19.9825305	Std Error Mean	0.00039895

Basic Statistical Measures			
Location		Variability	
Mean	0.152701	Std Deviation	0.03051
Median	0.150000	Variance	0.0009311
Mode	0.150000	Range	0.10000
Interquartile Range			0.02000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	382.7608	Pr > t	<.0001
Sign	M	2925	Pr >= M	<.0001
Signed Rank	S	8557088	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200
99%	0.200
95%	0.200
90%	0.176
75% Q3	0.170
50% Median	0.150
25% Q1	0.150
10%	0.102
5%	0.102

OAI 1.8 03/04/2016: Freqs/Univs for kxr_qjsw_duryea01**The UNIVARIATE Procedure**

Variable: V01IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.100
0 % Min	0.100

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.1	5762	0.2	5835
0.1	5761	0.2	5852
0.1	5636	0.2	5853
0.1	5635	0.2	5869
0.1	5236	0.2	5870

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	24	0.41	100.00