

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	5477	Sum Weights	5477
Mean	87.7415183	Sum Observations	480560.296
Std Deviation	7.84597658	Variance	61.5593485
Skewness	0.27164936	Kurtosis	-0.5069734
Uncorrected SS	42502189	Corrected SS	337098.993
Coeff Variation	8.94214818	Std Error Mean	0.10601703

Basic Statistical Measures			
Location		Variability	
Mean	87.74152	Std Deviation	7.84598
Median	86.75000	Variance	61.55935
Mode	88.40000	Range	50.34400
Interquartile Range			11.75300

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	827.6172	Pr > t	<.0001
Sign	M	2738.5	Pr >= M	<.0001
Signed Rank	S	7500752	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	115.840
99%	105.600
95%	101.240
90%	98.736
75% Q3	93.636
50% Median	86.750
25% Q1	81.883
10%	78.234
5%	76.230

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03

The UNIVARIATE Procedure

Variable: V03CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	71.920
0 % Min	65.496

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
65.496	66	111.07	2448
66.510	4726	111.28	1789
66.962	118	112.21	1434
66.968	1082	112.64	1788
67.093	2243	115.84	1700

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	5447	Sum Weights	5447
Mean	3.99535487	Sum Observations	21762.698
Std Deviation	1.40699482	Variance	1.97963442
Skewness	-0.4445211	Kurtosis	0.65957014
Uncorrected SS	97730.7906	Corrected SS	10781.089
Coeff Variation	35.2157658	Std Error Mean	0.01906399

Basic Statistical Measures			
Location		Variability	
Mean	3.995355	Std Deviation	1.40699
Median	4.100000	Variance	1.97963
Mode	0.000000	Range	9.61800
		Interquartile Range	1.59800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	209.576	Pr > t	<.0001
Sign	M	2673.5	Pr >= M	<.0001
Signed Rank	S	7148939	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.618
99%	7.167
95%	6.093
90%	5.622
75% Q3	4.885
50% Median	4.100
25% Q1	3.287
10%	2.100
5%	1.300

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03

The UNIVARIATE Procedure

Variable: V03MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.000
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	8.255	5266
0	5492	8.408	2402
0	5439	8.415	3842
0	5415	8.865	2969
0	5360	9.618	363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	69.07
T	30	0.54	30.93
Total	97	1.75	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	5422	Sum Weights	5422
Mean	4.53363925	Sum Observations	24581.392
Std Deviation	1.42149315	Variance	2.02064276
Skewness	-0.481237	Kurtosis	0.92151846
Uncorrected SS	122397.068	Corrected SS	10953.9044
Coeff Variation	31.3543506	Std Error Mean	0.01930479

Basic Statistical Measures			
Location		Variability	
Mean	4.533639	Std Deviation	1.42149
Median	4.650000	Variance	2.02064
Mode	5.100000	Range	10.90000
Interquartile Range			1.61000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	234.8453	Pr > t	<.0001
Sign	M	2689.5	Pr >= M	<.0001
Signed Rank	S	7234755	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.90
99%	7.71
95%	6.62
90%	6.13
75% Q3	5.41
50% Median	4.65
25% Q1	3.80
10%	2.72
5%	1.71

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03

The UNIVARIATE Procedure

Variable: V03JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.42
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	8.98	2968
0	5492	9.20	4045
0	5439	9.26	2969
0	5415	9.42	1615
0	5312	10.90	2402

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	54.92
T	55	0.99	45.08
Total	122	2.20	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	5445	Sum Weights	5445
Mean	4.71764922	Sum Observations	25687.6
Std Deviation	1.42673895	Variance	2.03558402
Skewness	-0.5220967	Kurtosis	1.12178115
Uncorrected SS	132266.805	Corrected SS	11081.7194
Coeff Variation	30.2425823	Std Error Mean	0.01933506

Basic Statistical Measures			
Location		Variability	
Mean	4.717649	Std Deviation	1.42674
Median	4.830000	Variance	2.03558
Mode	5.100000	Range	11.31000
Interquartile Range			1.60000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	243.9945	Pr > t	<.0001
Sign	M	2703.5	Pr >= M	<.0001
Signed Rank	S	7310264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.31
99%	7.91
95%	6.83
90%	6.35
75% Q3	5.60
50% Median	4.83
25% Q1	4.00
10%	2.95
5%	1.94

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.47
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	9.30	5129
0	5492	9.40	2256
0	5439	10.39	3057
0	5415	10.80	2402
0	5301	11.31	363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	67.68
T	32	0.58	32.32
Total	99	1.79	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	5456	Sum Weights	5456
Mean	5.34765982	Sum Observations	29176.832
Std Deviation	1.47748048	Variance	2.18294856
Skewness	-0.5232286	Kurtosis	1.18688276
Uncorrected SS	167935.757	Corrected SS	11907.9844
Coeff Variation	27.6285427	Std Error Mean	0.02000251

Basic Statistical Measures			
Location		Variability	
Mean	5.347660	Std Deviation	1.47748
Median	5.420000	Variance	2.18295
Mode	6.010000	Range	11.71000
Interquartile Range			1.75000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	267.3494	Pr > t	<.0001
Sign	M	2716.5	Pr >= M	<.0001
Signed Rank	S	7380731	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.71
99%	8.57
95%	7.60
90%	7.04
75% Q3	6.30
50% Median	5.42
25% Q1	4.55
10%	3.52
5%	2.70

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.99
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	10.00	1425
0	5415	10.10	2256
0	4751	10.20	5129
0	4639	10.21	1960
0	4298	11.71	363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	76.14
T	21	0.38	23.86
Total	88	1.59	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	5458	Sum Weights	5458
Mean	6.470214	Sum Observations	35314.428
Std Deviation	1.55930023	Variance	2.43141721
Skewness	-0.3146366	Kurtosis	1.1400839
Uncorrected SS	241760.15	Corrected SS	13268.2437
Coeff Variation	24.0996702	Std Error Mean	0.02110634

Basic Statistical Measures			
Location		Variability	
Mean	6.470214	Std Deviation	1.55930
Median	6.500000	Variance	2.43142
Mode	6.800000	Range	12.51000
Interquartile Range			1.93000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	306.5531	Pr > t	<.0001
Sign	M	2722	Pr >= M	<.0001
Signed Rank	S	7410645	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	10.10
95%	8.97
90%	8.36
75% Q3	7.48
50% Median	6.50
25% Q1	5.55
10%	4.60
5%	3.95

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.16
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	11.42	1114
0	5415	11.70	1424
0	4151	11.80	1425
0	3784	12.11	1960
0	3703	12.51	363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	77.91
T	19	0.34	22.09
Total	86	1.55	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	5453	Sum Weights	5453
Mean	4.98308491	Sum Observations	27172.762
Std Deviation	1.44368988	Variance	2.08424046
Skewness	-0.5599467	Kurtosis	1.17616113
Uncorrected SS	146767.459	Corrected SS	11363.279
Coeff Variation	28.9718097	Std Error Mean	0.01955042

Basic Statistical Measures			
Location		Variability	
Mean	4.983085	Std Deviation	1.44369
Median	5.100000	Variance	2.08424
Mode	5.100000	Range	11.31000
Interquartile Range			1.69000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	254.8837	Pr > t	<.0001
Sign	M	2709	Pr >= M	<.0001
Signed Rank	S	7340036	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.31
99%	8.10
95%	7.11
90%	6.64
75% Q3	5.90
50% Median	5.10
25% Q1	4.21
10%	3.20
5%	2.30

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.62
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	9.60	1960
0	5492	9.70	2256
0	5439	10.19	3057
0	5415	10.30	2402
0	5301	11.31	363

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	73.63
T	24	0.43	26.37
Total	91	1.64	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	5392	Sum Weights	5392
Mean	3.51142767	Sum Observations	18933.618
Std Deviation	1.51296815	Variance	2.28907263
Skewness	0.90168135	Kurtosis	1.81632989
Uncorrected SS	78824.4207	Corrected SS	12340.3905
Coeff Variation	43.0869804	Std Error Mean	0.02060416

Basic Statistical Measures			
Location		Variability	
Mean	3.511428	Std Deviation	1.51297
Median	3.303000	Variance	2.28907
Mode	3.400000	Range	14.01900
		Interquartile Range	1.83600

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	170.4233	Pr > t	<.0001
Sign	M	2695.5	Pr >= M	<.0001
Signed Rank	S	7267068	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	14.019
99%	8.100
95%	6.235
90%	5.440
75% Q3	4.329
50% Median	3.303
25% Q1	2.493
10%	1.746
5%	1.360

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.704
0 % Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000	4639	10.380	5132
0.100	328	10.604	1171
0.102	1124	10.900	658
0.113	719	12.332	3057
0.200	826	14.019	363

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
A	20	0.36	13.16	
P	67	1.21	44.08	
T	65	1.17	42.76	
Total	152	2.74	100.00	

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	5495	Sum Weights	5495
Mean	10.4949907	Sum Observations	57669.974
Std Deviation	1.73762189	Variance	3.01932982
Skewness	0.23302458	Kurtosis	2.00694331
Uncorrected SS	621834.04	Corrected SS	16588.198
Coeff Variation	16.5566786	Std Error Mean	0.02344075

Basic Statistical Measures			
Location		Variability	
Mean	10.49499	Std Deviation	1.73762
Median	10.41000	Variance	3.01933
Mode	10.12000	Range	17.88000
Interquartile Range			1.97000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	447.7243	Pr > t	<.0001
Sign	M	2747.5	Pr >= M	<.0001
Signed Rank	S	7550130	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	18.84
99%	15.41
95%	13.29
90%	12.58
75% Q3	11.43
50% Median	10.41
25% Q1	9.46
10%	8.51
5%	7.79

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	5.94
0 % Min	0.96

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.96	1997	18.71	3057
0.96	1996	18.71	3783
3.57	4754	18.71	3784
3.57	4753	18.84	2610
3.91	3290	18.84	2611

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	49	0.88	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	5405	Sum Weights	5405
Mean	4.42502017	Sum Observations	23917.234
Std Deviation	1.42636388	Variance	2.03451391
Skewness	-0.409975	Kurtosis	0.84461729
Uncorrected SS	116828.756	Corrected SS	10994.5132
Coeff Variation	32.234065	Std Error Mean	0.01940137

Basic Statistical Measures			
Location		Variability	
Mean	4.425020	Std Deviation	1.42636
Median	4.530000	Variance	2.03451
Mode	5.000000	Range	11.00000
Interquartile Range			1.61000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	228.0777	Pr > t	<.0001
Sign	M	2682.5	Pr >= M	<.0001
Signed Rank	S	7197148	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.00
99%	7.70
95%	6.52
90%	6.03
75% Q3	5.31
50% Median	4.53
25% Q1	3.70
10%	2.60
5%	1.60

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.51
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	9.16	2049
0	5492	9.32	4498
0	5439	9.33	3842
0	5415	10.32	1615
0	5312	11.00	2402

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	48.20
T	72	1.30	51.80
Total	139	2.51	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	5459	Sum Weights	5459
Mean	5.83200092	Sum Observations	31836.893
Std Deviation	1.51233268	Variance	2.28715014
Skewness	-0.4294823	Kurtosis	1.1728817
Uncorrected SS	198156.055	Corrected SS	12483.2655
Coeff Variation	25.9316263	Std Error Mean	0.02046872

Basic Statistical Measures			
Location		Variability	
Mean	5.832001	Std Deviation	1.51233
Median	5.890000	Variance	2.28715
Mode	5.900000	Range	12.11000
Interquartile Range			1.80000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	284.9225	Pr > t	<.0001
Sign	M	2721	Pr >= M	<.0001
Signed Rank	S	7405202	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.11
99%	9.29
95%	8.14
90%	7.61
75% Q3	6.80
50% Median	5.89
25% Q1	5.00
10%	4.07
5%	3.27

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.40
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5533	10.50	5129
0	5415	10.60	1424
0	4751	10.70	2256
0	4298	11.11	1960
0	4151	12.11	363

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	67	1.21	78.82
T	18	0.32	21.18
Total	85	1.53	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	5191	Sum Weights	5191
Mean	6.00365055	Sum Observations	31164.95
Std Deviation	1.6961889	Variance	2.87705679
Skewness	-0.6778281	Kurtosis	1.45556878
Uncorrected SS	202035.394	Corrected SS	14931.9247
Coeff Variation	28.2526254	Std Error Mean	0.02354229

Basic Statistical Measures			
Location		Variability	
Mean	6.003651	Std Deviation	1.69619
Median	6.120000	Variance	2.87706
Mode	5.900000	Range	12.50000
Interquartile Range			1.82000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	255.0156	Pr > t	<.0001
Sign	M	2579	Pr >= M	<.0001
Signed Rank	S	6652531	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.50
99%	9.59
95%	8.51
90%	7.95
75% Q3	7.03
50% Median	6.12
25% Q1	5.21
10%	3.98
5%	2.71

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.70
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4967	11.03	5312
0	4898	11.15	4767
0	4842	11.92	1180
0	4659	12.49	2465
0	4373	12.50	3373

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	5.67
P	67	1.21	18.98
T	266	4.80	75.35
Total	353	6.37	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	4972	Sum Weights	4972
Mean	6.34162108	Sum Observations	31530.54
Std Deviation	1.80774206	Variance	3.26793135
Skewness	-0.7097564	Kurtosis	1.42480866
Uncorrected SS	216199.624	Corrected SS	16244.8867
Coeff Variation	28.505993	Std Error Mean	0.02563722

Basic Statistical Measures			
Location		Variability	
Mean	6.341621	Std Deviation	1.80774
Median	6.500000	Variance	3.26793
Mode	6.700000	Range	13.71000
Interquartile Range			1.97500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	247.36	Pr > t	<.0001
Sign	M	2468.5	Pr >= M	<.0001
Signed Rank	S	6094727	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.710
99%	10.120
95%	9.020
90%	8.390
75% Q3	7.475
50% Median	6.500
25% Q1	5.500
10%	4.110
5%	2.800

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.620
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4967	11.82	3373
0	4898	12.23	5312
0	4659	12.28	740
0	4373	12.64	1180
0	4351	13.71	2465

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	3.50
P	67	1.21	11.71
T	485	8.75	84.79
Total	572	10.32	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	5221	Sum Weights	5221
Mean	7.46715955	Sum Observations	38986.04
Std Deviation	1.92145881	Variance	3.69200394
Skewness	-0.6273593	Kurtosis	0.97748839
Uncorrected SS	310387.241	Corrected SS	19272.2606
Coeff Variation	25.7321247	Std Error Mean	0.0265922

Basic Statistical Measures			
Location		Variability	
Mean	7.467160	Std Deviation	1.92146
Median	7.630000	Variance	3.69200
Mode	8.500000	Range	12.61000
Interquartile Range			2.33000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	280.8026	Pr > t	<.0001
Sign	M	2599.5	Pr >= M	<.0001
Signed Rank	S	6758700	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.61
99%	11.50
95%	10.31
90%	9.75
75% Q3	8.73
50% Median	7.63
25% Q1	6.40
10%	5.00
5%	4.02

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.00
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5302	12.30	1424
0	5301	12.33	3411
0	4898	12.35	718
0	4351	12.50	3263
0	3951	12.61	742

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	6.19
P	67	1.21	20.74
T	236	4.26	73.07
Total	323	5.83	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	5276	Sum Weights	5276
Mean	6.15888741	Sum Observations	32494.29
Std Deviation	1.69144502	Variance	2.86098627
Skewness	-0.6805082	Kurtosis	1.50768092
Uncorrected SS	215220.376	Corrected SS	15091.7026
Coeff Variation	27.4634834	Std Error Mean	0.02328657

Basic Statistical Measures			
Location		Variability	
Mean	6.158887	Std Deviation	1.69145
Median	6.300000	Variance	2.86099
Mode	5.900000	Range	12.86000
Interquartile Range			1.87000

Note: The mode displayed is the smallest of 2 modes with a count of 72.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	264.4824	Pr > t	<.0001
Sign	M	2624.5	Pr >= M	<.0001
Signed Rank	S	6889313	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.86
99%	9.73
95%	8.69
90%	8.10
75% Q3	7.20
50% Median	6.30
25% Q1	5.33
10%	4.19
5%	2.96

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.80
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4967	11.39	4399
0	4898	11.72	1180
0	4842	11.78	2465
0	4659	12.73	3373
0	4351	12.86	3784

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	7.46
P	67	1.21	25.00
T	181	3.26	67.54
Total	268	4.83	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	5325	Sum Weights	5325
Mean	6.98641315	Sum Observations	37202.65
Std Deviation	1.76802122	Variance	3.12589904
Skewness	-0.7120268	Kurtosis	1.35987962
Uncorrected SS	276555.369	Corrected SS	16642.2865
Coeff Variation	25.3065655	Std Error Mean	0.02422856

Basic Statistical Measures			
Location		Variability	
Mean	6.986413	Std Deviation	1.76802
Median	7.140000	Variance	3.12590
Mode	6.700000	Range	12.19000
Interquartile Range			2.06000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	288.3544	Pr > t	<.0001
Sign	M	2651	Pr >= M	<.0001
Signed Rank	S	7029127	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.19
99%	10.60
95%	9.61
90%	9.04
75% Q3	8.16
50% Median	7.14
25% Q1	6.10
10%	4.80
5%	3.74

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.60
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5302	11.79	2786
0	5301	11.93	630
0	4898	12.06	3784
0	4351	12.13	4912
0	3951	12.19	4399

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	9.13
P	67	1.21	30.59
T	132	2.38	60.27
Total	219	3.95	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	5059	Sum Weights	5059
Mean	6.02239968	Sum Observations	30467.32
Std Deviation	1.74002883	Variance	3.02770033
Skewness	-0.6678782	Kurtosis	1.40537104
Uncorrected SS	198800.487	Corrected SS	15314.1083
Coeff Variation	28.8926163	Std Error Mean	0.02446381

Basic Statistical Measures			
Location		Variability	
Mean	6.022400	Std Deviation	1.74003
Median	6.120000	Variance	3.02770
Mode	5.900000	Range	13.09000
Interquartile Range			1.89000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	246.1759	Pr > t	<.0001
Sign	M	2511.5	Pr >= M	<.0001
Signed Rank	S	6308888	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.09
99%	9.72
95%	8.67
90%	8.00
75% Q3	7.10
50% Median	6.12
25% Q1	5.21
10%	3.91
5%	2.61

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.50
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4967	11.43	5312
0	4898	11.72	740
0	4842	12.13	1180
0	4659	12.38	3373
0	4373	13.09	2465

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	4.12
P	67	1.21	13.81
T	398	7.18	82.06
Total	485	8.75	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	5262	Sum Weights	5262
Mean	7.25536488	Sum Observations	38177.73
Std Deviation	1.82491626	Variance	3.33031934
Skewness	-0.6812451	Kurtosis	1.21006045
Uncorrected SS	294514.171	Corrected SS	17520.81
Coeff Variation	25.1526462	Std Error Mean	0.0251575

Basic Statistical Measures			
Location		Variability	
Mean	7.255365	Std Deviation	1.82492
Median	7.405000	Variance	3.33032
Mode	8.500000	Range	12.22000
Interquartile Range			2.17000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	288.3977	Pr > t	<.0001
Sign	M	2619.5	Pr >= M	<.0001
Signed Rank	S	6863090	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.220
99%	11.040
95%	9.900
90%	9.410
75% Q3	8.420
50% Median	7.405
25% Q1	6.250
10%	5.000
5%	3.980

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.800
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5302	11.83	1855
0	5301	11.93	630
0	4898	11.95	4399
0	4351	12.02	2785
0	3951	12.22	4912

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	7.09
P	67	1.21	23.76
T	195	3.52	69.15
Total	282	5.09	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	5341	Sum Weights	5341
Mean	6.70703239	Sum Observations	35822.26
Std Deviation	1.74076308	Variance	3.03025612
Skewness	-0.7046928	Kurtosis	1.37113684
Uncorrected SS	256442.626	Corrected SS	16181.5677
Coeff Variation	25.9542967	Std Error Mean	0.02381927

Basic Statistical Measures			
Location		Variability	
Mean	6.707032	Std Deviation	1.74076
Median	6.820000	Variance	3.03026
Mode	6.800000	Range	12.56000
		Interquartile Range	2.02000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	281.5801	Pr > t	<.0001
Sign	M	2659	Pr >= M	<.0001
Signed Rank	S	7071611	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.56
99%	10.23
95%	9.30
90%	8.71
75% Q3	7.83
50% Median	6.82
25% Q1	5.81
10%	4.60
5%	3.48

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.37
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5302	11.53	630
0	5301	11.64	1180
0	4898	11.92	4912
0	4351	12.53	4399
0	4149	12.56	3784

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	9.85
P	67	1.21	33.00
T	116	2.09	57.14
Total	203	3.66	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	5323	Sum Weights	5323
Mean	6.41535412	Sum Observations	34148.93
Std Deviation	1.71588764	Variance	2.94427039
Skewness	-0.6990069	Kurtosis	1.44090055
Uncorrected SS	234746.886	Corrected SS	15669.407
Coeff Variation	26.7465771	Std Error Mean	0.02351855

Basic Statistical Measures			
Location		Variability	
Mean	6.415354	Std Deviation	1.71589
Median	6.520000	Variance	2.94427
Mode	6.800000	Range	12.61000
Interquartile Range			1.92000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	272.7784	Pr > t	<.0001
Sign	M	2650	Pr >= M	<.0001
Signed Rank	S	7023825	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.61
99%	9.96
95%	8.96
90%	8.40
75% Q3	7.50
50% Median	6.52
25% Q1	5.58
10%	4.33
5%	3.19

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.10
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4898	11.39	2465
0	4659	11.74	1180
0	4351	12.08	4399
0	4149	12.56	3784
0	3951	12.61	3373

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	9.05
P	67	1.21	30.32
T	134	2.42	60.63
Total	221	3.99	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	5427	Sum Weights	5427
Mean	0.12987654	Sum Observations	704.84
Std Deviation	0.04614913	Variance	0.00212974
Skewness	1.04284775	Kurtosis	1.78118166
Uncorrected SS	103.098164	Corrected SS	11.5559813
Coeff Variation	35.5330755	Std Error Mean	0.00062645

Basic Statistical Measures			
Location		Variability	
Mean	0.129877	Std Deviation	0.04615
Median	0.122000	Variance	0.00213
Mode	0.113000	Range	0.36600
		Interquartile Range	0.05600

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	207.3228	Pr > t	<.0001
Sign	M	2713.5	Pr >= M	<.0001
Signed Rank	S	7364439	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.376
99%	0.274
95%	0.217
90%	0.191
75% Q3	0.154
50% Median	0.122
25% Q1	0.098
10%	0.079
5%	0.069

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure****Variable: V03XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.050
0% Min	0.010

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.010	4792	0.350	3183
0.020	245	0.353	1367
0.021	3133	0.359	2652
0.029	3988	0.365	4416
0.031	655	0.376	2402

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	17.09
P	67	1.21	57.26
T	30	0.54	25.64
Total	117	2.11	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	5524	Sum Weights	5524
Mean	0.10264301	Sum Observations	567
Std Deviation	0.30351952	Variance	0.0921241
Skewness	2.61927734	Kurtosis	4.8623741
Uncorrected SS	567	Corrected SS	508.801412
Coeff Variation	295.70403	Std Error Mean	0.00408376

Basic Statistical Measures			
Location		Variability	
Mean	0.102643	Std Deviation	0.30352
Median	0.000000	Variance	0.09212
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	25.13446	Pr > t	<.0001
Sign	M	283.5	Pr >= M	<.0001
Signed Rank	S	80514	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03

The UNIVARIATE Procedure

Variable: V03INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5469
0	5543	1	5490
0	5542	1	5510
0	5540	1	5539
0	5538	1	5541

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	5524	Sum Weights	5524
Mean	0.01104272	Sum Observations	61
Std Deviation	0.104512	Variance	0.01092276
Skewness	9.36034845	Kurtosis	85.6471322
Uncorrected SS	61	Corrected SS	60.3263939
Coeff Variation	946.433264	Std Error Mean	0.00140617

Basic Statistical Measures			
Location		Variability	
Mean	0.011043	Std Deviation	0.10451
Median	0.000000	Variance	0.01092
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.853022	Pr > t	<.0001
Sign	M	30.5	Pr >= M	<.0001
Signed Rank	S	945.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5543	1	5497
0	5542	1	5498
0	5541	1	5510
0	5540	1	5526
0	5539	1	5544

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	5524	Sum Weights	5524
Mean	0.00289645	Sum Observations	16
Std Deviation	0.05374556	Variance	0.00288859
Skewness	18.5051038	Kurtosis	340.56217
Uncorrected SS	16	Corrected SS	15.9536568
Coeff Variation	1855.56549	Std Error Mean	0.00072313

Basic Statistical Measures			
Location		Variability	
Mean	0.002896	Std Deviation	0.05375
Median	0.000000	Variance	0.00289
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.005443	Pr > t	<.0001
Sign	M	8	Pr >= M	<.0001
Signed Rank	S	68	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	3941
0	5543	1	4346
0	5542	1	4833
0	5541	1	5043
0	5540	1	5044

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5524	Sum Weights	5524
Mean	0.01502534	Sum Observations	83
Std Deviation	0.12166455	Variance	0.01480226
Skewness	7.97521233	Kurtosis	61.6263238
Uncorrected SS	83	Corrected SS	81.7528965
Coeff Variation	809.728882	Std Error Mean	0.00163696

Basic Statistical Measures			
Location		Variability	
Mean	0.015025	Std Deviation	0.12166
Median	0.000000	Variance	0.01480
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.178827	Pr > t	<.0001
Sign	M	41.5	Pr >= M	<.0001
Signed Rank	S	1743	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03

The UNIVARIATE Procedure

Variable: V03NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5401
0	5543	1	5402
0	5542	1	5404
0	5541	1	5407
0	5540	1	5408

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	5524	Sum Weights	5524
Mean	0.01810282	Sum Observations	100
Std Deviation	0.1333354	Variance	0.01777833
Skewness	7.23096336	Kurtosis	50.3050442
Uncorrected SS	100	Corrected SS	98.1897176
Coeff Variation	736.544776	Std Error Mean	0.00179398

Basic Statistical Measures			
Location		Variability	
Mean	0.018103	Std Deviation	0.13334
Median	0.000000	Variance	0.01778
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.09085	Pr > t	<.0001
Sign	M	50	Pr >= M	<.0001
Signed Rank	S	2525	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5360
0	5543	1	5415
0	5542	1	5439
0	5541	1	5492
0	5540	1	5533

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	5524	Sum Weights	5524
Mean	0.43410572	Sum Observations	2398
Std Deviation	0.49568379	Variance	0.24570242
Skewness	0.26596853	Kurtosis	-1.9299596
Uncorrected SS	2398	Corrected SS	1357.01448
Coeff Variation	114.185041	Std Error Mean	0.00666926

Basic Statistical Measures			
Location		Variability	
Mean	0.434106	Std Deviation	0.49568
Median	0.000000	Variance	0.24570
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	65.0905	Pr > t	<.0001
Sign	M	1199	Pr >= M	<.0001
Signed Rank	S	1438201	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5535
0	5543	1	5536
0	5542	1	5537
0	5539	1	5540
0	5538	1	5541

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	5524	Sum Weights	5524
Mean	0.03801593	Sum Observations	210
Std Deviation	0.19125204	Variance	0.03657734
Skewness	4.83290432	Kurtosis	21.3646993
Uncorrected SS	210	Corrected SS	202.016655
Coeff Variation	503.083926	Std Error Mean	0.00257323

Basic Statistical Measures			
Location		Variability	
Mean	0.038016	Std Deviation	0.19125
Median	0.000000	Variance	0.03658
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	14.7736	Pr > t	<.0001
Sign	M	105	Pr >= M	<.0001
Signed Rank	S	11077.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5397
0	5543	1	5442
0	5542	1	5472
0	5541	1	5485
0	5540	1	5486

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5524	Sum Weights	5524
Mean	0.00543085	Sum Observations	30
Std Deviation	0.07350055	Variance	0.00540233
Skewness	13.4624372	Kurtosis	179.302132
Uncorrected SS	30	Corrected SS	29.8370746
Coeff Variation	1353.39016	Std Error Mean	0.00098893

Basic Statistical Measures			
Location		Variability	
Mean	0.005431	Std Deviation	0.07350
Median	0.000000	Variance	0.00540
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.491662	Pr > t	<.0001
Sign	M	15	Pr >= M	<.0001
Signed Rank	S	232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5212
0	5543	1	5213
0	5542	1	5287
0	5541	1	5324
0	5540	1	5510

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	5524	Sum Weights	5524
Mean	0.06679942	Sum Observations	369
Std Deviation	0.24969691	Variance	0.06234854
Skewness	3.47106807	Kurtosis	10.0519528
Uncorrected SS	369	Corrected SS	344.351014
Coeff Variation	373.801005	Std Error Mean	0.00335959

Basic Statistical Measures			
Location		Variability	
Mean	0.066799	Std Deviation	0.24970
Median	0.000000	Variance	0.06235
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.8832	Pr > t	<.0001
Sign	M	184.5	Pr >= M	<.0001
Signed Rank	S	34132.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5544	1	5476
0	5543	1	5484
0	5542	1	5493
0	5541	1	5497
0	5540	1	5498

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	20	0.36	100.00

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	5524	Sum Weights	5524
Mean	0.15037544	Sum Observations	830.673923
Std Deviation	0.03046778	Variance	0.00092829
Skewness	-0.4583203	Kurtosis	-0.7102183
Uncorrected SS	130.039877	Corrected SS	5.12692134
Coeff Variation	20.261141	Std Error Mean	0.00040993

Basic Statistical Measures			
Location		Variability	
Mean	0.150375	Std Deviation	0.03047
Median	0.150000	Variance	0.0009283
Mode	0.150000	Range	0.10000
Interquartile Range			0.02000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	366.8284	Pr > t	<.0001
Sign	M	2762	Pr >= M	<.0001
Signed Rank	S	7630025	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200
99%	0.200
95%	0.200
90%	0.194
75% Q3	0.170
50% Median	0.150
25% Q1	0.150
10%	0.100
5%	0.100

OAI 3.7 03/04/2016: Freqs/Univs for kxr_qjsw_duryea03**The UNIVARIATE Procedure**

Variable: V03IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.100
0 % Min	0.100

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.1	5544	0.2	5522
0.1	5535	0.2	5528
0.1	5532	0.2	5529
0.1	5520	0.2	5540
0.1	5519	0.2	5541

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
	20	0.36	100.00