

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5244       | Sum Weights      | 5244       |
| Mean            | 87.1548042 | Sum Observations | 457039.793 |
| Std Deviation   | 7.7759658  | Variance         | 60.4656442 |
| Skewness        | 0.32674594 | Kurtosis         | -0.4540039 |
| Uncorrected SS  | 40150235   | Corrected SS     | 317021.372 |
| Coeff Variation | 8.92201627 | Std Error Mean   | 0.1073799  |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 87.15480 | Std Deviation       | 7.77597  |
| Median                     | 86.22650 | Variance            | 60.46564 |
| Mode                       | 83.75300 | Range               | 43.88100 |
|                            |          | Interquartile Range | 11.47150 |

**Note: The mode displayed is the smallest of 3 modes with a count of 7.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 811.6491 | Pr >  t  | <.0001 |
| Sign                      | M         | 2622     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6876195  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 112.0900 |
| 99%                      | 105.3400 |
| 95%                      | 100.9120 |
| 90%                      | 97.9080  |
| 75% Q3                   | 92.7770  |
| 50% Median               | 86.2265  |
| 25% Q1                   | 81.3055  |
| 10%                      | 77.6000  |
| 5%                       | 75.8400  |

# OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 72.1830  |
| 0 % Min                  | 68.2090  |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 68.209               | 3539 | 110.192 | 5004 |
| 68.440               | 2170 | 110.530 | 1727 |
| 68.475               | 965  | 110.862 | 1387 |
| 68.549               | 5117 | 110.900 | 1648 |
| 68.682               | 461  | 112.090 | 1649 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5215       | Sum Weights      | 5215       |
| Mean            | 3.8821093  | Sum Observations | 20245.2    |
| Std Deviation   | 1.41210779 | Variance         | 1.9940484  |
| Skewness        | -0.4400975 | Kurtosis         | 0.54883581 |
| Uncorrected SS  | 88991.0476 | Corrected SS     | 10396.9684 |
| Coeff Variation | 36.374756  | Std Error Mean   | 0.01955423 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 3.882109 | Std Deviation       | 1.41211 |
| Median                     | 4.017000 | Variance            | 1.99405 |
| Mode                       | 0.000000 | Range               | 9.30000 |
|                            |          | Interquartile Range | 1.60200 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 198.5304 | Pr >  t  | <.0001 |
| Sign                      | M         | 2559.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6552320  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 9.300    |
| 99%                      | 6.991    |
| 95%                      | 6.000    |
| 90%                      | 5.498    |
| 75% Q3                   | 4.760    |
| 50% Median               | 4.017    |
| 25% Q1                   | 3.158    |
| 10%                      | 1.965    |
| 5%                       | 1.133    |

# OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.000    |
| 0% Min                   | 0.000    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5337 | 8.211   | 3914 |
| 0                    | 5298 | 8.349   | 5011 |
| 0                    | 5227 | 8.500   | 4226 |
| 0                    | 5226 | 8.982   | 2881 |
| 0                    | 5114 | 9.300   | 5163 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 78.36       |
| T              | 29    | 0.54       | 21.64       |
| Total          | 134   | 2.51       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5202       | Sum Weights      | 5202       |
| Mean            | 4.41466744 | Sum Observations | 22965.1    |
| Std Deviation   | 1.43549892 | Variance         | 2.06065716 |
| Skewness        | -0.4987718 | Kurtosis         | 0.77529739 |
| Uncorrected SS  | 112100.757 | Corrected SS     | 10717.4779 |
| Coeff Variation | 32.5165812 | Std Error Mean   | 0.01990296 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 4.414667 | Std Deviation | 1.43550 |
| Median                     | 4.560000 | Variance      | 2.06066 |
| Mode                       | 4.500000 | Range         | 9.36000 |
| Interquartile Range        |          |               | 1.61000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 221.8096 | Pr >  t  | <.0001 |
| Sign                      | M         | 2581.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6665433  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 9.36     |
| 99%                      | 7.61     |
| 95%                      | 6.58     |
| 90%                      | 6.02     |
| 75% Q3                   | 5.30     |
| 50% Median               | 4.56     |
| 25% Q1                   | 3.69     |
| 10%                      | 2.60     |
| 5%                       | 1.58     |

# OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.41     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5114 | 8.95    | 4226 |
| 0                    | 5102 | 9.00    | 2195 |
| 0                    | 5056 | 9.02    | 2881 |
| 0                    | 4943 | 9.02    | 3856 |
| 0                    | 4942 | 9.36    | 2716 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 71.43       |
| T              | 42    | 0.79       | 28.57       |
| Total          | 147   | 2.75       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5216       | Sum Weights      | 5216       |
| Mean            | 4.59037577 | Sum Observations | 23943.4    |
| Std Deviation   | 1.43081151 | Variance         | 2.04722157 |
| Skewness        | -0.5492164 | Kurtosis         | 0.83825779 |
| Uncorrected SS  | 120585.464 | Corrected SS     | 10676.2605 |
| Coeff Variation | 31.1698122 | Std Error Mean   | 0.01981133 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 4.590376 | Std Deviation | 1.43081 |
| Median                     | 4.730000 | Variance      | 2.04722 |
| Mode                       | 5.100000 | Range         | 9.30000 |
| Interquartile Range        |          |               | 1.56500 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 231.7046 | Pr >  t  | <.0001 |
| Sign                      | M         | 2592.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6722353  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 9.300    |
| 99%                      | 7.700    |
| 95%                      | 6.710    |
| 90%                      | 6.240    |
| 75% Q3                   | 5.445    |
| 50% Median               | 4.730    |
| 25% Q1                   | 3.880    |
| 10%                      | 2.730    |
| 5%                       | 1.700    |

# OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.510    |
| 0% Min                   | 0.000    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5102 | 8.90    | 3856 |
| 0                    | 5056 | 8.97    | 2716 |
| 0                    | 4943 | 9.02    | 2881 |
| 0                    | 4942 | 9.10    | 4940 |
| 0                    | 4586 | 9.30    | 2195 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 78.95       |
| T              | 28    | 0.52       | 21.05       |
| Total          | 133   | 2.49       | 100.00      |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5226       | Sum Weights      | 5226       |
| Mean            | 5.21671068 | Sum Observations | 27262.53   |
| Std Deviation   | 1.48091044 | Variance         | 2.19309572 |
| Skewness        | -0.517355  | Kurtosis         | 1.03398141 |
| Uncorrected SS  | 153679.656 | Corrected SS     | 11458.9252 |
| Coeff Variation | 28.38782   | Std Error Mean   | 0.02048538 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 5.216711 | Std Deviation | 1.48091  |
| Median                     | 5.300000 | Variance      | 2.19310  |
| Mode                       | 5.100000 | Range         | 10.01000 |
| Interquartile Range        |          |               | 1.69000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 254.6553 | Pr >  t  | <.0001 |
| Sign                      | M         | 2600.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6763901  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 10.01    |
| 99%                      | 8.50     |
| 95%                      | 7.48     |
| 90%                      | 6.96     |
| 75% Q3                   | 6.12     |
| 50% Median               | 5.30     |
| 25% Q1                   | 4.43     |
| 10%                      | 3.40     |
| 5%                       | 2.40     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.85     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5102 | 9.80    | 4940 |
| 0                    | 4943 | 9.90    | 1380 |
| 0                    | 4942 | 9.90    | 2195 |
| 0                    | 4586 | 9.92    | 1092 |
| 0                    | 4508 | 10.01   | 2776 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 85.37       |
| T              | 18    | 0.34       | 14.63       |
| Total          | 123   | 2.30       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5226       | Sum Weights      | 5226       |
| Mean            | 6.33037505 | Sum Observations | 33082.54   |
| Std Deviation   | 1.54886636 | Variance         | 2.398987   |
| Skewness        | -0.3316212 | Kurtosis         | 1.04994818 |
| Uncorrected SS  | 221959.593 | Corrected SS     | 12534.7071 |
| Coeff Variation | 24.4672132 | Std Error Mean   | 0.02142542 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 6.330375 | Std Deviation       | 1.54887  |
| Median                     | 6.350000 | Variance            | 2.39899  |
| Mode                       | 5.900000 | Range               | 11.42000 |
|                            |          | Interquartile Range | 1.96000  |

**Note: The mode displayed is the smallest of 2 modes with a count of 63.**

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 295.461 | Pr >  t  | <.0001 |
| Sign                      | M         | 2606    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6792539 | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 11.42    |
| 99%                      | 9.99     |
| 95%                      | 8.74     |
| 90%                      | 8.21     |
| 75% Q3                   | 7.36     |
| 50% Median               | 6.35     |
| 25% Q1                   | 5.40     |
| 10%                      | 4.52     |
| 5%                       | 3.79     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.95     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4943 | 11.24   | 2237 |
| 0                    | 4463 | 11.33   | 1092 |
| 0                    | 4256 | 11.35   | 1380 |
| 0                    | 4019 | 11.40   | 1132 |
| 0                    | 3741 | 11.42   | 1064 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 85.37       |
| T              | 18    | 0.34       | 14.63       |
| Total          | 123   | 2.30       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5225       | Sum Weights      | 5225       |
| Mean            | 4.85691292 | Sum Observations | 25377.37   |
| Std Deviation   | 1.44905739 | Variance         | 2.09976732 |
| Skewness        | -0.5550823 | Kurtosis         | 0.9180062  |
| Uncorrected SS  | 134224.861 | Corrected SS     | 10969.1845 |
| Coeff Variation | 29.8349469 | Std Error Mean   | 0.02004668 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 4.856913 | Std Deviation       | 1.44906 |
| Median                     | 4.990000 | Variance            | 2.09977 |
| Mode                       | 5.100000 | Range               | 9.50000 |
|                            |          | Interquartile Range | 1.65000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 242.2802 | Pr >  t  | <.0001 |
| Sign                      | M         | 2598     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6750903  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 9.50     |
| 99%                      | 8.00     |
| 95%                      | 7.02     |
| 90%                      | 6.57     |
| 75% Q3                   | 5.75     |
| 50% Median               | 4.99     |
| 25% Q1                   | 4.10     |
| 10%                      | 3.05     |
| 5%                       | 2.04     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.67     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5102 | 9.14    | 2025 |
| 0                    | 5056 | 9.33    | 1092 |
| 0                    | 4943 | 9.40    | 4940 |
| 0                    | 4942 | 9.41    | 1380 |
| 0                    | 4586 | 9.50    | 2195 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 84.68       |
| T              | 19    | 0.36       | 15.32       |
| Total          | 124   | 2.32       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5196       | Sum Weights      | 5196       |
| Mean            | 3.41804773 | Sum Observations | 17760.176  |
| Std Deviation   | 1.53068999 | Variance         | 2.34301183 |
| Skewness        | 1.19333827 | Kurtosis         | 4.12996432 |
| Uncorrected SS  | 72877.0757 | Corrected SS     | 12171.9465 |
| Coeff Variation | 44.7825808 | Std Error Mean   | 0.02123502 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 3.418048 | Std Deviation       | 1.53069  |
| Median                     | 3.225000 | Variance            | 2.34301  |
| Mode                       | 3.400000 | Range               | 18.73700 |
|                            |          | Interquartile Range | 1.86200  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 160.9628 | Pr >  t  | <.0001 |
| Sign                      | M         | 2598     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6750903  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 18.837   |
| 99%                      | 8.195    |
| 95%                      | 6.113    |
| 90%                      | 5.334    |
| 75% Q3                   | 4.228    |
| 50% Median               | 3.225    |
| 25% Q1                   | 2.366    |
| 10%                      | 1.700    |
| 5%                       | 1.315    |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0.700    |
| 0 % Min                  | 0.100    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0.100                | 4340 | 11.354  | 3188 |
| 0.113                | 1387 | 11.486  | 2439 |
| 0.283                | 2619 | 12.358  | 4268 |
| 0.291                | 4868 | 13.487  | 269  |
| 0.300                | 1104 | 18.837  | 3571 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 68.63       |
| T              | 48    | 0.90       | 31.37       |
| Total          | 153   | 2.86       | 100.00      |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5310       | Sum Weights      | 5310       |
| Mean            | 10.0497213 | Sum Observations | 53364.02   |
| Std Deviation   | 1.50828796 | Variance         | 2.27493256 |
| Skewness        | 0.29114459 | Kurtosis         | 3.58262884 |
| Uncorrected SS  | 548371.144 | Corrected SS     | 12077.617  |
| Coeff Variation | 15.0082566 | Std Error Mean   | 0.02069841 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 10.04972 | Std Deviation | 1.50829  |
| Median                     | 10.02000 | Variance      | 2.27493  |
| Mode                       | 10.12000 | Range         | 17.17000 |
| Interquartile Range        |          |               | 1.61000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 485.5311 | Pr >  t  | <.0001 |
| Sign                      | M         | 2655     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 7050353  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 18.12    |
| 99%                      | 14.67    |
| 95%                      | 12.41    |
| 90%                      | 11.71    |
| 75% Q3                   | 10.85    |
| 50% Median               | 10.02    |
| 25% Q1                   | 9.24     |
| 10%                      | 8.40     |
| 5%                       | 7.68     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 6.45     |
| 0 % Min                  | 0.95     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0.95                 | 1193 | 17.81   | 2579 |
| 0.95                 | 1192 | 18.12   | 1701 |
| 1.31                 | 1827 | 18.12   | 1702 |
| 1.31                 | 1826 | 18.12   | 3002 |
| 3.00                 | 1226 | 18.12   | 3003 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| T              | 39    | 0.73       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5188       | Sum Weights      | 5188       |
| Mean            | 4.30516769 | Sum Observations | 22335.21   |
| Std Deviation   | 1.441642   | Variance         | 2.07833167 |
| Skewness        | -0.417418  | Kurtosis         | 0.69315809 |
| Uncorrected SS  | 106937.131 | Corrected SS     | 10780.3064 |
| Coeff Variation | 33.4863147 | Std Error Mean   | 0.02001509 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 4.305168 | Std Deviation | 1.44164  |
| Median                     | 4.430000 | Variance      | 2.07833  |
| Mode                       | 4.600000 | Range         | 10.37000 |
| Interquartile Range        |          |               | 1.67000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 215.0961 | Pr >  t  | <.0001 |
| Sign                      | M         | 2575.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6634488  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 10.37    |
| 99%                      | 7.59     |
| 95%                      | 6.42     |
| 90%                      | 5.93     |
| 75% Q3                   | 5.21     |
| 50% Median               | 4.43     |
| 25% Q1                   | 3.54     |
| 10%                      | 2.41     |
| 5%                       | 1.41     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.39     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5114 | 9.12    | 3914 |
| 0                    | 5102 | 9.20    | 4340 |
| 0                    | 5056 | 9.30    | 5011 |
| 0                    | 4586 | 9.37    | 3856 |
| 0                    | 4508 | 10.37   | 2716 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 65.22       |
| T              | 56    | 1.05       | 34.78       |
| Total          | 161   | 3.01       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5226       | Sum Weights      | 5226       |
| Mean            | 5.69873326 | Sum Observations | 29781.58   |
| Std Deviation   | 1.50890697 | Variance         | 2.27680023 |
| Skewness        | -0.4354624 | Kurtosis         | 1.04305833 |
| Uncorrected SS  | 181613.562 | Corrected SS     | 11896.2812 |
| Coeff Variation | 26.4779364 | Std Error Mean   | 0.02087266 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 5.698733 | Std Deviation | 1.50891  |
| Median                     | 5.740000 | Variance      | 2.27680  |
| Mode                       | 5.100000 | Range         | 10.79000 |
| Interquartile Range        |          |               | 1.81000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 273.0238 | Pr >  t  | <.0001 |
| Sign                      | M         | 2605.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6789933  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 10.79    |
| 99%                      | 9.04     |
| 95%                      | 8.05     |
| 90%                      | 7.49     |
| 75% Q3                   | 6.69     |
| 50% Median               | 5.74     |
| 25% Q1                   | 4.88     |
| 10%                      | 3.90     |
| 5%                       | 3.01     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.33     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4943 | 10.29   | 1380 |
| 0                    | 4463 | 10.31   | 1131 |
| 0                    | 4256 | 10.33   | 2237 |
| 0                    | 4019 | 10.50   | 4940 |
| 0                    | 3741 | 10.79   | 2776 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 85.37       |
| T              | 18    | 0.34       | 14.63       |
| Total          | 123   | 2.30       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5034       | Sum Weights      | 5034       |
| Mean            | 5.92347835 | Sum Observations | 29818.79   |
| Std Deviation   | 1.70324994 | Variance         | 2.90106036 |
| Skewness        | -0.6171232 | Kurtosis         | 1.31277848 |
| Uncorrected SS  | 191231.994 | Corrected SS     | 14601.0368 |
| Coeff Variation | 28.7542191 | Std Error Mean   | 0.02400611 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 5.923478 | Std Deviation       | 1.70325  |
| Median                     | 6.020000 | Variance            | 2.90106  |
| Mode                       | 5.900000 | Range               | 12.79000 |
|                            |          | Interquartile Range | 1.89000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 246.7488 | Pr >  t  | <.0001 |
| Sign                      | M         | 2501.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6258753  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 12.79    |
| 99%                      | 9.54     |
| 95%                      | 8.40     |
| 90%                      | 7.89     |
| 75% Q3                   | 6.99     |
| 50% Median               | 6.02     |
| 25% Q1                   | 5.10     |
| 10%                      | 3.81     |
| 5%                       | 2.63     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.78     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4723 | 11.70   | 3260 |
| 0                    | 4665 | 11.77   | 544  |
| 0                    | 4504 | 11.88   | 1153 |
| 0                    | 4471 | 11.94   | 237  |
| 0                    | 4260 | 12.79   | 2400 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 33.33       |
| T              | 210   | 3.93    | 66.67       |
| Total          | 315   | 5.89    | 100.00      |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 4836       | Sum Weights      | 4836       |
| Mean            | 6.26747519 | Sum Observations | 30309.51   |
| Std Deviation   | 1.82456829 | Variance         | 3.32904945 |
| Skewness        | -0.6282249 | Kurtosis         | 1.29745014 |
| Uncorrected SS  | 206060.056 | Corrected SS     | 16095.9541 |
| Coeff Variation | 29.1116955 | Std Error Mean   | 0.02623717 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 6.267475 | Std Deviation       | 1.82457  |
| Median                     | 6.410000 | Variance            | 3.32905  |
| Mode                       | 5.900000 | Range               | 14.05000 |
|                            |          | Interquartile Range | 1.99000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 238.8777 | Pr >  t  | <.0001 |
| Sign                      | M         | 2402     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 5770805  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 14.05    |
| 99%                      | 10.23    |
| 95%                      | 8.95     |
| 90%                      | 8.32     |
| 75% Q3                   | 7.39     |
| 50% Median               | 6.41     |
| 25% Q1                   | 5.40     |
| 10%                      | 4.08     |
| 5%                       | 2.68     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.78     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4723 | 12.32   | 729  |
| 0                    | 4504 | 12.33   | 5114 |
| 0                    | 4260 | 12.39   | 1153 |
| 0                    | 4204 | 12.57   | 544  |
| 0                    | 4055 | 14.05   | 2400 |

| Missing Values |       |            |             |
|----------------|-------|------------|-------------|
|                |       | Percent Of |             |
| Missing Value  | Count | All Obs    | Missing Obs |
| P              | 105   | 1.96       | 20.47       |
| T              | 408   | 7.63       | 79.53       |
| Total          | 513   | 9.59       | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5042       | Sum Weights      | 5042       |
| Mean            | 7.34394685 | Sum Observations | 37028.18   |
| Std Deviation   | 1.94485547 | Variance         | 3.78246282 |
| Skewness        | -0.6182773 | Kurtosis         | 0.89806068 |
| Uncorrected SS  | 291000.381 | Corrected SS     | 19067.3951 |
| Coeff Variation | 26.4824285 | Std Error Mean   | 0.02738961 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 7.343947 | Std Deviation       | 1.94486  |
| Median                     | 7.510000 | Variance            | 3.78246  |
| Mode                       | 6.800000 | Range               | 12.92000 |
|                            |          | Interquartile Range | 2.40000  |

**Note: The mode displayed is the smallest of 2 modes with a count of 40.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 268.1289 | Pr >  t  | <.0001 |
| Sign                      | M         | 2512.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6313913  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 12.92    |
| 99%                      | 11.40    |
| 95%                      | 10.21    |
| 90%                      | 9.63     |
| 75% Q3                   | 8.62     |
| 50% Median               | 7.51     |
| 25% Q1                   | 6.22     |
| 10%                      | 4.86     |
| 5%                       | 3.88     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.70     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5102 | 12.35   | 2706 |
| 0                    | 4723 | 12.59   | 309  |
| 0                    | 4204 | 12.60   | 3997 |
| 0                    | 3821 | 12.61   | 3422 |
| 0                    | 3730 | 12.92   | 707  |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 34.20       |
| T              | 202   | 3.78    | 65.80       |
| Total          | 307   | 5.74    | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5111       | Sum Weights      | 5111       |
| Mean            | 6.06745842 | Sum Observations | 31010.78   |
| Std Deviation   | 1.70246178 | Variance         | 2.8983761  |
| Skewness        | -0.6423786 | Kurtosis         | 1.28235855 |
| Uncorrected SS  | 202967.32  | Corrected SS     | 14810.7019 |
| Coeff Variation | 28.0588948 | Std Error Mean   | 0.02381357 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 6.067458 | Std Deviation | 1.70246  |
| Median                     | 6.200000 | Variance      | 2.89838  |
| Mode                       | 5.900000 | Range         | 12.39000 |
| Interquartile Range        |          |               | 1.93000  |

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 254.79  | Pr >  t  | <.0001 |
| Sign                      | M         | 2542    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6463035 | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 12.39    |
| 99%                      | 9.66     |
| 95%                      | 8.52     |
| 90%                      | 8.03     |
| 75% Q3                   | 7.14     |
| 50% Median               | 6.20     |
| 25% Q1                   | 5.21     |
| 10%                      | 4.00     |
| 5%                       | 2.86     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.90     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4723 | 11.67   | 1153 |
| 0                    | 4504 | 11.82   | 3260 |
| 0                    | 4471 | 11.84   | 3734 |
| 0                    | 4260 | 11.85   | 237  |
| 0                    | 4204 | 12.39   | 2400 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 44.12       |
| T              | 133   | 2.49    | 55.88       |
| Total          | 238   | 4.45    | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5137       | Sum Weights      | 5137       |
| Mean            | 6.8760366  | Sum Observations | 35322.2    |
| Std Deviation   | 1.77645646 | Variance         | 3.15579757 |
| Skewness        | -0.7082977 | Kurtosis         | 1.22471697 |
| Uncorrected SS  | 259084.916 | Corrected SS     | 16208.1763 |
| Coeff Variation | 25.8354713 | Std Error Mean   | 0.02478562 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 6.876037 | Std Deviation       | 1.77646  |
| Median                     | 7.030000 | Variance            | 3.15580  |
| Mode                       | 6.800000 | Range               | 11.70000 |
|                            |          | Interquartile Range | 2.15000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 277.4204 | Pr >  t  | <.0001 |
| Sign                      | M         | 2557     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6539528  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 11.70    |
| 99%                      | 10.54    |
| 95%                      | 9.47     |
| 90%                      | 8.92     |
| 75% Q3                   | 8.05     |
| 50% Median               | 7.03     |
| 25% Q1                   | 5.90     |
| 10%                      | 4.68     |
| 5%                       | 3.63     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.50     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5103 | 11.56   | 2706 |
| 0                    | 5102 | 11.62   | 857  |
| 0                    | 4723 | 11.68   | 2707 |
| 0                    | 4260 | 11.70   | 619  |
| 0                    | 4204 | 11.70   | 4940 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 49.53       |
| T              | 107   | 2.00    | 50.47       |
| Total          | 212   | 3.96    | 100.00      |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 4923       | Sum Weights      | 4923       |
| Mean            | 5.94913467 | Sum Observations | 29287.59   |
| Std Deviation   | 1.74760977 | Variance         | 3.05413993 |
| Skewness        | -0.5966322 | Kurtosis         | 1.28327285 |
| Uncorrected SS  | 189268.294 | Corrected SS     | 15032.4767 |
| Coeff Variation | 29.3758651 | Std Error Mean   | 0.02490747 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 5.949135 | Std Deviation | 1.74761  |
| Median                     | 6.100000 | Variance      | 3.05414  |
| Mode                       | 5.900000 | Range         | 13.37000 |
| Interquartile Range        |          |               | 1.92000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 238.8495 | Pr >  t  | <.0001 |
| Sign                      | M         | 2444.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 5976803  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 13.37    |
| 99%                      | 9.71     |
| 95%                      | 8.51     |
| 90%                      | 7.91     |
| 75% Q3                   | 7.02     |
| 50% Median               | 6.10     |
| 25% Q1                   | 5.10     |
| 10%                      | 3.79     |
| 5%                       | 2.53     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.78     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 4723 | 11.84   | 729  |
| 0                    | 4665 | 12.15   | 237  |
| 0                    | 4504 | 12.18   | 1153 |
| 0                    | 4471 | 12.22   | 544  |
| 0                    | 4260 | 13.37   | 2400 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 24.65       |
| T              | 321   | 6.00    | 75.35       |
| Total          | 426   | 7.96    | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5083       | Sum Weights      | 5083       |
| Mean            | 7.13374779 | Sum Observations | 36260.84   |
| Std Deviation   | 1.83725427 | Variance         | 3.37550325 |
| Skewness        | -0.6880829 | Kurtosis         | 1.15062043 |
| Uncorrected SS  | 275829.995 | Corrected SS     | 17154.3075 |
| Coeff Variation | 25.7544046 | Std Error Mean   | 0.02576969 |

| Basic Statistical Measures |          |                     |          |
|----------------------------|----------|---------------------|----------|
| Location                   |          | Variability         |          |
| Mean                       | 7.133748 | Std Deviation       | 1.83725  |
| Median                     | 7.300000 | Variance            | 3.37550  |
| Mode                       | 6.100000 | Range               | 12.47000 |
|                            |          | Interquartile Range | 2.25000  |

**Note: The mode displayed is the smallest of 3 modes with a count of 44.**

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 276.8271 | Pr >  t  | <.0001 |
| Sign                      | M         | 2529.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6399635  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 12.47    |
| 99%                      | 10.94    |
| 95%                      | 9.82     |
| 90%                      | 9.29     |
| 75% Q3                   | 8.37     |
| 50% Median               | 7.30     |
| 25% Q1                   | 6.12     |
| 10%                      | 4.80     |
| 5%                       | 3.81     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.65     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5103 | 11.80   | 619  |
| 0                    | 5102 | 11.80   | 3997 |
| 0                    | 4723 | 11.80   | 4395 |
| 0                    | 4260 | 11.90   | 2706 |
| 0                    | 4204 | 12.47   | 707  |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 39.47       |
| T              | 161   | 3.01    | 60.53       |
| Total          | 266   | 4.97    | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5160       | Sum Weights      | 5160       |
| Mean            | 6.60267829 | Sum Observations | 34069.82   |
| Std Deviation   | 1.75023115 | Variance         | 3.06330909 |
| Skewness        | -0.7056761 | Kurtosis         | 1.26121829 |
| Uncorrected SS  | 240755.673 | Corrected SS     | 15803.6116 |
| Coeff Variation | 26.5078969 | Std Error Mean   | 0.02436523 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 6.602678 | Std Deviation | 1.75023  |
| Median                     | 6.790000 | Variance      | 3.06331  |
| Mode                       | 6.700000 | Range         | 11.94000 |
| Interquartile Range        |          |               | 2.08000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 270.9877 | Pr >  t  | <.0001 |
| Sign                      | M         | 2568     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6595908  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 11.940   |
| 99%                      | 10.210   |
| 95%                      | 9.180    |
| 90%                      | 8.605    |
| 75% Q3                   | 7.760    |
| 50% Median               | 6.790    |
| 25% Q1                   | 5.680    |
| 10%                      | 4.485    |
| 5%                       | 3.310    |

# OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.100    |
| 0% Min                   | 0.000    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5103 | 11.57   | 1153 |
| 0                    | 5102 | 11.70   | 619  |
| 0                    | 4723 | 11.80   | 4940 |
| 0                    | 4471 | 11.82   | 3260 |
| 0                    | 4260 | 11.94   | 3734 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 55.56       |
| T              | 84    | 1.57    | 44.44       |
| Total          | 189   | 3.53    | 100.00      |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5152       | Sum Weights      | 5152       |
| Mean            | 6.31816576 | Sum Observations | 32551.19   |
| Std Deviation   | 1.72597316 | Variance         | 2.97898334 |
| Skewness        | -0.6689753 | Kurtosis         | 1.24105038 |
| Uncorrected SS  | 221008.557 | Corrected SS     | 15344.7432 |
| Coeff Variation | 27.3176302 | Std Error Mean   | 0.02404618 |

| Basic Statistical Measures |          |               |          |
|----------------------------|----------|---------------|----------|
| Location                   |          | Variability   |          |
| Mean                       | 6.318166 | Std Deviation | 1.72597  |
| Median                     | 6.460000 | Variance      | 2.97898  |
| Mode                       | 6.800000 | Range         | 11.94000 |
| Interquartile Range        |          |               | 1.99000  |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 262.7513 | Pr >  t  | <.0001 |
| Sign                      | M         | 2562.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6567688  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 11.94    |
| 99%                      | 9.90     |
| 95%                      | 8.82     |
| 90%                      | 8.29     |
| 75% Q3                   | 7.42     |
| 50% Median               | 6.46     |
| 25% Q1                   | 5.43     |
| 10%                      | 4.20     |
| 5%                       | 3.11     |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 1.03     |
| 0% Min                   | 0.00     |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5103 | 11.71   | 3260 |
| 0                    | 4723 | 11.77   | 544  |
| 0                    | 4504 | 11.80   | 2400 |
| 0                    | 4471 | 11.85   | 237  |
| 0                    | 4260 | 11.94   | 3734 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 53.30       |
| T              | 92    | 1.72    | 46.70       |
| Total          | 197   | 3.68    | 100.00      |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5215       | Sum Weights      | 5215       |
| Mean            | 0.13038121 | Sum Observations | 679.938    |
| Std Deviation   | 0.04675425 | Variance         | 0.00218596 |
| Skewness        | 1.04274126 | Kurtosis         | 1.67659178 |
| Uncorrected SS  | 100.048734 | Corrected SS     | 11.3975962 |
| Coeff Variation | 35.8596559 | Std Error Mean   | 0.00064743 |

| Basic Statistical Measures |          |                     |         |
|----------------------------|----------|---------------------|---------|
| Location                   |          | Variability         |         |
| Mean                       | 0.130381 | Std Deviation       | 0.04675 |
| Median                     | 0.123000 | Variance            | 0.00219 |
| Mode                       | 0.104000 | Range               | 0.36400 |
|                            |          | Interquartile Range | 0.05600 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 201.3822 | Pr >  t  | <.0001 |
| Sign                      | M         | 2607     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 6797753  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 0.364    |
| 99%                      | 0.280    |
| 95%                      | 0.218    |
| 90%                      | 0.191    |
| 75% Q3                   | 0.154    |
| 50% Median               | 0.123    |
| 25% Q1                   | 0.098    |
| 10%                      | 0.079    |
| 5%                       | 0.069    |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure****Variable: V05XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1%                       | 0.050    |
| 0% Min                   | 0.000    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0.000                | 1598 | 0.337   | 4055 |
| 0.025                | 3039 | 0.342   | 684  |
| 0.026                | 243  | 0.347   | 2292 |
| 0.028                | 2765 | 0.358   | 660  |
| 0.029                | 3678 | 0.364   | 1471 |

| Missing Values |       |         |             |
|----------------|-------|---------|-------------|
| Percent Of     |       |         |             |
| Missing Value  | Count | All Obs | Missing Obs |
| P              | 105   | 1.96    | 78.36       |
| T              | 29    | 0.54    | 21.64       |
| Total          | 134   | 2.51    | 100.00      |

## OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05

## The UNIVARIATE Procedure

Variable: V05INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.09665358 | Sum Observations | 517        |
| Std Deviation   | 0.2955131  | Variance         | 0.08732799 |
| Skewness        | 2.73082506 | Kurtosis         | 5.45944667 |
| Uncorrected SS  | 517        | Corrected SS     | 467.030099 |
| Coeff Variation | 305.744597 | Std Error Mean   | 0.00404055 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.096654 | Std Deviation | 0.29551 |
| Median                     | 0.000000 | Variance      | 0.08733 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 23.9209 | Pr >  t  | <.0001 |
| Sign                      | M         | 258.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 66951.5 | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 1        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 5223 |
| 0                    | 5348 | 1       | 5224 |
| 0                    | 5347 | 1       | 5271 |
| 0                    | 5346 | 1       | 5292 |
| 0                    | 5345 | 1       | 5308 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.00859974 | Sum Observations | 46         |
| Std Deviation   | 0.0923438  | Variance         | 0.00852738 |
| Skewness        | 10.6468237 | Kurtosis         | 111.396506 |
| Uncorrected SS  | 46         | Corrected SS     | 45.604412  |
| Coeff Variation | 1073.79777 | Std Error Mean   | 0.00126262 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.008600 | Std Deviation | 0.09234 |
| Median                     | 0.000000 | Variance      | 0.00853 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 6.811046 | Pr >  t  | <.0001 |
| Sign                      | M         | 23       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 540.5    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 0        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 4819 |
| 0                    | 5348 | 1       | 4987 |
| 0                    | 5347 | 1       | 5299 |
| 0                    | 5346 | 1       | 5300 |
| 0                    | 5345 | 1       | 5330 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.00299121 | Sum Observations | 16         |
| Std Deviation   | 0.05461523 | Variance         | 0.00298282 |
| Skewness        | 18.2071802 | Kurtosis         | 329.624659 |
| Uncorrected SS  | 16         | Corrected SS     | 15.9521406 |
| Coeff Variation | 1825.85548 | Std Error Mean   | 0.00074675 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.002991 | Std Deviation | 0.05462 |
| Median                     | 0.000000 | Variance      | 0.00298 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 4.005621 | Pr >  t  | <.0001 |
| Sign                      | M         | 8        | Pr >=  M | <.0001 |
| Signed Rank               | S         | 68       | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 0        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 3807 |
| 0                    | 5348 | 1       | 3854 |
| 0                    | 5347 | 1       | 4574 |
| 0                    | 5346 | 1       | 4643 |
| 0                    | 5345 | 1       | 5004 |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.00972144 | Sum Observations | 52         |
| Std Deviation   | 0.09812613 | Variance         | 0.00962874 |
| Skewness        | 9.99656164 | Kurtosis         | 97.9678749 |
| Uncorrected SS  | 52         | Corrected SS     | 51.494485  |
| Coeff Variation | 1009.37818 | Std Error Mean   | 0.00134168 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.009721 | Std Deviation | 0.09813 |
| Median                     | 0.000000 | Variance      | 0.00963 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 7.245734 | Pr >  t  | <.0001 |
| Sign                      | M         | 26       | Pr >=  M | <.0001 |
| Signed Rank               | S         | 689      | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 0        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 5004 |
| 0                    | 5348 | 1       | 5038 |
| 0                    | 5347 | 1       | 5039 |
| 0                    | 5346 | 1       | 5077 |
| 0                    | 5345 | 1       | 5206 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.01794728 | Sum Observations | 96         |
| Std Deviation   | 0.13277225 | Variance         | 0.01762847 |
| Skewness        | 7.26406344 | Kurtosis         | 50.7856064 |
| Uncorrected SS  | 96         | Corrected SS     | 94.2770611 |
| Coeff Variation | 739.790387 | Std Error Mean   | 0.00181539 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.017947 | Std Deviation | 0.13277 |
| Median                     | 0.000000 | Variance      | 0.01763 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |         |          |        |
|---------------------------|-----------|---------|----------|--------|
| Test                      | Statistic |         | p Value  |        |
| Student's t               | t         | 9.88616 | Pr >  t  | <.0001 |
| Sign                      | M         | 48      | Pr >=  M | <.0001 |
| Signed Rank               | S         | 2328    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 5114 |
| 0                    | 5348 | 1       | 5226 |
| 0                    | 5347 | 1       | 5227 |
| 0                    | 5346 | 1       | 5298 |
| 0                    | 5345 | 1       | 5337 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.44120396 | Sum Observations | 2360       |
| Std Deviation   | 0.49657741 | Variance         | 0.24658913 |
| Skewness        | 0.23689369 | Kurtosis         | -1.9446086 |
| Uncorrected SS  | 2360       | Corrected SS     | 1318.75865 |
| Coeff Variation | 112.550533 | Std Error Mean   | 0.0067897  |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.441204 | Std Deviation | 0.49658 |
| Median                     | 0.000000 | Variance      | 0.24659 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 1.00000 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 64.98135 | Pr >  t  | <.0001 |
| Sign                      | M         | 1180     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 1392990  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 1        |
| 90%                      | 1        |
| 75% Q3                   | 1        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5348 | 1       | 5340 |
| 0                    | 5347 | 1       | 5341 |
| 0                    | 5346 | 1       | 5344 |
| 0                    | 5343 | 1       | 5345 |
| 0                    | 5342 | 1       | 5349 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.03944663 | Sum Observations | 211        |
| Std Deviation   | 0.19467325 | Variance         | 0.03789767 |
| Skewness        | 4.73332253 | Kurtosis         | 20.4119741 |
| Uncorrected SS  | 211        | Corrected SS     | 202.676762 |
| Coeff Variation | 493.510528 | Std Error Mean   | 0.00266177 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.039447 | Std Deviation | 0.19467 |
| Median                     | 0.000000 | Variance      | 0.03790 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 14.81972 | Pr >  t  | <.0001 |
| Sign                      | M         | 105.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 11183    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 5199 |
| 0                    | 5348 | 1       | 5246 |
| 0                    | 5347 | 1       | 5274 |
| 0                    | 5346 | 1       | 5287 |
| 0                    | 5345 | 1       | 5288 |



**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.00542157 | Sum Observations | 29         |
| Std Deviation   | 0.07343833 | Variance         | 0.00539319 |
| Skewness        | 13.474255  | Kurtosis         | 179.622708 |
| Uncorrected SS  | 29         | Corrected SS     | 28.8427744 |
| Coeff Variation | 1354.55741 | Std Error Mean   | 0.00100412 |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.005422 | Std Deviation | 0.07344 |
| Median                     | 0.000000 | Variance      | 0.00539 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 5.399318 | Pr >  t  | <.0001 |
| Sign                      | M         | 14.5     | Pr >=  M | <.0001 |
| Signed Rank               | S         | 217.5    | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 0        |
| 95%                      | 0        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 4642 |
| 0                    | 5348 | 1       | 4643 |
| 0                    | 5347 | 1       | 4987 |
| 0                    | 5346 | 1       | 5004 |
| 0                    | 5345 | 1       | 5055 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.05702    | Sum Observations | 305        |
| Std Deviation   | 0.23190252 | Variance         | 0.05377878 |
| Skewness        | 3.82182735 | Kurtosis         | 12.6110795 |
| Uncorrected SS  | 305        | Corrected SS     | 287.608899 |
| Coeff Variation | 406.703789 | Std Error Mean   | 0.0031708  |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.057020 | Std Deviation | 0.23190 |
| Median                     | 0.000000 | Variance      | 0.05378 |
| Mode                       | 0.000000 | Range         | 1.00000 |
| Interquartile Range        |          |               | 0       |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 17.98283 | Pr >  t  | <.0001 |
| Sign                      | M         | 152.5    | Pr >=  M | <.0001 |
| Signed Rank               | S         | 23332.5  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 1        |
| 99%                      | 1        |
| 95%                      | 1        |
| 90%                      | 0        |
| 75% Q3                   | 0        |
| 50% Median               | 0        |
| 25% Q1                   | 0        |
| 10%                      | 0        |
| 5%                       | 0        |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0        |
| 0 % Min                  | 0        |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0                    | 5349 | 1       | 5268 |
| 0                    | 5348 | 1       | 5278 |
| 0                    | 5347 | 1       | 5299 |
| 0                    | 5346 | 1       | 5306 |
| 0                    | 5345 | 1       | 5342 |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])**

| Moments         |            |                  |            |
|-----------------|------------|------------------|------------|
| N               | 5349       | Sum Weights      | 5349       |
| Mean            | 0.1625184  | Sum Observations | 869.310924 |
| Std Deviation   | 0.03355533 | Variance         | 0.00112596 |
| Skewness        | -0.783203  | Kurtosis         | -0.5225308 |
| Uncorrected SS  | 147.300658 | Corrected SS     | 6.02163678 |
| Coeff Variation | 20.647099  | Std Error Mean   | 0.0004588  |

| Basic Statistical Measures |          |               |         |
|----------------------------|----------|---------------|---------|
| Location                   |          | Variability   |         |
| Mean                       | 0.162518 | Std Deviation | 0.03356 |
| Median                     | 0.170000 | Variance      | 0.00113 |
| Mode                       | 0.170000 | Range         | 0.10000 |
| Interquartile Range        |          |               | 0.04400 |

| Tests for Location: Mu0=0 |           |          |          |        |
|---------------------------|-----------|----------|----------|--------|
| Test                      | Statistic |          | p Value  |        |
| Student's t               | t         | 354.2234 | Pr >  t  | <.0001 |
| Sign                      | M         | 2674.5   | Pr >=  M | <.0001 |
| Signed Rank               | S         | 7154288  | Pr >=  S | <.0001 |

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 100% Max                 | 0.200    |
| 99%                      | 0.200    |
| 95%                      | 0.200    |
| 90%                      | 0.200    |
| 75% Q3                   | 0.194    |
| 50% Median               | 0.170    |
| 25% Q1                   | 0.150    |
| 10%                      | 0.100    |
| 5%                       | 0.100    |

**OAI 5.5 03/04/2016: Freqs/Univs for kxr\_qjsw\_duryea05****The UNIVARIATE Procedure**

**Variable: V05IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])**

| Quantiles (Definition 5) |          |
|--------------------------|----------|
| Level                    | Quantile |
| 1 %                      | 0.100    |
| 0 % Min                  | 0.100    |

| Extreme Observations |      |         |      |
|----------------------|------|---------|------|
| Lowest               |      | Highest |      |
| Value                | Obs  | Value   | Obs  |
| 0.1                  | 5348 | 0.2     | 5266 |
| 0.1                  | 5343 | 0.2     | 5307 |
| 0.1                  | 5339 | 0.2     | 5308 |
| 0.1                  | 5337 | 0.2     | 5332 |
| 0.1                  | 5336 | 0.2     | 5333 |