

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	5000	Sum Weights	5000
Mean	86.8517254	Sum Observations	434258.627
Std Deviation	7.81477924	Variance	61.0707745
Skewness	0.27611377	Kurtosis	-0.4582
Uncorrected SS	38021403.8	Corrected SS	305292.802
Coeff Variation	8.99783994	Std Error Mean	0.11051767

Basic Statistical Measures			
Location		Variability	
Mean	86.85173	Std Deviation	7.81478
Median	86.04900	Variance	61.07077
Mode	87.89000	Range	53.71900
		Interquartile Range	11.61800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	785.8628	Pr > t	<.0001
Sign	M	2500	Pr >= M	<.0001
Signed Rank	S	6251250	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	116.6400
99%	104.8200
95%	100.3470
90%	97.9050
75% Q3	92.5885
50% Median	86.0490
25% Q1	80.9705
10%	77.3870
5%	75.4650

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06

The UNIVARIATE Procedure

Variable: V06CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	71.3485
0 % Min	62.9210

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
62.921	115	109.355	4068
63.068	114	109.457	4552
64.456	1494	109.690	4811
64.643	1495	110.030	1568
64.719	1359	116.640	1569

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	4971	Sum Weights	4971
Mean	3.84296761	Sum Observations	19103.392
Std Deviation	1.41954947	Variance	2.01512069
Skewness	-0.4564246	Kurtosis	0.40397888
Uncorrected SS	83428.8666	Corrected SS	10015.1498
Coeff Variation	36.9388871	Std Error Mean	0.02013393

Basic Statistical Measures			
Location		Variability	
Mean	3.842968	Std Deviation	1.41955
Median	3.990000	Variance	2.01512
Mode	0.000000	Range	8.50200
		Interquartile Range	1.65300

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	190.8702	Pr > t	<.0001
Sign	M	2434.5	Pr >= M	<.0001
Signed Rank	S	5928008	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.502
99%	6.894
95%	5.967
90%	5.502
75% Q3	4.753
50% Median	3.990
25% Q1	3.100
10%	1.906
5%	1.100

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.000
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5124	7.941	2362
0	4860	8.104	2088
0	4854	8.296	4820
0	4822	8.453	3704
0	4793	8.502	1678

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	82.21
T	29	0.56	17.79
Total	163	3.17	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	4949	Sum Weights	4949
Mean	4.37867246	Sum Observations	21670.05
Std Deviation	1.43432028	Variance	2.05727465
Skewness	-0.4618733	Kurtosis	0.61404872
Uncorrected SS	105065.446	Corrected SS	10179.395
Coeff Variation	32.7569666	Std Error Mean	0.0203886

Basic Statistical Measures			
Location		Variability	
Mean	4.378672	Std Deviation	1.43432
Median	4.510000	Variance	2.05727
Mode	5.100000	Range	9.65000
		Interquartile Range	1.69000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	214.7608	Pr > t	<.0001
Sign	M	2457.5	Pr >= M	<.0001
Signed Rank	S	6040535	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.65
99%	7.57
95%	6.51
90%	6.01
75% Q3	5.30
50% Median	4.51
25% Q1	3.61
10%	2.50
5%	1.50

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.49
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4860	8.90	820
0	4746	8.92	1678
0	4383	9.12	3704
0	4258	9.44	2574
0	4238	9.65	4820

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	72.43
T	51	0.99	27.57
Total	185	3.60	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	4961	Sum Weights	4961
Mean	4.55492441	Sum Observations	22596.98
Std Deviation	1.44211924	Variance	2.0797079
Skewness	-0.5155009	Kurtosis	0.70551732
Uncorrected SS	113242.887	Corrected SS	10315.3512
Coeff Variation	31.6606624	Std Error Mean	0.02047465

Basic Statistical Measures			
Location		Variability	
Mean	4.554924	Std Deviation	1.44212
Median	4.700000	Variance	2.07971
Mode	4.600000	Range	9.65000
		Interquartile Range	1.65000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	222.4665	Pr > t	<.0001
Sign	M	2464.5	Pr >= M	<.0001
Signed Rank	S	6074993	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.65
99%	7.71
95%	6.70
90%	6.21
75% Q3	5.45
50% Median	4.70
25% Q1	3.80
10%	2.68
5%	1.66

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.49
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4860	8.93	3704
0	4746	8.96	4744
0	4383	9.04	2574
0	4280	9.22	2088
0	4258	9.65	4820

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	77.46
T	39	0.76	22.54
Total	173	3.37	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	4973	Sum Weights	4973
Mean	5.1792037	Sum Observations	25756.18
Std Deviation	1.49373258	Variance	2.23123702
Skewness	-0.4864374	Kurtosis	0.86005704
Uncorrected SS	144490.213	Corrected SS	11093.7104
Coeff Variation	28.8409699	Std Error Mean	0.02118184

Basic Statistical Measures			
Location		Variability	
Mean	5.179204	Std Deviation	1.49373
Median	5.300000	Variance	2.23124
Mode	6.010000	Range	10.30000
Interquartile Range			1.75000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	244.5115	Pr > t	<.0001
Sign	M	2476	Pr >= M	<.0001
Signed Rank	S	6131814	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.30
99%	8.50
95%	7.41
90%	6.91
75% Q3	6.12
50% Median	5.30
25% Q1	4.37
10%	3.31
5%	2.40

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.90
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4746	9.70	1678
0	4383	9.80	4779
0	4258	9.93	1028
0	3955	9.99	2088
0	3324	10.30	4744

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	83.23
T	27	0.53	16.77
Total	161	3.14	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	4971	Sum Weights	4971
Mean	6.28624623	Sum Observations	31248.93
Std Deviation	1.56839368	Variance	2.45985874
Skewness	-0.2806147	Kurtosis	0.91944877
Uncorrected SS	208663.966	Corrected SS	12225.498
Coeff Variation	24.9496063	Std Error Mean	0.02224504

Basic Statistical Measures			
Location		Variability	
Mean	6.286246	Std Deviation	1.56839
Median	6.310000	Variance	2.45986
Mode	6.600000	Range	12.08000
Interquartile Range			1.98000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	282.5909	Pr > t	<.0001
Sign	M	2480.5	Pr >= M	<.0001
Signed Rank	S	6154121	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.08
99%	9.95
95%	8.74
90%	8.20
75% Q3	7.32
50% Median	6.31
25% Q1	5.34
10%	4.42
5%	3.70

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.91
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4383	11.06	4744
0	4258	11.17	2932
0	3324	11.35	2088
0	3054	11.44	1028
0	2310	12.08	2933

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	82.21
T	29	0.56	17.79
Total	163	3.17	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	4970	Sum Weights	4970
Mean	4.81962978	Sum Observations	23953.56
Std Deviation	1.46360971	Variance	2.14215337
Skewness	-0.538014	Kurtosis	0.79860045
Uncorrected SS	126091.651	Corrected SS	10644.3601
Coeff Variation	30.3676791	Std Error Mean	0.02076094

Basic Statistical Measures			
Location		Variability	
Mean	4.819630	Std Deviation	1.46361
Median	4.950000	Variance	2.14215
Mode	5.100000	Range	9.72000
		Interquartile Range	1.67000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	232.1489	Pr > t	<.0001
Sign	M	2472	Pr >= M	<.0001
Signed Rank	S	6112020	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.72
99%	8.00
95%	7.00
90%	6.51
75% Q3	5.75
50% Median	4.95
25% Q1	4.08
10%	2.92
5%	1.95

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.58
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4860	9.17	4820
0	4746	9.20	1811
0	4383	9.43	1028
0	4280	9.60	2088
0	4258	9.72	4744

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	81.71
T	30	0.58	18.29
Total	164	3.19	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	4952	Sum Weights	4952
Mean	3.38284067	Sum Observations	16751.827
Std Deviation	1.54247526	Variance	2.37922993
Skewness	1.38630233	Kurtosis	6.07573166
Uncorrected SS	68448.3291	Corrected SS	11779.5674
Coeff Variation	45.5970414	Std Error Mean	0.02191936

Basic Statistical Measures			
Location		Variability	
Mean	3.382841	Std Deviation	1.54248
Median	3.200000	Variance	2.37923
Mode	3.400000	Range	20.54800
Interquartile Range			1.86500

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	154.3312	Pr > t	<.0001
Sign	M	2476	Pr >= M	<.0001
Signed Rank	S	6131814	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	20.648
99%	8.115
95%	6.124
90%	5.295
75% Q3	4.193
50% Median	3.200
25% Q1	2.328
10%	1.660
5%	1.334

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.743
0 % Min	0.100

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.100	3751	12.103	4747
0.200	755	13.637	1817
0.291	562	14.447	487
0.300	3117	14.470	1869
0.381	1493	20.648	3409

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	73.63
T	48	0.93	26.37
Total	182	3.54	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	5100	Sum Weights	5100
Mean	9.76636078	Sum Observations	49808.44
Std Deviation	1.59976639	Variance	2.55925249
Skewness	0.31593635	Kurtosis	3.52592351
Uncorrected SS	499496.824	Corrected SS	13049.6285
Coeff Variation	16.3803736	Std Error Mean	0.02240121

Basic Statistical Measures			
Location		Variability	
Mean	9.766361	Std Deviation	1.59977
Median	9.710000	Variance	2.55925
Mode	9.540000	Range	17.07000
		Interquartile Range	1.69000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	435.9747	Pr > t	<.0001
Sign	M	2550	Pr >= M	<.0001
Signed Rank	S	6503775	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	19.11
99%	14.51
95%	12.25
90%	11.57
75% Q3	10.63
50% Median	9.71
25% Q1	8.94
10%	7.97
5%	7.47

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	5.40
0 % Min	2.04

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.04	5024	17.76	1074
2.04	5023	17.89	998
2.55	1550	17.89	999
2.70	427	19.11	1408
2.70	426	19.11	1409

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	34	0.66	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	4941	Sum Weights	4941
Mean	4.28169601	Sum Observations	21155.86
Std Deviation	1.44470844	Variance	2.08718247
Skewness	-0.3795435	Kurtosis	0.57653575
Uncorrected SS	100893.643	Corrected SS	10310.6814
Coeff Variation	33.7414995	Std Error Mean	0.02055288

Basic Statistical Measures			
Location		Variability	
Mean	4.281696	Std Deviation	1.44471
Median	4.400000	Variance	2.08718
Mode	4.100000	Range	10.13000
Interquartile Range			1.69000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	208.3258	Pr > t	<.0001
Sign	M	2454	Pr >= M	<.0001
Signed Rank	S	6023343	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.13
99%	7.48
95%	6.41
90%	5.95
75% Q3	5.20
50% Median	4.40
25% Q1	3.51
10%	2.33
5%	1.46

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.48
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4860	9.27	1589
0	4383	9.32	3704
0	4258	9.91	4137
0	4238	10.04	2574
0	4171	10.13	4820

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	69.43
T	59	1.15	30.57
Total	193	3.76	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	4972	Sum Weights	4972
Mean	5.65666533	Sum Observations	28124.94
Std Deviation	1.53169793	Variance	2.34609855
Skewness	-0.4052463	Kurtosis	0.90706013
Uncorrected SS	170755.829	Corrected SS	11662.4559
Coeff Variation	27.0777542	Std Error Mean	0.02172239

Basic Statistical Measures			
Location		Variability	
Mean	5.656665	Std Deviation	1.53170
Median	5.720000	Variance	2.34610
Mode	6.010000	Range	10.87000
		Interquartile Range	1.88000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	260.4072	Pr > t	<.0001
Sign	M	2478	Pr >= M	<.0001
Signed Rank	S	6141723	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.87
99%	9.10
95%	8.00
90%	7.49
75% Q3	6.68
50% Median	5.72
25% Q1	4.80
10%	3.80
5%	2.98

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.26
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4383	10.29	3205
0	4258	10.37	2933
0	3324	10.48	2088
0	3054	10.50	869
0	2462	10.87	4744

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	82.72
T	28	0.55	17.28
Total	162	3.16	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	4788	Sum Weights	4788
Mean	5.87713241	Sum Observations	28139.71
Std Deviation	1.73287754	Variance	3.00286458
Skewness	-0.684093	Kurtosis	1.40035222
Uncorrected SS	179755.514	Corrected SS	14374.7127
Coeff Variation	29.4850859	Std Error Mean	0.02504326

Basic Statistical Measures			
Location		Variability	
Mean	5.877132	Std Deviation	1.73288
Median	6.010000	Variance	3.00286
Mode	6.210000	Range	13.57000
Interquartile Range			1.81000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	234.6792	Pr > t	<.0001
Sign	M	2378	Pr >= M	<.0001
Signed Rank	S	5656073	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.57
99%	9.51
95%	8.41
90%	7.83
75% Q3	6.91
50% Median	6.01
25% Q1	5.10
10%	3.71
5%	2.50

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.51
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4587	11.24	3543
0	4459	11.62	217
0	4301	11.86	1093
0	4059	12.12	3116
0	4007	13.57	2272

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	38.73
T	212	4.13	61.27
Total	346	6.74	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	4605	Sum Weights	4605
Mean	6.20382628	Sum Observations	28568.62
Std Deviation	1.85497079	Variance	3.44091663
Skewness	-0.6967035	Kurtosis	1.33604093
Uncorrected SS	193076.736	Corrected SS	15841.9802
Coeff Variation	29.9004309	Std Error Mean	0.0273352

Basic Statistical Measures			
Location		Variability	
Mean	6.203826	Std Deviation	1.85497
Median	6.400000	Variance	3.44092
Mode	6.600000	Range	15.03000
		Interquartile Range	1.97000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	226.9538	Pr > t	<.0001
Sign	M	2286.5	Pr >= M	<.0001
Signed Rank	S	5229226	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	15.03
99%	10.10
95%	8.91
90%	8.27
75% Q3	7.37
50% Median	6.40
25% Q1	5.40
10%	3.89
5%	2.43

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.51
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4587	11.77	3116
0	4301	12.13	217
0	4059	12.23	4912
0	4025	12.68	1093
0	4007	15.03	2272

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	25.33
T	395	7.69	74.67
Total	529	10.30	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	4811	Sum Weights	4811
Mean	7.25204323	Sum Observations	34889.58
Std Deviation	1.96574071	Variance	3.86413655
Skewness	-0.5941552	Kurtosis	0.75805906
Uncorrected SS	271607.239	Corrected SS	18586.4968
Coeff Variation	27.1060258	Std Error Mean	0.02834057

Basic Statistical Measures			
Location		Variability	
Mean	7.252043	Std Deviation	1.96574
Median	7.400000	Variance	3.86414
Mode	7.370000	Range	12.47000
Interquartile Range			2.48000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	255.8891	Pr > t	<.0001
Sign	M	2398.5	Pr >= M	<.0001
Signed Rank	S	5754002	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.47
99%	11.31
95%	10.20
90%	9.53
75% Q3	8.60
50% Median	7.40
25% Q1	6.12
10%	4.76
5%	3.70

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.56
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4387	12.15	4949
0	4059	12.22	3027
0	4007	12.30	1065
0	3626	12.30	3268
0	3539	12.47	2566

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	41.49
T	189	3.68	58.51
Total	323	6.29	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	4870	Sum Weights	4870
Mean	6.02005544	Sum Observations	29317.67
Std Deviation	1.72387293	Variance	2.97173787
Skewness	-0.6848257	Kurtosis	1.37568169
Uncorrected SS	190963.39	Corrected SS	14469.3917
Coeff Variation	28.6354992	Std Error Mean	0.02470249

Basic Statistical Measures			
Location		Variability	
Mean	6.020055	Std Deviation	1.72387
Median	6.140000	Variance	2.97174
Mode	6.210000	Range	13.08000
Interquartile Range			1.85000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	243.7024	Pr > t	<.0001
Sign	M	2421	Pr >= M	<.0001
Signed Rank	S	5862452	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.08
99%	9.62
95%	8.51
90%	7.97
75% Q3	7.09
50% Median	6.14
25% Q1	5.24
10%	3.90
5%	2.68

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.71
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4459	11.54	3543
0	4301	11.62	217
0	4059	11.77	1093
0	4007	12.00	3116
0	3626	13.08	2272

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	50.76
T	130	2.53	49.24
Total	264	5.14	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	4908	Sum Weights	4908
Mean	6.80897514	Sum Observations	33418.45
Std Deviation	1.8042886	Variance	3.25545734
Skewness	-0.7076594	Kurtosis	1.13272203
Uncorrected SS	243519.924	Corrected SS	15974.5291
Coeff Variation	26.4986809	Std Error Mean	0.02575454

Basic Statistical Measures			
Location		Variability	
Mean	6.808975	Std Deviation	1.80429
Median	6.990000	Variance	3.25546
Mode	6.400000	Range	12.13000
		Interquartile Range	2.18000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	264.3796	Pr > t	<.0001
Sign	M	2445.5	Pr >= M	<.0001
Signed Rank	S	5981693	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.13
99%	10.46
95%	9.43
90%	8.85
75% Q3	8.00
50% Median	6.99
25% Q1	5.82
10%	4.56
5%	3.41

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.24
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4059	11.25	4744
0	4007	11.50	579
0	3626	11.61	2272
0	3539	11.67	2567
0	3465	12.13	2566

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	59.29
T	92	1.79	40.71
Total	226	4.40	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	4674	Sum Weights	4674
Mean	5.89512195	Sum Observations	27553.8
Std Deviation	1.77750808	Variance	3.15953498
Skewness	-0.66846	Kurtosis	1.34670183
Uncorrected SS	177197.518	Corrected SS	14764.507
Coeff Variation	30.1521851	Std Error Mean	0.02599963

Basic Statistical Measures			
Location		Variability	
Mean	5.895122	Std Deviation	1.77751
Median	6.020000	Variance	3.15953
Mode	6.010000	Range	14.15000
		Interquartile Range	1.86000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	226.7387	Pr > t	<.0001
Sign	M	2318.5	Pr >= M	<.0001
Signed Rank	S	5376602	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	14.15
99%	9.73
95%	8.50
90%	7.90
75% Q3	6.96
50% Median	6.02
25% Q1	5.10
10%	3.63
5%	2.31

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.50
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4587	11.62	4912
0	4459	11.76	3116
0	4301	11.82	217
0	4059	12.17	1093
0	4025	14.15	2272

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	29.13
T	326	6.35	70.87
Total	460	8.96	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	4850	Sum Weights	4850
Mean	7.05514021	Sum Observations	34217.43
Std Deviation	1.86437665	Variance	3.4759003
Skewness	-0.6711654	Kurtosis	0.99070834
Uncorrected SS	258263.407	Corrected SS	16854.6406
Coeff Variation	26.4257917	Std Error Mean	0.02677089

Basic Statistical Measures			
Location		Variability	
Mean	7.055140	Std Deviation	1.86438
Median	7.250000	Variance	3.47590
Mode	6.500000	Range	12.35000
		Interquartile Range	2.29000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	263.5378	Pr > t	<.0001
Sign	M	2417	Pr >= M	<.0001
Signed Rank	S	5843098	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.35
99%	10.88
95%	9.80
90%	9.23
75% Q3	8.30
50% Median	7.25
25% Q1	6.01
10%	4.76
5%	3.60

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.43
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4387	11.60	579
0	4059	11.60	4509
0	4007	11.80	1065
0	3626	11.90	3268
0	3539	12.35	2566

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	47.18
T	150	2.92	52.82
Total	284	5.53	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	4926	Sum Weights	4926
Mean	6.54613886	Sum Observations	32246.28
Std Deviation	1.76719409	Variance	3.12297494
Skewness	-0.7142426	Kurtosis	1.21463471
Uncorrected SS	226469.278	Corrected SS	15380.6516
Coeff Variation	26.9959762	Std Error Mean	0.02517892

Basic Statistical Measures			
Location		Variability	
Mean	6.546139	Std Deviation	1.76719
Median	6.705000	Variance	3.12297
Mode	6.010000	Range	12.00000
		Interquartile Range	2.06000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	259.9849	Pr > t	<.0001
Sign	M	2452.5	Pr >= M	<.0001
Signed Rank	S	6015983	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.000
99%	10.110
95%	9.100
90%	8.550
75% Q3	7.690
50% Median	6.705
25% Q1	5.630
10%	4.400
5%	3.140

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.100
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4268	11.46	1093
0	4059	11.54	3543
0	4007	11.67	2566
0	3626	11.67	2567
0	3539	12.00	2272

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	64.42
T	74	1.44	35.58
Total	208	4.05	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	4909	Sum Weights	4909
Mean	6.26618048	Sum Observations	30760.68
Std Deviation	1.74247309	Variance	3.03621249
Skewness	-0.7013661	Kurtosis	1.29553902
Uncorrected SS	207653.704	Corrected SS	14901.7309
Coeff Variation	27.8075791	Std Error Mean	0.02486964

Basic Statistical Measures			
Location		Variability	
Mean	6.266180	Std Deviation	1.74247
Median	6.410000	Variance	3.03621
Mode	6.600000	Range	12.49000
Interquartile Range			1.94000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	251.961	Pr > t	<.0001
Sign	M	2443	Pr >= M	<.0001
Signed Rank	S	5969471	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.49
99%	9.82
95%	8.83
90%	8.25
75% Q3	7.37
50% Median	6.41
25% Q1	5.43
10%	4.10
5%	2.83

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.90
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4301	11.45	2567
0	4268	11.56	1093
0	4059	11.64	3543
0	4007	11.77	3116
0	3626	12.49	2272

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	59.56
T	91	1.77	40.44
Total	225	4.38	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	4970	Sum Weights	4970
Mean	0.13040221	Sum Observations	648.099
Std Deviation	0.04616886	Variance	0.00213156
Skewness	0.96142586	Kurtosis	1.30644895
Uncorrected SS	95.105285	Corrected SS	10.591741
Coeff Variation	35.4049687	Std Error Mean	0.00065489

Basic Statistical Measures			
Location		Variability	
Mean	0.130402	Std Deviation	0.04617
Median	0.123000	Variance	0.00213
Mode	0.121000	Range	0.33200
		Interquartile Range	0.05600

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	199.1196	Pr > t	<.0001
Sign	M	2485	Pr >= M	<.0001
Signed Rank	S	6176468	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.350
99%	0.272
95%	0.219
90%	0.191
75% Q3	0.154
50% Median	0.123
25% Q1	0.098
10%	0.079
5%	0.069

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure****Variable: V06XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.050
0% Min	0.018

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.018	1517	0.327	4258
0.020	3658	0.330	3602
0.023	818	0.331	1257
0.024	4860	0.335	4587
0.031	743	0.350	4841

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	134	2.61	81.71
T	30	0.58	18.29
Total	164	3.19	100.00

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	5134	Sum Weights	5134
Mean	0.09096221	Sum Observations	467
Std Deviation	0.28758338	Variance	0.0827042
Skewness	2.8457639	Kurtosis	6.10074865
Uncorrected SS	467	Corrected SS	424.520647
Coeff Variation	316.15697	Std Error Mean	0.00401362

Basic Statistical Measures			
Location		Variability	
Mean	0.090962	Std Deviation	0.28758
Median	0.000000	Variance	0.08270
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	22.66341	Pr > t	<.0001
Sign	M	233.5	Pr >= M	<.0001
Signed Rank	S	54639	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	5023
0	5133	1	5029
0	5132	1	5042
0	5131	1	5066
0	5130	1	5083

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	5134	Sum Weights	5134
Mean	0.00798598	Sum Observations	41
Std Deviation	0.08901541	Variance	0.00792374
Skewness	11.0588888	Kurtosis	120.345904
Uncorrected SS	41	Corrected SS	40.672575
Coeff Variation	1114.64664	Std Error Mean	0.00124233

Basic Statistical Measures			
Location		Variability	
Mean	0.007986	Std Deviation	0.08902
Median	0.000000	Variance	0.00792
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.42822	Pr > t	<.0001
Sign	M	20.5	Pr >= M	<.0001
Signed Rank	S	430.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	4874
0	5133	1	4901
0	5132	1	5090
0	5131	1	5091
0	5130	1	5119

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	5134	Sum Weights	5134
Mean	0.00545384	Sum Observations	28
Std Deviation	0.07365561	Variance	0.00542515
Skewness	13.4338406	Kurtosis	178.537625
Uncorrected SS	28	Corrected SS	27.8472926
Coeff Variation	1350.5283	Std Error Mean	0.00102796

Basic Statistical Measures			
Location		Variability	
Mean	0.005454	Std Deviation	0.07366
Median	0.000000	Variance	0.00543
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.305475	Pr > t	<.0001
Sign	M	14	Pr >= M	<.0001
Signed Rank	S	203	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	3756
0	5133	1	4002
0	5132	1	4241
0	5131	1	4281
0	5130	1	4282

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5134	Sum Weights	5134
Mean	0.01129723	Sum Observations	58
Std Deviation	0.10569665	Variance	0.01117178
Skewness	9.25087409	Kurtosis	83.6112429
Uncorrected SS	58	Corrected SS	57.3447604
Coeff Variation	935.597623	Std Error Mean	0.00147514

Basic Statistical Measures			
Location		Variability	
Mean	0.011297	Std Deviation	0.10570
Median	0.000000	Variance	0.01117
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.658414	Pr > t	<.0001
Sign	M	29	Pr >= M	<.0001
Signed Rank	S	855.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	4083
0	5133	1	4084
0	5132	1	4241
0	5131	1	5003
0	5130	1	5005

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	5134	Sum Weights	5134
Mean	0.01986755	Sum Observations	102
Std Deviation	0.13955868	Variance	0.01947662
Skewness	6.88340676	Kurtosis	45.398974
Uncorrected SS	102	Corrected SS	99.9735099
Coeff Variation	702.445331	Std Error Mean	0.00194773

Basic Statistical Measures			
Location		Variability	
Mean	0.019868	Std Deviation	0.13956
Median	0.000000	Variance	0.01948
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.20036	Pr > t	<.0001
Sign	M	51	Pr >= M	<.0001
Signed Rank	S	2626.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	4793
0	5133	1	4822
0	5132	1	4854
0	5131	1	4860
0	5130	1	5124

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	5134	Sum Weights	5134
Mean	0.44799377	Sum Observations	2300
Std Deviation	0.49733643	Variance	0.24734353
Skewness	0.20922055	Kurtosis	-1.9569893
Uncorrected SS	2300	Corrected SS	1269.61434
Coeff Variation	111.014142	Std Error Mean	0.006941

Basic Statistical Measures			
Location		Variability	
Mean	0.447994	Std Deviation	0.49734
Median	0.000000	Variance	0.24734
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	64.54307	Pr > t	<.0001
Sign	M	1150	Pr >= M	<.0001
Signed Rank	S	1323075	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5133	1	5127
0	5130	1	5128
0	5129	1	5131
0	5122	1	5132
0	5121	1	5134

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	5134	Sum Weights	5134
Mean	0.03798208	Sum Observations	195
Std Deviation	0.19117155	Variance	0.03654656
Skewness	4.83542641	Kurtosis	21.389681
Uncorrected SS	195	Corrected SS	187.593494
Coeff Variation	503.32037	Std Error Mean	0.00266806

Basic Statistical Measures			
Location		Variability	
Mean	0.037982	Std Deviation	0.19117
Median	0.000000	Variance	0.03655
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	14.23585	Pr > t	<.0001
Sign	M	97.5	Pr >= M	<.0001
Signed Rank	S	9555	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	4998
0	5133	1	5043
0	5132	1	5067
0	5131	1	5078
0	5130	1	5079

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	5134	Sum Weights	5134
Mean	0.0058434	Sum Observations	30
Std Deviation	0.07622587	Variance	0.00581038
Skewness	12.9706404	Kurtosis	166.302297
Uncorrected SS	30	Corrected SS	29.8246981
Coeff Variation	1304.47874	Std Error Mean	0.00106384

Basic Statistical Measures			
Location		Variability	
Mean	0.005843	Std Deviation	0.07623
Median	0.000000	Variance	0.00581
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.492764	Pr > t	<.0001
Sign	M	15	Pr >= M	<.0001
Signed Rank	S	232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	4056
0	5133	1	4241
0	5132	1	4282
0	5131	1	4385
0	5130	1	4774

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	5134	Sum Weights	5134
Mean	0.05882353	Sum Observations	302
Std Deviation	0.23531704	Variance	0.05537411
Skewness	3.75109605	Kurtosis	12.0754255
Uncorrected SS	302	Corrected SS	284.235294
Coeff Variation	400.038962	Std Error Mean	0.00328417

Basic Statistical Measures			
Location		Variability	
Mean	0.058824	Std Deviation	0.23532
Median	0.000000	Variance	0.05537
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.91124	Pr > t	<.0001
Sign	M	151	Pr >= M	<.0001
Signed Rank	S	22876.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	5134	1	5071
0	5133	1	5077
0	5132	1	5081
0	5131	1	5090
0	5130	1	5095

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	5134	Sum Weights	5134
Mean	0.17802313	Sum Observations	913.970741
Std Deviation	0.0266569	Variance	0.00071059
Skewness	-1.1966872	Kurtosis	0.50856484
Uncorrected SS	166.355392	Corrected SS	3.64746098
Coeff Variation	14.9738427	Std Error Mean	0.00037203

Basic Statistical Measures			
Location		Variability	
Mean	0.178023	Std Deviation	0.02666
Median	0.194000	Variance	0.0007106
Mode	0.200000	Range	0.10000
Interquartile Range			0.03104

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	478.514	Pr > t	<.0001
Sign	M	2567	Pr >= M	<.0001
Signed Rank	S	6590773	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200000
99%	0.200000
95%	0.200000
90%	0.200000
75% Q3	0.200000
50% Median	0.194000
25% Q1	0.168960
10%	0.138615
5%	0.127651

OAI 6.5 03/04/2016: Freqs/Univs for kxr_qjsw_duryea06**The UNIVARIATE Procedure**

Variable: V06IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.100000
0 % Min	0.100000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.1	3987	0.2	5123
0.1	3986	0.2	5124
0.1	3766	0.2	5126
0.1	3765	0.2	5130
0.1	3403	0.2	5133