

OAI 8.2 03/04/2016: Contents of kxr_qjsw_duryea08**The CONTENTS Procedure**

Data Set Name	FUNC.KXR_QJSW_DURYEAO8	Observations	3557
Member Type	DATA	Variables	36
Engine	V8	Indexes	0
Created	03/04/2016 09:21:41	Observation Length	288
Last Modified	03/04/2016 09:21:41	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	WINDOWS_64		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	65536
Number of Data Set Pages	16
First Data Page	1
Max Obs per Page	227
Obs in First Data Page	202
Number of Data Set Repairs	0
ExtendObsCounter	YES
Filename	M:\VSS_OAI\SASCODE\datasets\functionalDS\kxr_qjsw_duryea08.sas7bdat
Release Created	9.0401M2
Host Created	X64_SRV12

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Informat	Label
1	ID	Char	7	\$7.	\$7.	ReleaseID
10	V08BARCDJD	Char	12	\$12.	\$12.	BL/FU kXR reading (JD): barcode of image analyzed (quantJSW)
14	V08BMANG	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees]
5	V08CFWDTH	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm]
36	V08IMPIXSZ	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm]
27	V08INCPLL	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T

OAI 8.2 03/04/2016: Contents of kxr_qjsw_duryea08

The CONTENTS Procedure

Alphabetic List of Variables and Attributes						
#	Variable	Type	Len	Format	Informat	Label
28	V08INCPLM	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T
32	V08INCSTPS	Num	8	YNDK.		BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance
15	V08JSW150	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.150 [mm]
7	V08JSW175	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.175 [mm]
8	V08JSW200	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.200 [mm]
12	V08JSW225	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.225 [mm]
9	V08JSW250	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.250 [mm]
16	V08JSW275	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.275 [mm]
11	V08JSW300	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.300 [mm]
19	V08LJSW700	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm]
23	V08LJSW725	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm]
21	V08LJSW750	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm]
24	V08LJSW775	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm]
25	V08LJSW800	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm]
20	V08LJSW825	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm]
17	V08LJSW850	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm]
22	V08LJSW875	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm]
18	V08LJSW900	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm]
33	V08LTPMEBE	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge
6	V08MCMJSW	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial minimum JSW [mm]
31	V08MJSWBB	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment
30	V08NOLJSWX	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality
35	V08NOLMIN	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum
34	V08NOMJSWX	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality
29	V08NOMMJSW	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason
13	V08TPCFDS	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm]

OAI 8.2 03/04/2016: Contents of kxr_qjsw_duryea08**The CONTENTS Procedure**

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Informat	Label
26	V08XMJSW	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): x coordinate of minimum JSW
4	VERSION	Char	3			Release Version
3	readprj	Char	4			Project
2	side	Num	8	LRB.		SIDE

OAI 8.2 03/04/2016: Contents of kxr_qjsw_duryea08**The CONTENTS Procedure**

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
1	ID	Char	7	\$7.	\$7.	ReleaseID
2	side	Num	8	LRB.		SIDE
3	readprj	Char	4			Project
4	VERSION	Char	3			Release Version
5	V08CFWDTH	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm]
6	V08MCMJSW	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial minimum JSW [mm]
7	V08JSW175	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.175 [mm]
8	V08JSW200	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.200 [mm]
9	V08JSW250	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.250 [mm]
10	V08BARCDJD	Char	12	\$12.	\$12.	BL/FU kXR reading (JD): barcode of image analyzed (quantJSW)
11	V08JSW300	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.300 [mm]
12	V08JSW225	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.225 [mm]
13	V08TPCFDS	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm]
14	V08BMANG	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees]
15	V08JSW150	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.150 [mm]
16	V08JSW275	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): medial JSW at x=0.275 [mm]
17	V08LJSW850	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm]
18	V08LJSW900	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm]
19	V08LJSW700	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm]
20	V08LJSW825	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm]
21	V08LJSW750	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm]
22	V08LJSW875	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm]
23	V08LJSW725	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm]
24	V08LJSW775	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm]
25	V08LJSW800	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm]
26	V08XMJSW	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): x coordinate of minimum JSW
27	V08INCPLL	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T
28	V08INCPLM	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T

OAI 8.2 03/04/2016: Contents of kxr_qjsw_duryea08**The CONTENTS Procedure**

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
29	V08NOMMJSW	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason
30	V08NOLJSWX	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality
31	V08MJSWBB	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment
32	V08INCSTPS	Num	8	YNDK.		BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance
33	V08LTPMEBE	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge
34	V08NOMJSWX	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality
35	V08NOLMIN	Num	8	YNDK.	BEST32.	BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum
36	V08IMPIXSZ	Num	8	BEST12.	BEST32.	BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm]