

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	3553	Sum Weights	3553
Mean	85.8531779	Sum Observations	305036.341
Std Deviation	7.92756872	Variance	62.8463458
Skewness	0.26532098	Kurtosis	-0.3838464
Uncorrected SS	26411569.5	Corrected SS	223230.22
Coeff Variation	9.23386753	Std Error Mean	0.13299717

Basic Statistical Measures			
Location		Variability	
Mean	85.85318	Std Deviation	7.92757
Median	84.91300	Variance	62.84635
Mode	87.10000	Range	52.49800
		Interquartile Range	11.49600

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	645.5263	Pr > t	<.0001
Sign	M	1776.5	Pr >= M	<.0001
Signed Rank	S	3156841	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	110.050
99%	104.000
95%	99.610
90%	97.030
75% Q3	91.636
50% Median	84.913
25% Q1	80.140
10%	76.310
5%	73.744

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08

The UNIVARIATE Procedure

Variable: V08CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	70.257
0 % Min	57.552

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
57.552	3513	107.88	3257
59.613	87	108.30	32
62.189	3512	108.92	1652
64.374	1525	109.80	1190
65.076	1524	110.05	1191

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	3533	Sum Weights	3533
Mean	3.92995245	Sum Observations	13884.522
Std Deviation	1.27465856	Variance	1.62475445
Skewness	-0.1420007	Kurtosis	0.33954041
Uncorrected SS	60304.144	Corrected SS	5738.63272
Coeff Variation	32.4344526	Std Error Mean	0.0214448

Basic Statistical Measures			
Location		Variability	
Mean	3.929952	Std Deviation	1.27466
Median	4.000000	Variance	1.62475
Mode	4.700000	Range	9.30700
		Interquartile Range	1.57100

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	183.259	Pr > t	<.0001
Sign	M	1762	Pr >= M	<.0001
Signed Rank	S	3105525	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.307
99%	6.893
95%	5.917
90%	5.474
75% Q3	4.730
50% Median	4.000
25% Q1	3.159
10%	2.231
5%	1.649

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08

The UNIVARIATE Procedure

Variable: V08MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.873
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3353	8.174	745
0	3189	8.239	1988
0	2966	8.273	1537
0	2493	8.541	1723
0	2198	9.307	1411

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	16.67
T	20	0.56	83.33
Total	24	0.67	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	3509	Sum Weights	3509
Mean	4.46153605	Sum Observations	15655.53
Std Deviation	1.27682999	Variance	1.63029482
Skewness	-0.2054187	Kurtosis	0.49364613
Uncorrected SS	75566.7857	Corrected SS	5719.07422
Coeff Variation	28.6186186	Std Error Mean	0.02155467

Basic Statistical Measures			
Location		Variability	
Mean	4.461536	Std Deviation	1.27683
Median	4.560000	Variance	1.63029
Mode	4.600000	Range	9.11000
Interquartile Range			1.54000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	206.987	Pr > t	<.0001
Sign	M	1753	Pr >= M	<.0001
Signed Rank	S	3073886	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.11
99%	7.47
95%	6.50
90%	6.01
75% Q3	5.24
50% Median	4.56
25% Q1	3.70
10%	2.81
5%	2.20

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08

The UNIVARIATE Procedure

Variable: V08JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	1.17
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	2966	8.67	1988
0.00	1730	8.71	2575
0.00	1621	8.81	1723
0.49	3015	9.03	1537
0.50	1199	9.11	745

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	8.33
T	44	1.24	91.67
Total	48	1.35	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	3516	Sum Weights	3516
Mean	4.64180034	Sum Observations	16320.57
Std Deviation	1.26715293	Variance	1.60567656
Skewness	-0.1939714	Kurtosis	0.54161916
Uncorrected SS	81400.7805	Corrected SS	5643.9531
Coeff Variation	27.2987384	Std Error Mean	0.02137

Basic Statistical Measures			
Location		Variability	
Mean	4.641800	Std Deviation	1.26715
Median	4.715000	Variance	1.60568
Mode	4.600000	Range	9.51000
Interquartile Range			1.53000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	217.211	Pr > t	<.0001
Sign	M	1756.5	Pr >= M	<.0001
Signed Rank	S	3086171	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.510
99%	7.670
95%	6.700
90%	6.200
75% Q3	5.430
50% Median	4.715
25% Q1	3.900
10%	3.010
5%	2.430

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08

The UNIVARIATE Procedure

Variable: V08JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	1.370
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	2966	8.83	1978
0.00	1730	8.93	962
0.00	1621	9.01	2575
0.49	3015	9.51	745
0.59	2925	9.51	1537

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	9.76
T	37	1.04	90.24
Total	41	1.15	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	3529	Sum Weights	3529
Mean	5.28362709	Sum Observations	18645.92
Std Deviation	1.318431	Variance	1.73826031
Skewness	-0.0911024	Kurtosis	0.53149263
Uncorrected SS	104650.67	Corrected SS	6132.58237
Coeff Variation	24.9531426	Std Error Mean	0.0221938

Basic Statistical Measures			
Location		Variability	
Mean	5.283627	Std Deviation	1.31843
Median	5.300000	Variance	1.73826
Mode	5.240000	Range	10.72000
Interquartile Range			1.64000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	238.0678	Pr > t	<.0001
Sign	M	1764.5	Pr >= M	<.0001
Signed Rank	S	3114343	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.01
99%	8.44
95%	7.41
90%	6.91
75% Q3	6.11
50% Median	5.30
25% Q1	4.47
10%	3.60
5%	3.05

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.85
0% Min	0.29

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.29	2966	9.31	999
0.40	1621	9.61	1411
0.53	1684	10.09	962
0.87	2925	10.38	1537
0.89	2043	11.01	745

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	14.29
T	24	0.67	85.71
Total	28	0.79	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	3530	Sum Weights	3530
Mean	6.40388385	Sum Observations	22605.71
Std Deviation	1.42920443	Variance	2.04262529
Skewness	0.05731409	Kurtosis	0.34085588
Uncorrected SS	151972.766	Corrected SS	7208.42465
Coeff Variation	22.3177756	Std Error Mean	0.02405509

Basic Statistical Measures			
Location		Variability	
Mean	6.403884	Std Deviation	1.42920
Median	6.390000	Variance	2.04263
Mode	6.400000	Range	11.87000
Interquartile Range			1.87000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	266.2174	Pr > t	<.0001
Sign	M	1765	Pr >= M	<.0001
Signed Rank	S	3116108	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.510
99%	9.930
95%	8.820
90%	8.210
75% Q3	7.320
50% Median	6.390
25% Q1	5.450
10%	4.615
5%	4.110

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.940
0% Min	0.640

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.64	1684	10.80	597
0.78	1621	11.00	2104
1.36	3021	11.45	962
1.80	2544	11.74	1537
1.92	2043	12.51	745

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	14.81
T	23	0.65	85.19
Total	27	0.76	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	3523	Sum Weights	3523
Mean	4.91635254	Sum Observations	17320.31
Std Deviation	1.28404064	Variance	1.64876037
Skewness	-0.1520954	Kurtosis	0.55250967
Uncorrected SS	90959.6841	Corrected SS	5806.93403
Coeff Variation	26.1177495	Std Error Mean	0.02163328

Basic Statistical Measures			
Location		Variability	
Mean	4.916353	Std Deviation	1.28404
Median	4.960000	Variance	1.64876
Mode	4.600000	Range	10.21000
Interquartile Range			1.55000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	227.2587	Pr > t	<.0001
Sign	M	1761	Pr >= M	<.0001
Signed Rank	S	3102002	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.21
99%	7.90
95%	6.93
90%	6.50
75% Q3	5.72
50% Median	4.96
25% Q1	4.17
10%	3.30
5%	2.70

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.56
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	2966	9.01	2575
0.32	1730	9.43	1411
0.38	1621	9.61	962
0.78	2925	9.90	1537
0.81	2493	10.21	745

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	11.76
T	30	0.84	88.24
Total	34	0.96	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	3507	Sum Weights	3507
Mean	3.5216698	Sum Observations	12350.496
Std Deviation	1.48141196	Variance	2.19458139
Skewness	1.22114784	Kurtosis	3.21667424
Uncorrected SS	51188.5712	Corrected SS	7694.20235
Coeff Variation	42.0656121	Std Error Mean	0.02501543

Basic Statistical Measures			
Location		Variability	
Mean	3.521670	Std Deviation	1.48141
Median	3.302000	Variance	2.19458
Mode	2.400000	Range	12.36200
		Interquartile Range	1.75800

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	140.7799	Pr > t	<.0001
Sign	M	1753.5	Pr >= M	<.0001
Signed Rank	S	3075639	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.944
99%	8.391
95%	6.120
90%	5.376
75% Q3	4.276
50% Median	3.302
25% Q1	2.518
10%	1.900
5%	1.500

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.970
0 % Min	0.582

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.582	2357	11.274	1152
0.582	1855	12.042	438
0.582	1749	12.100	2248
0.600	2744	12.120	437
0.638	1689	12.944	1028

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	8.00
T	46	1.29	92.00
Total	50	1.41	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	3541	Sum Weights	3541
Mean	9.54929681	Sum Observations	33814.06
Std Deviation	1.73398346	Variance	3.00669863
Skewness	0.749732	Kurtosis	2.7710369
Uncorrected SS	333544.208	Corrected SS	10643.7131
Coeff Variation	18.1582319	Std Error Mean	0.02913949

Basic Statistical Measures			
Location		Variability	
Mean	9.54930	Std Deviation	1.73398
Median	9.39000	Variance	3.00670
Mode	10.41000	Range	18.33000
		Interquartile Range	2.04000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	327.7098	Pr > t	<.0001
Sign	M	1770.5	Pr >= M	<.0001
Signed Rank	S	3135556	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	18.71
99%	14.71
95%	12.43
90%	11.57
75% Q3	10.44
50% Median	9.39
25% Q1	8.40
10%	7.63
5%	7.18

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	6.10
0 % Min	0.38

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.38	747	18.16	2067
0.38	746	18.16	2068
3.30	2333	18.30	2953
3.30	2332	18.71	437
3.45	219	18.71	438

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	16	0.45	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	3501	Sum Weights	3501
Mean	4.34882034	Sum Observations	15225.22
Std Deviation	1.28622498	Variance	1.65437469
Skewness	-0.1884505	Kurtosis	0.4054626
Uncorrected SS	72002.0578	Corrected SS	5790.31143
Coeff Variation	29.576411	Std Error Mean	0.02173807

Basic Statistical Measures			
Location		Variability	
Mean	4.348820	Std Deviation	1.28622
Median	4.410000	Variance	1.65437
Mode	4.600000	Range	9.21000
		Interquartile Range	1.61000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	200.0555	Pr > t	<.0001
Sign	M	1748.5	Pr >= M	<.0001
Signed Rank	S	3058127	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.21
99%	7.40
95%	6.38
90%	5.90
75% Q3	5.20
50% Median	4.41
25% Q1	3.59
10%	2.69
5%	2.01

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.10
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	3189	8.61	2575
0.00	2966	8.68	1722
0.00	1730	8.82	1723
0.00	1621	8.83	3352
0.32	1199	9.21	745

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	7.14
T	52	1.46	92.86
Total	56	1.57	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	3531	Sum Weights	3531
Mean	5.76806287	Sum Observations	20367.03
Std Deviation	1.36285161	Variance	1.85736452
Skewness	-0.0021996	Kurtosis	0.42391487
Uncorrected SS	124034.806	Corrected SS	6556.49675
Coeff Variation	23.6275443	Std Error Mean	0.02293505

Basic Statistical Measures			
Location		Variability	
Mean	5.768063	Std Deviation	1.36285
Median	5.750000	Variance	1.85736
Mode	6.600000	Range	11.06000
Interquartile Range			1.73000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	251.4955	Pr > t	<.0001
Sign	M	1765.5	Pr >= M	<.0001
Signed Rank	S	3117873	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.32
99%	9.10
95%	8.05
90%	7.47
75% Q3	6.63
50% Median	5.75
25% Q1	4.90
10%	4.09
5%	3.58

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.32
0% Min	0.26

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.26	1684	10.00	2065
0.65	1621	10.10	597
1.03	2966	10.48	962
1.37	2925	10.96	1537
1.41	2043	11.32	745

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	15.38
T	22	0.62	84.62
Total	26	0.73	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	3340	Sum Weights	3340
Mean	5.91263473	Sum Observations	19748.2
Std Deviation	1.5871839	Variance	2.51915274
Skewness	-0.5747602	Kurtosis	1.23969595
Uncorrected SS	125175.344	Corrected SS	8411.45101
Coeff Variation	26.8439364	Std Error Mean	0.02746338

Basic Statistical Measures			
Location		Variability	
Mean	5.912635	Std Deviation	1.58718
Median	6.010000	Variance	2.51915
Mode	6.400000	Range	12.51000
Interquartile Range			1.75000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	215.2916	Pr > t	<.0001
Sign	M	1665.5	Pr >= M	<.0001
Signed Rank	S	2774723	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	9.44
95%	8.28
90%	7.77
75% Q3	6.90
50% Median	6.01
25% Q1	5.15
10%	3.98
5%	2.90

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.36
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	10.36	1591
0	2813	10.40	1891
0	2410	10.70	1863
0	2108	11.96	799
0	1625	12.51	2225

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	1.84
T	213	5.99	98.16
Total	217	6.10	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	3179	Sum Weights	3179
Mean	6.22914439	Sum Observations	19802.45
Std Deviation	1.69812437	Variance	2.88362639
Skewness	-0.6507794	Kurtosis	1.20688452
Uncorrected SS	132516.485	Corrected SS	9164.16467
Coeff Variation	27.260957	Std Error Mean	0.03011787

Basic Statistical Measures			
Location		Variability	
Mean	6.229144	Std Deviation	1.69812
Median	6.380000	Variance	2.88363
Mode	6.210000	Range	12.46000
Interquartile Range			1.89000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	206.8255	Pr > t	<.0001
Sign	M	1583.5	Pr >= M	<.0001
Signed Rank	S	2508264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.46
99%	9.65
95%	8.74
90%	8.20
75% Q3	7.29
50% Median	6.38
25% Q1	5.40
10%	4.18
5%	2.92

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	10.91	1120
0	2813	11.10	1891
0	2749	11.20	1545
0	2410	12.41	2225
0	2108	12.46	799

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	1.06
T	374	10.51	98.94
Total	378	10.63	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	3371	Sum Weights	3371
Mean	7.39712548	Sum Observations	24935.71
Std Deviation	1.81588247	Variance	3.29742915
Skewness	-0.4448717	Kurtosis	0.76939221
Uncorrected SS	195564.912	Corrected SS	11112.3362
Coeff Variation	24.5484881	Std Error Mean	0.0312758

Basic Statistical Measures			
Location		Variability	
Mean	7.397125	Std Deviation	1.81588
Median	7.500000	Variance	3.29743
Mode	6.600000	Range	13.50000
Interquartile Range			2.30000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	236.5128	Pr > t	<.0001
Sign	M	1683	Pr >= M	<.0001
Signed Rank	S	2833331	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	13.50
99%	11.42
95%	10.10
90%	9.60
75% Q3	8.60
50% Median	7.50
25% Q1	6.30
10%	5.11
5%	4.20

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3070	12.32	2169
0	2813	12.40	709
0	1574	12.43	2887
0	736	12.82	497
0	705	13.50	498

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	2.15
T	182	5.12	97.85
Total	186	5.23	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	3407	Sum Weights	3407
Mean	6.0562489	Sum Observations	20633.64
Std Deviation	1.58857319	Variance	2.52356479
Skewness	-0.546833	Kurtosis	1.17083021
Uncorrected SS	133557.721	Corrected SS	8595.26166
Coeff Variation	26.2303155	Std Error Mean	0.0272158

Basic Statistical Measures			
Location		Variability	
Mean	6.056249	Std Deviation	1.58857
Median	6.130000	Variance	2.52356
Mode	6.600000	Range	12.41000
Interquartile Range			1.79000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	222.5269	Pr > t	<.0001
Sign	M	1699.5	Pr >= M	<.0001
Signed Rank	S	2889150	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.41
99%	9.44
95%	8.41
90%	7.90
75% Q3	7.03
50% Median	6.13
25% Q1	5.24
10%	4.10
5%	3.01

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08

The UNIVARIATE Procedure

Variable: V08LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	1.46
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	10.70	1864
0	2813	11.00	1863
0	2410	11.65	799
0	2108	11.82	2703
0	1625	12.41	2225

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	2.67
T	146	4.10	97.33
Total	150	4.22	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	3422	Sum Weights	3422
Mean	6.86842782	Sum Observations	23503.76
Std Deviation	1.67146748	Variance	2.79380355
Skewness	-0.5403153	Kurtosis	0.97740752
Uncorrected SS	170991.481	Corrected SS	9557.60194
Coeff Variation	24.3355179	Std Error Mean	0.02857314

Basic Statistical Measures			
Location		Variability	
Mean	6.868428	Std Deviation	1.67147
Median	6.990000	Variance	2.79380
Mode	6.400000	Range	12.51000
		Interquartile Range	2.06000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	240.3806	Pr > t	<.0001
Sign	M	1708	Pr >= M	<.0001
Signed Rank	S	2918118	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	10.41
95%	9.33
90%	8.83
75% Q3	7.96
50% Median	6.99
25% Q1	5.90
10%	4.76
5%	3.90

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.04
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	11.30	3143
0	2813	11.40	430
0	2108	11.80	2702
0	1574	12.00	1863
0	736	12.51	2703

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	2.96
T	131	3.68	97.04
Total	135	3.80	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	3236	Sum Weights	3236
Mean	5.93010816	Sum Observations	19189.83
Std Deviation	1.62892228	Variance	2.65338778
Skewness	-0.5997722	Kurtosis	1.21547431
Uncorrected SS	122381.477	Corrected SS	8583.70946
Coeff Variation	27.4686773	Std Error Mean	0.02863493

Basic Statistical Measures			
Location		Variability	
Mean	5.930108	Std Deviation	1.62892
Median	6.010000	Variance	2.65339
Mode	6.600000	Range	12.51000
		Interquartile Range	1.77000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	207.0935	Pr > t	<.0001
Sign	M	1613.5	Pr >= M	<.0001
Signed Rank	S	2604189	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	9.40
95%	8.31
90%	7.81
75% Q3	6.91
50% Median	6.01
25% Q1	5.14
10%	3.91
5%	2.81

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.20
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	10.45	1591
0	2813	10.50	1545
0	2410	10.80	1891
0	2108	12.15	799
0	1625	12.51	2225

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	1.25
T	317	8.91	98.75
Total	321	9.02	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	3387	Sum Weights	3387
Mean	7.13986714	Sum Observations	24182.73
Std Deviation	1.72813484	Variance	2.98645004
Skewness	-0.5049612	Kurtosis	0.91977572
Uncorrected SS	182773.599	Corrected SS	10112.1198
Coeff Variation	24.2040196	Std Error Mean	0.02969409

Basic Statistical Measures			
Location		Variability	
Mean	7.139867	Std Deviation	1.72813
Median	7.270000	Variance	2.98645
Mode	6.700000	Range	12.71000
		Interquartile Range	2.18000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	240.4474	Pr > t	<.0001
Sign	M	1691.5	Pr >= M	<.0001
Signed Rank	S	2862018	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.71
99%	11.00
95%	9.71
90%	9.17
75% Q3	8.30
50% Median	7.27
25% Q1	6.12
10%	5.00
5%	4.12

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.21
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.0	2813	11.80	3143
0.0	1574	11.83	2887
0.0	736	12.00	498
0.0	705	12.10	1863
0.1	3070	12.71	2703

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	2.35
T	166	4.67	97.65
Total	170	4.78	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	3442	Sum Weights	3442
Mean	6.59169088	Sum Observations	22688.6
Std Deviation	1.64333867	Variance	2.70056198
Skewness	-0.5394857	Kurtosis	1.01799814
Uncorrected SS	158848.871	Corrected SS	9292.63376
Coeff Variation	24.9304571	Std Error Mean	0.02801055

Basic Statistical Measures			
Location		Variability	
Mean	6.591691	Std Deviation	1.64334
Median	6.700000	Variance	2.70056
Mode	6.600000	Range	12.51000
Interquartile Range			1.97000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	235.3289	Pr > t	<.0001
Sign	M	1718	Pr >= M	<.0001
Signed Rank	S	2952383	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.51
99%	10.17
95%	9.10
90%	8.51
75% Q3	7.67
50% Median	6.70
25% Q1	5.70
10%	4.60
5%	3.61

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.76
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	11.25	799
0	2813	11.40	1863
0	2108	11.40	2702
0	1574	12.51	2225
0	736	12.51	2703

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	3.48
T	111	3.12	96.52
Total	115	3.23	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	3435	Sum Weights	3435
Mean	6.30612809	Sum Observations	21661.55
Std Deviation	1.61506304	Variance	2.60842863
Skewness	-0.5470711	Kurtosis	1.10092454
Uncorrected SS	145557.853	Corrected SS	8957.3439
Coeff Variation	25.6110091	Std Error Mean	0.02755663

Basic Statistical Measures			
Location		Variability	
Mean	6.306128	Std Deviation	1.61506
Median	6.400000	Variance	2.60843
Mode	6.700000	Range	12.41000
Interquartile Range			1.88000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	228.8425	Pr > t	<.0001
Sign	M	1714.5	Pr >= M	<.0001
Signed Rank	S	2940368	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.41
99%	9.81
95%	8.73
90%	8.20
75% Q3	7.37
50% Median	6.40
25% Q1	5.49
10%	4.30
5%	3.21

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.65
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3352	11.00	2702
0	2813	11.20	1863
0	2108	11.55	799
0	1574	12.31	2225
0	736	12.41	2703

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	3.28
T	118	3.32	96.72
Total	122	3.43	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	3533	Sum Weights	3533
Mean	0.12663827	Sum Observations	447.413
Std Deviation	0.04467556	Variance	0.00199591
Skewness	0.87051738	Kurtosis	1.20946627
Uncorrected SS	63.709147	Corrected SS	7.04953971
Coeff Variation	35.2780906	Std Error Mean	0.00075162

Basic Statistical Measures			
Location		Variability	
Mean	0.126638	Std Deviation	0.04468
Median	0.121000	Variance	0.00200
Mode	0.098000	Range	0.33900
		Interquartile Range	0.05700

Note: The mode displayed is the smallest of 3 modes with a count of 43.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	168.4871	Pr > t	<.0001
Sign	M	1766.5	Pr >= M	<.0001
Signed Rank	S	3121406	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.345
99%	0.261
95%	0.209
90%	0.186
75% Q3	0.152
50% Median	0.121
25% Q1	0.095
10%	0.076
5%	0.066

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure****Variable: V08XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.046
0% Min	0.006

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.006	674	0.321	1154
0.027	1844	0.322	2410
0.028	2661	0.323	1872
0.029	2955	0.325	1621
0.031	596	0.345	1361

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	4	0.11	16.67
T	20	0.56	83.33
Total	24	0.67	100.00

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	3557	Sum Weights	3557
Mean	0.10317683	Sum Observations	367
Std Deviation	0.30423247	Variance	0.0925574
Skewness	2.61015146	Kurtosis	4.81559798
Uncorrected SS	367	Corrected SS	329.134102
Coeff Variation	294.865095	Std Error Mean	0.0051011

Basic Statistical Measures			
Location		Variability	
Mean	0.103177	Std Deviation	0.30423
Median	0.000000	Variance	0.09256
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	20.2264	Pr > t	<.0001
Sign	M	183.5	Pr >= M	<.0001
Signed Rank	S	33764	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	3497
0	3556	1	3507
0	3555	1	3518
0	3553	1	3540
0	3552	1	3554

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	3557	Sum Weights	3557
Mean	0.00927748	Sum Observations	33
Std Deviation	0.09588532	Variance	0.00919399
Skewness	10.2413718	Kurtosis	102.943578
Uncorrected SS	33	Corrected SS	32.6938431
Coeff Variation	1033.5275	Std Error Mean	0.00160772

Basic Statistical Measures			
Location		Variability	
Mean	0.009277	Std Deviation	0.09589
Median	0.000000	Variance	0.00919
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.770586	Pr > t	<.0001
Sign	M	16.5	Pr >= M	<.0001
Signed Rank	S	280.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	2867
0	3556	1	3132
0	3555	1	3185
0	3554	1	3388
0	3553	1	3546

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	3557	Sum Weights	3557
Mean	0.00590385	Sum Observations	21
Std Deviation	0.07662014	Variance	0.00587065
Skewness	12.9045468	Kurtosis	164.619889
Uncorrected SS	21	Corrected SS	20.8760191
Coeff Variation	1297.7993	Std Error Mean	0.0012847

Basic Statistical Measures			
Location		Variability	
Mean	0.005904	Std Deviation	0.07662
Median	0.000000	Variance	0.00587
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.595517	Pr > t	<.0001
Sign	M	10.5	Pr >= M	<.0001
Signed Rank	S	115.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	2437
0	3556	1	2609
0	3555	1	2659
0	3554	1	2728
0	3553	1	2928

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	3557	Sum Weights	3557
Mean	0.02642676	Sum Observations	94
Std Deviation	0.16042327	Variance	0.02573563
Skewness	5.90736822	Kurtosis	32.9155064
Uncorrected SS	94	Corrected SS	91.5158842
Coeff Variation	607.048479	Std Error Mean	0.00268983

Basic Statistical Measures			
Location		Variability	
Mean	0.026427	Std Deviation	0.16042
Median	0.000000	Variance	0.02574
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.824683	Pr > t	<.0001
Sign	M	47	Pr >= M	<.0001
Signed Rank	S	2232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	3402
0	3556	1	3414
0	3555	1	3415
0	3554	1	3439
0	3553	1	3441

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	3557	Sum Weights	3557
Mean	0.00253022	Sum Observations	9
Std Deviation	0.0502447	Variance	0.00252453
Skewness	19.8130213	Kurtosis	390.775534
Uncorrected SS	9	Corrected SS	8.977228
Coeff Variation	1985.78217	Std Error Mean	0.00084246

Basic Statistical Measures			
Location		Variability	
Mean	0.002530	Std Deviation	0.05024
Median	0.000000	Variance	0.00252
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	3.00338	Pr > t	0.0027
Sign	M	4.5	Pr >= M	0.0039
Signed Rank	S	22.5	Pr >= S	0.0039

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	2198
0	3556	1	2493
0	3555	1	2966
0	3554	1	3189
0	3553	1	3353

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	3557	Sum Weights	3557
Mean	0.48017993	Sum Observations	1708
Std Deviation	0.49967725	Variance	0.24967736
Skewness	0.07937613	Kurtosis	-1.9948214
Uncorrected SS	1708	Corrected SS	887.852685
Coeff Variation	104.060421	Std Error Mean	0.00837814

Basic Statistical Measures			
Location		Variability	
Mean	0.480180	Std Deviation	0.49968
Median	0.000000	Variance	0.24968
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	57.31342	Pr > t	<.0001
Sign	M	854	Pr >= M	<.0001
Signed Rank	S	729743	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3556	1	3550
0	3555	1	3551
0	3552	1	3553
0	3548	1	3554
0	3547	1	3557

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	3557	Sum Weights	3557
Mean	0.03036267	Sum Observations	108
Std Deviation	0.17160726	Variance	0.02944905
Skewness	5.4764762	Kurtosis	28.0075391
Uncorrected SS	108	Corrected SS	104.720832
Coeff Variation	565.191701	Std Error Mean	0.00287736

Basic Statistical Measures			
Location		Variability	
Mean	0.030363	Std Deviation	0.17161
Median	0.000000	Variance	0.02945
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.55228	Pr > t	<.0001
Sign	M	54	Pr >= M	<.0001
Signed Rank	S	2943	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	3296
0	3556	1	3365
0	3555	1	3376
0	3554	1	3430
0	3553	1	3515

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	3557	Sum Weights	3557
Mean	0.00562272	Sum Observations	20
Std Deviation	0.07478418	Variance	0.00559267
Skewness	13.228879	Kurtosis	173.100569
Uncorrected SS	20	Corrected SS	19.8875457
Coeff Variation	1330.03659	Std Error Mean	0.00125391

Basic Statistical Measures			
Location		Variability	
Mean	0.005623	Std Deviation	0.07478
Median	0.000000	Variance	0.00559
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.484132	Pr > t	<.0001
Sign	M	10	Pr >= M	<.0001
Signed Rank	S	105	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	2377
0	3556	1	2437
0	3555	1	2609
0	3554	1	2728
0	3553	1	2928

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	3557	Sum Weights	3557
Mean	0.07984256	Sum Observations	284
Std Deviation	0.27108742	Variance	0.07348839
Skewness	3.10153685	Kurtosis	7.6238172
Uncorrected SS	284	Corrected SS	261.324712
Coeff Variation	339.527448	Std Error Mean	0.00454535

Basic Statistical Measures			
Location		Variability	
Mean	0.079843	Std Deviation	0.27109
Median	0.000000	Variance	0.07349
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.56576	Pr > t	<.0001
Sign	M	142	Pr >= M	<.0001
Signed Rank	S	20235	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3557	1	3416
0	3556	1	3444
0	3555	1	3473
0	3554	1	3474
0	3553	1	3552

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	3557	Sum Weights	3557
Mean	0.18246711	Sum Observations	649.035525
Std Deviation	0.02820167	Variance	0.00079533
Skewness	-1.2983728	Kurtosis	-0.2182099
Uncorrected SS	121.255847	Corrected SS	2.82820756
Coeff Variation	15.4557527	Std Error Mean	0.00047286

Basic Statistical Measures			
Location		Variability	
Mean	0.182467	Std Deviation	0.02820
Median	0.194000	Variance	0.0007953
Mode	0.200000	Range	0.09602
Interquartile Range			0.00603

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	385.8796	Pr > t	<.0001
Sign	M	1778.5	Pr >= M	<.0001
Signed Rank	S	3163952	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200000
99%	0.200000
95%	0.200000
90%	0.200000
75% Q3	0.200000
50% Median	0.194000
25% Q1	0.193966
10%	0.127651
5%	0.127651

OAI 8.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea08**The UNIVARIATE Procedure**

Variable: V08IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.127651
0 % Min	0.103978

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.103978	3513	0.2	3549
0.103978	3512	0.2	3550
0.127651	3554	0.2	3552
0.127651	3553	0.2	3555
0.127651	3542	0.2	3556