

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Moments			
N	3667	Sum Weights	3667
Mean	85.7390191	Sum Observations	314404.983
Std Deviation	7.55048652	Variance	57.0098467
Skewness	0.30732486	Kurtosis	-0.4718773
Uncorrected SS	27165772.9	Corrected SS	208998.098
Coeff Variation	8.80635981	Std Error Mean	0.12468651

Basic Statistical Measures			
Location		Variability	
Mean	85.73902	Std Deviation	7.55049
Median	84.69000	Variance	57.00985
Mode	85.70000	Range	47.09800
Interquartile Range			11.39200

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	687.6367	Pr > t	<.0001
Sign	M	1833.5	Pr >= M	<.0001
Signed Rank	S	3362639	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	109.360
99%	103.165
95%	98.901
90%	96.300
75% Q3	91.450
50% Median	84.690
25% Q1	80.058
10%	76.843
5%	74.732

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10

The UNIVARIATE Procedure

Variable: V10CFWDTH (BL/FU kXR reading (JD): width of femoral condyles used to define x=1.0 [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	71.018
0 % Min	62.262

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
62.262	2023	108.22	32
65.230	1954	108.51	1239
66.634	1955	108.51	1716
66.749	196	108.95	1715
66.800	195	109.36	1240

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])**

Moments			
N	3649	Sum Weights	3649
Mean	3.75986654	Sum Observations	13719.753
Std Deviation	1.37550353	Variance	1.89200997
Skewness	-0.2685914	Kurtosis	0.16405704
Uncorrected SS	58486.4926	Corrected SS	6902.05238
Coeff Variation	36.5838393	Std Error Mean	0.02277062

Basic Statistical Measures			
Location		Variability	
Mean	3.759867	Std Deviation	1.37550
Median	3.891000	Variance	1.89201
Mode	0.000000	Range	8.87100
Interquartile Range			1.78000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	165.1192	Pr > t	<.0001
Sign	M	1804.5	Pr >= M	<.0001
Signed Rank	S	3257123	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.871
99%	6.765
95%	5.832
90%	5.376
75% Q3	4.692
50% Median	3.891
25% Q1	2.912
10%	1.869
5%	1.239

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10

The UNIVARIATE Procedure

Variable: V10MCMJSW (BL/FU kXR reading (JD): medial minimum JSW [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.000
0% Min	0.000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3679	8.400	2663
0	3561	8.493	2797
0	3476	8.634	2121
0	3474	8.699	2360
0	3375	8.871	1815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	55.00
T	18	0.49	45.00
Total	40	1.08	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])**

Moments			
N	3627	Sum Weights	3627
Mean	4.28481114	Sum Observations	15541.01
Std Deviation	1.38576107	Variance	1.92033374
Skewness	-0.3069232	Kurtosis	0.34059921
Uncorrected SS	73553.4229	Corrected SS	6963.13015
Coeff Variation	32.3412404	Std Error Mean	0.02300989

Basic Statistical Measures			
Location		Variability	
Mean	4.284811	Std Deviation	1.38576
Median	4.400000	Variance	1.92033
Mode	4.270000	Range	9.66000
Interquartile Range			1.71000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	186.216	Pr > t	<.0001
Sign	M	1806	Pr >= M	<.0001
Signed Rank	S	3262539	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.66
99%	7.40
95%	6.41
90%	5.91
75% Q3	5.20
50% Median	4.40
25% Q1	3.49
10%	2.43
5%	1.65

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10

The UNIVARIATE Procedure

Variable: V10JSW175 (BL/FU kXR reading (JD): medial JSW at x=0.175 [mm])

Quantiles (Definition 5)	
Level	Quantile
1%	0.71
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3679	8.68	1791
0	3474	8.73	1594
0	3375	8.87	2797
0	3179	8.90	2663
0	3108	9.66	1815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	35.48
T	40	1.08	64.52
Total	62	1.68	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Moments			
N	3639	Sum Weights	3639
Mean	4.46639461	Sum Observations	16253.21
Std Deviation	1.38294078	Variance	1.91252521
Skewness	-0.3316406	Kurtosis	0.43403432
Uncorrected SS	79551.0163	Corrected SS	6957.7667
Coeff Variation	30.9632467	Std Error Mean	0.02292517

Basic Statistical Measures			
Location		Variability	
Mean	4.466395	Std Deviation	1.38294
Median	4.600000	Variance	1.91253
Mode	4.600000	Range	9.76000
		Interquartile Range	1.65000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	194.8249	Pr > t	<.0001
Sign	M	1813	Pr >= M	<.0001
Signed Rank	S	3287876	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.76
99%	7.48
95%	6.60
90%	6.11
75% Q3	5.34
50% Median	4.60
25% Q1	3.69
10%	2.68
5%	1.94

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW200 (BL/FU kXR reading (JD): medial JSW at x=0.200 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.89
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3679	8.83	996
0	3474	8.90	2663
0	3375	9.12	1268
0	3179	9.22	1594
0	3108	9.76	1815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	44.00
T	28	0.76	56.00
Total	50	1.36	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Moments			
N	3645	Sum Weights	3645
Mean	5.10995885	Sum Observations	18625.8
Std Deviation	1.41863603	Variance	2.01252818
Skewness	-0.2789468	Kurtosis	0.58260452
Uncorrected SS	102510.724	Corrected SS	7333.65269
Coeff Variation	27.7621811	Std Error Mean	0.02349753

Basic Statistical Measures			
Location		Variability	
Mean	5.109959	Std Deviation	1.41864
Median	5.180000	Variance	2.01253
Mode	5.920000	Range	10.40000
Interquartile Range			1.74000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	217.4679	Pr > t	<.0001
Sign	M	1820.5	Pr >= M	<.0001
Signed Rank	S	3315131	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.40
99%	8.43
95%	7.30
90%	6.79
75% Q3	6.01
50% Median	5.18
25% Q1	4.27
10%	3.31
5%	2.63

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW250 (BL/FU kXR reading (JD): medial JSW at x=0.250 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.22
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	3679	9.35	1888
0.00	3375	9.60	620
0.00	1799	9.90	1594
0.00	1682	10.00	996
0.09	3060	10.40	1815

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	50.00
T	22	0.60	50.00
Total	44	1.19	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Moments			
N	3645	Sum Weights	3645
Mean	6.22817558	Sum Observations	22701.7
Std Deviation	1.49451927	Variance	2.23358786
Skewness	-0.1027209	Kurtosis	0.5790988
Uncorrected SS	149529.368	Corrected SS	8139.19417
Coeff Variation	23.9961005	Std Error Mean	0.02475442

Basic Statistical Measures			
Location		Variability	
Mean	6.228176	Std Deviation	1.49452
Median	6.210000	Variance	2.23359
Mode	5.820000	Range	11.65000
Interquartile Range			1.90000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	251.5985	Pr > t	<.0001
Sign	M	1821.5	Pr >= M	<.0001
Signed Rank	S	3318773	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.65
99%	9.80
95%	8.60
90%	8.05
75% Q3	7.20
50% Median	6.21
25% Q1	5.30
10%	4.40
5%	3.79

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW300 (BL/FU kXR reading (JD): medial JSW at x=0.300 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.41
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.0	3679	11.31	620
0.0	1799	11.44	1888
0.7	2428	11.60	2173
1.0	2572	11.64	996
1.0	2274	11.65	1732

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	50.00
T	22	0.60	50.00
Total	44	1.19	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Moments			
N	3644	Sum Weights	3644
Mean	4.74274698	Sum Observations	17282.57
Std Deviation	1.39329458	Variance	1.94126978
Skewness	-0.3350821	Kurtosis	0.51795146
Uncorrected SS	89038.9025	Corrected SS	7072.0458
Coeff Variation	29.3773752	Std Error Mean	0.02308095

Basic Statistical Measures			
Location		Variability	
Mean	4.742747	Std Deviation	1.39329
Median	4.850000	Variance	1.94127
Mode	5.240000	Range	10.22000
		Interquartile Range	1.72000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	205.4831	Pr > t	<.0001
Sign	M	1817.5	Pr >= M	<.0001
Signed Rank	S	3304215	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.22
99%	7.80
95%	6.86
90%	6.40
75% Q3	5.63
50% Median	4.85
25% Q1	3.91
10%	2.92
5%	2.24

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW225 (BL/FU kXR reading (JD): medial JSW at x=0.225 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.07
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3679	9.00	620
0	3375	9.30	2663
0	3108	9.41	996
0	3060	9.51	1594
0	2274	10.22	1815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	48.89
T	23	0.62	51.11
Total	45	1.22	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Moments			
N	3629	Sum Weights	3629
Mean	3.42015266	Sum Observations	12411.734
Std Deviation	1.39699933	Variance	1.95160712
Skewness	0.92916398	Kurtosis	2.30155758
Uncorrected SS	49530.4557	Corrected SS	7080.43065
Coeff Variation	40.8461103	Std Error Mean	0.0231901

Basic Statistical Measures			
Location		Variability	
Mean	3.420153	Std Deviation	1.39700
Median	3.256000	Variance	1.95161
Mode	2.400000	Range	12.28000
		Interquartile Range	1.80500

Note: The mode displayed is the smallest of 2 modes with a count of 28.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	147.4833	Pr > t	<.0001
Sign	M	1814.5	Pr >= M	<.0001
Signed Rank	S	3293318	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.650
99%	7.404
95%	5.820
90%	5.204
75% Q3	4.230
50% Median	3.256
25% Q1	2.425
10%	1.800
5%	1.455

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10TPCFDS (BL/FU kXR reading (JD): distance from tibial plateau to tibial rim closest to femoral condyle [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.873
0 % Min	0.370

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.370	782	10.589	1749
0.500	3332	11.105	451
0.600	3026	11.223	2713
0.600	2638	12.226	3104
0.651	2599	12.650	662

Missing Values				
		Percent Of		
Missing Value	Count	All Obs	Missing Obs	
P	22	0.60	36.67	
T	38	1.03	63.33	
Total	60	1.63	100.00	

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Moments			
N	3678	Sum Weights	3678
Mean	9.775677	Sum Observations	35954.94
Std Deviation	1.58108397	Variance	2.49982651
Skewness	0.77421157	Kurtosis	3.57756817
Uncorrected SS	360675.742	Corrected SS	9191.86206
Coeff Variation	16.1736519	Std Error Mean	0.02607048

Basic Statistical Measures			
Location		Variability	
Mean	9.775677	Std Deviation	1.58108
Median	9.680000	Variance	2.49983
Mode	9.540000	Range	15.93000
		Interquartile Range	1.84000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	374.9711	Pr > t	<.0001
Sign	M	1839	Pr >= M	<.0001
Signed Rank	S	3382841	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	19.38
99%	14.72
95%	12.31
90%	11.57
75% Q3	10.67
50% Median	9.68
25% Q1	8.83
10%	8.07
5%	7.48

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10BMANG (BL/FU kXR reading (JD): x-ray beam angle from Synaflexer phantom [degrees])

Quantiles (Definition 5)	
Level	Quantile
1 %	6.12
0 % Min	3.45

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
3.45	1150	18.57	662
3.45	1149	18.57	1569
3.90	1169	18.57	1570
3.90	1168	19.38	1268
4.50	2351	19.38	1269

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
T	11	0.30	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Moments			
N	3615	Sum Weights	3615
Mean	4.17766805	Sum Observations	15102.27
Std Deviation	1.40323774	Variance	1.96907616
Skewness	-0.2675716	Kurtosis	0.24556023
Uncorrected SS	70208.5121	Corrected SS	7116.24124
Coeff Variation	33.5890196	Std Error Mean	0.02333872

Basic Statistical Measures			
Location		Variability	
Mean	4.177668	Std Deviation	1.40324
Median	4.300000	Variance	1.96908
Mode	4.080000	Range	9.38000
		Interquartile Range	1.77000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	179.0016	Pr > t	<.0001
Sign	M	1799.5	Pr >= M	<.0001
Signed Rank	S	3239100	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	9.38
99%	7.35
95%	6.32
90%	5.82
75% Q3	5.10
50% Median	4.30
25% Q1	3.33
10%	2.31
5%	1.54

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW150 (BL/FU kXR reading (JD): medial JSW at x=0.150 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.78
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3679	8.79	599
0	3474	8.80	2663
0	3375	8.82	1791
0	3179	9.04	2121
0	3108	9.38	1815

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	29.73
T	52	1.41	70.27
Total	74	2.01	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Moments			
N	3645	Sum Weights	3645
Mean	5.59266667	Sum Observations	20385.27
Std Deviation	1.44513477	Variance	2.08841451
Skewness	-0.1946242	Kurtosis	0.60607197
Uncorrected SS	121618.202	Corrected SS	7610.18248
Coeff Variation	25.8398159	Std Error Mean	0.02393644

Basic Statistical Measures			
Location		Variability	
Mean	5.592667	Std Deviation	1.44513
Median	5.620000	Variance	2.08841
Mode	5.340000	Range	10.48000
Interquartile Range			1.80000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	233.6465	Pr > t	<.0001
Sign	M	1821.5	Pr >= M	<.0001
Signed Rank	S	3318773	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	10.48
99%	9.03
95%	7.90
90%	7.32
75% Q3	6.52
50% Median	5.62
25% Q1	4.72
10%	3.81
5%	3.14

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10JSW275 (BL/FU kXR reading (JD): medial JSW at x=0.275 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.80
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.00	3679	10.21	1815
0.00	1799	10.30	1888
0.37	1682	10.40	620
0.39	3375	10.48	996
0.59	3108	10.48	1594

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	50.00
T	22	0.60	50.00
Total	44	1.19	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Moments			
N	3474	Sum Weights	3474
Mean	5.87221934	Sum Observations	20400.09
Std Deviation	1.67643665	Variance	2.81043985
Skewness	-0.6088366	Kurtosis	1.22541789
Uncorrected SS	129554.461	Corrected SS	9760.65759
Coeff Variation	28.5486041	Std Error Mean	0.02844279

Basic Statistical Measures			
Location		Variability	
Mean	5.872219	Std Deviation	1.67644
Median	6.000000	Variance	2.81044
Mode	6.010000	Range	11.73000
Interquartile Range			1.84000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	206.4572	Pr > t	<.0001
Sign	M	1728.5	Pr >= M	<.0001
Signed Rank	S	2988577	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.73
99%	9.60
95%	8.40
90%	7.80
75% Q3	6.90
50% Median	6.00
25% Q1	5.06
10%	3.81
5%	2.62

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW850 (BL/FU kXR reading (JD): lateral JSW at x=0.850 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.88
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	10.78	825
0	2523	11.22	1375
0	2356	11.25	1441
0	2126	11.29	2779
0	2073	11.73	2302

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	10.23
T	193	5.23	89.77
Total	215	5.83	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Moments			
N	3322	Sum Weights	3322
Mean	6.19816075	Sum Observations	20590.29
Std Deviation	1.78568648	Variance	3.1886762
Skewness	-0.6766133	Kurtosis	1.17338769
Uncorrected SS	138211.521	Corrected SS	10589.5937
Coeff Variation	28.8099414	Std Error Mean	0.03098171

Basic Statistical Measures			
Location		Variability	
Mean	6.198161	Std Deviation	1.78569
Median	6.360000	Variance	3.18868
Mode	6.600000	Range	11.95000
Interquartile Range			1.93000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	200.0587	Pr > t	<.0001
Sign	M	1650	Pr >= M	<.0001
Signed Rank	S	2723325	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.95
99%	10.00
95%	8.80
90%	8.23
75% Q3	7.29
50% Median	6.36
25% Q1	5.36
10%	3.98
5%	2.62

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW900 (BL/FU kXR reading (JD): lateral JSW at x=0.900 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.97
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	11.20	1940
0	2841	11.24	2302
0	2523	11.28	1651
0	2356	11.37	825
0	2126	11.95	1441

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	5.99
T	345	9.35	94.01
Total	367	9.95	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Moments			
N	3504	Sum Weights	3504
Mean	6.95452626	Sum Observations	24368.66
Std Deviation	17.0996565	Variance	292.398253
Skewness	-58.154169	Kurtosis	3422.05316
Uncorrected SS	1193743.56	Corrected SS	1024271.08
Coeff Variation	245.878093	Std Error Mean	0.28887193

Basic Statistical Measures			
Location		Variability	
Mean	6.954526	Std Deviation	17.09966
Median	7.400000	Variance	292.39825
Mode	7.400000	Range	1012
Interquartile Range			2.36000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	24.07477	Pr > t	<.0001
Sign	M	1746.5	Pr >= M	<.0001
Signed Rank	S	3051135	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	12.62
99%	11.08
95%	10.04
90%	9.51
75% Q3	8.47
50% Median	7.40
25% Q1	6.11
10%	4.86
5%	3.99

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW700 (BL/FU kXR reading (JD): lateral JSW at x=0.700 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.10
0% Min	-999.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-999	3216	12.15	681
0	2910	12.20	1541
0	2627	12.20	3289
0	2126	12.53	515
0	2073	12.62	514

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	11.89
T	163	4.42	88.11
Total	185	5.01	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Moments			
N	3543	Sum Weights	3543
Mean	5.99167372	Sum Observations	21228.5
Std Deviation	1.65994862	Variance	2.75542941
Skewness	-0.6059841	Kurtosis	1.17784067
Uncorrected SS	136953.977	Corrected SS	9759.73097
Coeff Variation	27.7042558	Std Error Mean	0.02788747

Basic Statistical Measures			
Location		Variability	
Mean	5.991674	Std Deviation	1.65995
Median	6.110000	Variance	2.75543
Mode	6.500000	Range	11.73000
Interquartile Range			1.87000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	214.8518	Pr > t	<.0001
Sign	M	1764.5	Pr >= M	<.0001
Signed Rank	S	3114343	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.73
99%	9.60
95%	8.46
90%	7.90
75% Q3	7.02
50% Median	6.11
25% Q1	5.15
10%	3.97
5%	2.80

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW825 (BL/FU kXR reading (JD): lateral JSW at x=0.825 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.07
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	10.95	1441
0	2126	11.10	1940
0	2073	11.29	2779
0	1846	11.52	1375
0	1688	11.73	2302

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	15.07
T	124	3.36	84.93
Total	146	3.96	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Moments			
N	3556	Sum Weights	3556
Mean	6.73906355	Sum Observations	23964.11
Std Deviation	1.70846436	Variance	2.91885046
Skewness	-0.5749686	Kurtosis	0.90605488
Uncorrected SS	171872.174	Corrected SS	10376.5134
Coeff Variation	25.3516582	Std Error Mean	0.02865003

Basic Statistical Measures			
Location		Variability	
Mean	6.739064	Std Deviation	1.70846
Median	6.890000	Variance	2.91885
Mode	6.310000	Range	11.61000
		Interquartile Range	2.11000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	235.2201	Pr > t	<.0001
Sign	M	1774	Pr >= M	<.0001
Signed Rank	S	3147963	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.61
99%	10.38
95%	9.32
90%	8.73
75% Q3	7.86
50% Median	6.89
25% Q1	5.75
10%	4.57
5%	3.59

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW750 (BL/FU kXR reading (JD): lateral JSW at x=0.750 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.90
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	11.23	681
0	2126	11.30	1940
0	2073	11.54	763
0	1268	11.58	2779
0	1240	11.61	1375

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	16.54
T	111	3.01	83.46
Total	133	3.61	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Moments			
N	3392	Sum Weights	3392
Mean	5.90143278	Sum Observations	20017.66
Std Deviation	1.71519263	Variance	2.94188577
Skewness	-0.6216596	Kurtosis	1.21109573
Uncorrected SS	128108.81	Corrected SS	9975.93464
Coeff Variation	29.0640035	Std Error Mean	0.02944998

Basic Statistical Measures			
Location		Variability	
Mean	5.901433	Std Deviation	1.71519
Median	6.010000	Variance	2.94189
Mode	5.920000	Range	11.75000
Interquartile Range			1.83000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	200.3884	Pr > t	<.0001
Sign	M	1686	Pr >= M	<.0001
Signed Rank	S	2843439	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.75
99%	9.70
95%	8.47
90%	7.90
75% Q3	6.92
50% Median	6.01
25% Q1	5.09
10%	3.79
5%	2.52

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW875 (BL/FU kXR reading (JD): lateral JSW at x=0.875 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	0.81
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	10.82	1651
0	2841	10.98	825
0	2523	11.01	1375
0	2356	11.63	2302
0	2126	11.75	1441

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	7.41
T	275	7.45	92.59
Total	297	8.05	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Moments			
N	3515	Sum Weights	3515
Mean	7.00349644	Sum Observations	24617.29
Std Deviation	1.76048456	Variance	3.0993059
Skewness	-0.540836	Kurtosis	0.8101902
Uncorrected SS	183298.064	Corrected SS	10890.9609
Coeff Variation	25.1372236	Std Error Mean	0.02969406

Basic Statistical Measures			
Location		Variability	
Mean	7.003496	Std Deviation	1.76048
Median	7.140000	Variance	3.09931
Mode	6.800000	Range	11.77000
		Interquartile Range	2.16000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	235.8551	Pr > t	<.0001
Sign	M	1753.5	Pr >= M	<.0001
Signed Rank	S	3075639	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.77
99%	10.70
95%	9.62
90%	9.11
75% Q3	8.16
50% Median	7.14
25% Q1	6.00
10%	4.78
5%	3.89

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW725 (BL/FU kXR reading (JD): lateral JSW at x=0.725 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	2.13
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	11.50	681
0	2126	11.50	2405
0	2073	11.52	514
0	1268	11.60	3289
0	1240	11.77	2779

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	12.64
T	152	4.12	87.36
Total	174	4.72	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Moments			
N	3573	Sum Weights	3573
Mean	6.48487825	Sum Observations	23170.47
Std Deviation	1.6881733	Variance	2.84992908
Skewness	-0.5889221	Kurtosis	0.97658807
Uncorrected SS	160437.624	Corrected SS	10179.9467
Coeff Variation	26.0324594	Std Error Mean	0.02824233

Basic Statistical Measures			
Location		Variability	
Mean	6.484878	Std Deviation	1.68817
Median	6.600000	Variance	2.84993
Mode	6.600000	Range	11.83000
		Interquartile Range	2.02000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	229.6156	Pr > t	<.0001
Sign	M	1782	Pr >= M	<.0001
Signed Rank	S	3176415	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.83
99%	10.10
95%	9.00
90%	8.44
75% Q3	7.58
50% Median	6.60
25% Q1	5.56
10%	4.37
5%	3.31

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW775 (BL/FU kXR reading (JD): lateral JSW at x=0.775 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.57
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	10.97	2493
0	2126	11.19	2779
0	2073	11.42	1375
0	1268	11.60	1940
0	1240	11.83	2302

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	18.97
T	94	2.55	81.03
Total	116	3.14	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Moments			
N	3566	Sum Weights	3566
Mean	6.22104879	Sum Observations	22184.26
Std Deviation	1.67442958	Variance	2.80371441
Skewness	-0.5971434	Kurtosis	1.09435788
Uncorrected SS	148004.606	Corrected SS	9995.24188
Coeff Variation	26.9155513	Std Error Mean	0.02803988

Basic Statistical Measures			
Location		Variability	
Mean	6.221049	Std Deviation	1.67443
Median	6.310000	Variance	2.80371
Mode	6.310000	Range	11.70000
Interquartile Range			1.94000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	221.8643	Pr > t	<.0001
Sign	M	1778.5	Pr >= M	<.0001
Signed Rank	S	3163952	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	11.70
99%	9.81
95%	8.71
90%	8.17
75% Q3	7.29
50% Median	6.31
25% Q1	5.35
10%	4.18
5%	3.05

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10LJSW800 (BL/FU kXR reading (JD): lateral JSW at x=0.800 [mm])**

Quantiles (Definition 5)	
Level	Quantile
1%	1.26
0% Min	0.00

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	2910	10.97	2493
0	2126	11.29	2779
0	2073	11.52	1375
0	1268	11.53	2302
0	1240	11.70	1940

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	17.89
T	101	2.74	82.11
Total	123	3.33	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Moments			
N	3649	Sum Weights	3649
Mean	0.12886462	Sum Observations	470.227
Std Deviation	0.04600826	Variance	0.00211676
Skewness	1.02725253	Kurtosis	1.98895586
Uncorrected SS	68.317563	Corrected SS	7.72193912
Coeff Variation	35.7027832	Std Error Mean	0.00076164

Basic Statistical Measures			
Location		Variability	
Mean	0.128865	Std Deviation	0.04601
Median	0.122000	Variance	0.00212
Mode	0.119000	Range	0.41300
		Interquartile Range	0.05600

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	169.194	Pr > t	<.0001
Sign	M	1824.5	Pr >= M	<.0001
Signed Rank	S	3329713	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.443
99%	0.270
95%	0.214
90%	0.189
75% Q3	0.153
50% Median	0.122
25% Q1	0.097
10%	0.078
5%	0.068

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure****Variable: V10XMJSW (BL/FU kXR reading (JD): x coordinate of minimum JSW)**

Quantiles (Definition 5)	
Level	Quantile
1%	0.049
0% Min	0.030

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.030	53	0.324	281
0.032	3257	0.343	1799
0.032	2778	0.345	3679
0.032	2749	0.401	1414
0.032	1145	0.443	3060

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
P	22	0.60	55.00
T	18	0.49	45.00
Total	40	1.08	100.00

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Moments			
N	3689	Sum Weights	3689
Mean	0.09677419	Sum Observations	357
Std Deviation	0.29569012	Variance	0.08743265
Skewness	2.72883334	Kurtosis	5.44948553
Uncorrected SS	357	Corrected SS	322.451613
Coeff Variation	305.546462	Std Error Mean	0.00486836

Basic Statistical Measures			
Location		Variability	
Mean	0.096774	Std Deviation	0.29569
Median	0.000000	Variance	0.08743
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	19.8782	Pr > t	<.0001
Sign	M	178.5	Pr >= M	<.0001
Signed Rank	S	31951.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCPLL (BL/FU kXR reading (JD): incomplete delineation of lateral compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3627
0	3688	1	3639
0	3687	1	3654
0	3686	1	3670
0	3684	1	3685

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Moments			
N	3689	Sum Weights	3689
Mean	0.00867444	Sum Observations	32
Std Deviation	0.0927444	Variance	0.00860152
Skewness	10.6010086	Kurtosis	110.44126
Uncorrected SS	32	Corrected SS	31.722418
Coeff Variation	1069.16901	Std Error Mean	0.00152698

Basic Statistical Measures			
Location		Variability	
Mean	0.008674	Std Deviation	0.09274
Median	0.000000	Variance	0.00860
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.68078	Pr > t	<.0001
Sign	M	16	Pr >= M	<.0001
Signed Rank	S	264	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCPLM (BL/FU kXR reading (JD): incomplete delineation of medial compartment - some JSW(x) set to .T)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3236
0	3688	1	3335
0	3687	1	3399
0	3686	1	3513
0	3685	1	3676

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Moments			
N	3689	Sum Weights	3689
Mean	0.00596368	Sum Observations	22
Std Deviation	0.07700466	Variance	0.00592972
Skewness	12.838296	Kurtosis	162.910165
Uncorrected SS	22	Corrected SS	21.8687991
Coeff Variation	1291.22815	Std Error Mean	0.00126783

Basic Statistical Measures			
Location		Variability	
Mean	0.005964	Std Deviation	0.07700
Median	0.000000	Variance	0.00593
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.703827	Pr > t	<.0001
Sign	M	11	Pr >= M	<.0001
Signed Rank	S	126.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOMMJSW (BL/FU kXR reading (JD): medial mJSW cannot be measured due to poor positioning, image quality or other reason)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	2989
0	3688	1	3104
0	3687	1	3186
0	3686	1	3483
0	3685	1	3484

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	3689	Sum Weights	3689
Mean	0.02033071	Sum Observations	75
Std Deviation	0.14114806	Variance	0.01992278
Skewness	6.80036938	Kurtosis	44.2690239
Uncorrected SS	75	Corrected SS	73.4751965
Coeff Variation	694.260272	Std Error Mean	0.00232392

Basic Statistical Measures			
Location		Variability	
Mean	0.020331	Std Deviation	0.14115
Median	0.000000	Variance	0.01992
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.748468	Pr > t	<.0001
Sign	M	37.5	Pr >= M	<.0001
Signed Rank	S	1425	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOLJSWX (BL/FU kXR reading (JD): lateral JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3335
0	3688	1	3403
0	3687	1	3483
0	3686	1	3484
0	3685	1	3526

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Moments			
N	3689	Sum Weights	3689
Mean	0.01084305	Sum Observations	40
Std Deviation	0.10357791	Variance	0.01072838
Skewness	9.45032188	Kurtosis	87.3559436
Uncorrected SS	40	Corrected SS	39.5662781
Coeff Variation	955.247275	Std Error Mean	0.00170535

Basic Statistical Measures			
Location		Variability	
Mean	0.010843	Std Deviation	0.10358
Median	0.000000	Variance	0.01073
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.358263	Pr > t	<.0001
Sign	M	20	Pr >= M	<.0001
Signed Rank	S	410	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10MJSWBB (BL/FU kXR reading (JD): mJSW is set to zero, used when reader judges bone on bone in medial compartment)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3375
0	3688	1	3474
0	3687	1	3476
0	3686	1	3561
0	3685	1	3679

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Moments			
N	3689	Sum Weights	3689
Mean	0.47790729	Sum Observations	1763
Std Deviation	0.49957939	Variance	0.24957957
Skewness	0.08849321	Kurtosis	-1.9932499
Uncorrected SS	1763	Corrected SS	920.449444
Coeff Variation	104.534791	Std Error Mean	0.00822527

Basic Statistical Measures			
Location		Variability	
Mean	0.477907	Std Deviation	0.49958
Median	0.000000	Variance	0.24958
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	58.10232	Pr > t	<.0001
Sign	M	881.5	Pr >= M	<.0001
Signed Rank	S	777483	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10INCSTPS (BL/FU kXR reading (JD): inconsistent positioning at one or more visits based on rim distance)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3688	1	3680
0	3687	1	3681
0	3686	1	3684
0	3683	1	3685
0	3682	1	3689

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Moments			
N	3689	Sum Weights	3689
Mean	0.03063161	Sum Observations	113
Std Deviation	0.17234084	Variance	0.02970136
Skewness	5.44993297	Kurtosis	27.7167958
Uncorrected SS	113	Corrected SS	109.538628
Coeff Variation	562.624195	Std Error Mean	0.00283749

Basic Statistical Measures			
Location		Variability	
Mean	0.030632	Std Deviation	0.17234
Median	0.000000	Variance	0.02970
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	10.79533	Pr > t	<.0001
Sign	M	56.5	Pr >= M	<.0001
Signed Rank	S	3220.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10LTPMEBE (BL/FU kXR reading (JD): lateral tibial plateau margin is the same as the bone edge)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3488
0	3688	1	3499
0	3687	1	3545
0	3686	1	3559
0	3685	1	3651

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Moments			
N	3689	Sum Weights	3689
Mean	0.00487937	Sum Observations	18
Std Deviation	0.06969132	Variance	0.00485688
Skewness	14.2166697	Kurtosis	200.222248
Uncorrected SS	18	Corrected SS	17.9121713
Coeff Variation	1428.28479	Std Error Mean	0.00114743

Basic Statistical Measures			
Location		Variability	
Mean	0.004879	Std Deviation	0.06969
Median	0.000000	Variance	0.00486
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.252453	Pr > t	<.0001
Sign	M	9	Pr >= M	<.0001
Signed Rank	S	85.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOMJSWX (BL/FU kXR reading (JD): medial JSW(x) cannot be measured due to poor positioning or poor image quality)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	2962
0	3688	1	3104
0	3687	1	3186
0	3686	1	3483
0	3685	1	3484

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Moments			
N	3689	Sum Weights	3689
Mean	0.07481702	Sum Observations	276
Std Deviation	0.26313154	Variance	0.06923821
Skewness	3.23346735	Kurtosis	8.45989735
Uncorrected SS	276	Corrected SS	255.350501
Coeff Variation	351.700086	Std Error Mean	0.0043323

Basic Statistical Measures			
Location		Variability	
Mean	0.074817	Std Deviation	0.26313
Median	0.000000	Variance	0.06924
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	17.26958	Pr > t	<.0001
Sign	M	138	Pr >= M	<.0001
Signed Rank	S	19113	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10NOLMIN (BL/FU kXR reading (JD): medial mJSW measured but there is no local minimum)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3689	1	3537
0	3688	1	3579
0	3687	1	3590
0	3686	1	3625
0	3685	1	3682

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Moments			
N	3689	Sum Weights	3689
Mean	0.1828617	Sum Observations	674.576794
Std Deviation	0.02614343	Variance	0.00068348
Skewness	-1.3361804	Kurtosis	-0.0753438
Uncorrected SS	125.874926	Corrected SS	2.52067011
Coeff Variation	14.2968318	Std Error Mean	0.00043044

Basic Statistical Measures			
Location		Variability	
Mean	0.182862	Std Deviation	0.02614
Median	0.194000	Variance	0.0006835
Mode	0.200000	Range	0.10000
Interquartile Range			0.00603

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	424.8294	Pr > t	<.0001
Sign	M	1844.5	Pr >= M	<.0001
Signed Rank	S	3403103	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	0.200000
99%	0.200000
95%	0.200000
90%	0.200000
75% Q3	0.200000
50% Median	0.194000
25% Q1	0.193966
10%	0.138615
5%	0.127651

OAI 10.2 03/04/2016: Freqs/Univs for kxr_qjsw_duryea10**The UNIVARIATE Procedure**

Variable: V10IMPIXSZ (BL/FU kXR reading (JD): pixel size used for conversion from pixel units to millimetres (uncorrected for magnification of knee) [mm])

Quantiles (Definition 5)	
Level	Quantile
1 %	0.127651
0 % Min	0.100000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.100000	2783	0.2	3679
0.100000	2782	0.2	3680
0.103978	2023	0.2	3682
0.127444	1244	0.2	3683
0.127444	1243	0.2	3688